

RETURN TO
COUNTY CLERK
LOS ANGELES

FIELD NOTES

TOWNSHIP FIVE NORTH

RANGE TWELVE WEST

S. B. M.

SECTIONS NOS. 1 & 2

-0-

		R12W	R11W
3	4 2	3 1	6
10	3 11	2 12	
15	14	13	

T.5N.

Norris 1853
Hancock 1855
Norway 1879

West on 6th mile T. 5 N., R. 11 W.,
 x x x x x x x x

80.00 Set post corner to T. 5 and 6 N., R. 11 and 12 W.,
 Desert
 The mountains are about 8 miles South and apparently
 first rate land.
 The plain extends North probably 30 miles.

-o-

South boundary of T. 6 N., R. 12 W., S.B.M.
 West on first mile.

20.00 Ground rolling and dwarf Cedars

40.00 Set $\frac{1}{4}$ mile post and mound.

60.00 Cross road bears NW

80.00 Set first mile post and mound.

The ground hilly with some clay mixed in the soil.
 Scattering Cedars.

-o-

West on second mile.

40.00 Set $\frac{1}{2}$ mile post and mound.

80.00 Set second mile post with mound.

Land third rate.

-o-

Ralph Norris. 1853

-o-o-o-o-o-o-o-

Re-Tracing

From the corner to sections 35 and 36, which I find
 standing and agreeing with discription furnished me of
 former survey, I run

West on south boundary of section 35.

Var. 14° 35' East.

16.78 Cross line of S.P.R.R.

35.40 Cross wagon road bears N and S

40.00 After diligent search being unable to find old corner I

set post 4 ins. dia., 1 ft. in earth, 1 ft. above stone mound 4 ft. dia. at base by 3 ft. high for $\frac{1}{4}$ section corner

77.00 Cross dry gulch 30 lbs. wide, course SE

30.00 The corner to sections 34 and 35.

Land mountainous.

Soil second rate.

Timber and undergrowth of Oak and Cedar.

-o-

William Norway, 1879

-o-o-o-o-o-o-

East boundary of Section 1, T. 5 N., R. 12 W., S.B.M.

Given in the Notes of T. 5 N., R. 11 W., S.B.M

-o-o-o-o-o-o-

SUBDIVISIONS

North between sections 11 and 12

Var. 14° 08' East.

x x x x x x x

80.00 Set a post for corner to sections 1, 3, 11 and 12, drove a charred stake and raised mound with trench and pits as per instructions.

Land broken.

Soil second rate.

-o-

East on a random line between sections 1 and 12

Var. 14° 08' East.

40.00 Set temporary $\frac{1}{4}$ section corner.

30.94 Intersect the E. boundary of T. 20.46 chs. S. of corner to sections 1, 6, 7 and 12, and set a post for corner to sections 1 and 12 at intersection, drove charred stake and raised mound with trench and pits as per instructions.

From which corner I run

Weston a true line between sections 1 and 12

Var. 14° 08' East.

40.47 Set a post for the $\frac{1}{4}$ section corner, drove a charred

stake and raised mound with trench and pits as per instructions.

30.94 The corner to sections 1, 2, 11 and 12.
 Land undulating.
 Timber scattering Cedar.
 Soil second rate.

-0-

North between sections 1 and 2
 Var. 14° 08' East.

1.00 Leave canada

35.00 Across another canada.

40.00 Set a post for $\frac{1}{4}$ section corner and drove charred stake in a witness mound 50 lks. N. of true $\frac{1}{4}$ section corner (avoid dry arroyo 10 lks. wide, course W) with trench and pits as per instructions.

64.00 Enter valley.

85.00 Across road course West

105.00 Intersect the First Standard Parallel North 17.04 chs. West of the 66th mile Standard Corner and set a post for Closing Corner to sections 1 and 2, drove a charred stake and raised mound with trench and pits as per instructions at the point of intersection.
 Land rolling.
 Soil second rate.

-0-

North between sections 10 and 11
 Var. 14° 08' East.

x x x x x x x x x

80.00 Set a post for corner to sections 2, 5, 10 and 11 on North side of mountain, drove charred stake and raised mound with trench and pits as per instructions.
 Mountainous land.

-0-

East on a random line between sections 2 and 11
 Var. 14° 08' East.

40.00 Set post in for temporary $\frac{1}{4}$ section corner.

49.00 Cross Lea Solidad Pass, course NW

79.55 Intersect the N and S lin 141 lks. S. of corner to sections 1, 2, 11 and 12,
 From which corner I run West on a true line between sections 2 and 11
 Var. $15^{\circ} 08'$ East.

39777 $\frac{1}{2}$ Set post for the $\frac{1}{4}$ section corner charred stake and raised mound with trench and pits as per instructions.

79.55 The corner to sections 2, 3, 10 and 11.
 First $\frac{1}{2}$ mile rolling land.
 Last half mile neary level.
 Timber scattering Cedar. Soil second rate.

-o-

North between sections 2 and 3
 Var. $14^{\circ} 08'$ East.

40.00 Set a post for $\frac{1}{4}$ section corner, drove a charred stake and raised mound with trench and pits as per instructions.

75.00 To base of hill.

10.00 Enter valley.

106.50 Intersect the First Standard North 16.45 chs. W. of the 67th mile Standard Corner.
 Set a post for C.C. to sections 2 and 3, drove a charred stake and raised mound with trench and pits as per instructions at the point of intersection.
 Land generally undulating.
 Soil second rate.

-o-

Henry Hancock

1855