

SCANNED

1 THOMAS L. SANSONETTI
 Assistant Attorney General
 2 Environment & Natural Resources Division
 DAVID B. GLAZER
 3 MATTHEW FOGELSON
 Environmental Enforcement Section
 4 Environment and Natural Resources
 Division
 5 301 Howard Street, Suite 1050
 San Francisco, California 94105
 6 Telephone: (415) 744-6491
 Facsimile: (415) 744-6476
 7 DEBRA W. YANG
 United States Attorney
 8 Central District of California
 SUZETTE CLOVER (State Bar No. 89066)
 9 Assistant United States Attorney
 300 North Los Angeles Street
 10 Los Angeles, California 90012
 Telephone: (213) 894-3996
 11 Facsimile: (213) 894-7819

FILED
 CLERK, U.S. DISTRICT COURT
 OCT 28 2004
 CENTRAL DISTRICT OF CALIFORNIA
 BY DEPUTY

Priority
 Send
 Enter
 Closed
 JS-5/JS-6
 JS-2/JS-3
 Scan Only

LOGGED
 CLERK, U.S. DISTRICT COURT
 OCT 27 2004
 CENTRAL DISTRICT OF CALIFORNIA
 DEPUTY

12 Attorneys for Plaintiff United States of America
 (Additional Attorneys Listed on Following Pages)

UNITED STATES DISTRICT COURT FOR THE
 CENTRAL DISTRICT OF CALIFORNIA
 WESTERN DIVISION

15 UNITED STATES OF AMERICA and
 16 PEOPLE OF THE STATE OF
 CALIFORNIA *ex rel.* CALIFORNIA
 17 REGIONAL WATER QUALITY
 CONTROL BOARD, LOS ANGELES
 18 REGION,
 Plaintiffs,
 19 v.
 20 CITY OF LOS ANGELES,
 21 Defendant.

Civil Action No. 01-191-RSWL
 Civil Action No. 98-9039-RSWL
 CONSOLIDATED

22 SANTA MONICA BAYKEEPER, a
 23 non-profit corporation;
 Plaintiff,
 24
 25 v.
 26 THE CITY OF LOS ANGELES,
 27 Defendant.

ENTERED
 CLERK, U.S. DISTRICT COURT
 OCT 29 2004
 CENTRAL DISTRICT OF CALIFORNIA
 BY DEPUTY

THIS CONSTITUTES NOTICE OF ENTRY
 AS REQUIRED BY FRCP, RULE 77(d).

98

1 ROBERT R. KLOTZ (State Bar No. 114921)
Environmental Enforcement Section
2 Environment & Natural Resources Division
United States Department of Justice
3 P.O. Box 7611 Ben Franklin Station
Washington, DC 20044-7611
4 Telephone: (202) 514-5516/Facsimile: (202) 514-0097

5 Attorney for Plaintiff United States of America

6 BILL LOCKYER
Attorney General of the State of California
7 MARY E. HACKENBRACHT
Senior Assistant Attorney General
8 GREGORY J. NEWMARK (State Bar No. 190488)
MARILYN LEVIN (State Bar No. 92800)

9 Deputy Attorneys General
300 South Spring Street,
10 11th Floor, North Tower
Los Angeles, California 90013
11 Telephone: (213) 897-2641/Facsimile: (213) 897-2802

12 Attorneys for Plaintiff People of the State of California ex rel.
California Regional Water Quality Control Board, Los Angeles Region

13 DANIEL COOPER (State Bar No. 153576)
14 Lawyers for Clean Water
1004 O'Reilly Avenue
15 San Francisco, California 94129
Telephone: (415) 561-2222/Facsimile: (415) 561-2293

16 DANIELLE FUGERE (State Bar No. 160873)
17 Environmental Advocates
1004 O'Reilly Avenue
18 San Francisco, California 94129
Telephone: (415) 561-2222/Facsimile: (415) 561-2223

19 Attorneys for Plaintiff Santa Monica Baykeeper
20
21
22
23
24
25
26
27

1 KATHLEEN SALVATY (State Bar No. 196708)
STEPHEN R. ENGLISH (State Bar No. 65717)
2 English, Munger & Rice
1545 Wilshire Boulevard, Suite 800
3 Los Angeles, California 90017
Telephone: (213) 989-1300/Facsimile: (213) 989-1309

4 ROBERT GARCÍA (State Bar No. 84898)
5 Center for Law in the Public Interest
3250 Ocean Park Blvd., Ste. 300
6 Santa Monica, California 90405
Telephone: (310) 314-1947 ext. 138/Facsimile: (310) 314-1957

7 Attorneys for Intervenors
8

9 ROCKARD J. DELGADILLO
City Attorney (State Bar No. 125465)
10 CECILIA V. ESTOLANO
Assistant City Attorney (State Bar No. 198038)
11 CHRISTOPHER WESTHOFF
Assistant City Attorney (State Bar No. 063176)
12 Offices of the Los Angeles City Attorney, City Hall East
200 North Main Street
13 Los Angeles California 90012-4110
Telephone: (213) 978-8209
14 Facsimile: (213) 978-8090

15 JAMES J. DRAGNA (State Bar No. 091492)
NANCY M. SAUNDERS (State Bar No. 111837)
16 BRYAN K. BROWN (State Bar No. 192924)
Bingham McCutchen LLP
17 355 South Grand Avenue, Suite 4400
Los Angeles, California 90071
18 Telephone: (213) 680-6400
Facsimile: (213) 680-6499

19 Attorneys for Defendant City of Los Angeles
20
21
22
23
24
25
26
27

1 TABLE OF CONTENTS

2 I. JURISDICTION AND VENUE 3

3 II. APPLICABILITY 3

4 III. OBJECTIVES 5

5 IV. DEFINITIONS 5

6 V. WORK 12

7 A. SEWER CLEANING 12

8 B. CHEMICAL ROOT CONTROL 13

9 C. SEWER CONDITION ASSESSMENT (CCTV) 13

10 D. SEWER CAPACITY PROJECTS, SYSTEM EVALUATION,
11 AND CAPACITY ASSURANCE 14

12 E. SEWER REHABILITATION AND REPLACEMENT
13 PROJECTS 16

14 F. FATS, OILS, AND GREASE (FOG) CONTROL PROGRAM ... 18

15 G. ODOR PROVISIONS 18

16 H. MODIFICATION OF CONSTRUCTION DEADLINES 24

17 VI. REPORTING REQUIREMENTS 24

18 A. REPORT ON NEED FOR MODIFICATIONS TO
19 FOG CONTROL PROGRAM 24

20 B. WET WEATHER CALIBRATION REPORT 26

21 C. CHEMICAL ROOT CONTROL REPORT 26

22 D. REHABILITATION AND REPLACEMENT REPORT
23 AND PLAN 27

24 E. CAPACITY REPORT AND PLAN 28

25 F. IRP REPORT 29

26 G. ANNUAL PROGRESS REPORT 29

27 H. QUARTERLY REPORTS 34

28 I. OTHER PROVISIONS 35

1	VII. REVIEW AND APPROVAL OF DELIVERABLES	35
2	VIII. SUPPLEMENTAL ENVIRONMENTAL PROJECTS	38
3	IX. STIPULATED PENALTIES	43
4	X. FORCE MAJEURE	52
5	XI. DISPUTE RESOLUTION	53
6	XII. CIVIL PENALTY AND SECTION 13385 PAYMENT	57
7	XIII. INFORMATION COLLECTION AND RETENTION	57
8	XIV. EFFECT OF SETTLEMENT/RESERVATION OF RIGHTS	59
9	XV. COSTS	60
10	XVI. NOTICES	61
11	XVII. EFFECTIVE DATE	63
12	XVIII. RETENTION OF JURISDICTION	63
13	XIX. MODIFICATION	64
14	XX. TERMINATION	64
15	XXI. PUBLIC PARTICIPATION	67
16	XXII. SIGNATORIES/SERVICE	67
17	XXIII. INTEGRATION	67
18	XXIV. FINAL JUDGMENT	68
19		
20	Appendix A – Sewer Relief Projects for the First Three Years of Agreement ..	76
21	Appendix B – Sewer Rehabilitation and Replacement Projects for the	
22	First Three Years of Agreement	78
23	Appendix C – Description of SEPs	83

24
25
26
27
28

1 WHEREAS:

2 Plaintiffs Santa Monica Baykeeper (“Baykeeper”) and Terry Tamminen filed
3 a complaint against Defendant City of Los Angeles (the “City”) in Civil Action 98-
4 9039 on November 9, 1998 pursuant to Clean Water Act Section 505(a)(1), 33
5 U.S.C. § 1365(a)(1). The Baykeeper complaint alleged that the City’s discharges
6 of untreated sanitary sewage from the City’s sewer collection system and the City’s
7 monitoring practices violated the terms and conditions of National Pollution
8 Discharge Elimination System (“NPDES”) Permit Number CA010991 regarding
9 the Hyperion Treatment Plant (the “Hyperion Permit”). The Baykeeper complaint
10 also alleged that by allowing sewage to enter the City’s storm sewer system, the
11 City violated the City’s storm water permit, NPDES Permit Number CAS614001.
12 Terry Tamminen was voluntarily dismissed as a plaintiff pursuant to the Court’s
13 Order dated January 23, 2004 and docketed January 26, 2004.

14 Plaintiff United States of America (“United States”), on behalf of the United
15 States Environmental Protection Agency (“EPA”), and Plaintiff People of the State
16 of California ex rel. California Regional Water Quality Control Board, Los
17 Angeles Region (“Regional Board”) filed a complaint against the City in Civil
18 Action 01-191 on January 8, 2001. The United States brought its action under
19 Section 309 of the Clean Water Act, 33 U.S.C. § 1319, and the State of California
20 brought its action under California Water Code Sections 13376, 13385, and 13386.
21 The United States and the Regional Board alleged that the City, by discharging
22 untreated sanitary sewage from manholes, sewer lines, and other parts of the City’s
23 sewer collection system, violated Clean Water Act Section 301(a), 33 U.S.C.
24 § 1311(a), California Water Code Section 13376, and the terms and conditions of
25 the Hyperion Permit and NPDES Permit Number CA0053856 regarding the
26 Terminal Island Treatment Plant (the “Terminal Island Permit”). In addition, the
27 United States’ and the Regional Board’s Complaint alleged that by creating odor
28 nuisances the City violated the terms and conditions of the Hyperion Permit.

1 The two actions were consolidated pursuant to an Order of the Court dated
2 February 6, 2001.

3 On July 5, 2001, Plaintiffs in Intervention Baldwin Hills Estates
4 Homeowners' Association, Inc., Baldwin Hills Village Garden Homes Association,
5 United Homeowners Association, Village Green Owners Association, and
6 Concerned Citizens of South Central Los Angeles (collectively the "Intervenors")
7 filed a complaint in intervention against the City in Civil Action 01-191 alleging
8 that the City's sewage spills violated Clean Water Act Section 301(a), 33 U.S.C.
9 § 1311(a), and the terms and conditions of the Hyperion Permit and the Terminal
10 Island Permit. In addition, the Intervenors alleged that by creating odor nuisances
11 the City violated the terms and conditions of the Hyperion Permit.

12 Pursuant to the Regional Board's September 30, 1998 Civil Liability
13 Complaint regarding spills that occurred in 1993, 1994, 1995, and 1998, the
14 Regional Board administratively assessed an \$850,000 civil penalty. Of the total,
15 \$200,000 was paid to the State Water Resources Control Board's Cleanup and
16 Abatement Account, and \$650,000 was expended on supplemental environmental
17 projects.

18 Pursuant to the Regional Board's September 14, 1998 Cease and Desist
19 Order ("CDO"), the City prepared a dewatering feasibility study for the Eagle Rock
20 area; revised the City's spill response and reporting procedures; constructed the
21 Eastern Avenue Relief Sewer and the North Hollywood Interceptor Sewer; and is
22 constructing the East Central Interceptor Sewer, the Northeast Interceptor Sewer,
23 and three relief sewers in the Eagle Rock area.

24 The City does not admit any liability to Plaintiffs for the transactions or
25 occurrences alleged in the Complaints and contends that it is operating and
26 maintaining its sewage collection system in compliance with all applicable laws.
27

1 The Parties desire to avoid further litigation and to work cooperatively on
2 issues relating to the City’s wastewater collection system.

3 The Parties recognize, and the Court by entering this Settlement Agreement
4 and Final Order (“Settlement Agreement”) finds, that this Settlement Agreement
5 has been negotiated by the Parties in good faith and will avoid further litigation
6 between the Parties, and that this Settlement Agreement is fair, reasonable, and in
7 the public interest.

8 NOW, THEREFORE, IT IS HEREBY ADJUDGED, ORDERED, AND
9 DECREED as follows:

10 I. JURISDICTION AND VENUE

11 1. This Court has jurisdiction over the subject matter of these actions
12 pursuant to 28 U.S.C. §§ 1331, 1345, 1355, and 1367, and Sections 309(b) and
13 505(a) of the Clean Water Act, 33 U.S.C. §§ 1319(b) and 1365(a), and the Court
14 has jurisdiction over the Parties. Venue lies in this District pursuant to Sections
15 309(b) and 505(c) of the Clean Water Act, 33 U.S.C. §§ 1319(b) and 1365(c), and
16 28 U.S.C. §§ 1391(b) and 1395(b) because this is the District in which the City is
17 located.

18 2. Notice of the commencement of the United States’ action was provided to
19 the Regional Board pursuant to Section 309(b) of the Clean Water Act, 33
20 U.S.C. §§ 1319(b). Baykeeper provided notice to the City, EPA, and the Regional
21 Board pursuant to Clean Water Act Section 505(b), 33 U.S.C. § 1365(b).

22 II. APPLICABILITY

23 3. The provisions of this Settlement Agreement shall apply to and be
24 binding upon the United States, the Regional Board, Baykeeper, the Intervenors,
25 and the City, and any successors or other entities or persons otherwise bound by
26 law.

1 City of its responsibilities for meeting the terms and conditions of this Settlement
2 Agreement.

3 **III. OBJECTIVES**

4 7. The objectives of this Settlement Agreement are to resolve the pending
5 consolidated litigation, to set out the program requirements that the City will
6 implement to reduce Sanitary Sewer Overflows to the maximum extent feasible,
7 and to investigate, resolve, and mitigate sewer odors to the maximum extent
8 practicable in furtherance of the objectives of the Clean Water Act as set forth in
9 Section 101 of the Act, 33 U.S.C. § 1251, and the objectives of the Porter-Cologne
10 Water Quality Control Act as set forth at California Water Code Sections 13000,
11 13001, 13370, and 13372.

12 **IV. DEFINITIONS**

13 8. Unless otherwise defined herein, terms used in this Settlement Agreement
14 shall have the meaning given to those terms in the Clean Water Act, 33 U.S.C. §§
15 1251 *et seq.*, and the regulations promulgated thereunder. Whenever terms set
16 forth below are used in this Settlement Agreement, the following definitions shall
17 apply:

18 “Baykeeper” shall mean the Santa Monica Baykeeper.

19 “Calibration” shall mean the process of running a model using a set of
20 input data and then comparing the results to actual measurements of the system. If
21 the model results do not reasonably approximate the actual measurements, the
22 modeler reviews the components of the model to determine if adjustments should
23 be made so that the model better reflects the system it represents. A model is
24 calibrated to multiple data sets simultaneously.

25 “CCTV” shall mean closed circuit television.

26 “Citizen Plaintiffs” shall mean Baykeeper and the Intervenors.

1 “City” shall mean the City of Los Angeles.

2 “Complaints” shall mean the complaint filed on November 9, 1998
3 by the Baykeeper and Terry Tamminen in what is now Civil Action 98-9039-
4 RSWL, the complaint filed on January 8, 2001 by the United States on behalf of
5 the EPA and the People of the State of California ex rel. the Regional Board in
6 what is now Civil Action 01-191-RSWL, and the complaint in intervention filed on
7 July 5, 2001 in Civil Action 01-191-RSWL by the Intervenors.

8 “Condition Assessment Inspection” shall mean an inspection of a
9 sewer Pipe Reach by CCTV that results in documentation of a Condition
10 Assessment Rating for the inspected Pipe Reach. “Condition Assessment
11 Inspections” shall not include CCTV inspections for cleaning QA/QC, spill follow-
12 up, FOG source investigations, or other types of CCTV inspection unless those
13 inspections yield a Condition Assessment Rating for the entire Pipe Reach.

14 “Condition Assessment Rating” shall mean the assignment of an
15 overall condition rating (A, B, C, D or E) for each inspected Pipe Reach in
16 accordance with City procedures and include documentation in the City’s CCTV
17 database of defects found during the CCTV inspection.

18 “CWA” shall mean the Clean Water Act, 33 U.S.C. §§ 1251 *et seq.*

19 “Day,” regardless of whether it is capitalized, shall mean a calendar
20 day unless expressly stated to be a working day. In computing any period of time
21 under this Settlement Agreement, where the last day would fall on a Saturday,
22 Sunday, or federal or State holiday, the period shall run until the close of business
23 of the next working day.

24
25 “Deliverable” shall mean any written report or other document
26 required to be prepared and/or submitted pursuant to Sections II (Applicability),
27

1 V.G (Work - Odor Provisions), VI (Reporting Requirements), VII (Review and
2 Approval of Deliverables), and VIII (Supplemental Environmental Projects) of this
3 Settlement Agreement.

4 "Design Costs" shall mean any and all costs associated with planning,
5 investigation, alternative development, environmental clearance, facility
6 configuration, detailed design (including, as appropriate, architectural, landscape,
7 civil, water quality, mechanical, electrical, instrumentation and control system,
8 structural, and geotechnical design), constructability review, and procurement
9 (including contract document preparation).

10 "Design Storm" shall mean a 10-year, 24-hour storm utilizing a back
11 loaded hyetograph occurring over the entire Los Angeles service area with wet
12 antecedent soil conditions.

13 "EPA" shall mean the United States Environmental Protection
14 Agency.

15 "First-Time Condition Assessment" shall mean a Condition
16 Assessment Inspection that has not been the subject of a Condition Assessment
17 Inspection more recently than five years prior to July 1 of the Fiscal Year in which
18 the inspection was conducted.

19 "Fiscal Year" shall mean the City's fiscal year beginning on July 1
20 and ending on June 30 of the following year.

21 "FOG" shall mean fats, oils, and grease.

22 "FOG Control Program" or "Fats, Oils, and Grease Control Program"
23 shall mean the City's program to control the discharge of FOG from FSEs as
24 mandated by the City Council's August 2001 Industrial Waste Ordinance
25 modification, and as may be modified consistent with this Settlement Agreement.

26 "FSE," short for "food service establishment," shall mean a facility
27

1 engaged in preparing food for consumption by the public such as a restaurant,
2 commercial kitchen, caterer, hotel, school, hospital, prison, correctional facility, or
3 care institution. L.A. Muni. Code 64.00(a)(27).

4 “Government Plaintiffs” shall mean the United States and the
5 Regional Board.

6 “Hotspot Cleaning” shall mean scheduled cleaning conducted as part
7 of the maintenance of sewer Pipe Reaches that the City has determined to be in
8 need of high frequency cleaning to reduce the risk of SSOs.

9 “Independent Review of the Sewer Odor Control Program for the City
10 of Los Angeles” shall mean the review conducted by the independent expert
11 retained pursuant to the July 2001 Stipulated Case Management Order.

12 “Intervenors” shall mean the Plaintiffs in Intervention Baldwin Hills
13 Estates Homeowners’ Association, Inc., Baldwin Hills Village Garden Homes
14 Association, United Homeowners Association, Village Green Owners Association,
15 and Concerned Citizens of South Central Los Angeles.

16 “Odor Advisory Board” shall mean the community advisory board
17 established pursuant to the July 2001 Stipulated Case Management Order.

18 “Odor Complaint Response Form” shall mean the form used by City
19 crews to respond to odor complaints.

20 “Odor Outreach Plan” shall mean the plan adopted by the City to
21 publicize the existence of the Sewer Odor Hotline.

22 "Paragraph" shall mean a portion of this Settlement Agreement
23 identified by an Arabic numeral.

24 "Parties" shall mean the United States, the Regional Board,
25 Baykeeper, the Intervenors, and the City.

26 “Pipe Reach” (used primarily with respect to sewer cleaning) shall
27

1 mean a length of sewer line extending from one maintenance hole to the next
2 maintenance hole.

3 “Plaintiffs” shall mean the United States, the Regional Board,
4 Baykeeper, and the Intervenors.

5 “Primary Basin Plan” shall mean a master plan for the Primary Sewers
6 in the individual primary basins in the City. Currently, there are 25 primary basins
7 in the City.

8 “Primary Sewers” shall mean sewers that are 16 inches and greater in
9 diameter, excluding the major outfalls and interceptor sewers.

10 “R’ Factor” shall mean the percentage of rainfall volume in a sewer
11 basin that enters the sanitary sewer.

12 “Regional Board” shall mean the California Regional Water Quality
13 Control Board, Los Angeles Region.

14 “Secondary Basin Plan” shall mean a master plan for the Secondary
15 Sewers in the individual secondary basins in the City. Currently, there are 218
16 secondary basins in the City.

17 “Secondary Sewers” shall mean sewers that are less than 16 inches in
18 diameter.

19 "Section" shall mean a portion of this Settlement Agreement identified
20 by an uppercase Roman numeral.

21 “Settlement Agreement” shall mean this Settlement Agreement and
22 Final Order, including all its attached appendices: Appendix A - Sewer Relief
23 Projects, Appendix B - Rehabilitation and Replacement Projects, and Appendix C -
24 Supplemental Environmental Projects.

25 “Sewer Odor Hotline” shall mean the hotline operated by the City for
26 the purpose of receiving and recording calls reporting sewage odor complaints,
27

1 which was established pursuant to the July 2001 Stipulated Case Management
2 Order.

3 “Sewer Relief Projects” shall mean new sewers, the replacement of
4 old sewers with larger diameter sewers, diversion structures, and other projects
5 built primarily for the purpose of increasing the hydraulic capacity of the
6 Wastewater Collection System.

7 “SSO” or “Sanitary Sewer Overflow” shall mean an overflow, spill,
8 diversion, or release of wastewater from or caused by the City’s Wastewater
9 Collection System, except that the term “SSO” does not include wastewater
10 backups into buildings caused solely by a blockage or other malfunction in a
11 building lateral that is privately owned.

12 “SSO Subject to Stipulated Penalties” or “Subject SSO” shall mean (i)
13 an SSO that results in a release to navigable waters or surface waters of the State in
14 excess of 500 gallons, and (ii) any other SSO in excess of 1000 gallons. A release
15 of wastewater to a storm sewer shall be considered a release to navigable waters
16 unless the City demonstrates that a structural diversion was in place in the storm
17 sewer and operational such that the flow was diverted into the sanitary sewer, or
18 unless the flow did not otherwise enter the primary storm water collection system,
19 or unless the City removed the wastewater from the primary storm water collection
20 system before the wastewater entered a navigable water or surface water of the
21 State. SSOs Subject to Stipulated Penalties shall exclude those caused by acts of
22 vandalism or an error of a contractor or subcontractor not working directly or
23 indirectly on behalf of the City. For the purposes of this definition, the “primary
24 storm water collection system” shall mean the system of laterals and other storm
25 sewers that convey rain water and runoff.

26 “State” shall mean the State of California.

1 “Three-Year Average” – a “Three-Year Average” shall be calculated
2 over three consecutive Fiscal Years.

3 “Three-Year Rolling Average” – a “Three-Year Rolling Average” is a
4 series of Three-Year Averages made up, for example, by the Three-Year Average
5 for Years One through Three, the Three-Year Average for Years Two through
6 Four, the Three-Year Average for Years Three through Five, and so on.

7 “Trigger Flow” shall mean the measured peak dry weather flow level
8 in a sewer pipe that, when reached, triggers the initiation of City planning and
9 design for a Sewer Relief Project. City standards and procedures define the trigger
10 flow level in terms of d/D, the ratio between the depth of flow (d) in a sewer pipe
11 and the diameter (D) of the sewer pipe.

12 “United States” shall mean the United States of America.

13 “Validation” shall mean the process of testing a Calibrated model
14 using one or more independent data sets. The model is run without any further
15 adjustment using independent data set(s) of rainfall data. Then the results are
16 compared to the field measurements collected concurrently with the rainfall data.
17 If the results are suitably close, the model is considered validated.

18 “Wastewater Collection System” shall mean all parts of the
19 wastewater collection system owned or operated by the City that are intended to
20 convey domestic or industrial wastewater to the City’s wastewater treatment plants,
21 including without limitation, sewers, pipes, pump stations, lift stations, manholes
22 or maintenance holes, and force mains.

23 “Year” shall mean “Fiscal Year.”

24 “Year One” through “Year Ten” are Fiscal Years defined as follows:

- 25 “Year One” – July 1, 2004 through June 30, 2005
26 “Year Two” – July 1, 2005 through June 30, 2006
27 “Year Three” – July 1, 2006 through June 30, 2007
28 “Year Four” – July 1, 2007 through June 30, 2008

1 City cleans an average of more than 65,000 sewer Pipe Reaches per Year (more
2 than 195,000 Pipe Reaches total in the three-Year period), the City may “bank” the
3 excess Pipe Reach cleaning. In any three-Year period ending after Year Three, the
4 City may demonstrate compliance with the Three-Year Rolling Average
5 requirement of cleaning an average of 65,000 Pipe Reaches per Year through a
6 combination of Pipe Reaches cleaned in that three-Year period and “banked”
7 cleaning from previous three-Year periods, *provided* however, that in no three-
8 Year period may the average number of Pipe Reaches actually cleaned be reduced
9 below a floor of 52,000 Pipe Reaches per Year, and *provided* that once a banked
10 Pipe Reach cleaning has been used in one three-Year period, it may not be used in
11 any subsequent three-Year period.

12 13. The Hotspot Cleaning portion of the annual cleaning in Year One shall
13 be at least 35,000 Pipe Reaches. After Year One, the City shall adjust the quantity
14 of Hotspot Cleaning as necessary to meet the City’s cleaning needs. The frequency
15 and breakdown of cleaning between preventative and proactive maintenance shall
16 be adjusted by the City as appropriate based on field conditions. However, the
17 overall amount of cleaning shall not be reduced below the minimum requirements
18 set forth in Paragraphs 10 through 12, above.

19 B. CHEMICAL ROOT CONTROL

20 14. In Year One and Year Two, to control the growth of roots in the
21 Wastewater Collection System, the City shall apply chemicals to a minimum of
22 150 miles of sewers annually.

23 C. SEWER CONDITION ASSESSMENT (CCTV)

24 15. The City shall continue to conduct comprehensive and systematic
25 inspections and structural condition assessments of its Wastewater Collection
26 System. Inspections shall be used, among other things, as the primary tool to
27

1 identify sewers in need of repair, rehabilitation, or replacement. Starting with Year
2 One, at a minimum, the City shall use CCTV to inspect 600 miles of pipes
3 annually. The City shall make it a priority to inspect and assess the condition of
4 pipes that have not been previously inspected by CCTV or were most recently
5 inspected by CCTV more than five years prior to entry of this Agreement. CCTV
6 inspections that are included in determining compliance with the annual inspection
7 requirement include multiple assessments of a sewer pipe, post-spill assessment,
8 and CCTV inspections performed as part of quality assurance/quality control
9 (QA/QC) procedures. By September 1 of each year, the City shall complete
10 Condition Assessment Ratings for each pipe inspected pursuant to this Paragraph
11 during the previous Fiscal Year.

12 16. If in Year One or any subsequent Year, the City completes CCTV
13 Condition Assessment Inspections of more than 600 miles of sewer pipes, the City
14 may “bank” the percentage of the excess CCTV work that equals the percentage of
15 the CCTV work performed during that Year that were First-Time Condition
16 Assessments.

17 17. Beginning in Year Two, in demonstrating compliance with the 600-mile
18 CCTV inspection requirement, the City may rely on the miles of sewer pipes
19 inspected in that Year and any miles “banked” from previous Years, *provided*
20 however, once a “banked” mile of CCTV inspection has been used to demonstrate
21 compliance in one Year, it may not be used again in any other Year.

22 D. SEWER CAPACITY PROJECTS, SYSTEM EVALUATION, AND
23 CAPACITY ASSURANCE

24 18. The City shall complete the construction of the Sewer Relief Projects
25 identified in Appendix A to this Settlement Agreement by the deadlines set forth in
26 Appendix A specific to each project, or as modified pursuant to Subsection V.H
27

1 (Modification of Construction Deadlines).

2 19. Following approval of the additional Sewer Relief Projects in the
3 Capacity Report and Plan submitted pursuant to Subsection VI.E (Capacity Report
4 and Plan), the City shall complete the construction of the Sewer Relief Projects set
5 forth in that Report by the deadlines provided for in the approved Report, or as
6 modified pursuant to Subsection V.H (Modification of Construction Deadlines).

7 20. Design Manual. No later than the end of Year One, the City shall add
8 the following language to its design manual (“PDWF” means peak dry-weather
9 flow and “RDI/I” means rainfall derived infiltration and inflow):

10 Sewers shall be sized so the depth of the PDWF, projected for the design
11 period, shall be no more than one half the pipe diameter ($d/D = 0.5$). An
12 exception shall be made to the design criteria in Table 250 in circumstances
13 where, as a result of a 10-year, 24-hour storm, the tributary area contributing
14 flow to the sewer pipe produces RDI/I flow greater than the PDWF. In these
15 situations, unique and localized conditions shall be considered when sizing
16 pipes. For example, the design depth of flow in the sewer pipe may be
17 adjusted to a level below $d/D = 0.5$ such that the pipe will accommodate
18 peak wet weather flow (PDWF plus RDI/I) resulting from the 10-year, 24-
19 hour storm. As an alternative, the useful design period of the pipe may also
20 be adjusted down to provide sufficient capacity for RDI/I throughout the
21 reduced design period. Where upstream treatment and/or storage reservoirs
22 are planned or available, their effect on reducing peak flows shall be
23 considered in sizing downstream sewers. In the case of relief sewers, the
24 combined capacity of the relief sewer and the sewer being relieved shall
25 meet the above criteria. Under special conditions consistent with good
26 engineering practice and the judgment of the City Engineer, the d/D design
27 criteria of 0.5 may be slightly increased. Some of these special conditions
28 include limitation in pipe size, ability to achieve minimum velocity and to
control sewer odors.

21 21. MOUSE Model. No later than the end of Year Five, the City shall
22 have expanded its MOUSE model to include all Primary Sewers. The expansion
23 will be performed systematically as part of the development of the Primary Sewer
24 master plans. An individual MOUSE model will be developed as part of
25 developing each Primary Basin Plan and will be linked to the existing City
26 MOUSE model. These individual MOUSE models and the expanded MOUSE

1 model shall be Calibrated and Validated.

2 22. The City shall continue its wet weather Calibration and Validation of its
3 existing MOUSE model.

4 23. “R” Factors. No later than the end of Year One, the City shall utilize all
5 current and past valid flow data to complete the development of all “R” Factors for
6 all model basins within the City’s MOUSE model.

7 24. Primary Basin Plans. No later than the end of Year Five, the City shall
8 complete all Primary Basin Plans. The City shall utilize all available valid flow
9 data and valid modeling results to evaluate the hydraulic capacity of the Primary
10 Sewer system as part of the development of these master plans.

11 25. Secondary Basin Plans. No later than the end of Year Ten, the City
12 shall complete Secondary Basin Plans for the 100 highest priority secondary
13 basins. As part of the preparation of the Secondary Basin Plans, the City shall
14 consider any possible backwater conditions utilizing all available valid flow data
15 and valid modeling results.

16 E. SEWER REHABILITATION AND REPLACEMENT PROJECTS

17 26. The City shall complete construction of the sewer rehabilitation and
18 replacement projects identified in the Appendix B to this Settlement Agreement by
19 the deadlines set forth in Appendix B specific to each project, or as modified
20 pursuant to Subsection V.H (Modification of Construction Deadlines).

21 27. In Year Four through Year Ten of this Agreement, the City shall
22 rehabilitate or replace the miles of sewer pipes required pursuant to the approved
23 Rehabilitation and Replacement Report and Plan submitted pursuant to Subsection
24 VI.D (Rehabilitation and Replacement Report and Plan). In no event shall the
25 projects set forth in Appendix B be counted in achieving compliance with the
26 mileage requirements in the approved Rehabilitation and Replacement Report and
27

1 Plan. For purposes of this Agreement, rehabilitation and replacement includes
2 emergency repairs that restore the affected pipe to Condition C or better, trenchless
3 sewer rehabilitation, and sewer replacement or reconstruction.

4 28. If, in any Year during Years Four through Ten, the City rehabilitates or
5 replaces more than the annual number of miles of sewer pipe required pursuant to
6 the approved Rehabilitation and Replacement Report and Plan submitted pursuant
7 to Subsection VI.D of this Settlement Agreement, the City may “bank” the excess
8 miles of pipe. In any Year beginning in Year Five, the City may demonstrate
9 compliance with the annual rehabilitation and replacement mileage requirement of
10 Paragraph 27 and Subsection VI.D through a combination of miles rehabilitated or
11 replaced in that Year and “banked” rehabilitation or replacement from previous
12 Years, *provided*, however, that once a banked mile of rehabilitation or replacement
13 has been used in one Year, it may not be used in any subsequent Year.

14 29. If, in any three-Year period starting with the three-Year period
15 comprising Years Four through Six, the City rehabilitates or replaces, on a Three-
16 Year Average, more miles of pipe than is required pursuant to the approved
17 Rehabilitation and Replacement Report and Plan submitted pursuant to Subsection
18 VI.D of this Settlement Agreement, the City may "bank" the excess miles of pipe.
19 In any three-Year period ending in or after Year Seven, the City may demonstrate
20 compliance with the Three-Year Rolling Average mileage requirement for sewer
21 pipe rehabilitation or replacement of Paragraph 27 and Subsection VI.D through a
22 combination of miles rehabilitated or replaced in that three-Year period and
23 "banked" miles from previous three-Year periods, *provided* however, that once a
24 banked mile has been used in one three-Year period, it may not be used in any
25 subsequent three-Year period.

26 F. FATS, OILS, AND GREASE (FOG) CONTROL PROGRAM

1 a select group of people who live near known odor hot spots to inquire about their
2 recent experiences with sewage odors and, if applicable, their experiences with the
3 Sewer Odor Hotline.

4 36. The City will implement its updated Odor Outreach Plan and will report
5 on the progress as part of the Annual Report required under Subsection VI.G. of
6 this Settlement Agreement.

7 37. The City will modify its Odor Complaint Response Form to include a
8 qualitative description of the wind condition (i.e., calm, windy, or gusty) observed
9 in good faith by the field crews and wind direction, as readily available to the field
10 crews. In some special cases and as deemed necessary by the City, available basic
11 weather information may be used for the odor complaint investigation.

12 38. The City will make an initial return call to the community member filing
13 the sewer odor complaint through the Sewer Odor Hotline (complainant) within 1
14 week from the receipt of the hotline complaint if requested by the complainant and
15 the complainant has provided call back information.

16 39. The City will investigate the sewer odor complaint received by the
17 Sewer Odor Hotline and shall call the complainant to attempt to report findings and
18 actions within 30 days from the receipt of the Sewer Odor Hotline complaint if
19 requested by the complainant and the complainant has provided call back
20 information.

21 40. For the first year after the entry into this Settlement Agreement, the City
22 will prepare quarterly reports reviewing the Sewer Odor Hotline program. The
23 reports shall list all sewer odor complaints received by the Sewer Odor Hotline for
24 that period, the date received, the location, the date when the initial call was made,
25 the cause of the odor complaint as determined by the field inspection crew, the
26 action taken and the date of the follow-up call made. The report shall assess the
27

1 effectiveness of the Sewer Odor Hotline program, including whether callers are
2 reasonably satisfied with the Sewer Odor Hotline, and shall include any
3 recommendations for improvement, if necessary. A draft of the report will be
4 reviewed with the Odor Advisory Board and the Odor Advisory Board shall have
5 an opportunity to comment on the report, as well as its findings and
6 recommendations. The final report, including any findings and recommendations
7 for improvement, shall be posted on the sewer hotline web page. Thereafter, the
8 City will prepare and post an annual report. The Odor Advisory Board may
9 request a quarterly report if necessary.

10 Odor Advisory Board

11 41. The City will continue to support the Odor Advisory Board for the
12 length of this Settlement Agreement, unless sooner terminated by mutual assent of
13 the parties.

14 42. The City will provide the Odor Advisory Board with all of the reports
15 relating to system evaluation and capacity assurance, including reports concerning
16 flow levels and sewer capacity, that the City is required to provide under this
17 Settlement Agreement.

18 Existing Odor Control Measures

19 43. Within six months of the entry into this Settlement Agreement, the City
20 will prepare written procedures for the odor control measures the City currently
21 employs including the addition of chemicals for sewer odor control. The
22 procedures will outline and describe the type of chemicals and the underlying
23 assumptions utilized to estimate the necessary dosage, including baseline
24 monitoring data, performance monitoring data, odor complaints, and any other
25 factors as deemed necessary to ensure the effectiveness of the odor control
26 measures. The procedures will also outline instances with significant changes that
27

1 require notification of the Odor Advisory Board. This will include instances where
2 the chemicals used are changed or the underlying assumptions are changed.

3 44. The City will distribute these written procedures to the Odor Advisory
4 Board. On an annual basis, or as requested by the Odor Advisory Board, the City
5 will share summary data with the Odor Advisory Board regarding the odor control
6 measures utilized by the City and any relevant information.

7 Odor Master Plan

8 45. The City will complete the preparation of its Odor Master Plan within 2
9 years from the entry into this Settlement Agreement. This will include the
10 assessment of known odor hotspots, additional testing and monitoring, and
11 recommended actions. The City will develop the Odor Master Plan in consultation
12 with the Odor Advisory Board or its designees. The Odor Advisory Board will be
13 updated quarterly on the progress of the Master Plan preparation.

14 Air Treatment Facilities & Interim Scrubbers

15 46. The City will install and operate seven Air Treatment Facilities
16 (“ATFs”) for the control of sewer odors at the following locations by the
17 corresponding dates:

<u>Project Title</u>	<u>Construction End Date</u>
ATF – ECIS/NORS (4 Sites) Mission & Jesse 23rd and San Pedro Jefferson Siphon (Jefferson & La Cienega) At NORS Connection	5/23/08
ATF - NCOS Jefferson & Rodeo	5/23/08
ATF - NEIS (2 Sites) Humboldt Richmond	3/26/09

25 The deadline for completion of construction will reflect appropriate design,
26 permitting and/or construction contingencies. The City shall make its best efforts
27

1 to ensure that any delays do not exceed one year.

2 47. While the ATFs are being constructed, interim odor carbon scrubbers
3 will be installed at the following locations per the corresponding dates:

<u>Project Title</u>	<u>Construction End Date</u>
Interim Carbon scrubber – NCOS	completed
Interim Carbon scrubber – ECIS/NORS (4 Sites) Mission & Jesse 23rd and San Pedro Jefferson Siphon (Jefferson & La Cienega) At NORS connection	8/27/04
Interim Carbon scrubber – NEIS (2 Sites) Humboldt Richmond	10/30/06

4
5
6
7
8
9
10
11 The deadline for completion of construction will reflect appropriate construction
12 contingencies. The Parties recognize that these dates represent the most reliable
13 estimates based on information currently available and that the dates may be
14 modified as new circumstances dictate.

15 48. In addition, the City will continue to operate the odor control carbon
16 scrubber at the traffic island at the intersection of Rodeo and Jefferson until the
17 ATF at that location is operational.

18 49. The City will develop a written maintenance and operations manual for
19 each of the ATFs. The written operations manual shall state that the standard
20 operating procedure for the ATFs includes the operation of the ATF's biotrickling
21 filter and its carbon polishing system.

22 50. The City will monitor all the odor control facilities as necessary to
23 comply with all regulatory and permit requirements. The City will disclose the
24 terms of these regulatory and permit requirements to the Odor Advisory Board.

25 51. The City will install an indicator light on the outside wall of each ATF
26 that visually depicts whether the biotrickling filter of the ATF is operational or not
27

1 and the number to call to report any issues with the operations.

2 52. The City will report quarterly to the Odor Advisory Board, or more
3 frequently if requested by the Odor Advisory Board, on the removal levels for
4 hydrogen sulfide at each of the odor control facilities (interim scrubbers and
5 permanent ATFs) showing inlet concentration and outlet concentration. The
6 information will also be posted on the odor hotline web site. One year after the last
7 ATF is installed, the reports will become annual or as requested by the Odor
8 Advisory Board.

9 53. The City will report on the construction progress of the odor control
10 facilities as part of the Annual Report and construction progress will be discussed
11 with the Odor Advisory Board on an annual basis or as requested by the Odor
12 Advisory Board.

13 54. With the completion of each of the ATFs, the City will extend an
14 invitation to the Odor Advisory Board to tour the facility.

15 ECIS Odor Monitoring

16 55. Within two months after ECIS (the East Central Interceptor Sewer)
17 becomes operational, the City will conduct monitoring of hydrogen sulfide gas
18 levels, air pressure, and other necessary parameters in ECIS as necessary to
19 evaluate the effectiveness of the odor control efforts. Within 3 months after the
20 operation of ECIS, the City will share the results of this monitoring with the Odor
21 Advisory Board or its designees.

22 Independent Review of the Sewer Odor Control Program

23 56. Within six months from entry into this Settlement Agreement, the City
24 will prepare an implementation plan for implementing the recommendations made
25 as part of the Independent Review of the Sewer Odor Control Program for the City
26 of Los Angeles. The implementation plan will include an implementation schedule
27

1 and reasons for deviating from the recommendations in the Independent Review, if
2 any.

3 57. The progress on the implementation of the recommendations will be
4 reported as part of the Annual Report and will be discussed with the Odor
5 Advisory Board on an annual basis or as requested by the Odor Advisory Board.

6 H. MODIFICATION OF CONSTRUCTION DEADLINES

7 58. If the City and the Government Plaintiffs so agree, the deadlines
8 applicable to the Sewer Relief Projects identified in Paragraphs 18 and 19 above,
9 and the deadlines applicable to the sewer rehabilitation and replacement projects
10 identified in Paragraph 26 above and Appendix B to this Settlement Agreement,
11 may be adjusted to address unforeseen construction contingencies. The City and
12 the Government Plaintiffs agree to work in good faith to adjust these schedules as
13 necessary to address such contingencies. The City shall provide Baykeeper and
14 Intervenors with timely notice of a City proposal to modify a deadline pursuant to
15 this Paragraph and Baykeeper and the Intervenors shall provide Government
16 Plaintiffs with any comments on said proposal. Any dispute with regard to any
17 schedule adjustment proposed pursuant to this Paragraph shall be subject to dispute
18 resolution pursuant to Section XI (Dispute Resolution).

19 VI. REPORTING REQUIREMENTS

20 A. REPORT ON NEED FOR MODIFICATIONS TO FOG CONTROL
21 PROGRAM

22 59. No later than six months after entry of this Agreement, the City shall
23 submit a report for Government Plaintiffs' review and, as to certain elements,
24 approval that evaluates the need for modifications to its current FOG Control
25 Program Standard Operating Procedures ("SOPs") and Enforcement Response Plan
26 and Enforcement Response Guide ("ERG"), and applicable sections of its existing
27

1 rules and regulations implementing its Grease Control Ordinance. This report (the
2 “FOG Report”) shall propose any modifications considered necessary by the City
3 to these elements of the City’s FOG Control Program. The City shall consider
4 SOP and ERG modifications necessary to timely and effectively implement its
5 FOG Control Program and enforce its Grease Control Ordinance. The FOG Report
6 shall include consideration of the eleven elements listed below.

7 The portions of the FOG Report concerning the following five elements
8 shall be subject to Government Plaintiffs’ review and approval:

9 1. Implementation of the conditional waiver provisions including, but not
10 limited to, FSE application for conditional waivers, review of conditional waiver
11 criteria, acknowledgment by each FSE with a conditional waiver of its conditional
12 waiver status and its operational responsibilities to maintain its conditional waiver,
13 and revocation of conditional waivers;

14 2. Follow-up referrals of FOG-caused SSOs and procedures for identifying
15 FSEs responsible for such overflows;

16 3. Procedures for inspection and maintenance of Grease Removal Devices
17 (“GRDs”) including criteria for evaluating the adequacy of GRD design,
18 installation, and maintenance;

19 4. Enforcement response for FOG discharges resulting in an SSO; and

20 5. Establishment of routine inspection frequency and follow-up inspection
21 frequency (where follow-up inspections are necessary);

22 The portions of the FOG Report concerning the following six elements shall
23 be subject to the Government Plaintiffs’ review but not approval:

24 6. Sampling and analysis of the oil and grease concentration in FSE
25 discharges;

26 7. Targeted residential outreach associated with FOG-caused SSO referrals,
27

1 focusing on multiple-family dwellings;

2 8. Enforcement response for violations associated with failure to timely
3 apply for permits and/or failure to timely pay applicable fees;

4 9. Enforcement response for FOG discharges causing violations of local oil
5 and grease limits;

6 10. Enforcement response for modifications to an approved GRD without
7 authorization; and

8 11. Inspection forms.

9 B. WET WEATHER CALIBRATION REPORT

10 60. Within six months after the entry of this Agreement, the City shall
11 submit for Government Plaintiffs' review a report on the City's progress on the wet
12 weather Calibration and Validation of the City's MOUSE model (see Paragraph
13 22), the rationale and procedures used in the Calibration and Validation, and any
14 additional information and work needed for completing the Calibration and
15 Validation.

16 C. CHEMICAL ROOT CONTROL REPORT

17 61. No later than 90 days following the end of Year Two, the City shall
18 submit for Government Plaintiffs' review an evaluation of the effectiveness and
19 applicability of its use of root control chemicals. (See Subsection V.B.) This
20 evaluation shall include recommendations for expanding the application of root
21 control chemicals, if appropriate, that are both feasible and cost-effective, and a
22 schedule for implementing any such recommendations. In addition, the City shall
23 include in its evaluation a review of the potential water quality impact(s) of the
24 application of root control chemicals. In performing this review of potential water
25 quality impact(s), the City may utilize and rely on existing reports and literature.

26 D. REHABILITATION AND REPLACEMENT REPORT AND PLAN

1 other pipes in the targeted sewers.

2 E. CAPACITY REPORT AND PLAN

3 65. No later than the end of Year Two, the City shall submit a Capacity
4 Report and Plan (“Capacity Plan”) to Government Plaintiffs for their review; and,
5 with respect to the additional Sewer Relief Projects, their approval. The Capacity
6 Plan shall address the following issues:

7 a. additional Sewer Relief Projects (see Paragraph 19 in Subsection
8 V.D);

9 b. review of Trigger Flow level; and

10 c. flow monitoring program assessment.

11 66. Additional Sewer Relief Projects. The Capacity Plan will list additional
12 Sewer Relief Projects the City may propose to build in Years Four through Ten to
13 assure that its Wastewater Collection System has sufficient capacity to convey wet
14 weather flows consistent with the City’s design standard. For each project, the
15 Capacity Plan shall include a description of the project and a deadline for
16 completion of construction. Project descriptions shall include the sewer pipe being
17 relieved; the location, size, and length of the new sewer pipe, if feasible; and any
18 other pertinent information describing the capacity project.

19 67. Review of Trigger Flow Level. The Capacity Plan will evaluate the
20 City’s current “trigger” flow level to determine whether it remains an appropriate
21 criterion for setting priorities for potential capacity relief projects. The review will
22 identify any modifications to the Trigger Flow level that are necessary to account
23 for the planning horizon necessary for timely response. The review will consider
24 the effect wet weather may have on the timing of any projected sewer relief
25 including basins known to have high RDI/I. The Capacity Plan will make findings
26 and recommendations regarding any proposed changes to the City’s “trigger” flow

1 level, and any proposed changes as to how the “trigger” flow (either current or
2 revised) will be implemented and applied.

3 68. Flow Monitoring Program Assessment. The Capacity Plan will describe
4 the City’s existing flow monitoring program and evaluate its adequacy to support
5 the City’s system capacity assessment and planning work.

6 F. IRP REPORT

7 69. No later than the end of Year Five, the City shall complete and submit
8 its Integrated Resources Plan (IRP) addressing the system needs and the
9 improvement plans for the City interceptors and outfall sewers. The City shall
10 submit an update to the IRP no later than the end of Year Ten.

11 G. ANNUAL PROGRESS REPORT

12 70. Timing. By October 1 following the end of Year One and on September
13 1 of each following year this Settlement Agreement remains in effect, the City
14 shall submit an Annual Progress Report (“Annual Report”) to Government
15 Plaintiffs for their review. The Annual Report shall cover at least the period in the
16 Fiscal Year ending on the previous June 30.

17 71. Contents.

18 a. Designated Rehabilitation and Replacement Projects. For Years
19 One through Three of this Settlement Agreement, the Annual Report shall report
20 the status of each project required by Paragraph 26 and identified in Appendix B of
21 this Settlement Agreement. For projects that are completed, the Annual Report
22 shall report whether the project was completed by the applicable deadline. For
23 projects that have not been completed, the Annual Report shall briefly describe the
24 status of the project including whether the project remains on schedule for
25 completion by the applicable deadline. If any projects identified in Appendix B are
26 not completed by the end of Year Three of this Settlement Agreement, subsequent
27

1 Annual Reports shall continue to set forth the status of these uncompleted projects
2 until each project is completed.

3 b. Rehabilitation and Replacement – Mileage Requirements. For
4 Years Four through Ten of this Settlement Agreement, the Annual Reports shall
5 report the number of miles of sewer pipes the City has rehabilitated and replaced in
6 the previous Fiscal Year, and, for Years Six through Ten of this Settlement
7 Agreement, report the Three-Year Average of sewer pipes rehabilitated and
8 replaced in the previous three Fiscal Years. The City will provide a list of
9 Condition D and E pipes that have been rehabilitated or replaced in that period of
10 time. For each sewer line rehabilitated or replaced the City shall provide the
11 following information if available:

- 12 (1) the pipe identification number;
- 13 (2) whether the pipe was rehabilitated or replaced;
- 14 (3) the length of the sewer line at issue;
- 15 (4) the pipe material;
- 16 (5) the diameter of the pipe;
- 17 (6) the original installation date of the sewer line at issue;
- 18 (7) the most recent Sewer Condition Assessment Rating of
19 the sewer pipe prior to its rehabilitation or replacement; and
- 20 (8) a map depicting the locations of each pipe rehabilitated
21 or replaced.

22 If the Annual Report indicates that the City has not achieved the required mileage
23 of sewer line rehabilitation and replacement (either on an annual or Three-Year
24 Rolling Average basis), the Annual Report may identify and discuss the reasons
25 why the mileage requirements were not achieved. If the City exceeded the
26 required mileage of sewer line rehabilitation and replacement (either on an annual
27

1 or Three-Year Rolling Average basis), and is eligible to bank the excess mileage as
2 provided for by Paragraphs 28 and 29, the Annual Report shall identify the number
3 of miles the City proposes to bank and document the basis for the City's position
4 that it has exceeded the mileage requirements in this Settlement Agreement.

5 c. Sewer Relief Projects. For Years Four through Ten of this
6 Settlement Agreement, the Annual Report shall report the status, including
7 completion schedule, of each Sewer Relief Project incorporated in this Settlement
8 Agreement pursuant to the terms of Paragraphs 18 and 19 and Appendix A. For
9 sewer capacity projects that are completed, the Annual Report shall state whether
10 the project was completed by the deadline applicable to that project.

11 d. Capacity Exceptions List. The Annual Report shall include the
12 current "Capacity Exceptions List." The "Capacity Exceptions List" shall list all
13 identified sewer locations with peak dry weather flow levels exceeding 75% of the
14 pipe diameter and those that are exceeding 50% but less than or equal to 75% of
15 the pipe diameter. The City shall provide information and a schedule, if
16 applicable, relative to the planned action for each location that exceeds the City's
17 adopted Trigger Flow.

18 e. Wastewater Capital Improvements. The Annual Report shall
19 include a copy of the latest Wastewater Capital Improvements Program.

20 f. Sewer Cleaning. The Annual Report shall report the number and
21 miles of sewer Pipe Reaches cleaned in the previous Year, and, for Years Three
22 through Ten of this Settlement Agreement, on a Three-Year Rolling Average. The
23 Annual Report for Year One of this Settlement Agreement shall state whether the
24 hotspot portion of the City's cleaning comprised at least 35,000 pipes. Each
25 Annual Report shall compare the amount of cleaning to the applicable
26 requirements of this Settlement Agreement, discuss the breakdown of cleaning
27

1 performed between hotspot and preventative cleaning, and discuss the anticipated
2 level of cleaning and breakdown for the coming Year. If the City has cleaned
3 sewer Pipe Reaches in excess of the requirements of this Settlement Agreement
4 (either on an annual or Three-Year Rolling Average basis), and is eligible to bank
5 the excess cleaned Pipe Reaches as provided for by Subsection V.A (Sewer
6 Cleaning), the Annual Report shall identify the number of cleaned Pipe Reaches
7 the City proposes to bank and document the basis for the City's position that it has
8 exceeded the cleaning requirements in this Settlement Agreement.

9 g. Sewer Line Television Assessment. The Annual Report shall
10 report the number of miles of sewer pipe inspected by CCTV, and the number of
11 miles of First-Time Condition Assessments.

12 h. The Annual Report shall report findings of CCTV condition
13 assessments conducted during the Year including the number of miles of sewer
14 pipe found in each Condition rating A through E.

15 i. Fats, Oils, and Grease (FOG) Control Program. The Annual Report
16 shall report on the implementation and enforcement of the City's FOG Control
17 Program. The City shall provide an annual summary of its weekly FOG reports
18 and report the number of permitted FSEs that were not inspected during the prior
19 year. The Annual Report shall, in addition, report on the City's implementation of
20 its Standard Operating Procedures and Enforcement Response Plan and
21 Enforcement Response Guide. The Annual Report shall provide an annual
22 summary of the Oil/Grease Referrals from WCSD (Wastewater Collection Systems
23 Division), which shall include the names of any FSE identified as a source causing
24 or contributing to a FOG blockage. In addition, the Annual Report shall report on
25 conditional waiver activity including, if applicable, the number of conditional
26 waivers denied or revoked. (See Subsection V.F - FOG Control Program.)

1 j. Primary and Secondary Basin Plans. The Annual Report shall
2 report on the City's progress towards completing the master plans for the Primary
3 and Secondary Basins Plans required by this Settlement Agreement. This shall
4 include identifying the master plans completed in the previous Year.

5 k. MOUSE Model. The Annual Report shall report on the City's
6 progress on its wet weather Calibration and Validation of its MOUSE model (see
7 Paragraph 22), including, in the Annual Report for Year One, the required
8 development of all "R" Factors for all model basins within the City's existing
9 MOUSE model (see Paragraph 23).

10 l. Chemical Root Control. The Annual Report shall report on the
11 City's use of chemicals to inhibit the growth of roots in the sewer system,
12 including the number of miles of sewer to which root inhibitor has been applied.
13 (See Subsection V.B - Chemical Root Control, and Subsection VI.C - Chemical
14 Root Control Report.)

15 m. Implementation. The Annual Report shall report on any other
16 significant program modifications made during the preceding Fiscal Year that
17 affect compliance with or implementation of the requirements of this Settlement
18 Agreement.

19 n. The Annual Report shall propose new or modified plans in any
20 area where the City has failed to materially comply with this Settlement
21 Agreement.

22 72. Within 30 days of submission of the Annual Report, the City shall
23 schedule a meeting to discuss its contents with Government Plaintiffs, Baykeeper,
24 and Intervenors. At the meeting, the City shall be prepared to discuss its
25 compliance with this Settlement Agreement to date, and the steps the City plans to
26 take in the Fiscal Year then in progress to assure continued compliance.

1 H. QUARTERLY REPORTS

2 73. Quarterly SSO Reports. On the thirtieth day of January, April, July, and
3 October (30 days after the end of the fiscal quarter) of each year until this
4 Settlement Agreement is terminated, the City shall submit to Plaintiffs a summary
5 of all SSOs occurring during the previous fiscal quarter. The reports shall provide:

- 6 a. the date and time of each SSO;
- 7 b. the location of each SSO including address, district number, basin
8 number, and manhole numbers;
- 9 c. the structure(s) from which each SSO emerged (for example
10 maintenance hole, broken pipe, wet well, indoor plumbing, lateral cleanout, etc.)
- 11 d. the pipe size, length, and material;
- 12 e. the estimated volume of each SSO including gross volume, amount
13 recovered, and amount not recovered;
- 14 f. the cause of each SSO;
- 15 g. whether each SSO entered a particular water of the United States
16 and, if so, the name of the water body and whether it entered via storm drains or
17 other man-made conveyances;
- 18 h. the results and analysis or any post-SSO CCTV results;
- 19 i. the actions the City took to control the overflow and prevent future
20 SSOs at the same location.

21 The City shall also provide the Regional Board with notice of each SSO
22 concurrently with the notices the City provides the County of Los Angeles.

23 I. OTHER PROVISIONS

24 74. Other Reports. Upon Government Plaintiffs' request, the City shall
25 provide any information required by this Settlement Agreement. In addition, in
26 response to reasonable requests by Government Plaintiffs, the City shall provide
27

1 information relevant to implementation or compliance with any provision of this
2 Settlement Agreement.

3 75. All reports shall be submitted to the persons designated in Section XVI
4 of this Settlement Agreement (Notices).

5 76. Each report submitted by the City under this Section shall be signed by
6 an official of the submitting party and include the following certification:

7 I certify under penalty of law that this document and its attachments
8 were prepared either by me personally or under my direction or
9 supervision in a manner designed to ensure that qualified and
10 knowledgeable personnel properly gathered and presented the
11 information contained therein. I further certify, based on my personal
12 knowledge or on my inquiry of those individuals immediately
responsible for obtaining the information, that to the best of my
knowledge and belief the information is true, accurate and complete. I
am aware that there are significant penalties for submitting false
information, including the possibility of fines and imprisonment for
knowing and willful submission of a materially false statement.

13 This certification requirement does not apply to emergency or similar notifications
14 where compliance would be impractical.

15 77. The reporting requirements of this Settlement Agreement do not relieve
16 the City of any reporting obligations required by the Clean Water Act or the
17 California Water Code or their implementing regulations, or by any other federal,
18 state, or local law, regulation, permit, or other requirement.

19 VII. REVIEW AND APPROVAL OF DELIVERABLES

20 78. After review of the additional Sewer Relief Projects section of the
21 Capacity Plan submitted pursuant to Paragraph 65.a and the Rehabilitation and
22 Replacement Report and Plan submitted pursuant to Paragraph 62, the Government
23 Plaintiffs shall in writing within 150 days of submission of these Deliverables: (a)
24 approve the submission; (b) approve the submission upon specified conditions; (c)
25 approve part of the submission and disapprove the remainder; or (d) disapprove the
26 submission. If the Government Plaintiffs do not submit a decision in writing
27

1 within the time specified, the City shall have the right to invoke the procedures set
2 forth in Section XI (Dispute Resolution).

3 79. If the submission is approved pursuant to Paragraph 78(a), the City shall
4 take all actions required by the Deliverable, in accordance with the schedules and
5 requirements of the Deliverable as approved. If the submission is conditionally
6 approved or approved only in part, pursuant to Paragraph 78(b) or (c), the City
7 shall, upon written direction of the Government Plaintiffs, take all actions required
8 by the approved Deliverable that the Government Plaintiffs determine are
9 technically severable from any disapproved portions, subject to the City's right to
10 dispute only the specified conditions or the disapproved portions, under Section XI
11 of this Settlement Agreement (Dispute Resolution).

12 80. If the submission is disapproved in whole or in part pursuant to
13 Paragraph 78(c) or (d), the City shall, within 60 days or such other time as the
14 Parties agree to in writing, correct all deficiencies and resubmit the Deliverable, or
15 disapproved portion thereof, for approval, in accordance with the preceding
16 Paragraphs. Alternatively, the City may invoke Section XI of this Settlement
17 Agreement (Dispute Resolution).

18 81. If a resubmitted Deliverable, or portion thereof, is disapproved in whole
19 or in part, the Government Plaintiffs may again require the City to correct any
20 deficiencies, in accordance with the preceding Paragraphs, subject to the City's
21 right to invoke Dispute Resolution.

22 82. The Report on Need for Modification to FOG Control Program required
23 under Paragraph 59 shall be subject to the review and, in part, approval as provided
24 for by Paragraph 59. In their approval of the portions of the FOG Report
25 concerning elements 1 through 5 as listed in Paragraph 59, Government Plaintiffs
26 will verify whether the Report reflects reasonable regulatory judgment aimed at
27

1 improving the effectiveness of the City’s implementation of its FOG program. As
2 to those portions of this report that are subject to Government Plaintiffs’ approval,
3 the process set forth in Paragraphs 78 through 81 will apply.

4 83. The Wet Weather Calibration Report, the Chemical Root Control
5 Report, the IRP Report, and the “Trigger” Flow and flow monitoring sections of
6 the Capacity Plan required by Paragraphs 60, 61, 67, 68, and 69 of this Settlement
7 Agreement shall be subject to Government Plaintiffs’ review and verification that
8 these Reports reflect sound engineering principles and are consistent with the
9 requirements set forth in the Paragraph(s) requiring the preparation of the reports.

10 84. With the exception of the Work Plans discussed in Section VIII
11 Supplemental Environmental Projects (which shall be reviewed and approved
12 pursuant to Paragraph 90), the remaining Deliverables, including the portions of
13 the FOG Report concerning elements 6 through 11 as listed in Paragraph 59, will
14 be subject to the Government Plaintiffs’ review but not approval.

15 85. Permits. Where any compliance obligation under this Settlement
16 Agreement requires the City to obtain a federal, state, or local permit or approval,
17 the City shall submit timely and complete applications and take all other actions
18 necessary to obtain all such permits or approvals. The City may seek relief under
19 the provisions of Section X (Force Majeure) of this Settlement Agreement for any
20 delay in the performance of any such obligation resulting from a failure to obtain,
21 or a delay in obtaining, any permit or approval required to fulfill such obligation, if
22 the City has submitted timely and complete applications and has taken all other
23 actions necessary to obtain all such permits or approvals.

24 VIII. SUPPLEMENTAL ENVIRONMENTAL PROJECTS

25 86. In implementing Supplemental Environmental Projects (“SEPs”) under
26 this Settlement Agreement, the City shall spend no less than \$8.5 million in
27

1 eligible SEP costs. This \$8.5 million shall include the \$800,000 payment required
2 by Paragraph 144. “Eligible SEP costs” include the costs of planning and
3 implementing SEPs, but do not include City overhead, administrative expenses,
4 legal fees, and contractor oversight. Design Costs in excess of 18% of the overall
5 SEP costs shall not be “eligible SEP costs.” If the Design Costs exceed 18% of the
6 total overall SEP costs, the City and the Government Plaintiffs shall negotiate in
7 good faith regarding whether an adjustment to the 18% figure is appropriate and if
8 so, the size of the adjustment. The City shall implement the following SEPs,
9 which are described briefly in Appendix C to this Settlement Agreement:

- 10 a. North Atwater Creek Restoration and Water Quality
11 Enhancement Project;
- 12 b. South Los Angeles Storm Water Treatment Project at 54th and
13 Avalon Streets;
- 14 c. Hazard Creek and Wetlands Restoration Project;
- 15 d. Inner Cabrillo Beach Pollution Control and Water Circulation
16 Enhancement Project;
- 17 e. Downtown Los Angeles Storm Drain Low-Flow Diversion
18 Project.

19 87. If the City implements each of the projects provided for in Paragraph
20 86, above, but those projects cost less than \$8.5 million in eligible SEP costs, the
21 City shall implement an additional project or additional projects from the following
22 list to ensure that the City spends no less than \$8.5 million in eligible SEP costs:

- 23 a. Restoration of Los Angeles River Wetlands at the “Headworks”
24 Spreading Ground Project;
- 25 b. Additional Downtown Los Angeles Storm Drain Low-Flow
26 Diversion Project(s) (not to exceed \$2.0 million);

1 satisfactorily completed.

2 90. The City shall submit to the Government Plaintiffs a proposed Work
3 Plan for each SEP, which shall include a plan for the implementation of the SEP, a
4 schedule for implementing the SEP, cost estimates for the various phases of the
5 project, and a certification of the truth and accuracy of the statements in Paragraph
6 92 below, as of the time of the submission of the Work Plan. The Government
7 Plaintiffs shall have approval rights regarding the Work Plans as follows: they can
8 reject the Work Plans if the Work Plans are not consistent with the description and
9 objectives of the project as set forth in Appendix C, are not based on sound
10 engineering or other technical principles relevant to the implementation of the
11 SEPs, or fail to properly make the required certification. The Government
12 Plaintiffs shall have 90 days to review and approve SEP Work Plans. If the
13 Government Plaintiffs have not approved in writing a Work Plan within 90 days of
14 its submission, the Work Plan shall be deemed denied. The City shall implement
15 SEPs in accordance with the approved Work Plans, which shall be deemed to be
16 attached to, and incorporated into, this Settlement Agreement.

17 91. The City is responsible for the satisfactory completion of the SEPs in
18 accordance with the requirements of this Settlement Agreement. "Satisfactory
19 completion" means that the City shall complete the work in accordance with the
20 approved Work Plans and shall spend, in total, not less than the amount set forth in
21 Paragraph 86, above. The City may use contractors and/or consultants in planning
22 and implementing the SEP.

23 92. With regard to the SEPs, the City certifies the truth and accuracy of each
24 of the following, subject to the provisions of Paragraph 93:

25 a. That all cost information provided to EPA and the Regional Board
26 in connection with EPA's and the Regional Board's approval of the SEP represents
27

1 a reasonable and fair estimate of the costs necessary to implement the SEP based
2 on the information available to the City at the time the cost information was
3 submitted to the Government Plaintiffs;

4 b. That, as of the date of executing this Settlement Agreement, the
5 City is not required to perform or develop the SEP by any federal, state, or local
6 law or regulation, nor is the City required to perform or develop the SEP by
7 agreement, grant, or as injunctive relief awarded in any other action in any forum;

8 c. That the SEP is not a project that the City was intending to
9 construct, perform, or implement other than in settlement of the claims resolved in
10 this Settlement Agreement;

11 d. That the City has not received, and is not negotiating to receive,
12 credit for the SEP in any other enforcement action; and

13 e. That the City will not receive any reimbursement for any portion of
14 the SEP from any other person.

15 93. The City in the future may seek alternate sources of funds to implement
16 any of the 2nd Tier projects set forth in Paragraph 87 and Appendix C, *provided*,
17 however, that if the City obtains funding from any other person to implement any
18 such project, the project shall not be eligible for implementation as a SEP and shall
19 be deemed deleted from Paragraph 87.

20 94. Annual SEP Status Report. In each Annual Report, the City shall report
21 on the status of each SEP for which a SEP Completion Report has not been
22 submitted. Each SEP Status Report shall contain at least the following
23 information:

- 24 1) A detailed description of the SEP as implemented to date;
25 2) An itemized list of all eligible SEP costs incurred through
26 the Fiscal Year covered by the Annual Report.

1 Section shall be subject to Dispute Resolution.

2 99. Each submission required under this Section shall be signed by an
3 official with knowledge of the SEP and shall bear the certification language set
4 forth in Paragraph 76, above.

5 100. Any public statement, oral or written, in print, film, or other media,
6 made by the City that publicizes SEPs implemented pursuant to this Settlement
7 Agreement shall include the following language, “This project was undertaken in
8 connection with the settlement of two Clean Water Act enforcement actions, Santa
9 Monica Baykeeper v. City of Los Angeles and United States and State of
10 California ex Rel. California Regional Water Quality Control Board, Los Angeles
11 Region v. City of Los Angeles.”

12 IX. STIPULATED PENALTIES

13 101. If the City fails to make the payments required by Section XII of this
14 Settlement Agreement (Civil Penalty and Section 13385 Payment) when due, the
15 City shall pay a stipulated penalty of \$500 per day for each day that the payment is
16 late. Late payment of the amounts due under Section XII shall be made in
17 accordance with Paragraphs 143 and 144, below. Stipulated Penalties shall be paid
18 in accordance with Paragraph 122, below. All transmittal correspondence shall
19 state that any such payment is for late payment of the civil penalty due under this
20 Settlement Agreement, or for Stipulated Penalties for late payment, as applicable,
21 and shall include the identifying information set forth in Paragraphs 143 and 144,
22 below.

23 102. The City shall be liable for Stipulated Penalties to the Government
24 Plaintiffs for the following violations of this Settlement Agreement as specified
25 below:

26 103. Designated Rehabilitation and Replacement Projects.

1 a. For each failure to complete the rehabilitation and replacement
2 projects identified in Paragraph 26 and Appendix B of this Settlement Agreement
3 in accordance with the schedule set forth in that Paragraph and Appendix or as
4 modified pursuant to Subsection V.H (Modification of Construction Deadlines),
5 the City shall be liable for stipulated penalties as set forth below:

<u>Period of Noncompliance</u>	<u>Penalty Per Day For Failure to Timely Complete</u>
Days 1-30	\$1,000
Days 31-60	\$2,000
Days 61+	\$3,000

6
7
8
9
10 b. If the City is liable for a stipulated penalty pursuant to
11 Subparagraph “a” of this Paragraph, the City shall also be liable for a stipulated
12 penalty of \$2,000 for each Subject SSO from an uncompleted sewer pipe (i.e., pipe
13 that was the subject of the stipulated penalty under Subparagraph “a”) during the
14 period of violation.

15 104. Rehabilitation and Replacement – Annual Mileage Requirement.

16 Beginning in Year Four, if the City fails to rehabilitate or replace at least 50
17 miles of sewer pipe per Fiscal Year, the minimum annual mileage figure permitted
18 by Paragraph 63, the City shall be liable for the following stipulated penalty:

- 19 ● \$4,000 per mile for each mile by which the City falls short of the
20 50-mile minimum, and
- 21 ● during any Fiscal Year in which the City fails to rehabilitate or
22 replace at least 50 miles of sewer pipe, \$1,000 for each Subject SSO
23 caused by pipe failure or pipe collapse, or a blockage caused by a pipe
24 failure or pipe collapse.

25 105. Rehabilitation and Replacement – Three-Year Average Mileage
26 Requirement. Beginning in the three-Year period comprising Years Four through
27

1 Six, if the City fails to rehabilitate or replace at least an average of 60 miles of
2 sewer pipe per Fiscal Year during any three-Year period, the minimum mileage
3 figure permitted by Paragraph 63, the City shall be liable for the following
4 stipulated penalty:

- 5 ● \$4,000 per mile for each mile by which the City falls short of the
6 60-mile minimum average during the three-Year period, and
- 7 ● during any three-Year period in which the City fails to rehabilitate
8 or replace at least an average of 60 miles of sewer pipe per Fiscal
9 Year, \$1,000 for each Subject SSO that (i) occurs during a Fiscal Year
10 in which the City failed to rehabilitate or replace at least 60 miles of
11 sewer pipe and (ii) was caused by pipe failure or pipe collapse, or a
12 blockage caused by a pipe failure or pipe collapse.

13 106. Fats, Oils, and Grease. The City shall be liable for stipulated penalties
14 in the following amounts with respect to the following elements of its Fats, Oils,
15 and Grease Control Program:

16 a. If the City fails to inspect 95% of the permitted FSEs that the City
17 must inspect in a Fiscal Year pursuant to Paragraph 30, the City shall be liable for
18 \$250 per FSE for every FSE below the 95% threshold that was not inspected .

19 b. If, after notice of deficiency and opportunity to cure, the City
20 materially fails to implement its Fats, Oils, and Grease enforcement guide as
21 required by Paragraph 31, for example, without limitation, by failing to conduct
22 follow-up inspections:

23 (1) the City shall be liable for \$500 for each permitted FSE
24 at which the City failed to implement its Fats, Oils and Grease enforcement
25 guide, and

26 (2) if the City is liable for a stipulated penalty pursuant to
27

1 Subparagraph “b (1)” above, the City shall be liable for \$1,000 for every
2 Subject SSO caused by grease that occurs during the period of the violation.

3 107. Sewer Cleaning – Annual Average. If the City is liable for failing to
4 clean at least 60,000 Pipe Reaches in any Fiscal Year as required by Paragraphs 10
5 and 11, the City shall be liable for the following stipulated penalty:

- 6 ● \$10 per Pipe Reach for the first 10,000 Pipe Reaches below the
7 60,000-Pipe Reach threshold, and \$25 per Pipe Reach for each
8 additional Pipe Reach below the 60,000-Pipe Reach threshold, and
- 9 ● during any Fiscal Year in which the City is liable for failing to
10 clean at least 60,000 Pipe Reaches, \$500 per Subject SSO for each
11 Subject SSO caused by a root or grease blockage.

12 108. Sewer Cleaning – Three-Year Average. If the City fails to clean an
13 average of at least 65,000 Pipe Reaches per Fiscal Year in any three-Year period as
14 required by Paragraph 12, the City shall be liable for the following stipulated
15 penalty:

- 16 ● \$10 per Pipe Reach for the first 10,000 Pipe Reaches below the
17 65,000-Pipe Reach average threshold, and \$25 per Pipe Reach for
18 each additional Pipe Reach below the 65,000-Pipe Reach average
19 threshold, and
- 20 ● during any three-Year period in which the City is liable for failing
21 to clean at least an average of 65,000 Pipe Reaches per Fiscal Year,
22 \$500 per Subject SSO for each Subject SSO caused by a root or
23 grease blockage.

24 109. Sewer Line Television Assessment. If the City fails in any Fiscal Year
25 to televise 600 miles of sewer pipe as required by Subsection V.C (Sewer
26 Condition Assessment (CCTV)), the City shall be liable for a stipulated penalty of
27

1 \$250 per mile not televised.

2 110. Sewer Capacity Projects.

3 a. For each failure to complete a Sewer Relief Project identified in
4 Paragraph 18 and Appendix A of this Settlement Agreement in accordance with the
5 schedule set forth in that Paragraph and Appendix, or as modified pursuant to
6 Subsection V.H (Modification of Construction Deadlines), the City shall be liable
7 for stipulated penalties as set forth below:

<u>Period of Noncompliance</u>	<u>Penalty Per Day For Failure to Timely Complete</u>
Days 1-30	\$1,000
Days 31-60	\$2,000
Days 61+	\$3,000

8
9
10
11
12 b. If the City is liable for a stipulated penalty pursuant to
13 Subparagraph “a” of this Paragraph, the City shall also be liable for \$5,000 per
14 Subject SSO or \$1 per gallon released, whichever is higher (to a maximum of
15 \$27,500 per Subject SSO), for each Subject SSO during the period of
16 noncompliance resulting from insufficient capacity in any sewer pipe for which the
17 required capacity improvement work has been delayed beyond the scheduled
18 completion date.

19 111. Secondary Basin Planning. If the City fails to timely complete 100
20 Secondary Basins Plans as required by Paragraph 25, the City shall be liable for
21 stipulated penalties as set forth below:

<u>Period of Noncompliance</u>	<u>Penalty Per Day for Failure to Timely Complete</u>
Days 1-30	\$50 per basin plan not complete
Days 31-60	\$100 per basin plan not complete
Days 61+	\$250 per basin plan not complete

22
23
24
25
26 112. Primary Basin Planning. If the City fails to timely complete all the
27

1 Primary Basin Plans as required by Paragraph 24, the City shall be liable for
2 stipulated penalties as set forth below:

<u>Period of Noncompliance</u>	<u>Penalty Per Day for Failure to Timely Complete</u>
Days 1-30	\$50 per basin plan not complete
Days 31-60	\$100 per basin plan not complete
Days 61+	\$250 per basin plan not complete

7 113. MOUSE Model Expansion. For failure to complete expansion of the
8 MOUSE model in each primary basin as required by Paragraph 21, the City shall
9 be liable for stipulated penalties as set forth below:

<u>Period of Noncompliance</u>	<u>Penalty Per Day for Failure to Timely Complete</u>
Days 1-30	\$25 per basin not complete
Days 31-60	\$50 per basin not complete
Days 61+	\$100 per basin not complete

14 114. Approvable Sewer Rehabilitation and Replacement Report. If the City
15 fails to submit a complete sewer Rehabilitation and Replacement Report and Plan
16 as required by Subsection VI.D, after notice of deficiency and an opportunity to
17 cure, the City shall be liable for a stipulated penalty of \$50,000. For purposes of
18 this Paragraph, a complete sewer Rehabilitation and Replacement Report and Plan
19 is one which includes the elements required by Paragraphs 62-64, and employs
20 reasonable engineering judgment in assessing each element.

21 115. Delays in Submission of Deliverables. The City shall be subject to the
22 following stipulated penalties for each failure to timely submit to Government
23 Plaintiffs, whether in draft or final form, a Deliverable subject to a deadline under
24 this Settlement Agreement:

<u>Period of Noncompliance</u>	<u>Penalty Per Day for Failure to Timely Submit</u>
Days 1-30	\$250

1	Days 31-60	\$500
2	Days 61+	\$2,000

3 116. SEP Compliance. If the City has spent less than the amount set forth
4 in Paragraph 86, above, on SEPs, the City shall pay a stipulated penalty equal to
5 the difference between the amount of total eligible SEP costs incurred by the City
6 and the amount set forth in Paragraph 86.

7 117. If an SSO Subject to Stipulated Penalties creates liability under more
8 than one stipulated penalty provision, the Government Plaintiffs, in the
9 unreviewable exercise of their discretion, may decide under which stipulated
10 penalty provision they will demand a stipulated penalty; each Subject SSO,
11 however, shall be subject to only one stipulated penalty payment pursuant to this
12 Section.

13 118. The Government Plaintiffs may, in the unreviewable exercise of their
14 discretion, reduce or waive stipulated penalties otherwise due under this Settlement
15 Agreement. In exercising their discretion under this Paragraph, the Government
16 Plaintiffs will take into consideration the amount of time that has elapsed since
17 they received notice of the underlying violation.

18 119. In the event the Regional Board has initiated a collateral proceeding to
19 assess a penalty for an SSO Subject to Stipulated Penalties, 50% of the stipulated
20 penalty associated with the Subject SSO shall be held in abeyance pending
21 completion of the Regional Board's penalty action. The 50% of the stipulated
22 penalty not held in abeyance shall be paid to the United States pursuant to
23 Paragraph 122. If the Regional Board collects a penalty for the Subject SSO
24 through the collateral proceeding and the penalty collected in the collateral
25 proceeding equals or exceeds the amount held in abeyance, the 50% of the
26 stipulated penalty held in abeyance shall be waived. If the Regional Board collects
27

1 no civil penalty for the Subject SSO through the collateral proceeding or if the
2 amount collected for the Subject SSO is less than the amount held in abeyance,
3 then the stipulated penalty held in abeyance shall be paid to the Regional Board
4 pursuant to the provisions of Paragraph 122, but the amount paid to the Regional
5 Board shall be reduced by the amount paid to the Regional Board through the
6 collateral proceeding for the Subject SSO. The Regional Board shall provide
7 written notice to the City and the United States of the completion of any collateral
8 proceeding relevant to this Section and a renewed demand for payment of any of
9 the stipulated penalties due and owing pursuant to the provisions of this Paragraph.

10 120. If the City pays the Regional Board a stipulated penalty for an SSO
11 under this Settlement Agreement, the City and the Regional Board agree that the
12 amount of the stipulated penalty shall be credited against any penalty imposed in a
13 collateral proceeding brought by the Regional Board to assess a penalty for an
14 SSO.

15 121. Except for the payment to the Regional Board of stipulated penalties
16 held in abeyance pursuant to the immediately preceding Paragraph, fifty percent
17 (50%) of each payment of stipulated penalties made pursuant to this Section shall
18 be made to the United States, and fifty percent (50%) of each payment shall be
19 made to the Regional Board, using the penalty payment procedures set forth in
20 Paragraph 122. The Government Plaintiffs may modify these payment procedures
21 through written notice to the City.

22 122. The City shall pay Stipulated Penalties owing to the United States by
23 certified or cashier's check in the amount due payable to the "U.S. Department of
24 Justice," referencing DOJ No. 90-5-1-1-809/1 and United States Attorney's Office
25 file number 2001V01641 and delivered to the office of the United States Attorney,
26 Central District of California, Financial Litigation Unit, 300 North Los Angeles
27

1 Street, Suite 7516 AA, Los Angeles, California 90012, *unless* the United States
2 directs the City to pay by EFT in accordance with Paragraph 143 of this Settlement
3 Agreement. The City shall pay Stipulated Penalties owing to the Regional Board
4 by sending a certified or cashier's check payable to "State Water Pollution Cleanup
5 and Abatement Account" to: Executive Officer, California Regional Water Quality
6 Control Board, Los Angeles Region, 320 West Fourth Street, Suite 200, Los
7 Angeles, CA 90013.

8 123. If the City fails to pay Stipulated Penalties according to the terms of
9 this Settlement Agreement, the City shall be liable for interest on such penalties, as
10 provided for in 28 U.S.C. § 1961, accruing as of the date payment became due,
11 subject to the following Paragraph.

12 124. Upon receipt of Government Plaintiffs' written demand for payment of
13 a stipulated penalty, the City may dispute its liability for such stipulated penalty
14 pursuant to the dispute resolution provisions of Section XI (Dispute Resolution).
15 Pending resolution of any such dispute, stipulated penalties continue to accrue if
16 the obligation at issue has not been met and interest on any unpaid penalties accrue
17 pursuant to the terms of Paragraph 123, *provided*, however, that the City may argue
18 to the Court that stipulated penalties and interest should not run after the matter has
19 been fully briefed and submitted to the Court and *provided* that Plaintiffs can argue
20 the contrary. Upon the completion of dispute resolution, any stipulated penalties
21 that are ultimately determined to be due, plus interest as applicable, shall be paid
22 within twenty (20) days of the date of the Government Plaintiffs' written decision
23 or, if applicable, any Court order.

24 125. The payment of stipulated penalties shall not alter in any way the
25 City's obligation to complete the performance of all activities required under this
26 Settlement Agreement.

1 occurred, they may agree to extend the time for the City to perform the affected
2 requirements for the time necessary to complete those obligations. An extension of
3 time to perform the obligations affected by a force majeure event shall not, by
4 itself, extend the time to perform any other obligation. Where the Government
5 Plaintiffs agree to an extension of time, the appropriate modification shall be made
6 pursuant to Section XIX of this Settlement Agreement (Modification).

7 130. If the Government Plaintiffs do not agree that a force majeure event
8 has occurred, or do not agree to the extension of time sought by the City, the
9 Government Plaintiffs' position shall be binding, unless the City invokes Dispute
10 Resolution under Section XI of this Settlement Agreement. In any such dispute,
11 the City bears the burden of proving, by a preponderance of the evidence, that each
12 claimed force majeure event is a force majeure event, that the City gave the notice
13 required by Paragraph 128, that the force majeure event caused any delay the City
14 claims was attributable to that event, and that the City exercised best efforts to
15 prevent or minimize any delay caused by the event.

16 XI. DISPUTE RESOLUTION

17 131. Unless otherwise expressly provided for in this Settlement Agreement,
18 all disputes under this Settlement Agreement are subject to dispute resolution and
19 the dispute resolution procedures of this Section shall be the exclusive mechanism
20 to resolve disputes arising under or with respect to this Settlement Agreement.
21 However, such procedures shall not apply to actions by the United States and the
22 Regional Board to enforce obligations of the City that have not been disputed in
23 accordance with this Section.

24 132. Role of Intervenors. The Intervenors shall participate in the dispute
25 resolution process set forth in this Section whenever the dispute involves the odor
26 provisions of Subsection V.G of this Settlement Agreement.

1 documentation relied upon by the Party invoking the formal dispute resolution
2 procedures of Paragraphs 134-136.

3 136. The Government Plaintiffs shall serve their Statement of Position
4 within 45 days after service of the later of the City's or Citizen Plaintiff's
5 Statement of Position, as applicable. The Government Plaintiffs' Statement of
6 Position shall include, but may not necessarily be limited to, any factual data,
7 analysis, or opinion supporting that position and all supporting documentation
8 relied upon by the United States and the Regional Board. The Government
9 Plaintiffs' Statement of Position shall be binding unless the City or a Citizen
10 Plaintiff files a motion for judicial review of the dispute in accordance with the
11 following Paragraphs.

12 137. Judicial Dispute Resolution. The City and Citizen Plaintiffs may seek
13 judicial review of the dispute against Government Plaintiffs by filing with the
14 Court and serving on the Government Plaintiffs (with copies to other Parties,
15 including Intervenors if participating) in accordance with Section XVI of this
16 Settlement Agreement (Notices), a motion requesting judicial resolution of the
17 dispute. The motion must be filed within 60 days after service of the Government
18 Plaintiffs' Statement of Position pursuant to Paragraph 136. The motion shall
19 contain a written statement of the City's or Citizen Plaintiff's position on the
20 matter in dispute, including any supporting factual data, analysis, opinion, or
21 documentation, and shall set forth the relief requested and any schedule within
22 which the dispute must be resolved for orderly implementation of this Settlement
23 Agreement.

24 138. The Government Plaintiffs (and any non-moving party participating in
25 the dispute) shall have at least 60 days in which to respond to the City's or Citizen
26 Plaintiff's motion. The City and Citizen Plaintiff may file a reply memorandum to
27

1 the extent permitted by the Local Rules.

2 139. In any dispute in District Court pursuant to these Paragraphs 137-141,
3 the Court shall first rule on the dispute between the City and the Government
4 Plaintiffs. If the City's position prevails over the Government Plaintiffs' position,
5 the dispute resolution process shall end. If the position of the Government
6 Plaintiffs prevails over the position of the City, the Court shall then consider any
7 remaining dispute between the Government Plaintiffs and any Citizen Plaintiff.

8 140. In any dispute in District Court under these Paragraphs 137-141, the
9 City shall bear the burden of demonstrating by a preponderance of the evidence
10 that the City's position on the issues in dispute should prevail over Government
11 Plaintiffs' position.

12 141. In any dispute in District Court pursuant to these Paragraphs 137-141,
13 a Citizen Plaintiff shall bear the burden of demonstrating that the Government
14 Plaintiffs' position is arbitrary and capricious.

15 142. Effect on Settlement Agreement Obligations. The invocation of
16 dispute resolution procedures under this Section shall not, by itself, extend,
17 postpone, or affect in any way any obligation of the City under this Settlement
18 Agreement, unless and until the final resolution of the dispute so provides.
19 Stipulated Penalties with respect to the disputed matter shall continue to accrue
20 from the first day of noncompliance, but payment shall be stayed pending
21 resolution of the dispute as provided in Paragraph 124, above. If the City does not
22 prevail on the disputed issue, Stipulated Penalties shall be assessed and paid as
23 provided in Section IX (Stipulated Penalties).

24 XII. CIVIL PENALTY AND SECTION 13385 PAYMENT

25 143. Within 30 days after the Effective Date of this Settlement Agreement,
26 the City shall pay the United States the sum of \$800,000 as a civil penalty.

1 Payment shall be made by FedWire Electronic Funds Transfer (“EFT”) to the U.S.
2 Department of Justice in accordance with instructions to be provided to the City by
3 the Financial Litigation Unit of the U.S. Attorney’s Office for the Central District
4 of California following lodging of this Settlement Agreement. At the time of
5 payment, the City shall simultaneously send written notice of payment and a copy
6 of any transmittal documentation (which should reference DOJ case number 90-5-
7 1-1-809/1 and Central District of California Civil Action No. 01-191-RSWL) to
8 the United States in accordance with Section XVI of this Settlement Agreement
9 (Notices).

10 144. The City shall make a payment to the Regional Board in the amount of
11 \$800,000 in settlement of the Regional Board’s claims under California Water
12 Code Section 13385. This payment shall be incorporated into the funding provided
13 for pursuant to Section VIII (Supplemental Environmental Projects).

14 XIII. INFORMATION COLLECTION AND RETENTION

15 145. The Government Plaintiffs and their representatives, including
16 attorneys, contractors, and consultants, shall have the right of entry on City
17 property at all reasonable times, upon presentation of credentials, to:

18 a. monitor the progress of activities required under this Settlement
19 Agreement;

20 b. verify any data or information submitted to the Government
21 Plaintiffs in accordance with the terms of this Settlement Agreement;

22 c. obtain samples and, upon request, splits of any samples taken by
23 the City or its representative, contractors, or consultants;

24 d. obtain documentary evidence, including photographs and similar
25 data; and

26 e. assess the City’s compliance with this Settlement Agreement.
27

1 pursuant to CWA Section 505(d), 33 U.S.C. § 1365(d) and Cal. Code Civ. Proc.
2 § 1021.8.

3 151. The Court's management orders, including the Stipulated Case
4 Management Order dated and filed on July 3, 2001, are hereby terminated.

5 152. The United States and the Regional Board reserve all legal and
6 equitable remedies available to enforce the provisions of this Settlement
7 Agreement, except as expressly stated herein. This Settlement Agreement shall not
8 be construed to prevent or limit the rights of the United States or the Regional
9 Board to obtain penalties or injunctive relief under the Act or implementing
10 regulations, or under other federal or state laws, regulations, or permit conditions,
11 except as expressly specified herein.

12 153. This Settlement Agreement is not a permit, or a modification of any
13 permit, under any federal, state, or local laws or regulations. The City is
14 responsible for achieving and maintaining complete compliance with all applicable
15 federal, state, and local laws, regulations, and permits. The United States and the
16 Regional Board do not, by their consent to the entry of this Settlement Agreement,
17 warrant or aver in any manner that the City's compliance with any aspect of this
18 Settlement Agreement will result in compliance with provisions of the CWA or the
19 California Water Code.

20 154. Nothing in this Settlement Agreement shall constitute an admission of
21 any fact or of any liability or a waiver of any right unless explicitly set forth herein.
22 It is the intent of the Parties that all prior Orders of the Court, including
23 stipulations, shall have no collateral estoppel effect, and that this Settlement
24 Agreement shall not preclude the City from raising defenses or arguments in any
25 future civil enforcement action, whether or not such defense or argument was
26 raised in any proceeding in this action. This Settlement Agreement shall be
27

1 considered continuing “diligent prosecution” of the claims alleged in the
2 Complaints as that term is used in the CWA.

3 155. This Settlement Agreement does not limit or affect the rights of the
4 City or of the Plaintiffs against any third parties not party to this Settlement
5 Agreement, nor does it limit the rights of third parties not party to this Settlement
6 Agreement against the City, except as otherwise provided by law.

7 156. This Settlement Agreement shall not be construed to create rights in, or
8 grant any cause of action to, any third party not party to this Settlement Agreement.

9 157. Nothing in this Settlement Agreement shall limit the City’s ability to
10 modify its program for the design, planning, construction, operation, and
11 maintenance of its Wastewater Collection System in any fashion not inconsistent
12 with this Settlement Agreement.

13 XV. COSTS

14 158. The Parties shall bear their own costs of this action, including attorneys
15 fees, except:

16 a. Within 45 days after the Effective Date of this Settlement
17 Agreement, the City shall pay Baykeeper \$1,600,000; the Intervenors \$425,000;
18 and the Regional Board \$71,745; and

19 b. The Government Plaintiffs shall be entitled to collect the costs
20 (including attorneys fees) incurred in any action necessary to collect any portion of
21 the civil penalty required by Section XII, or any Stipulated Penalties due but not
22 paid by the City (for the purposes of this Paragraph, Stipulated Penalties are not
23 “due” until after the conclusion of dispute resolution proceedings regarding the
24 Stipulated Penalties pursuant to Section XI (Dispute Resolution), if any).

25 159. Payment of fees and costs to Santa Monica Baykeeper shall be by
26 certified or cashier's check, made payable to "Lawyers For Clean Water Attorney
27

1 Client Trust Account," sent via Federal Express to Layne Friedrich, 1004 O'Reilly
2 Avenue, San Francisco, California 94129.

3 160. Payment of costs to the Regional Board shall be by certified or
4 cashier's check payable to "Department of Justice," shall be sent to Nancy Sahn, P.
5 O. Box 944255, Sacramento, CA 94244-2550, and shall be identified with the title
6 of this action.

7 **XVI. NOTICES**

8 161. Unless otherwise specified herein, whenever notifications,
9 submissions, or communications are required by this Settlement Agreement they
10 shall be made in writing and addressed as follows:

11 a. To EPA:

12 Chief, Clean Water Act Compliance Office (WTR-7)
13 Water Division
14 U.S. Environmental Protection Agency, Region 9
15 75 Hawthorne Street
16 San Francisco, CA 94105

17 b. To the Regional Board:

18 Executive Officer
19 Los Angeles Regional Water Quality Control Board
20 320 W. 4th Street, Suite 200
21 Los Angeles, CA 90013

22 and

23 Gregory J. Newmark
24 Deputy Attorney General
25 300 South Spring Street, Suite 1100-N
26 Los Angeles, CA 90013

27 c. To the United States:

28 Chief, Clean Water Act Compliance Office (WTR-7)
Water Division
U.S. Environmental Protection Agency, Region 9
75 Hawthorne Street
San Francisco, CA 94105

and

1 Chief, Environmental Enforcement Section
2 Environment and Natural Resources Division
3 U.S. Department of Justice
4 Box 7611 Ben Franklin Station
5 Washington, D.C. 20044-7611
6 Re: DOJ No. 90-5-1-1-809/1

7 d. To the Government Plaintiffs:

8 To the United States and the Regional Board as indicated in “b” and
9 “c” above.

10 e. To Baykeeper:

11 Santa Monica Baykeeper
12 Executive Director
13 P.O. Box 10096
14 Marina del Rey, CA 90295

15 f. To Intervenors:

16 Kathleen Salvaty
17 Stephen R. English
18 English, Munger & Rice
19 1545 Wilshire Boulevard, Suite 800
20 Los Angeles, California 90017

21 and

22 Robert García
23 Center for Law in the Public Interest
24 3250 Ocean Park Blvd., Ste. 300
25 Santa Monica, California 90405

1 g. To the City:
2 Director, Bureau of Sanitation
3 Department of Public Works
4 City of Los Angeles
5 433 S. Spring Street, Suite 400
6 Los Angeles, California 90013

7 General Counsel to the Department of Public Works
8 200 N. Main Street
9 Room 700
10 Los Angeles, California 90012

11 and

12 James J. Dragna, Esq.
13 Bingham McCutchen LLP
14 355 South Grand Avenue, Suite 4400
15 Los Angeles, California 90071

16 162. Any Party may, by written notice to the other Parties, change its
17 designated notice recipient(s) or notice address(es) provided above.

18 163. Notices submitted pursuant to this Section shall be deemed submitted
19 upon mailing, unless otherwise provided in this Settlement Agreement or by
20 mutual agreement of the Parties in writing.

21 XVII. EFFECTIVE DATE

22 164. The Effective Date of this Settlement Agreement shall be the date upon
23 which this Settlement Agreement is entered by the Court.

24 XVIII. RETENTION OF JURISDICTION

25 165. The Court shall retain jurisdiction over this case until termination of
26 this Settlement Agreement for the purpose of resolving disputes arising under this
27 Settlement Agreement pursuant to Section XI (Dispute Resolution), entering orders
28 modifying this Settlement Agreement pursuant to Section XIX (Modifications), or
effectuating or enforcing compliance with the terms of this Settlement Agreement.

XIX. MODIFICATION

1 City has not completed those projects, whether and how the City plans to complete
2 them by the end of Year Ten;

3 d. That there are no outstanding stipulated penalty assessments
4 pursuant to Section IX or pending dispute resolution proceedings pursuant to
5 Section XI;

6 e. That the City has completed all the Primary and 100 Secondary
7 Basin Plans pursuant to Paragraphs 24 and 25, or, if the City has not completed all
8 the required Basin Plans, whether and how the City plans to complete them before
9 the end of Year Ten.

10 169. Government Plaintiffs shall use best efforts to approve or reject the
11 Nine and One-Half Year Report within 100 days of receipt thereof. If the
12 Government Plaintiffs approve a City certification that an obligation set forth in
13 Subparagraphs (a) through (e) of Paragraph 168 is complete, the City's obligation
14 to perform that obligation under this Settlement Agreement is complete. If
15 Government Plaintiffs reject, in whole or in part, the Nine and One-Half Year
16 Report, they shall specify the grounds upon which the rejection is based. In the
17 event that the Government Plaintiffs reject the Nine and One-Half Year Report,
18 reject one or more certifications within the Report, or do not respond to the Nine
19 and One-Half Year Report within the 100-day period, the City may move the Court
20 for approval of any certification in the Nine and One-Half Year Report that was not
21 approved by the Government Plaintiffs. If the City moves the Court, the standard
22 set forth in Paragraph 140 shall apply.

23 170. No later than July 1 following the end of Year Ten, the City shall
24 submit a report certifying whether it has completed the requirements of the
25 Settlement Agreement applicable to the City in Year Ten ("Year Ten Report").
26 This report shall address:

1 a. Whether the City has rehabilitated or replaced the miles of pipe
2 required in Year Ten pursuant to the terms of Paragraph 27.

3 b. Whether the City has cleaned the number of Pipe Reaches required
4 in Year Ten pursuant to the terms of Subsection V.A.

5 c. Whether the City has implemented its FOG Program in Year Ten
6 pursuant to the terms of Subsection V.F.

7 d. Whether the City has conducted in Year Ten CCTV inspections on
8 the number of miles of pipe required pursuant to the terms of Subsection V.C.

9 e. Whether all work identified as uncompleted, and all penalties and
10 dispute resolution proceedings identified as unpaid or pending, in the Nine and
11 One-Half Year Report provided for in Paragraph 168 have been completed, paid,
12 or resolved.

13 171. Government Plaintiffs shall use best efforts to approve or reject the
14 Year Ten Report within 60 days of receipt thereof. If the Government Plaintiffs
15 approve a City certification that an obligation set forth in Subparagraphs (a)
16 through (e) of Paragraph 170 is complete, the City's obligation to perform that
17 obligation under this Settlement Agreement is complete. If Government Plaintiffs
18 reject, in whole or in part, the Ten Year Report, they shall specify the grounds
19 upon which the rejection is based. In the event that the Government Plaintiffs
20 reject the Year Ten Report, one or more certifications within the Report, or do not
21 respond to the Year Ten Report within 75 days of its receipt, the City may invoke
22 the Dispute Resolution procedures of Section XI or move the Court for approval of
23 any certification in the Year Ten Report that was not approved by the Government
24 Plaintiffs and for termination of this Settlement Agreement. If Government
25 Plaintiffs approve the Year Ten Report, the Government Plaintiffs and the City,
26 following notice to Baykeeper and Intervenors, shall submit a joint motion
27

1 terminating the Settlement Agreement.

2 XXI. PUBLIC PARTICIPATION

3 172. This Settlement Agreement shall be lodged with the Court for a period
4 of not less than 30 days for public notice and comment in accordance with 28
5 C.F.R. § 50.7. The United States and the Regional Board reserve the right to
6 withdraw or withhold their consent if comments regarding this Settlement
7 Agreement disclose facts or considerations indicating that this Settlement
8 Agreement is inappropriate, improper, or inadequate. The City consents to entry of
9 this Settlement Agreement without further notice.

10 XXII. SIGNATORIES/SERVICE

11 173. Each undersigned representative of the City, the Regional Board,
12 Baykeeper, the Intervenors, and the Assistant Attorney General for the
13 Environment and Natural Resources Division of the Department of Justice certifies
14 that he or she is fully authorized to enter into the terms and conditions of this
15 Settlement Agreement and to execute and legally bind the Party he or she
16 represents to this document.

17 174. This Settlement Agreement may be signed in counterparts, and its
18 validity shall not be challenged on that basis.

19 175. The City agrees not to oppose entry of this Settlement Agreement by
20 the Court or to challenge any provision of this Settlement Agreement, unless the
21 United States or the Regional Board notifies the City in writing that it no longer
22 supports entry of this Settlement Agreement.

23 XXIII. INTEGRATION

24 176. This Settlement Agreement constitutes the final, complete, and
25 exclusive agreement and understanding among the Parties with respect to the
26 settlement embodied in this Settlement Agreement, and this Settlement Agreement
27

SCANNED

1 settlement embodied in this Settlement Agreement, and this Settlement Agreement,
 2 supersedes all prior agreements and understandings, whether oral or written,
 3 concerning the settlement embodied herein. Other than Deliverables that are
 4 subsequently submitted pursuant to this Settlement Agreement, no other document
 5 and no other representation, inducement, agreement, understanding, or promise
 6 constitutes any part of this Settlement Agreement or the settlement it represents,
 7 nor shall they be used in construing the terms of this Settlement Agreement.

8 XXIV. FINAL JUDGMENT

9 177. Upon approval and entry of this Settlement Agreement and Final
 10 Order by the Court, this Settlement Agreement and Final Order shall constitute a
 11 final judgment of the Court as to the Parties.

12
 13
 14 Dated and entered this 28th day of October, 2004.

15
16
17 **RONALD S.W. LEW**

18 _____
 19 **RONALD S.W. LEW**
 20 **UNITED STATES DISTRICT JUDGE**
 21 **Central District of California**

1 WE HEREBY CONSENT to the entry of this Settlement Agreement, subject to the
2 public notice and comment provisions of 28 C.F.R. § 50.7:

3 For Plaintiff the United States of America:
4

5
6 Dated: 7.21.04

Tom Sansonetti
THOMAS L. SANSONETTI
Assistant Attorney General
Environment & Natural Resources
Division
U.S. Department of Justice

David B. Glazer/enc
DAVID B. GLAZER
Environmental Enforcement Section
U.S. Department of Justice
301 Howard Street, Suite 1050
San Francisco, California 94105

Robert R. Klotz
ROBERT R. KLOTZ
U.S. Department of Justice
P.O. Box 7611
Ben Franklin Station
Washington, D.C. 20044-7611


Attorneys for Plaintiff
United States of America

SCANNED

1 WE HEREBY CONSENT to the entry of this Settlement Agreement, subject to the
2 public notice and comment provisions of 28 C.F.R. § 50.7:

3 For Plaintiff the United States of America (con't):
4
5

6
7 Dated: 7.27.04


THOMAS V. SKINNER
Acting Assistant Administrator for
Enforcement and Compliance Assurance
U.S. Environmental Protection Agency

SCANNED


10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28

1 WE HEREBY CONSENT to the entry of this Settlement Agreement, subject to the
2 public notice and comment provisions of 28 C.F.R. § 50.7:

3 **For Plaintiff the United States of America (con't):**

4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28

Dated: 08 July 2004



WAYNE NASTRI
Regional Administrator
U.S. Environmental Protection Agency
Region 9

Of Counsel:
HUGH BARROLL
Assistant Regional Counsel
U.S. Environmental Protection Agency
Region 9

SCANNED

SCANNED


1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28

WE HEREBY CONSENT to the entry of this Settlement Agreement:

For Plaintiff People of the State of California *ex rel.* California Regional Water Quality Control Board, Los Angeles Region:

BILL LOCKYER
Attorney General of the State of California


Dated: 7/7/2004



GREGORY J. NEWMARK
MARILYN LEVIN
Deputy Attorneys General
300 South Spring Street
11th Floor, North Tower
Los Angeles, California 90013

Attorneys for Plaintiff People of the State of California *ex rel.* California Regional Water Quality Control Board, Los Angeles Region

Dated: 7/8/2004



JONATHAN BISHOP
Interim Executive Officer
California Regional Water Quality Control Board, Los Angeles Region

1 WE HEREBY CONSENT to the entry of this Settlement Agreement:

2 For Plaintiff Santa Monica Baykeeper:
3

4

5

6

Dated: 7/6/04

7

8

9


TRACY EGOSCUE
Executive Director
Santa Monica Baykeeper

10

11


12

Dated: 6 July 04

13

14

15


DANIEL COOPER
Lawyers for Clean Water
1004 O'Reilly Avenue
San Francisco, California 94129

16

17

18

19

20

21

22

23

24

25

26

27

28

DANIELLE FUGERE
Environmental Advocates
1004 O'Reilly Avenue
San Francisco, California 94129

Attorneys for Plaintiffs
Santa Monica Baykeeper

5/11/04


SCANNED

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28

WE HEREBY CONSENT to the entry of this Settlement Agreement:


For Plaintiffs in Intervention Baldwin Hills Estates Homeowners' Association, Inc., Baldwin Hills Village Garden Homes Association, United Homeowners Association, Village Green Owners Association, and Concerned Citizens of South Central Los Angeles (collectively the "Intervenors"):

Dated: July 7, 2004



KATHLEEN SALVATY
STEPHEN R. ENGLISH
CONSTANCE L. RICE
English, Munger & Rice
1545 Wilshire Boulevard, Suite 800
Los Angeles, California 90017

Dated: July 7, 2004




ROBERT GARCIA
Center for Law in the
Public Interest
3250 Ocean Park Blvd., Ste. 300
Santa Monica, California 90405

Attorneys for Intervenors


SCANNED


1 WE HEREBY CONSENT to the entry of this Settlement Agreement:

2 For Defendant City of Los Angeles:
3

4 
5 ROCKARD DELGADILLO
6 City Attorney (Bar No. 125465)

7
8 Dated: 7/06/04
9

10 
11 CECILIA V. ESTOLANO
12 Assistant City Attorney (Bar No. 198038)

13 
14 CHRISTOPHER M. WESTHOFF
15 Assistant City Attorney (Bar No. 63176)
16 Los Angeles City Attorney's Office
17 800 City Hall East
18 200 N. Spring Street
19 Los Angeles, California 90012

20 JAMES J. DRAGNA (Bar No. 91492)
21 NANCY SAUNDERS (Bar No. 111837)
22 BRYAN BROWN (Bar No. 192924)
23 Bingham McCutchen LLP
24 Suite 4400
25 355 South Grand Avenue
26 Los Angeles, California 90071

27 Attorneys for Defendant, City of Los Angeles
28

APPENDIX "A"
SEWER RELIEF PROJECTS FOR THE FIRST THREE YEARS OF AGREEMENT

Project Title	Project Description	Settlement Agreement Construction End Date
ECIS [EAST CENTRAL INTERCEPTOR SEWER]	This relief sewer extends approximately 11 miles from the Baldwin Hills in Culver City along La Cienega Blvd, and east along Exposition Blvd, to the east side of the Los Angeles River near Mission Road.	08/27/04
NEIS PH 1 [NORTH EAST INTERCEPTOR SEWER, PHASE 1]	This relief sewer extends approximately 5 miles from the intersection of San Fernando Road and Eagle Rock Boulevard to the intersection of Mission Road and Jesse Street.	10/30/05
AVE 45 ARROYO DR RLF SWR [AVE 45 ARROYO DRIVE RELIEF SEWER]	This project will relieve the overloaded primary wastewater collection system in the Eagle Rock and Highland Park areas. A 12,500 linear foot 12- to 36- inch diameter relief sewer will be constructed. The preliminary project alignment will be along the Pasadena Freeway from Figueroa Street, and Avenue 45 to Arroyo Glen Street and Avenue 63, and in Avenue 50 to Echo Street.	10/06/06
EAGLE ROCK INTER SWR [EAGLE ROCK INTERCEPTOR SEWER]	This project will provide relief for the Eagle Rock area. The project boundaries are: along Eagle Rock Boulevard and Verdugo Road from York Boulevard to the future NEIS; Lincoln Avenue and York Boulevard from Avenue 50 to Eagle Rock Boulevard; and from Fair Park Avenue to York Boulevard.	10/30/06
BAYWOOD BNDCT ESMT SWR [BAYWOOD BENEDICT EASEMENT SEWER]	This project will eliminate the Baywood Court Pumping Plant which includes the demolition of the existing plant and the construction of a gravity sewer to redirect the flows.	10/31/06
FLOWER WASHINGTON PICO SWR [FLOWER SEWER, WASHINGTON TO PICO]	This project will replace an existing 8-inch sewer located along Flower Street beneath the Long Beach/Los Angeles Light Rail concrete track slab. This sewer extends from about 150 feet south of Pico Boulevard to Washington Boulevard.	10/31/06
BUCKINGHAM DIVR SWR [BUCKINGHAM ROAD DIVERSION SEWER]	This project will install the Buckingham sewer, approximately 3,500 feet in length along Buckingham Road from Martin Luther King to Exposition Blvd, and diversion structure, as well as the demolition of the Buckingham Pumping Plant #603 in conjunction with the ECIS project.	11/11/06
SEPULVEDA VAL MEADOW RLF SWR [SEPULVEDA SHERMAN OAKS / VALLEY MEADOW RELIEF SEWER]	This project will provide approximately 4,955 feet of relief sewer in Sepulveda Boulevard from Valley Meadow Road to Flume Walk.	12/30/06

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28

NOS DIV HUMBOLDT AV 18 & SFR [NOS DIVERSION AT HUMBOLDT STREET BETWEEN AVE 18 & SAN FERNANDO ROAD]	This project will design and construct a diversion structure at NOS to be located at the intersection of Avenue 18 & Humboldt Street. Design and construct a junction structure under Humboldt Street close to San Fernando Road, connecting to Humboldt Junction Drop Structure Number 2, part of NEIS. Design and construct a 725 feet long, more than 50 feet deep, 48-inch diameter sewer between the new diversion structure and junction structure.	12/31/06
SLAUSON/VAN NESS/COS EXTERNAL BYPASS	Design and construct a permanent bypass from the existing 42" diameter brick sewer along the north side of Slauson Avenue and the existing 39" diameter brick sewer along the south side of Slauson Avenue to the Central Outfall Sewer (COS) in Van Ness Avenue.	12/31/06

Appendix "B"
**SEWER REHABILITATION AND REPLACEMENT PROJECTS FOR THE FIRST
THREE YEARS OF AGREEMENT**

Project Title	Project Description	Settlement Agreement Construction End Date
EQ RPR SWRS U298	This Northridge Earthquake sewer repair project is located near Parthenia St. & Farralone Ave. Project length: approximately 4,876 feet.	12/14/04
EQ RPR SWRS U277	This Northridge Earthquake sewer repair project is bounded by N/O 101 Freeway, W/O 170 Freeway. Project length: approximately 12,988 feet.	01/13/05
EQ RPR SWRS U269	This Northridge Earthquake sewer repair project is bounded by N/O Riverside, S/O Chandler, W/O Tujunga. Project length: approximately 15,520 feet.	01/13/05
EQ RPR SWRS U290	This Northridge Earthquake sewer repair project is bounded by N/O Plummer, S/O Devonshire, E/O Topanga. Project length: approximately 5,759 feet.	02/11/05
EQ RPR SWRS U289	This Northridge Earthquake sewer repair project is bounded by N/O Plummer, S/O 118 Freeway, E/O Topanga Canyon. Project length: approximately 4,796 feet.	02/11/05
SAN PEDRO AREA SWR REHAB	This project will rehabilitate approximately 15,000 linear feet of aging and structurally deteriorated sewers. The diameter of the sewers ranges from 6"-8". They are approximately 74 years old. The majority of the sewer reaches, to be rehabilitated as part of this project, are located between 22nd Street to the north, 30th Street to the south Alma Street to the west and Denison Ave. to the east. These reaches are located in sewer (S) map quadrants 625-07 and 625-08.	02/28/05
EQ RPR SWRS U346	This Northridge Earthquake sewer repair project is within S- map# 536-6, S-map #536-2. Project length: approximately 8,701 feet.	03/16/05
EQ RPR SWRS U344	This Northridge Earthquake sewer repair project is located in the Mid-City area. Project length: approximately 6,872 feet.	03/16/05
EQ RPR SWRS U373	This Northridge Earthquake sewer repair project is located at Culver Bl, Grandview Bl, Inglewood Bl, Allin St, Beethoven St, Bray St, Marshall St, Moore St, Verdi St, and Wagner St. Project length: approximately 7,210 feet.	04/15/05
EQ RPR SWRS U369	This Northridge Earthquake sewer repair project is located at Sepulveda Bl, Allin St, Bray St, Farias St, Lindblade St, Marshall St, and Sanford St. Project length: approximately 7,404 feet.	04/15/05
EQ RPR SWRS U327	This Northridge Earthquake sewer repair project contains work in the following streets: Casiano Rd, Hammer Dr., Roscomare Rd., Alana, Bayberry, Dartford, Meadow Crest, Tobin, Valley Falls Rd., Wood Rd., Dorilee Lane, Fond, Jeanne Ln, Red Rose, Sandy, Sepulveda Blvd., Steven Dr., High Valley Rd., High Knoll Rd., Valley Meadow Rd., Royal Crest Pl., Royal Mount Dr., Valley Vista Blvd., Castlewoods Dr., Crownridge Dr., Royal Woods, Regalwoods Pl., Aqueduct Av., Camarillo St., Huston St., La Maida St., Moorpark St., Morrison St., Woodley Ave., Densmore St., Gloria Ave., Haskell Ave., Ventura Bl. Project length: approximately 11,851 feet.	05/16/05

Project Title	Project Description	Settlement Agreement Construction End Date
EQ RPR SWRS U317	This Northridge Earthquake project contains repair of the sewer in the following streets: Katherine Ave., Vanowen St., Lemay St., Lennox Ave., Tyrone Ave., Costello Ave., Hamlin St., Gilmore St., Ranchito Ave., Kittridge Ave., Cantaloupe Ave., Colbath Ave., Murietta Av., Matilija Ave, Victory Bl., Mammoth Ave., Haynes St. Project length: approximately 7,116 feet.	05/16/05
SOUTH LA CSRP U - 6	This project will replace the non-reinforced concrete sewers and rehabilitate approximately 7,000 ft of the concrete sewers within South Central Area S-Map 566-2.	07/30/05
SOUTH LA CSRP U - 5	This project will rehabilitate approximately 7,500 ft. of the cement sewers in the area covered by South Central Area S-Map 565, Quadrants 3,4, and 8. This project will replace existing cement sewers that are in poor condition.	07/30/05
SOUTH LA CSRP U - 3	This project will rehabilitate approximately 10,500 ft of the cement sewers in the areas covered by South Central Area S-Map 558, Quadrant 11. This project will replace existing cement sewers that are in poor condition.	07/30/05
WILSHIRE AREA NE SWR REHAB	This project will rehabilitate approximately 1,767 linear feet of sewers in the northeast (NE) Wilshire area. The sewer reaches to be rehabilitated are located in Wilton Place, 6th Street, Catalina Street, and Norton Avenue.	08/30/05
MT WASHINGTON AREA SWR REHAB	This project will rehabilitate or replace about 784 ft. of vitrified clay pipe in the Mt. Washington area. The project is located in Shanley Avenue between Monte Vista Street and Malta Street and in a sewer easement north of Shanley Avenue between Monte Vista Street and Lynne Street.	09/30/05
S BOYLE AREA SWR REHAB	This project will remove and replace and rehabilitate approximately 4,056 feet of sewers in Mission Road between 6th Street and Cesar Chavez and in a sewer easement beginning at 6th and Mission and extending through various streets and sewer easements to the east and northeast to approximately 4th and Louis Street.	12/08/05
HOLLYWOOD AREA PRIM SWR REHAB [HOLLYWOOD AREA PRIMARY SWR REHAB]	This project will rehabilitate or replace approximately 7,870 feet of the cement sewers in the Hollywood area. The sewers to be repaired are located in Genesse Ave, Olympic Blvd, Packard St, and Crescent Heights Blvd.	12/30/05
4TH SHATTO VERMONT SWR REHAB	This project will rehabilitate approximately 500 feet of 18-inch sewers located in 4th Street east of Vermont Avenue.	12/30/05
EQ RPR SWRS U274	This Northridge Earthquake sewer repair project is bounded by N/O Sherman Way, S/O Keswick, E/O Laurel. Project length: approximately 6,645 feet.	03/16/06
EQ RPR SWRS U340	This Northridge Earthquake sewer repair project contains various works within S-map # 494-13. Project length: approximately 6,045 feet.	04/15/06
EQ RPR SWRS U283	This Northridge Earthquake sewer repair project is bounded by portions of the Hollywood & Eagle Rock Areas. Project length: approximately 9,279 feet.	04/15/06

Project Title	Project Description	Settlement Agreement Construction End Date
HARBOR AREA CSRP U- 6	This project will rehabilitate about 14,000 to 17,000 feet of the cement sewers in the Harbor Area bounded by 14th St. on the north, 22nd St. on the south, Averill on the west and Gaffey St. on the east.	05/30/06
NICHOLS CYN ESMT SWR REPLC [NICHOLS CANYON ESMT SWR REPLC]	This project will relocate an existing 8-inch diameter sewer from an easement to the public right-of-way. The project will involve the construction of approximately 2,600 feet of 8-inch diameter sewer.	05/31/06
EQ SWR RPR U300	This Northridge Earthquake sewer repair project is bounded by N/O Archwood, W/O Woodlake, E/O Valley Circle. Project length: approximately 5,696 feet.	07/15/06
EQ RPR SWRS U299	This Northridge Earthquake sewer repair project is near Farralone Ave. & Topanga Canyon Blvd. Project length: approximately 9,886 feet.	07/15/06
LAS PULGAS CANYON SWR REPLC	This project will provide a new replacement sewer system for the Pulga Canyon service area. It will provide approximately 2,700 feet of replacement sewers.	07/30/06
HOLLYWOOD AREA CSRP U- 2	This project will rehabilitate 20,880 feet of 8- to 15-inch cement sewers in the area bounded by Santa Monica Boulevard on the north, Mansfield Avenue on the east, Wilshire Boulevard on the South and Oakhurst Drive on the west.	07/30/06
EQ RPR SWRS U295	This Northridge Earthquake sewer repair project is in the area of Natic Ave, Kester Ave, Sylmar Ave, Vanyus Bl, Vincennes St, Cedros Ave, Tupper St, Lemona Ave, Terra Bella St, Willis Ave, Wakefield Ave, and Calahan St. Project length: approximately 11,836 feet.	09/15/06
EQ RPR SWRS U292	This Northridge Earthquake sewer repair project includes work in Branford St, Chase St, Crowley St, Debell St, Kagel Canyon St, Laurel Canyon Bl, Montague St, Osborne St, Reliance St, Tanopah St, Tonopah St, Wentworth St, and Wingo St. Project length: approximately 4,190 feet.	09/15/06
EQ RPR SWRS U291	This Northridge Earthquake sewer repair project includes work in Glenoaks Bl, Sunland Bl, Dora St, Fleetwood St, Goss St, Luddington St, Pendleton St, Penrose Bl, Peoria St, Randall St, Sheldon St, Thelma St, Tuxford St, Vinedale St, and Wicks St. Project length: approximately 2,661 feet.	09/15/06
EQ RPR SWRS U354	This Northridge Earthquake sewer repair project is located at Bestor Bl, Chautauqua Bl, Sunset Bl, Akron St, Baylor St, Carey St, Embury St, Friends St, Galloway St, Goucher St, Hartzell St, Ida St, Iliff St, Kagawa St, Monument St, San Lorenzo St. Project length: approximately 6,781 feet.	10/14/06
EQ RPR SWRS U339	This Northridge Earthquake sewer repair project contain various work in the areas within S-Map #516-10, 516-02, 516-01, 516-09, 516-06. Project length: approximately 4,266 feet.	11/15/06
EQ RPR SWRS U338	This Northridge Earthquake sewer repair contains work in the 5th St., Figueroa St., Lucas, Maryland & Miramar St. area bounded by N/O Magnolia, S/O Oxnard, E/O Lankershim. Project length: approximately 3,748 feet.	11/15/06
EQ RPR SWRS U320	The Northridge Earthquake sewer repair project is located within S-map # 428-07. Project length: approximately 7,020 feet.	12/15/06

Project Title	Project Description	Settlement Agreement Construction End Date
EQ RPR SWRS U316	The Northridge Earthquake sewer repair project is located within S-map # 428-16, S-map # 422-04, Smap # 427-13. Project length: approximately 6,609 feet.	12/15/06
WASHINGTON FLOWER GRAND SWR REPLC [WASHINGTON BL / FLOWER to GRAND]	This project will provide for the replacement of 10- to 24-inch diameter sewers located between Flower Street and Grand Avenue beneath the Long Beach/Los Angeles Light Rail line in Washington Boulevard.	12/30/06
CENTRAL AREA CSRP U-5	Revised scope of project to include replacement of 181 LF of 8-inch concrete sewer and 780 LF of 15-inch concrete sewer work remaining of project 52nd St.-6th AVE SEWER REPLACEMENT, W.O. E2001665 which will be deleted from the WCIP due to the fact that U279 repaired 75% of the sewer reaches of this project. Furthermore U279 also replaced approximately 67% of this project, therefore Central Area CSRP U5 will be replacing approximately 1,900 ft. of sewer.	12/30/06
CENTRAL AREA CSRP U-3 & U-4	This project will replace approximately 5,793 feet of the cement sewers with vitrified clay pipe in 69th, 70th, and 71st streets from 330 feet east of Normandie Avenue to Halldale Avenue, and Florence Avenue from Normandie Avenue to west of Denver Avenue.	12/30/06
12TH HILL SWR REHAB [12 TH / HILL SWR REHAB]	This project will rehabilitate approximately 3,700 linear feet of sewers ranging from 27 to 50 inches in diameter in the area of 12th Street, 18th Street, Hill Street, and Grand Avenue.	12/30/06
SAN FERNANDO PSDNA SWR REHAB [SAN FERNANDO PASADENA SWR REHAB]	This project will replace about 1,680 feet of 16-inch sewer pipe in the area bounded by the intersection of San Fernando Road and Pasadena Avenue to the intersection of Pasadena Avenue and Avenue 33.	12/31/06
EQ RPR SWRS U294	This Northridge Earthquake sewer repair project within S-map # 389-03, 04. Project length: approximately 6,238 feet.	01/13/07
EQ RPR SWRS U293	This Northridge Earthquake sewer repair project is near Mayall St, Stare St, Vintage St & Aqueduct Ave. Project length: approximately 6,885 feet.	01/16/07
EQ RPR SWRS U319	This Northridge Earthquake project contains repair of the sewer in the following streets: Sylvan St., Tiara St., Murietta Ave, Costello St., Califa St., Ranchito Ave, Erwin St, Delano St., Calvert St., Bessemer St., Matilija Ave., Atoll Ave, Hillview Park Ave., Oxnard St., Varna St., Ventura Canyon Ave. & Buffalo Ave. Project length: approximately 4,055 feet.	02/15/07
EQ RPR SWRS U318	This Northridge Earthquake sewer repair is located near Welby Way, Archwood St., Van Nood Ave. & Hamlin St. Project length: approximately 6,560 feet.	02/15/07
HARBOR AREA CSRP U- 3	This project will repair 8,070 feet of 8" to 18" cement sewers within the Harbor area bounded by Youth St. on the north, "B" St. on the south, Figueroa on the west and Wilmington Blvd. on the east.	03/03/07
EQ RPR SWRS U342	This Northridge Earthquake sewer repair project is located near 6th St., Ceres Ave, Industrial St., Gladys Ave, Factory Pl, Stanford Ave. Project length: approximately 2,971 feet.	03/15/07

Project Title	Project Description	Settlement Agreement Construction End Date
EQ RPR SWRS U341	This Northridge Earthquake sewer repair project is located near Barlett St., Glendale Ave., Diamond St. and Kellam Ave. Project length: approximately 3,833 feet.	03/15/07
FLINT AVE G ST SWR REPLC [FLINT AVE & G ST SWR REHAB]	This project will replace about 2,700 linear feet of 8, 10 and 14-inch vitrified clay pipe located in Flint Avenue south of G Street.	03/24/07
EQ RPR SWRS U304	This Northridge Earthquake sewer repair project is located near Cedros Ave, Lanark St., Brimfield Ave, Strathern St. and Blythe ave. Project length: approximately 5,322 feet.	04/14/07
EQ RPR SWRS U296	This Northridge Earthquake sewer repair includes Tobias Ave, Lemoma Ave, Broadmoor St., Katherine Ave, Wakefield Ave, Parthenia St Alley, Tyrone Ave, Chase St R/W, Parthenia St. and Willis Ave. Project length: approximately 7,614 feet.	04/14/07
HOOVER ST SWR REHAB [HOOVER STREET SWR REHAB]	This project will rehabilitate 1,522 linear feet of 24- inch diameter sewers on Hoover Street between 28 th and 25 th Street.	05/02/07
LINCOLN 83RD SWR REPLC [LINCOLN BLVD N/O 83 rd]	This project will replace 2,600 linear feet of 10-inch sewers in Lincoln Boulevard between the North Outfall Sewer and the alley north of Manchester Boulevard.	06/30/07
HARBOR AREA CSRP U- 5 & WILM U-20	This project will rehabilitate or replace about 13,000 feet of 8-inch concrete sewer in the San Pedro and Wilmington area. The project is located in the region bounded by the intersection of 7th and Alma to the intersection of Dodson and Park Dr. and Anaheim Street and Cristoball to the intersection of Coil Avenue and Colon Street. The existing sewer is dilapidated with fractures, loose pipe joints and corrosion.	06/30/07

ABBREVIATIONS:

CSRP - Cement Sewer Renewal Program

EQ RPR SWRS - Earthquake Repair Sewers

SWR REHAB - Sewer Rehabilitation

SWR REPLC - Sewer Replacement

**Appendix “C”
DESCRIPTION OF SEPs**

Projects	Description & Scope	Suggested Commitment
1st Tier SEPS		
<p>North Atwater Creek Restoration & Water Quality Enhancement Project (in Council District (“CD”) 4 and Adjacent to CD 13)</p>	<p>This project will construct water quality physical and structural improvements to an area along the Los Angeles (“LA”) LA River in the vicinity of the North Atwater Park. The project will restore wetlands for storm water runoff capture and treatment and provide habitat linkage to the Los Angeles River. This will begin a restoration and revitalization of the LA River and its vicinity where wetlands existed along the riverbanks. This will be the lead project and corner stone for the City’s proposed Los Angeles River Revitalization Plan. The project will reconstruct an area along the LA River in the North Atwater community and restore wetlands to treat runoff from the North Atwater Creek storm drain. In addition, runoff Best Management Practices will be implemented to minimize waste from horses using the LA riverbank from entering the LA River. This project will directly benefit the North Atwater neighborhood and the East and Northeast LA communities, which are low income and minority areas.</p>	<p>\$2,000,000</p>
<p>South Los Angeles Storm Water Treatment Project at 54th and Avalon St. (CD 9)</p>	<p>The project will construct an advanced system for capture and treatment of polluted urban runoff in an inner City area. The project is a major element of the South LA Wetland project, a project in which an MTA maintenance facility is being converted to a multi-benefit community resource with a water quality treatment element, a constructed wetland, and a community and educational center. The 54th and Avalon St. project will clean up the runoff from local storm drains that would be intercepted and brought into the storm water facility for treatment. The project is in the South Los Angeles community, which is a lower income and minority area. The project area would enhance clean runoff and reduce pollution.</p>	<p>\$2,000,000</p>
<p>Hazard Creek and Wetlands Restoration Project (CD 14)</p>	<p>This project will restore and enhance approximately a one-half mile reach of the historic Hazard Creek corridor and 2.5 acres of wetlands habitat in the Lincoln Heights area of the City. The project will restore the creekbed, which was converted into a railroad track, preserve and refurbish 0.5 acres of wetlands that still exist, and restore 2.0 acres of wetland that used to exist. The project will entail the removal of the railroad track and bed, slope re-grading, non-native plant removal, and native plant restoration in the park and wetlands. This project will provide wetlands that will clean up the water in the creekbed with the wetlands, which will help clean up the area’s urban runoff. The Lincoln Heights area of the City that will directly benefit from the re-creation of the creek and wetland is a low-income and minority area.</p>	<p>\$750,000</p>

<p>1 Inner Cabrillo Beach 2 Pollution Control and 3 Water Circulation 4 Enhancement 5 Project 6 (CD 15)</p>	<p>This project will address the high bacteria levels at Inner Cabrillo Beach. The Beach has high bacteria counts, particularly near the south end of the inner beach, which is a popular beach area used by many low income and minority community members. This project will construct physical and structural recirculation enhancements to improve the water quality in the beach. This project will build on the findings of the study conducted as part of the Clean Beaches Initiative and the RWQCB's TMDL linkage analysis to determine the sources of the bacteria, and effective solutions to solve the pollution problem. The project will reduce the high bacteria levels affecting the beach, thus improving water quality, enhancing the beneficial use of the beach, and protecting the public health and safety as the public uses the beach. Many of the beachgoers on this beach come from nearby neighborhoods that have low income and minority residents.</p>	<p>\$1,000,000</p>
<p>9 Downtown Los 10 Angeles Storm Drain 11 Low-Flow Diversion 12 Project 13 (CD 9 & CD 14)</p>	<p>This project will construct a single storm drain low-flow diversion structure to divert the low-flow from a high priority (highly polluted) storm drain discharging into the LA River in the Downtown Los Angeles area. The runoff will be diverted into the sewer system for treatment at the Hyperion Treatment Plant. This will help reduce pollution entering the LA River in a fashion similar to the coastal projects implemented by the City along the beaches of Santa Monica Bay. This will help clean up the runoff into the Los Angeles River, thus improving the water quality. This project will be built in an area of low income and minority residences, which will directly benefit from the project.</p>	<p>\$1,000,000</p>
<p>15 2nd Tier SEPS</p>		
<p>17 Restoration of LA 18 River Wetlands at the 19 Headworks 20 Spreading Ground 21 Project 22 (CD 4)</p>	<p>Convert part (15 acres) of the Headworks Spreading Grounds into treatment wetlands that would remove trash from the LA River, and treat the urban runoff from the Forest Lawn/Griffith Park part of the LA River watershed. The project would feature a rubber dam in the LA River to divert the flow, with a trash removal system both in the river behind the dam and where the river water enters the wetlands. Future additional projects funded in partnership with the City Department of Water and Power will add other features to the site, including up to another 10 acres of wetlands. The diversion of LA River water for treatment in the restored wetlands will improve the quality of the LA River water and reduce pollutants in the water and enhance the overall water quality. This project will benefit users in the Griffith Park, which is used by nearby low income and minority neighborhoods in East and South Los Angeles. Also, the wetlands will be used as an educational extension to schools in these same areas.</p>	<p>\$3,000,000</p>

<p>1 Additional Downtown 2 Los Angeles Storm 3 Drain Low-Flow 4 Diversion Project(s) 5 (CD 9 & CD 14)</p>	<p>This project will construct additional storm drain low-flow diversion structures to divert the low-flow from one or two high priority (highly polluted) storm drains discharging into the LA River in the Downtown Los Angeles area. The runoff will be diverted into the sewer system for treatment at the Hyperion Treatment Plant. This will help reduce pollution entering the LA River in a fashion similar to the coastal projects implemented by the City along the beaches of Santa Monica Bay. This will help clean up the runoff into the Los Angeles River, thus improving the water quality. These projects will be built in an area of low income and minority residences, which will directly benefit from the project.</p>	<p>\$1,000,000 per diversion with a maximum of \$2,000,000</p>
<p>8 Legion Lane Park LA 9 River Revitalization, 10 Habitat Restoration & 11 Water Quality 12 Enhancement Project 13 (CD 13)</p>	<p>The project is an LA River revitalization project that will help in the restoration of 1,000 feet of riverbank along the LA River and its adjacent areas. The project will acquire a vacant parcel around 28,000 square feet in size at 3781 Legion Lane on the east bank of the Los Angeles River north of Glendale Boulevard near Sunnynook Drive. After acquisition of the property, the property will be restored through "daylighting" an existing storm drain and the construction of grassy swales for runoff treatment before the runoff enters the unlined section of the LA River. Native plants and restoration of the lot will provide habitat restoration and an extension and connection to the rich habitat in the unlined section of the river. The park will not only provide water quality and habitat restoration but will provide access to the public to visit and interact with the unlined section of the river. This will increase awareness of the river as a valuable resource to our community and the need to protect and restore it.</p>	<p>\$1,500,000</p>
<p>16 Sycamore Grove 17 Streambed 18 Daylighting Project 19 (in CD 1 and 20 adjacent to CD 14)</p>	<p>This project will establish a 600-foot long streambed that courses through Sycamore Grove Park in the Highland Park area of the City, and is adjacent to the Glassell Park and Cypress communities as well. This project will create a diversion structure and take water from a buried storm drain directly beneath this park. The riparian habitat that will be re-created will provide for urban runoff treatment, supplemented by a runoff treatment facility to remove selected pollutants of concern such as trash along with oil and grease. The project will clean up the urban runoff from a 2 square-mile area of the City, thus improving runoff water quality. This project will benefit the communities of Glassell Park and Cypress, which are low income and minority neighborhoods.</p>	<p>\$1,000,000</p>

Chapter 1 Environmental Checklist Form

1. **Project Title:** South Los Angeles Wetlands
2. **Lead Agency Name and Address:** City of Los Angeles Bureau of Sanitation
2. **Contact Person and Phone Number:** Kosta Kaporis
1149 S Broadway 10th Flr.
(213) 485-0586
4. **Project Location:** The project would be located in Los Angeles, in Los Angeles County.
5. **Project Sponsor's Name:** Agency or Developer

6. **General Plan Designation:**

7. **Zoning:**

8. **Description of Project:**

The proposed Wetlands Park site is located within an urban area that has limited open space and community facilities. Implementation of the Wetlands Park Project will provide valuable green space and an opportunity for public recreation and education, while creating a high-quality wetlands habitat in urban Los Angeles. The Wetlands Park will improve stormwater quality and provide unique water re-use opportunities. A portion of flows from a local storm drain will be routed to the project site and treated prior to discharge to the wetlands. The wetlands will provide supplemental polishing treatment of the stormwater flows so that the water can be used for irrigation and other suitable water re-uses within the project area, or discharged back into the storm drain.

9. **Surrounding Land Uses and Setting.**

10. **Other public agencies whose approval is required (e.g., permits, financing approval, or participation agreement.)**

None

Environmental Factors Potentially Affected

The key environmental factors checked below would be potentially affected by the Project. However, as described in the checklist below, the Project would not cause significant impacts in any of these areas and would have beneficial impacts.

- | | | |
|---|---|--|
| <input checked="" type="checkbox"/> Aesthetics | <input type="checkbox"/> Agriculture Resources | <input checked="" type="checkbox"/> Air Quality |
| <input checked="" type="checkbox"/> Biological Resources | <input checked="" type="checkbox"/> Cultural Resources | <input checked="" type="checkbox"/> Geology / Soils |
| <input type="checkbox"/> Hazards & Hazardous Materials | <input checked="" type="checkbox"/> Hydrology / Water Quality | <input checked="" type="checkbox"/> Land Use / Planning |
| <input type="checkbox"/> Mineral Resources | <input type="checkbox"/> Noise | <input checked="" type="checkbox"/> Population / Housing |
| <input checked="" type="checkbox"/> Public Services | <input checked="" type="checkbox"/> Recreation | <input checked="" type="checkbox"/> Transportation / Traffic |
| <input checked="" type="checkbox"/> Utilities / Service Systems | <input type="checkbox"/> Mandatory Findings of Significance | |

1.1 Aesthetics

Would the Project:	<i>Potentially Significant Impact</i>	<i>Less Than Significant With Mitigation Incorporation</i>	<i>Less Than Significant Impact</i>	<i>No Impact</i>
a) Have a substantial adverse effect on a scenic vista?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
b) Substantially damage scenic resources, including, but not limited to, trees, rock outcroppings, and historic buildings within a state scenic highway?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
c) Substantially degrade the existing visual character or quality of the site and its surroundings?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
d) Create a new source of substantial light or glare which would adversely affect day or nighttime views in the area?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>

1.2 Agriculture Resources

Would the Project:	<i>Potentially Significant Impact</i>	<i>Less Than Significant With Mitigation Incorporation</i>	<i>Less Than Significant Impact</i>	<i>No Impact</i>
a) Convert Prime Farmland, Unique Farmland, or Farmland of Statewide Importance (Farmland), as shown on the maps prepared pursuant to the Farmland Mapping and Monitoring Program of the California Resources Agency, to non-agricultural use?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
b) Conflict with existing zoning for agricultural use, or a Williamson Act contract?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
c) Involve other changes in the existing environment which, due to their location or nature, could result in conversion of Farmland, to non-agricultural use?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>

1.3 Air Quality

Where available, the significance criteria established by the applicable air quality management or air pollution control district may be relied upon to make the following determinations.

	<i>Potentially Significant Impact</i>	<i>Less Than Significant With Mitigation Incorporation</i>	<i>Less Than Significant Impact</i>	<i>No Impact</i>
Would the Project:				
a) Conflict with or obstruct implementation of the applicable air quality plan?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
b) Violate any air quality standard or contribute substantially to an existing or projected air quality violation?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
c) Result in a cumulatively considerable net increase of any criteria pollutant for which the Project region is non-attainment under an applicable federal or state ambient air quality standard (including releasing emissions which exceed quantitative thresholds for ozone precursors)?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
d) Expose sensitive receptors to substantial pollutant concentrations?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
e) Create objectionable odors affecting a substantial number of people?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>

1.4 Biological Resources

<u>Potentially Significant Impact</u>	<u>Less Than Significant With Mitigation Incorporation</u>	<u>Less Than Significant Impact</u>	<u>No Impact</u>
---	--	---	----------------------

Would the Project:

- | | | | | |
|--|--------------------------|--------------------------|--------------------------|-------------------------------------|
| a) Have a substantial adverse effect, either directly or through habitat modifications, on any species identified as a candidate, sensitive, or special-status species in local or regional plans, policies, or regulations, or by the California Department of Fish and Game or U.S. Fish and Wildlife Service? | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input checked="" type="checkbox"/> |
| b) Have a substantial adverse effect on any riparian habitat or other sensitive natural community identified in local or regional plans, policies, regulations or by the California Department of Fish and Game or U.S. Fish and Wildlife Service? | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input checked="" type="checkbox"/> |
| c) Have a substantial adverse effect on federally protected wetlands as defined by Section 404 of the Clean Water Act (including, but not limited to, marsh, vernal pool, coastal, etc.) through direct removal, filling, hydrological interruption, or other means? | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input checked="" type="checkbox"/> |
| d) Interfere substantially with the movement of any native resident or migratory fish or wildlife corridors, or impede the use of native wildlife nursery sites? | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input checked="" type="checkbox"/> |
| e) Conflict with any local policies or ordinances protecting biological resources, such as a tree preservation policy or ordinance? | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input checked="" type="checkbox"/> |
| f) Conflict with the provisions of an adopted Habitat Conservation Plan (HCP), Natural Conservation Community Plan (NCCP), or other approved local, regional, or state HCP? | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input checked="" type="checkbox"/> |

1.5 Cultural Resources

	<u>Potentially Significant Impact</u>	<u>Less Than Significant With Mitigation Incorporation</u>	<u>Less Than Significant Impact</u>	<u>No Impact</u>
Would the Project:				
a) Cause a substantial adverse change in the significance of a historical resource as defined in §15064.5?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
b) Cause a substantial adverse change in the significance of a unique archaeological resource pursuant to §15064.5?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
c) Directly or indirectly destroy a unique paleontological resource or site or unique geologic feature?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
d) Disturb any human remains, including those interred outside of formal cemeteries?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>

1.6 Geology and Soils

	<u>Potentially Significant Impact</u>	<u>Less Than Significant With Mitigation Incorporation</u>	<u>Less Than Significant Impact</u>	<u>No Impact</u>
Would the Project:				
a) Expose people or structures to potential substantial adverse effects, including the risk of loss, injury, or death involving:				
i) Rupture of a known earthquake fault, as delineated on the most recent Alquist-Priolo Earthquake Fault Zoning Map issued by the State Geologist for the area or based on other substantial evidence of a known fault? Refer to Division of Mines and Geology Special Publication 42.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
ii) Strong seismic ground shaking?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
iii) Seismic-related ground failure, including liquefaction?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
iv) Landslides?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>

- | | | | | |
|--|--------------------------|--------------------------|--------------------------|-------------------------------------|
| b) Result in substantial soil erosion or the loss of topsoil? | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input checked="" type="checkbox"/> |
| c) Be located on geologic unit or soil that is unstable, or that would become unstable as a result of the Project, and potentially result in on-or off-site landslide, lateral spreading, subsidence, liquefaction, or collapse? | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input checked="" type="checkbox"/> |
| d) Be located on expansive soil, as defined in Table 18-1-B of the Uniform Building Code (1994), creating substantial risks to life or property? | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input checked="" type="checkbox"/> |
| e) Have soils incapable of adequately supporting the use of septic tanks or alternative wastewater disposal systems where sewers are not available for the disposal of wastewater? | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input checked="" type="checkbox"/> |

1.7 Hazards and Hazardous Materials

- | | <u>Potentially Significant Impact</u> | <u>Less Than Significant With Mitigation Incorporation</u> | <u>Less Than Significant Impact</u> | <u>No Impact</u> |
|---|---------------------------------------|--|-------------------------------------|-------------------------------------|
| Would the Project: | | | | |
| a) Create a significant hazard to the public or the environment through the routine transport, use, or disposal of hazardous materials? | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input checked="" type="checkbox"/> |
| b) Create a significant hazard to the public or the environment through reasonably foreseeable upset and accident conditions involving the release of hazardous materials into the environment? | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input checked="" type="checkbox"/> |
| c) Emit hazardous emissions or handle hazardous or acutely hazardous materials, substances, or waste within one-quarter mile of an existing or proposed school? | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input checked="" type="checkbox"/> |
| d) Be located on a site which is included on a list of hazardous materials sites compiled pursuant to Government Code Section | | | | |

- | | | | | |
|--|--------------------------|--------------------------|--------------------------|-------------------------------------|
| 65962.5 and, as a result, would it create a significant hazard to the public or the environment? | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input checked="" type="checkbox"/> |
| e) For a project located within an airport land use plan or, where such a plan has not been adopted, within two miles of a public airport or public use airport, would the project result in a safety hazard for people residing or working in the project area? | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input checked="" type="checkbox"/> |
| f) For a project within the vicinity of a private airstrip, would the project result in a safety hazard for people residing or working in the Project area? | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input checked="" type="checkbox"/> |
| g) Impair implementation of or physically interfere with an adopted emergency response plan or emergency evacuation plan? | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input checked="" type="checkbox"/> |
| h) Expose people or structures to a significant risk of loss, injury or death involving wildland fires, including where wildlands are adjacent to urbanized areas or where residences are intermixed with wildlands? | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input checked="" type="checkbox"/> |

1.8 Hydrology and Water Quality

<i>Potentially Significant Impact</i>	<i>Less Than Significant With Mitigation Incorporation</i>	<i>Less Than Significant Impact</i>	<i>No Impact</i>
---	--	---	----------------------

Would the Project:

- | | | | | |
|---|--------------------------|--------------------------|-------------------------------------|-------------------------------------|
| a) Violate any water quality standards or waste discharge requirements? | <input type="checkbox"/> | <input type="checkbox"/> | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| b) Substantially deplete groundwater supplies or interfere substantially with groundwater recharge such that there would be a net deficit in aquifer volume or a lowering of the local groundwater table level (e.g., the production rate of pre-existing nearby wells would drop to a level which would not support existing land uses or planned uses for which permits have been granted)? | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input checked="" type="checkbox"/> |

- | | | | | |
|---|--------------------------|--------------------------|-------------------------------------|-------------------------------------|
| c) Substantially alter the existing drainage pattern of the site or area, including through the alteration of the course of a stream or river, in a manner which would result in substantial erosion of siltation on- or off-site? | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input checked="" type="checkbox"/> |
| d) Substantially alter the existing drainage pattern of the site or area, including through the alteration of the course of a stream or river, or substantially increase the rate or amount of surface runoff in a manner which would result in flooding on- or off-site? | <input type="checkbox"/> | <input type="checkbox"/> | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| e) Create or contribute runoff water which would exceed the capacity of existing or planned storm water drainage systems or provide substantial additional sources of polluted runoff? | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input checked="" type="checkbox"/> |
| f) Otherwise substantially degrade water quality? (erosion potential) | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input checked="" type="checkbox"/> |
| g) Place housing within a 100-year flood hazard area as mapped on a federal Flood Hazard Boundary or Flood Insurance Rate Map or other flood hazard delineation map? | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input checked="" type="checkbox"/> |
| h) Place within a 100-year flood hazard area structures which would impede or redirect flood flows? | <input type="checkbox"/> | <input type="checkbox"/> | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| i) Expose people or structures to a significant risk of loss, injury or death involving flooding, including flooding as a result of the failure of a levee or dam? | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input checked="" type="checkbox"/> |
| j) Inundation of seiche, tsunami, or mudflow? | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input checked="" type="checkbox"/> |

1.9 Land Use and Planning

	<u>Potentially Significant Impact</u>	<u>Less Than Significant With Mitigation Incorporation</u>	<u>Less Than Significant Impact</u>	<u>No Impact</u>
Would the Project:				
a) Physically divide an established community?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
b) Conflict with any applicable land use plan, policy, or regulation of an agency with jurisdiction over the Project (including, but not limited to the general plan, specific plan, local coastal program, or zoning ordinance) adopted for the purpose of avoiding or mitigating an environmental effect?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
c) Conflict with any applicable HCP or NCCP?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>

1.10 Mineral Resources

	<u>Potentially Significant Impact</u>	<u>Less Than Significant With Mitigation Incorporation</u>	<u>Less Than Significant Impact</u>	<u>No Impact</u>
Would the Project:				
a) Result in the loss of availability of a known mineral resource that would be of value to the region and the residents of the state?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
b) Result in the loss of availability of a locally-important mineral resource recovery site delineated on a local general plan, specific plan or other land use plan?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>

1.11 Noise

	<u>Potentially Significant Impact</u>	<u>Less Than Significant With Mitigation Incorporation</u>	<u>Less Than Significant Impact</u>	<u>No Impact</u>
Would the Project result in:				
a) Exposure of persons to or generation of noise levels in excess of standards established in the local general plan or noise ordinance, or applicable standards of other agencies?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
b) Exposure of persons to or generation of excessive groundborne vibration or groundborne noise levels?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
c) A substantial permanent increase in ambient noise levels in the Project vicinity above levels existing without the Project?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
d) A substantial temporary or periodic increase in ambient noise levels in the Project vicinity above levels existing without the Project?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
e) For a project located within an airport land use plan or, where such a plan has not been adopted, within two miles of a public airport or public use airport, would the Project expose people residing or working in the project area to excessive noise levels?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
f) For a project within the vicinity of a private airstrip, would the Project expose people residing or working in the Project area to excessive noise levels?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>

1.12 Population and Housing

	<u>Potentially Significant Impact</u>	<u>Less Than Significant With Mitigation Incorporation</u>	<u>Less Than Significant Impact</u>	<u>No Impact</u>
Would the Project:				
a) Induce substantial population growth in an area, either directly (for example, by proposing new homes and businesses) or indirectly (for example, through extension of roads or other infrastructure)?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
b) Displace substantial numbers of existing housing, necessitating the construction of replacement housing elsewhere?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
c) Displace substantial numbers of people necessitating the construction of replacement housing elsewhere?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>

1.13 Public Services

	<u>Potentially Significant Impact</u>	<u>Less Than Significant With Mitigation Incorporation</u>	<u>Less Than Significant Impact</u>	<u>No Impact</u>
Would the Project:				
a) Would the Project result in substantial adverse physical impacts associated with the provision of new or physically altered governmental facilities, need for new or physically altered governmental facilities, the construction of which could cause significant environmental impacts, in order to maintain acceptable service ratios, response times, or other performance objectives for any of the public services:				
Fire protection?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Police protection?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Schools?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Parks?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Other public facilities?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>

1.14 Recreation

	<u>Potentially Significant Impact</u>	<u>Less Than Significant With Mitigation Incorporation</u>	<u>Less Than Significant Impact</u>	<u>No Impact</u>
Would the Project:				
a) Would the Project increase the use of existing neighborhood and regional parks or other recreational facilities such that substantial physical deterioration of the facility would occur or be accelerated?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
b) Does the Project include recreational facilities or require the construction or expansion of recreational facilities which might have an adverse physical effect on the environment?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>

1.15 Transportation/Traffic

	<u>Potentially Significant Impact</u>	<u>Less Than Significant With Mitigation Incorporation</u>	<u>Less Than Significant Impact</u>	<u>No Impact</u>
Would the Project:				
a) Cause an increase in traffic, which is substantial in relation to the existing traffic load and capacity of the street system (i.e., result in a substantial increase in either the number of vehicle trips, the volume-to-capacity ratio on roads, or congestion at intersections)?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
b) Exceed, either individually or cumulatively, a level of service standard established by the county congestion management agency for designated roads or highways?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
c) Result in a change in air traffic patterns, including either an increase in traffic levels or a change in location that results in substantial safety risks?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
d) Substantially increase hazards due to a design feature (e.g., sharp curves or dangerous				

intersections) or incompatible uses (e.g., farm equipment)?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
e) Result in inadequate emergency access?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
f) Result in inadequate parking capacity?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
g) Conflict with adopted policies, plans, or programs supporting alternative transportation (e.g., bus turnouts, bicycle racks)?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>

1.16 Utilities and Service Systems

	<u>Potentially Significant Impact</u>	<u>Less Than Significant With Mitigation Incorporation</u>	<u>Less Than Significant Impact</u>	<u>No Impact</u>
Would the Project:				
a) Exceed wastewater treatment requirements of the applicable Regional Water Quality Control Board?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
b) Require or result in the construction of new water or wastewater treatment facilities or expansion of existing facilities, the construction of which could cause significant environmental effects?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
c) Require or result in the construction of new storm water drainage facilities or expansion of existing facilities, the construction of which could cause significant environmental effects?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
d) Have sufficient water supplies available to serve the Project from existing entitlements and resources, or are new or expanded entitlements needed?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
e) Result in a determination by the wastewater treatment provider which serves or may serve the Project that it has adequate capacity to serve the Project's projected demand in addition to the provider's existing commitments?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>

- | | | | | |
|--|--------------------------|--------------------------|--------------------------|-------------------------------------|
| f) Be served by a landfill with sufficient permitted capacity to accommodate the Project's solid waste disposal needs? | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input checked="" type="checkbox"/> |
| g) Comply with federal, state, and local statutes and regulations related to solid waste? | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input checked="" type="checkbox"/> |

1.17 Mandatory Findings of Significance

- | | <u>Potentially
Significant
Impact</u> | <u>Less Than
Significant
With
Mitigation
Incorporation</u> | <u>Less Than
Significant
Impact</u> | <u>No
Impact</u> |
|--|---|--|---|-------------------------------------|
| a) Does the Project have the potential to degrade the quality of the environment, substantially reduce the habitat of a fish or wildlife species, cause a fish or wildlife population to drop below self-sustaining levels, threaten to eliminate a plant or animal community, reduce the number or restrict the range of a rare or endangered plant or animal or eliminate important examples of the major periods of California history or prehistory? | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input checked="" type="checkbox"/> |
| b) Does the Project have impacts that are individually limited, but cumulative considerable? ("Cumulative considerable" means that the incremental effects of a project are considerable when viewed in connection with the effects of past projects, the effects of other current projects, and the effects of probable future projects)? | <input type="checkbox"/> | <input type="checkbox"/> | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| c) Does the Project have environmental effects which will cause substantial adverse effects on human beings, either directly or indirectly? | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input checked="" type="checkbox"/> |