

COUNTY OF LOS ANGELES
ROAD DEPARTMENT

PRECISE
BENCH MARK LIST



LANCASTER QUAD

1965 ADJUSTMENT

PREFACE

The Road Department level net is composed of more than 1,000 miles of levels supporting in excess of 10,000 bench marks. In 1964-65, a major readjustment of the net was undertaken. To emphasize the complete break with previous elevations, the SY, SG & SL series bench marks have been re-labeled BY, BG & BL, respectively.

To facilitate the adjustment, indexing, and distribution of adjusted values of the net, the County territory was divided into 31 quads or areas. For identification purposes each quad was given a name, viz., "Rosemead," "La Mirada," "Santa Fe," etc. When bench marks and elevations in the Road Department net are used, the name of the quad in which the bench mark is located and the date of the adjustment of the elevation must be included in the bench mark description, e.g.,

BG 1887 --L+BN IN CONC HDWL OF DRAIN PIPE UNDER DR 218 FT
NE +18 FT SE C/L INT GRAND AVE +CAMERON AVE MKD (BM)
(COVINA --1965) ELEV. 696.238

It is expected that this general adjustment will, for the most part, remain sound for the next 8 to 12 years. As new circuits are completed, however, re-adjustment of individual quads may become advisable. It is expected that these subsequent adjustments will be in the nature of a few hundredths of a foot. When a quad is re-adjusted, new elevation lists will be published and the date of the re-adjustment will replace the "1965" at the end of the bench mark description. Two bench marks in the same quad with different adjustment dates will not normally join each other. Since all adjustments taper out to nothing at the periphery of the quad, any bench mark in one quad will join any bench mark in another quad regardless of their respective adjustment dates.

The basic accuracy of the net is reflected by an indicated field probable error of plus or minus 0.012 foot per mile of leveling as determined from 298 conditions of closure. However, many years experience in vertical control in the greater Los Angeles basin and Antelope Valley indicate that because of varying degrees of subsidence and heaving, the true datum is recovered only by obtaining substantial agreement of a number of bench marks.

The users of this net are invited to assist in its maintenance by notifying this Department of cases of obliteration, apparent mistakes in descriptions or elevations, and proven disturbance of bench marks.

DATUM: U. S. Coast and Geodetic Survey Sea Level Datum
of 1929, through the medium of the Los Angeles
County Engineer Precise Level Net, 1963 Adjust-
ment.

卷之三

P A L M D A L E

卷之三


◎ U A D

K E R N

C O U N T Y

V I S T A Q U A D

ANNO
VIAD



AUG 1968

LOS ANGELES COUNTY ROAD DEPARTMENT
SURVEY SECTION FIELD ENGINEERING DIVISION

PAGE 1

| QUAD-YEAR | ELEV | DESCRIPTION (INCLUDE QUAD AND YEAR IN DESCRIPTION) | BM NUMBER |
|-----------------------------|------|---|-----------|
| LANCASTR 2360.474 (1965) | | L+T MCR @ SE COR BEECH AVE + NEWGROVE ST 22FT E BL + 23FT S C/L INT | 2 |
| LANCASTR 2362.101 (1965) | | L+T E CB CEDAR AVE 20FT E C/L + 35FT S C/L NEWGROVE ST | BL 3 |
| LANCASTR 2365.638 (1965) | | L+BN MCR NW COR CEDAR AVE + OLDFIELD ST 24FT N + BL 24FT W C/L INT | 4 |
| LANCASTR 2369.096 (1965) | | L+T MCR NW COR CEDAR AVE + PILLSBURY ST 23FT N + BL 22FT W C/L INT | 5 |
| LANCASTR 2369.349 (1965) | | L+BN W CB 1FT N BCR @ NW COR ELM AVE + AVE J 18FT W + 66FT N C/L INT | BL 7 |
| LANCASTR 2367.598 (1965) | | WLY L+T S CB AVE J 60FT S C/L ON C/L PROD FERN AVE IN FRONT OF PARK VIEW SCHOOL | BL 9 |
| LANCASTR 2360.699 (1965) | | L+BN MCR SW COR AVE J + TENTH ST W 57FT S + 50FT BL W C/L INT | 11 |
| LANCASTR 2354.561 (1965) | | L+T CONC WLK HSE NO 44540 TENTH ST W 5FT FROM FIRST STEP TO FRONT DOOR 52FT E + 81FT N C/L INT 10TH ST W + NORBERRY AVE | BL 14 |
| LANCASTR 2346.527 (1965) | | L+T IN CONC SLAB 69FT E + 104FT N C/L INT LANCASTER BLVD + TENTH ST W | BL 17 |
| LANCASTR 2338.946 (1965) | | L+BN W CB 10TH ST W 28FT W C/L 3FT N OF S P/L BLDG 44913 + 570FT S JACKMAN ST 3FT N PP 271449E | BL 18 |
| LANCASTR 2338.220 (1965) | | L+BN E CB 10TH ST W 28FT E C/L + 86FT N OF N EDGE DRWY BLDG 44902 480FT S JACKMAN ST | BL 19 |
| LANCASTR 2336.507 (1965) | | L+T IN CB RET 10FT N BCR @ SW COR 10TH ST W + JACKMAN ST 33FT S + 30FT W C/L INT | BL 20 |
| LANCASTR 2330.775 (1965) | | L+T MCR @ NW COR AVE I + 10TH ST W 50FT N + 39FT BL W C/L INT | BL 23 |
| LANCASTR 2332.814 (1965) | | L+T N CB AVE I 40FT N C/L ON C/L PROD FERN AVE | BL 24 |
| LANCASTR 2335.785 (1965) | | L+T N CB AVE I 40FT N C/L ON C/L PROD ALLEY W. OF BL DATE AVE | BL 25 |
| LANCASTR 2335.141 (1965) | | L+BN W EDGE CONC DRWY HSE NO 673 31FT W + 75FT N C/L INT ELM AVE + AVE I | BL 26 |
| LANCASTR 2336.376 (1965) | | L+T N CB AVE I 40FT N C/L ON C/L PROD CEDAR AVE | BL 27 |
| LANCASTR 2337.147 (1965) | | L+BN E CB CEDAR AVE 6FT S BCR @ SE COR CEDAR AVE BL + AVE I 41FT S + 18FT E C/L INT | BL 28 |
| LANCASTR 2342.011 (1965) | | L+T W CB CEDAR AVE 3FT S BCR @ SW COR CEDAR AVE + JACKMAN ST 36FT S + 18FT W C/L INT | BL 29 |
| LANCASTR 2340.498 (1965) | | L+T W CB DATE AVE 0.5FT N BCR @ NW COR DATE AVE + JACKMAN ST 33FT N + 18FT W C/L INT | BL 30 |
| LANCASTR 2341.113 (1965) | | L+BN S CB JACKMAN ST 20FT S C/L + 25FT W C/L ALLEY TO S BETWEEN FIG AVE + ELM AVE 5FT W BCR | BL 31 |

AUG 1968

LOS ANGELES COUNTY ROAD DEPARTMENT
SURVEY SECTION FIELD ENGINEERING DIVISION

PAGE 2

| QUAD-YEAR | ELEV | DESCRIPTION (INCLUDE QUAD AND YEAR IN DESCRIPTION) | BM NUMBER |
|-----------------------------|--|---|-----------|
| LANCASTR 2340.566 (1965) | L+BN S CB JACKMAN ST 6FT W BCR @ SW COR FIG AVE + JACKMAN ST 20FT S + 52FT W C/L INT | BL 32 | |
| LANCASTR 2351.120 (1965) | L+T CONC STEP HSE NO 45027 N DIVISION ST 295FT N + 54FT W C/L INT KETTERING ST + DIVISION ST | BL 34 | |
| LANCASTR 2348.526 (1965) | L+BN W CB YUCCA AVE 6FT N BCR @ NW COR YUCCA AVE + KETTERING ST 60FT N + 34FT W C/L INT | BL 38 | |
| LANCASTR 2349.523 (1965) | L+T CONC BASE FENCE POST 30FT N OF C/L KETTERING ST + 209FT W C/L YUCCA AVE 27FT W OF W EDGE CONC DRWY | BL 39 | |
| LANCASTR 2347.198 (1965) | L+BRAD E CB SIERRA HWY 30FT E C/L + 25FT N C/L KETTERING ST | BL 40 | |
| LANCASTR 2347.541 (1965) | L+T IN SW CB RET 26FT S C/L KETTERING ST + 30FT W C/L SIERRA HWY | BL 41 | |
| LANCASTR 2373.107 (1965) | L+T IN CONC APRON IN NE COR GROCERY STORE @ SW COR NUGENT ST + DIVISION ST 26FT S + 33FT W C/L INT | BL 44 | |
| LANCASTR 2364.936 (1965) | CS BR CAP MON @ C/L INT OF DIVISION ST + NEWGROVE ST (E EDGE) | BL 47 | |
| LANCASTR 2360.561 (1965) | CS MON (E EDGE) IN WELL @ C/L INT NEWGROVE ST TO BL E + TREVOR AVE | BL 49 | |
| LANCASTR 2363.014 (1965) | L+BN E CB SIERRA HWY 25FT E C/L + 115FT S C/L PROD NEWGROVE ST 16FT S OF END CB | BL 51 | |
| LANCASTR 2362.265 (1965) | L+T @ MCR SW COR NEWGROVE ST + SIERRA HWY 23FT S PL + 37FT W C/L INT | BL 52 | |
| LANCASTR 2345.012 (1965) | L+T @ MCR NW COR AVE I + DIVISION ST 42FT N + 43FT W C/L INT | BL 53 | |
| LANCASTR 2345.125 (1965) | L+T @ MCR SW COR AVE I + DIVISION ST 42FT S + 44FT W C/L INT | BL 54 | |
| LANCASTR 2354.467 (1965) | CSBM MON IN CONC FLUSH 1FT N OF N CB + 19FT W BCR @ NW COR 5TH ST E + AVE I 41FT N + 82FT W C/L INT MKD (EM 105-20 1958) | BL 56 | |
| LANCASTR 2354.307 (1965) | L+T N CB 3FT W BCR 40FT N + 62FT W C/L INT AVE I + 5TH ST E | BL 57 | |
| LANCASTR 2361.266 (1965) | USC+GS BR CAP IN CONC POST 8IN UP 48FT N SET E C/L INT AVE I + 10TH ST E MKD (Z1155) OUT | BL 58 | |
| LANCASTR 2361.272 (1965) | USC+GS BR CAP 78FT W + 40FT S C/L INT AVE I + 10TH ST E MKD (Y 488 RESET 1961) | BL 60 | |
| LANCASTR 2378.079 (1965) | CS MON IN WELL 20IN DN @ C/L INT LANCASTER BLVD + 10TH ST E MKD (1/4 COR 14 13 T7N R12W) | BL 61 | |
| LANCASTR 2361.417 (1965) | L+T W EDGE OF CONC DR OF GARAGE TO HSE NO 1016 LANCASTER BLVD 45FT S C/L + 145FT E C/L 10TH ST E | BL 62 | |
| LANCASTR 2397.770 (1965) | L+T NR MCR @ SW COR 10TH ST E + AVE J 48FT W + 45FT S C/L INT | BL 63 | |

AUG 1968

LOS ANGELES COUNTY ROAD DEPARTMENT
SURVEY SECTION FIELD ENGINEERING DIVISION

PAGE 3

| QUAD-YEAR | ELEV | DESCRIPTION (INCLUDE QUAD AND YEAR IN DESCRIPTION) | BM NUMBER |
|-------------------|---|---|-----------|
| LANCASTR 2396.742 | CS MON IN WELL 18IN DN @ C/L INT AVE J + 10TH ST E MKD (SEC COR 14 13 23 24 T7N R12W)(W EDGE) | BL 64 | |
| LANCASTR 2391.642 | CS MON IN WELL @ C/L INT AVE J + 5TH ST E MKD (T7N R12W 1/4 COR 14 23)(E EDGE) | BL 65 | |
| LANCASTR 2385.088 | L+BN @ MCR SE COR 4TH ST E + AVE J (SERVICE RD) 80FT S + 24FT E C/L INT | BL 66 | |
| LANCASTR 2384.248 | L+BN @ MCR SE COR KIRKLAND AVE + AVE J 75FT S + 27FT E C/L INT | BL 67 | |
| LANCASTR 2382.535 | L+BN 1FT W BCR @ SE COR AVE J + DIVISION ST 71FT E + 30FT S C/L INT | BL 68 | |
| LANCASTR 2380.946 | CS MON (N EDGE) IN WELL @ C/L INT AVE J + DIVISION ST MKD (15 14 22 23 T7N R12W) | BL 69 | |
| LANCASTR 2413.483 | L+T E SIDE 36IN STANDPIPE 215FT W C/L 10TH ST E + 5FT N C/L AVE J-8 263FT NW PP 917614F | BL 71 | |
| LANCASTR 2414.126 | CS MON IN WELL 8IN DN @ C/L INT 10TH ST E + AVE J-8 0.5 MI S AVE J MKD (T7N, R12W 1/4 COR, 23-24)(W EDGE) | BL 72 | |
| LANCASTR 2434.632 | CS MON IN WELL 15IN DN @ C/L INT 10TH ST E + AVE K MKD (SEC COR 23 24 25 26 T7N R12W)(N EDGE) | BL 73 | |
| LANCASTR 2436.087 | CHIS X IN TOP OF BOLT ON S SIDE OF FIRE HYDRANT BASE 50FT W C/L 10TH ST E + 28FT S C/L AVE K | BL 74 | |
| LANCASTR 2425.967 | CS MON IN WELL @ C/L INT AVE K + 6TH ST E (W EDGE) | BL 75 | |
| LANCASTR 2426.582 | CS MON IN CONC POST 3IN UP 40FT S + 55FT W C/L INT AVE K + 6TH ST E MKD (BM 105-9 1958) | BL 76 | |
| LANCASTR 2425.530 | CHIS X IN TOP OF BOLT ON W SIDE OF FIRE HYDRANT BASE 24FT S + 40FT W C/L INT AVE K + 5TH ST E 135FT W DRWY TO HSE 504 | BL 77 | |
| LANCASTR 2400.717 | L+BN @ MCR @ NE COR DIVISION ST + AVE J-8 28FT N + 41FT E C/L INT | BL 80 | |
| LANCASTR 2399.564 | L+BN @ MCR SE COR DIVISION ST + AVE J-7 36FT S + BL 35FT E C/L INT | BL 81 | |
| LANCASTR 2414.104 | CS MON IN WELL 18IN DN @ C/L INT AVE K + 5TH ST W MKD (22 27 T7N R12W)(N SIDE) | BL 83 | |
| LANCASTR 2405.378 | L+BN @ NE COR OF SO CAL GAS CO VALVE BOX 44FT N C/L AVE K + 115FT W C/L 10TH ST W | BL 85 | |
| LANCASTR 2380.875 | CS MON IN WELL @ C/L INT 10TH ST W + AVE J-8 MKD (1/4 COR 21 22 T7N R12W)(W EDGE) | BL 86 | |
| LANCASTR 2381.124 | L+T 1FT N BCR @ NE COR 10TH ST W + AVE J-8 51FT N + 30FT E C/L INT | BL 87 | |
| LANCASTR 2377.361 | L+T S CB AVE J-6 1FT E BCR @ SE COR 10TH ST W + AVE J-6 18FT S + 65FT E C/L INT | BL 88 | |
| LANCASTR 2363.653 | CS MON IN WELL 8IN DN @ C/L INT OLDFIELD ST + DATE AVE | BL 91 | |

AUG 1968

LOS ANGELES COUNTY ROAD DEPARTMENT
SURVEY SECTION FIELD ENGINEERING DIVISION

PAGE 4

| QUAD-YEAR | ELEV | DESCRIPTION (INCLUDE QUAD AND YEAR IN DESCRIPTION) | BM NUMBER |
|-----------------------------|---|---|-----------|
| LANCASTR 2363.934 (1965) | L+T @ MCR NW COR OLDFIELD ST + DATE AVE 21FT N + BL 24FT W C/L INT | 92 | |
| LANCASTR 2397.623 (1965) | USC+GS DISK IN CONC 6IN DN 60FT E + 125FT S C/L INT SIERRA HWY + AVE J-8 MKD (S 811 1947 RESET 1955) | BL 118 | |
| LANCASTR 2347.125 (1965) | USC+GS BRASS DISK IN CONC 4IN UP 65FT E DR TO ANTELOPE VALLEY FAIR 681FT E OF C/L DIVISION ST + 41FT N C/L AVE I MKD (X 488 1955) | BL 119 | |
| LANCASTR 2325.791 (1965) | L+T IN N SERVICE ROAD CB @ NE COR AVE I + 15TH ST W 51FT E + 80FT N C/L INT | BL 120 | |
| LANCASTR 2325.981 (1965) | RDBM TAG IN S SERVICE ROAD CB @ SW COR AVE I + 15TH ST W 51FT W + 80FT S C/L INT | BL 121 | |
| LANCASTR 2322.988 (1965) | CS MON 5IN UP @ NE COR AVE I + 20TH ST W 40FT N + 66FT E C/L INT MKD (BM 102-3 1957) | BL 122 | |
| LANCASTR 2342.607 (1965) | CS MON IN WELL 12IN DN @ C/L INT AVE J + 20TH ST BL W MKD (SEC COR 17 16 20 21 R12W T7N) (N EDGE) | 126 | |
| LANCASTR 2344.463 (1965) | RDBM TAG IN N CB @ NE COR AVE J + 20TH ST W 108FT E + 30FT N C/L INT | BL 127 | |
| LANCASTR 2350.130 (1965) | RDBM TAG 6FT W BCR @ SW COR AVE J + 15TH ST W 66FT W + 30FT S C/L INT | BL 128 | |
| LANCASTR 2350.849 (1965) | RDBM TAG 40FT S BCR @ SE COR AVE J + 15TH ST W 100FT S + 30FT E C/L INT | BL 129 | |
| LANCASTR 2339.556 (1965) | L+BN 3FT W OF BCR @ SW COR LANCASTER BLVD + LOWTREE AVE 53FT W + 30FT S C/L INT | BL 131 | |
| LANCASTR 2337.125 (1965) | L+BN 4FT N BCR @ NE COR LANCASTER BLVD + 15TH ST W 69FT N + 30FT E C/L INT | BL 132 | |
| BASELINE 2494.079 (1965) | USC+GS DISK IN CONC POST 92FT N + 65FT W C/L INT AVE M + 40TH ST W MKD (F 489 1955) | BL 172 | |
| LANCASTR 2470.430 (1965) | USC+GS DISK IN CONC POST 100FT W C/L 40TH ST W + 0.1 MI N AVE M 150FT S OF E-W RUNWAY QUARTZ HILL AIRPORT MKD (G 489 1955) | BL 173 | |
| LANCASTR 2453.389 (1965) | USC+GS DISK IN CONC POST @ QUARTZ HILL AIRPORT WIND INDICATOR 90FT S OF E-W RUNWAY 1120FT S AVE L-8 + 1400FT E 45TH ST W MKD (H 489 1955) | BL 174 | |
| LANCASTR 2461.844 (1965) | L+T NE COR CONC SLAB 100FT W + 66FT S C/L INT 50TH ST W + AVE L-8 | BL 177 | |
| LANCASTR 2477.886 (1965) | L+T CONC WLK IN FR OF CHURCH 45FT N + 65FT W C/L INT 50TH ST W + AVE L-12 | BL 178 | |
| LANCASTR 2485.343 (1965) | L+T CONC PORCH 50FT W + 45FT N C/L INT 50TH ST W BL + AVE L-14 | 179 | |
| BASELINE 2495.229 (1965) | L+T CONC SLAB NW COR PORCH TO HSE NO 42002 50TH ST W 48FT N + 66FT E C/L INT 50TH ST W + AVE M | BL 180 | |
| LANCASTR 2428.580 (1965) | L+T NE COR CONC WLK HSE NO 50TH ST W 71FT W + 390FT S C/L INT 50TH ST W + AVE K-12 | BL 181 | |

OUT

AUG 1968

LOS ANGELES COUNTY ROAD DEPARTMENT
SURVEY SECTION FIELD ENGINEERING DIVISION

PAGE 5

| QUAD-YEAR | ELEV. | DESCRIPTION (INCLUDE QUAD AND YEAR IN DESCRIPTION) | BM NUMBER |
|-----------------------------|---|--|-----------|
| LANCASTR 2425.267 (1965) | L+T N CONC DR HSE NO 42958 | 50TH ST W 44FT E + 60FT S C/L INT 50TH ST W + AVE K-12 | BL 182 |
| LANCASTR 2411.862 (1965) | 2IN IRON PIPE 6IN UP 40FT W OF C/L | 50TH ST W ON C/L AVE K-8 | BL 183 |
| LANCASTR 2410.168 (1965) | CS MON (E EDGE) IN WELL 18IN DN @ C/L | INT 50TH ST W + AVE K-8 MKD (1/4 COR 25 26 T7N R13W) | BL 184 |
| LANCASTR 2380.129 (1965) | CS MON (W EDGE) IN WELL 12IN DN @ C/L | INT 50TH ST W + AVE K MKD (SEC COR 23 24 25 26 T7N R13W) | BL 185 |
| LANCASTR 2382.382 (1965) | L+T NW COR CONC PORCH HSE NO 4849 | AVE K 115FT E + 120FT N C/L INT AVE K + 50TH ST W | BL 186 |
| LANCASTR 2378.122 (1965) | SPK + L E SIDE WIER BOX 375FT N + 25FT W | C/L INT BL AVE K + 45TH ST W | BL 187 |
| LANCASTR 2376.844 (1965) | L+T CONC STEP TO BACK OF HSE 425FT N + 85FT W | C/L INT AVE K + 45TH ST W | BL 188 |
| LANCASTR 2350.546 (1965) | RDBM TAG S SIDE WIER BOX 97FT E + 85FT N | C/L INT BL AVE J + 45TH ST W (TO THE N) | BL 191 |
| LANCASTR 2347.405 (1965) | L+T CONC WALK HSE 4320 AVE J 100FT S | C/L + 500FT BL E 45TH ST W TO THE N | BL 193 |
| LANCASTR 2344.007 (1965) | ENG TAG + BRAD IN 2IN IP RP TO C/L | INT 3IN UP @ SW COR AVE J + 40TH ST W 50FT S + 50FT W C/L INT | BL 194 |
| LANCASTR 2344.060 (1965) | CS MON IN WELL 8IN DN @ C/L | INT AVE J + 40TH ST W MKD (T7N, R12W 13-18-19-24) USE N EDGE | BL 195 |
| LANCASTR 2341.697 (1965) | L+T CONC SLAB IN FRONT OF CHURCH @ NE COR | AVE J + 35TH ST W 130FT N + 170FT E C/L INT MKD (BM) | BL 196 |
| LANCASTR 2342.184 (1965) | L+T IN SE COR CONC PORCH TO HSE NO 3129 W | AVE J 75FT N C/L + 895FT W 30TH ST W | BL 198 |
| LANCASTR 2341.952 (1965) | PM IN DIAMOND ON NW QUAD SNH RIM ON C/L | AVE J + 500FT W 30TH ST W 385FT E HSE 3129 + 90FT E PP 80077OE | BL 199 |
| LANCASTR 2338.681 (1965) | CS MON (N EDGE) IN WELL 18IN DN @ C/L | INT AVE J + 25TH ST W MKD (1/4 COR 17 20 T7N R12W) | BL 200 |
| LANCASTR 2340.115 (1965) | PM IN DIAMOND ON SMH RIM IN THE SW QUAD | 15FT N C/L AVE J + 6FT W C/L 25TH ST W | BL 201 |
| BASELINE 2523.907 (1965) | CS MON IN WELL @ C/L INT AVE M + 90TH ST E | MKD (SEC COR 31 32 5 6 T6N T7N R10W) | BL 246 |
| BASELINE 2496.483 (1965) | CS MON IN WELL @ C/L INT AVE L + 90TH ST E | MKD (T7N R10W, SEC COR 29,30,31,32) | BL 254 |
| BASELINE 2473.603 (1965) | CS MON 30IN DN @ C/L INT AVE K + 90TH ST E | MKD (T7N R10W SEC 19 20 29 30) | BL 263 |
| BASELINE 2455.242 (1965) | CS MON 30IN DN @ C/L INT AVE J-8 + 90TH ST E | MKD BL (R10W T7N 1/4 SEC 19 20) | 266 |
| BASELINE 2450.692 (1965) | L+T N END 1ST STEP OF PORCH OF HSE NO 44233 | 90TH ST E 100FT W C/L + 1000FT S AVE J | BL 269 |

AUG 1968

LOS ANGELES COUNTY ROAD DEPARTMENT
SURVEY SECTION FIELD ENGINEERING DIVISION

PAGE 6

| QUAD-YEAR | ELEV | DESCRIPTION (INCLUDE QUAD AND YEAR IN DESCRIPTION) | BM NUMBER |
|-----------------------------|---|---|-----------|
| BASELINE 2444.714 (1965) | L+T NR SE EDGE CONC BASE NR CTR OF GAS PUMP ISL 60FT W C/L 90TH ST E + 60FT N C/L AVE J | BL 270 | |
| BASELINE 2442.962 (1965) | CS MON 15IN DN @ C/L INT 90TH ST E + AVE J MKD (T7N R10W SEC COR 18 17 19 20) | BL 271 | |
| BASELINE 2432.999 (1965) | L+T NR E EDGE CONC PORCH HSE NO 44709 90TH ST E 79FT W C/L + 2200FT N AVE J 6FT N OF S EDGE PORCH | BL 273 | |
| BASELINE 2426.784 (1965) | CS MON 20IN DN @ C/L INT 90TH ST E + AVE I-8 MKD (1/4 SEC 17 18 T7N R10W) | BL 274 | |
| BASELINE 2414.157 (1965) | CS MON 12IN DN @ C/L INT 90TH ST E + AVE I MKD (R10W T7N COR SEC 7,8,17,18) | BL 278 | |
| LANCASTR 2401.814 (1965) | CS MON IN CONC SQ 2IN UP 3FT S PP NO 991755E 39FT S C/L AVE I + 70FT W C/L 70TH ST E MKD (BM 107-30 1961) | BL 283 | |
| LANCASTR 2412.707 (1965) | CS MON IN CONC SQ 2IN UP 1FT N TP NO K3143Y 30FT N C/L AVE I + 27FT W C/L PROP 85TH ST E MKD (BM 107-27 1961) | BL 284 | |
| LANCASTR 2414.585 (1965) | CS MON 2FT S PP NO 991781E 30FT S C/L AVE I + 47FT W C/L 80TH ST E MKD (BM 107-28 1961) | BL 285 | |
| BASELINE 2394.238 (1965) | CS MON @ C/L INT AVE H + 90TH ST E MKD (R10W T7N COR SEC 5 6 7 8) | BL 286 | |
| BASELINE 2395.698 (1965) | RDBM TAG @ CTR OF OLD CONC BASE OF MTR MOUNT 40FT W C/L 90TH ST E + 100FT N C/L AVE H | BL 287 | |
| LANCASTR 2410.977 (1965) | CS MON 18IN DN @ C/L INT AVE I + PROP 85TH ST E MKD (R10W T7N SEC 7 18) | BL 288 | |
| LANCASTR 2412.475 (1965) | RDBM TAG @ SE COR OF CONC SLAB OF WATER TANK TOWER @ HSE 8359 AVE I 60FT N C/L + 20FT W C/L PROP 85TH ST E | BL 289 | |
| LANCASTR 2417.944 (1965) | RDBM TAG TOP OF CONC SUPPORT OF LGE WATER TANK 90FT N C/L AVE I + 45FT W C/L 80TH ST F | BL 290 | |
| LANCASTR 2416.137 (1965) | L+T @ SW COR OF CONC WLK TO HSE NO 7848 AVE I 200FT W C/L 80TH ST E + 80FT N C/L AVE I | BL 291 | |
| LANCASTR 2404.475 (1965) | L+T W SIDE OF RIM OF 12IN STAND PIPE 50FT E OF C/L 75TH ST E + 53FT N C/L AVE I | BL 292 | |
| LANCASTR 2404.479 (1965) | CSBM MON FLUSH 25FT S C/L AVE I + 25FT W C/L 75TH ST E 15FT W PP 482159E MKD (BM 107-29 1961) | BL 294 | |
| LANCASTR 2399.808 (1965) | CS MON IN CONC 2IN UP 33FT S C/L AVE I + 142FT W C/L 65TH ST E 3FT S PP NO 1121124 MKD (BM 107- 31 1961) | BL 297 | |
| LANCASTR 2402.918 (1965) | RDBM TAG TOP OF CONC WEIR BOX 35FT N C/L AVE I 400FT E OF 65TH ST E 50FT E OF DRWY TO HSE NO 6535 AVE I | BL 298 | |
| LANCASTR 2401.735 (1965) | L+T E CB DRWY HSE NO 6007 AVE I 40FT N + 100FT E C/L INT E AVE I + 60TH ST E | BL 299 | |

AUG 1968

LOS ANGELES COUNTY ROAD DEPARTMENT
SURVEY SECTION FIELD ENGINEERING DIVISION

PAGE 7

| QUAD-YEAR | ELEV | DESCRIPTION (INCLUDE QUAD AND YEAR IN DESCRIPTION) | BM NUMBER |
|-----------------------------|--|--|-----------|
| LANCASTR 2401.637 (1965) | L+T W CB DRWY HSE NO 6007 AVE I | 42FT N + 90FT E C/L INT E AVE I + 60TH ST E | BL 300 |
| LANCASTR 2394.356 (1965) | L+T W END CONC GARAGE SLAB HSE NO 5347 AVE I | 130FT N + 165FT W C/L INT AVE I + 55TH ST E | BL 301 |
| LANCASTR 2394.275 (1965) | L+T S END CONC PORCH HSE NO 5335 AVE I | 140FT N + 310FT W C/L INT AVE I + 55TH ST E | BL 302 |
| LANCASTR 2390.014 (1965) | L+T W END 1ST STEP HSE NO 5018 AVE I | 90FT S + 165FT E C/L INT AVE I + 50TH ST E | BL 303 |
| LANCASTR 2386.605 (1965) | 2IN IP 1FT ABOVE GROUND | 40FT S OF C/L INT AVE I + 45TH ST E (USE E EDGE) | BL 305 |
| LANCASTR 2384.324 (1965) | L+T NE COR CONC WLK HSE NO 4359 AVE I | 100FT N + 80FT W C/L INT AVE I + 45TH ST E | BL 306 |
| LANCASTR 2384.441 (1965) | L+T NE COR CONC WLK HSE NO 4010 AVE I | 90FT S + 140FT E C/L INT AVE I + 40TH ST E | BL 307 |
| LANCASTR 2383.886 (1965) | CS MON FLUSH (W EDGE) | 30FT S + 30FT W C/L INT AVE I + 30TH ST E | BL 308 |
| LANCASTR 2382.451 (1965) | L+T SE COR CONC SLAB @ NE COR BLDG NO 3606 AVE I | 182FT S C/L + 150FT E C/L 36TH ST E | BL 309 |
| LANCASTR 2380.377 (1965) | CS MON IN CONC 2IN UP 2IN DN @ C/L INT AVE I + 30TH ST E | 3FT S + 3FT W (SPRING 12/1986) (18M 107-38 1961) | BL 311 |
| LANCASTR 2376.336 (1965) | CS MON IN WELL @ C/L INT AVE I + 25TH ST E | MKD (T7N, R11W, 1/4 COR 7-18) (E EDGE) | BL 313 |
| LANCASTR 2373.973 (1965) | USGS MON W/BR CAP 6IN UP | 30FT S + 35FT E C/L INT 20TH ST E + AVE I MKD (LS 11 1929) | BL 315 |
| LANCASTR 2373.226 (1965) | L+T SE COR OF CONC APRON OF GAS STA | 55FT N C/L AVE I + 65FT W C/L 20TH ST E | BL 316 |
| LANCASTR 2353.715 (1965) | L+T IN NW COR OF 4FT SQ CONC SLAB AT NW COR | HSE NC 44126 20TH ST W 1700FT S OF AVE J 68FT E OF C/L 20TH ST W | BL 319 |
| LANCASTR 2414.047 (1965) | CS BR CAP MON 18IN DN @ C/L INT | 20TH ST W + AVE K-8 MKD (1/4 COR SEC 29-28 T7N R12W) | BL 323 |
| LANCASTR 2418.545 (1965) | L+T IN CONC SLAB ON SE COR TO HSE NO 43141 | 20TH ST W 100FT W C/L + 260FT S C/L AVE K-8 | BL 324 |
| LANCASTR 2480.589 (1965) | L+T IN CONC SLAB IN FRONT OF DOOR TO HSE 42423 | 20TH ST W 100FT W C/L + 250FT N C/L AVE L-8 | BL 327 |
| LANCASTR 2482.068 (1965) | CS MON IN WELL 18IN DN @ C/L INT | 20TH ST W + AVE L-8 MKD (SEC COR 28 29 32 33 T7N R12W) | BL 328 |
| LANCASTR 2520.859 (1965) | RDRM TAG IN NE COR 3FT SQ CONC BASE TO GAS PUMP | 200FT N C/L AVE M + 125FT W C/L 20TH ST W | BL 329 |
| BASELINE 2523.175 (1965) | USC+GS BRASS DISK IN TOP OF CONC POST 4IN UP | 208FT E OF C/L 20TH ST W + 33FT N C/L AVE M MKD (D 489 1955) | BL 330 |

AUG 1968

LOS ANGELES COUNTY ROAD DEPARTMENT
SURVEY SECTION FIELD ENGINEERING DIVISION

PAGE 8

| QUAD-YEAR | ELEV | DESCRIPTION (INCLUDE QUAD AND YEAR IN DESCRIPTION) | BM NUMBER |
|-----------------|----------|---|-----------|
| LANCASTR (1965) | 2391.608 | CS MON IN WELL 18IN DN @ C/L INT 15TH ST W + AVE K MKD (1/4 SEC 21 28 T7N R12W) | BL 331 |
| BASELINE (1965) | 2518.149 | CS MON IN WELL 18IN DN @ C/L INT AVE M + 25TH ST BL W MKD (1/4 COR 32 5 T6N R12W) | BL 334 |
| BASELINE (1965) | 2523.287 | L+T IN SE COR OF CONC DR TO HSE NO 2524 AVE M 140FT S C/L + 215FT W C/L 25TH ST W | BL 335 |
| BASELINE (1965) | 2520.165 | USC+GS MON TOP OF CONC POST 4IN UP 300FT E C/L 30TH ST W + 34FT N C/L AVE M 6FT W PP NO 1054594E MKD (E 489 1955) | BL 336 |
| BASELINE (1965) | 2514.880 | CS MON IN WELL @ C/L INT AVE M + 30TH ST W MKD (SEC COR 31 32 5 6 T7N T6N R12W) | BL 337 |
| LANCASTR (1965) | 2448.713 | CS MON 24IN DN @ C/L INT OF AVE L + 25TH ST W MKD (1/4 SEC COR 29 32 T7N R12W) | BL 382 |
| LANCASTR (1965) | 2448.906 | L+T IN BOTTOM STEP @ W EDGE OF CONC STEPS TO HSE NO 2507 AVE L 73FT N C/L + 78FT W C/L 25TH ST W | BL 383 |
| LANCASTR (1965) | 2441.201 | CS MON 18IN DN @ C/L INT OF AVE L + 30TH ST W MKD (SEC COR 29 30 31 32 T7N R12W) | BL 384 |
| LANCASTR (1965) | 2441.238 | L+T NE COR CONC DR TO HSE NO 3018 AVE L 75FT S C/L + 195FT W C/L 30TH ST W | BL 385 |
| LANCASTR (1965) | 2434.961 | L+T NW COR CONC SLAB TO HSE NO 3550 AVE L 65FT S C/L + 139FT E C/L 35TH ST W | BL 386 |
| LANCASTR (1965) | 2433.347 | CS MON 6IN DN @ C/L INT AVE L + 35TH ST W MKD (1/4 COR SEC 30 31 T7N R12W) (S EDGE) | BL 387 |
| LANCASTR (1965) | 2428.377 | CS MON 8IN DN @ C/L INT OF AVE L + 40TH ST W MKD (T7N R12W R13W SEC COR 25 30 36 31) (SE EDGE) | BL 388 |
| LANCASTR (1965) | 2431.859 | L+T IN W EDGE OF 2FT CONC WLK TO APT NO 4012 AVE L 50FT S C/L + 110FT W C/L 40TH ST W | BL 389 |
| LANCASTR (1965) | 2428.400 | USGS MON @ NW COR AVE L + 45TH ST W 38FT N + 37FT W C/L INT MKD (RESET R49 1942) | BL 391 |
| LANCASTR (1965) | 2432.360 | L+T IN CONC PORCH OF HSE ON NW COR 50TH ST W + AVE L 109FT N + 232FT W C/L INT MKD (BM) | BL 392 |
| BASELINE (1965) | 2491.235 | CS MON IN WELL 14IN DN @ C/L INT AVE M + 50TH ST W MKD (SEC COR 35 36 2 1 T7N T6N R13W) (W EDGE) | BL 394 |
| BASELINE (1965) | 2496.566 | CS MON IN WELL 15IN DN @ C/L INT OF AVE M + 55TH ST W MKD (1/4 COR SEC 35, 2 R-13W T-7N T-6N) USE S EDGE | 395 |
| BASELINE (1965) | 2500.800 | L+T IN CONC WLK TO HSE SW COR AVE M + 55TH ST W 57FT S + 34FT W C/L INT | BL 396 |
| BASELINE (1965) | 2513.834 | CS MON IN WELL 22IN DN @ C/L INT OF AVE M + 60TH ST W MKD (SEC COR 34 35 3 2 T7N T6N R13W) | BL 397 |
| LANCASTR (1965) | 2384.194 | CS MON IN WELL 18IN DN @ C/L INT 60TH ST E + AVE H-8 PROP MKD (1/4 SEC COR 11 10 R11W T7N) (S EDGE) | BL 411 |

AUG 1968

LOS ANGELES COUNTY ROAD DEPARTMENT
SURVEY SECTION FIELD ENGINEERING DIVISION

PAGE 9

| QUAD-YEAR | ELEV | DESCRIPTION (INCLUDE QUAD AND YEAR IN DESCRIPTION) | BM NUMBER |
|-----------------------------|------|--|-----------|
| LANCASTR 2387.253 (1965) | | RDBM TAG IN SE COR CONC RESERVOIR @ HSE NO 45609 BL 60TH ST E 110FT W C/L + 55FT N C/L AVE H-8 PROP | 412 |
| LANCASTR 2371.669 (1965) | | CS MON IN WELL 18IN DN @ C/L INT 60TH ST E + AVE H MKD (SEC COR 3 2 10 11 R11W T7N) (S EDGE) | BL 413 |
| LANCASTR 2361.934 (1965) | | CS MON 18IN DN @ C/L INT 60TH ST E + AVE G-8 MKD (1/4 SEC COR 3 2 R11W T7N) (N EDGE) | BL 415 |
| LANCASTR 2363.220 (1965) | | L+T NR S EDGE OF CONC WK TO HSE NO 46415 60TH ST E 130FT W C/L + 145FT N C/L AVE G-8 MKD (SLBM) | BL 416 |
| LANCASTR 2353.313 (1965) | | CS MUN 16IN DN @ C/L INT 60TH ST E + AVE G MKD (SEC COR 34 35 3 2 R11W T8N) | BL 417 |
| LANCASTR 2346.467 (1965) | | L+T IN CONC FENCE POST @ SE COR 60TH ST E + AVE F-8 20FT S + 22FT E C/L INT MKD (SLBM) | BL 419 |
| LANCASTR 2344.844 (1965) | | CS MON @ C/L INT 60TH ST E + AVE F-8 MKD (1/4 SEC COR 34 35 R11W T8N) (W EDGE) | BL 420 |
| LANCASTR 2337.475 (1965) | | RD MON 8IN DN @ SW COR AVE F + 60TH ST E 47FT W + 25FT S C/L INT | BL 422 |
| LANCASTR 2339.878 (1965) | | RD MON IN WELL WITH COVER @ NE COR 65TH ST E + AVE F 24FT N + 42FT E C/L INT 4FT E GUY POLE NO 627428E | BL 424 |
| LANCASTR 2344.134 (1965) | | RD MON IN WELL W/COVER 8IN DN @ NW COR AVE F + 70TH ST E 34FT N + 25FT W C/L INT 4FT N OF PP NO 373290E | BL 425 |
| LANCASTR 2343.700 (1965) | | CS MON 16IN DN @ C/L INT AVE F + 70TH ST E MKD (SEC COR 26 25 35 36 R11W T8N) (N EDGE) | BL 426 |
| LANCASTR 2348.784 (1965) | | L+T IN CONC FTG OF 36IN STAND-PIPE 40FT N C/L AVE F + 31FT W C/L 75TH ST E PROP MKD (SLBM) | BL 427 |
| LANCASTR 2345.945 (1965) | | CS MON 30IN DN @ C/L INT AVE F + 75TH ST E MKD (1/4 SEC COR 25 36 R11W T8N) (N EDGE) | BL 428 |
| LANCASTR 2350.730 (1965) | | L+T IN CONC MOTOR PAD @ NW COR AVE F + 80TH ST E PROP 50FT N + 100FT W C/L INT MKD (SLBM) | BL 429 |
| LANCASTR 2349.178 (1965) | | CS MON @ C/L INT AVE F + 80TH ST E MKD (SEC COR 25 30 36 31 R10W R11W T8N) (E EDGE) | BL 430 |
| LANCASTR 2351.163 (1965) | | BT SPK IN 2IN IP IN CONC 28IN DN @ C/L INT AVE F + 85TH ST E PROP | BL 432 |
| BASELINE 2355.879 (1965) | | L+T CONC FOUNDATION OF WATER TOWER 6FT W + 1.5FT N OF SE COR @ NW COR 90TH ST E + AVE F 45FT N + 95FT W C/L INT MKD (SLBM) | BL 433 |
| BASELINE 2355.517 (1965) | | CS MON 12IN DN @ C/L INT 90TH ST E + AVE F MKD (SEC COR 30 29 31 32 R10W T8N) (E EDGE) | BL 434 |
| BASELINE 2366.889 (1965) | | L+T 1ST STEP OF CONC PORCH OF APT UNIT NO 47205 @ THE NW COR 90TH ST E + AVE F-8 140FT W + 70FT N C/L INT | BL 435 |
| BASELINE 2366.188 (1965) | | 2IN IP WITH CONC PLUG + BT SPK @ C/L INT 90TH ST E + AVE F-8 | BL 436 |

AUG 1968

LOS ANGELES COUNTY ROAD DEPARTMENT
SURVEY SECTION FIELD ENGINEERING DIVISION

PAGE 10

| QUAD-YEAR | ELEV | DESCRIPTION (INCLUDE QUAD AND YEAR IN DESCRIPTION) | BM NUMBER |
|-----------------------------|--|---|-----------|
| BASELINE 2374.042 (1965) | CS MON IN WELL 15IN DN @ C/L INT 90TH ST E + AVE BL | 437 | |
| BASELINE 2375.376 (1965) | RD MON IN WELL WITH CONC COLLAR @ SE COR 90TH ST E + AVE G 30FT E + 40FT S C/L INT | BL 438 | |
| BASELINE 2386.416 (1965) | 2IN IP IN CONC WITH BR CAP ON C/L AVE G-8 30FT W C/L 90TH ST E MKD (WC SEC 6 R1OW T7N) | BL 439 | |
| BASELINE 2528.029 (1965) | USC+GS MON 6IN UP 35FT S C/L AVE M + 87FT W C/L W RDWY SIERRA HWY MKD (FF 487 1955) | BL 469 | |
| LANCASTR 2497.852 (1965) | USC+GS MON 3IN UP 60FT E C/L SIERRA HWY OPP BLDG BL 42445 44FT W C/L SPRR + 2200FT S AVE L MKD (U 811 1947) | BL 470 | |
| LANCASTR 2486.637 (1965) | USC+GS MON 12IN DN 60FT E C/L SIERRA HWY OPP BLDG 42607 43FT W C/L SPRR + 1250FT S AVE L MKD (B-57 RESET 1955) | BL 471 | |
| LANCASTR 2447.474 (1965) | USC+GS MON 3IN UP 59FT E C/L SIERRA HWY 45FT W C/L SPRR + 75FT N C/L PROP AVE K-8 200FT W OF L A CO WATERWORKS DIST 4 WELL 8 STORAGE TANK MKD (T 811 1947) | BL 472 | |
| LANCASTR 2361.487 (1965) | USC+GS MON 5IN UP IN LUMBER YD @ 44701 YUCCA AVE BL 310FT W + 185FT N C/L INT YUCCA AVE + NEWGROVE ST 85FT SE SEMAPHORE 4057 + 3FT S TP MKD (G 487 1955) | 473 | |
| LANCASTR 2333.641 (1965) | BR CAP MON ON 3IN IP 8IN UP IN A V PLUMBING SUPPLY YD @ 45358 SIERRA HWY 161FT E C/L + 1100FT N AVE I 120FT SE OF STUCCO BLDG MKD (2335 B 1902) | BL 474 | |
| LANCASTR 2318.029 (1965) | USC+GS MON S EDGE HDWL CULV G90+50 25FT W C/L SIERRA HWY + 1.6MI N AVE I MKD (Z 811 1947) | BL 476 | |
| LANCASTR 2306.003 (1965) | USC+GS MON 10IN UP 34FT E C/L SIERRA HWY + 1450FT S AVE F MKD (Y 56 1926) | BL 477 | |
| LANCASTR 2302.704 (1965) | BR CAP MON ON 3IN IP 8IN UP 85FT E C/L SIERRA HWY + 800FT N AVE F MKD (2302 B 1902 33) | BL 478 | |
| LANCASTR 2304.834 (1965) | BRASS TRI STA MON 15IN UP 227FT W C/L SIERRA HWY BL + 2200FT N AVE F MKD (OBAN 1929 LINT) | 479 | |
| LANCASTR 2302.086 (1965) | BRASS REF MON 8IN UP 227FT W C/L SIERRA HWY + 2280FT N AVE F MKD (OBAN NO 2 1941) | BL 480 | |
| LANCASTR 2301.443 (1965) | USC+GS MON FLUSH W END S CONC ABUT OF RR BRIDGE 73FT N C/L AVE E + 121FT E C/L SIERRA HWY MKD (H 487 1955) | BL 481 | |
| LANCASTR 2304.303 (1965) | USC+GS MON FLUSH TOP OF E END OF S CONC ABUT OF SPRR BRIDGE 88FT N C/L AVE C + 141FT E C/L SIERRA HWY MKD (J 487 1955) | BL 482 | |
| LANCASTR 2305.916 (1965) | USC+GS MON FLUSH S END W HDWL CULV UNDER SPRR 35FT N C/L AVE B + 122FT E C/L SIERRA HWY MKD (N 487 1955) | BL 483 | |
| LANCASTR 2307.939 (1965) | USC+GS MON FLUSH N END HDWL OF SPRR CULV 123FT E BL C/L SIERRA HWY + 175FT S C/L AVE A (KERN CO LINE) MKD (M 487 1955) | 484 | |

AUG 1968

LOS ANGELES COUNTY ROAD DEPARTMENT
SURVEY SECTION FIELD ENGINEERING DIVISION

PAGE 11

| QUAD-YEAR | ELEV | DESCRIPTION (INCLUDE QUAD AND YEAR IN DESCRIPTION) | BM NUMBER |
|-----------|----------|---|-----------|
| LANCASTR | 2334.804 | RDDM TAG E CB 60FT S BCR @ SE COR DIVISION ST + AVE H-8 20FT E + 135FT S C/L INT. | BL 485 |
| (1965) | | | |
| LANCASTR | 2333.044 | CS MON (N EDGE) IN WELL 18IN DN @ C/L INT AVE H-8 + DIVISION ST MKD (1/4 SEC COR 10 11 T7N R12W) | BL 487 |
| (1965) | | | |
| LANCASTR | 2333.924 | CS MON 12IN DN @ C/L INT DIVISION ST + AVE H MKD (SEC COR 3-2 10-11 T7N R12W) USE W EDGE | BL 488 |
| (1965) | | | |
| LANCASTR | 2328.314 | L+T NW COR CONC WALK BLDG NO 46350 @ SE COR OF DIVISION ST + AVE G8 (PROP) 205FT S + 45FT E OF C/L INT | BL 490 |
| (1965) | | | |
| LANCASTR | 2326.308 | CS BR CAP MON 24IN DN @ C/L INT OF AVE G8 PROP + DIVISION ST MKD (1/4 SEC COR 2-3 T7N R12W) | BL 491 |
| (1965) | | | |
| LANCASTR | 2323.231 | 2IN IP WITH CONC PLUG 12IN UP @ SE COR DIVISION ST + AVE G 35FT S + 35FT E OF C/L INT USE E EDGE | BL 492 |
| (1965) | | | |
| LANCASTR | 2321.121 | CS BR CAP MON IN WELL 15IN DN @ C/L INT DIVISION CL ST + AVE G MKD (SEC COR 34-35-3-2 T8N T7N R12W) | BL 493 |
| (1965) | | | |
| LANCASTR | 2315.669 | L+T @ NE COR CONC SLAB @ SIDE ENT N SIDE OF HSE NO 47159 DIVISION ST 100FT W C/L + 80FT S C/L AVE F-8 | BL 494 |
| (1965) | | | |
| LANCASTR | 2315.416 | L+T @ NE COR CONC SLAB @ SIDE ENT ON N SIDE OF HSE NO 47205 DIVISION ST 100FT W C/L + 115FT N C/L AVE F-8 | BL 495 |
| (1965) | | | |
| LANCASTR | 2308.922 | L+T CONC WK TO HSE NO 47547 DIVISION ST @ SW COR OF AVE F 82FT W + 185FT S OF C/L INT MKD (SL BM) | BL 496 |
| (1965) | | | |
| LANCASTR | 2307.006 | CS MON 14IN DN @ C/L INT OF AVE F + DIVISION ST MKD (SEC COR 26-27 34-35 R12W T8N) (E EDGE) | BL 497 |
| (1965) | | | |
| LANCASTR | 2301.617 | CS BR CAP MON 14IN DN @ C/L INT AVE E-8 + DIVISION ST MKD (26-27 R12W T8N) | BL 498 |
| (1965) | | | |
| LANCASTR | 2296.258 | RD DEPT BM MON IN WELL 6IN DN @ SW COR DIVISION ST + AVE E 27FT W + 51FT S C/L INT 4 FT WLY PP NO 306431E | BL 499 |
| (1965) | | | |
| LANCASTR | 2294.708 | CS MON (NE EDGE) IN WELL 18IN DN @ C/L INT AVE E BL + DIVISION ST MKD (SEC COR 22 23 26 27 R12W T8N) | BL 500 |
| (1965) | | | |
| LANCASTR | 2296.463 | CS MON 14IN DN ON C/L AVE E 2677FT W OF DIVISION ST MKD (T8N 22-27 R12W 1/4 COR) (N EDGE) | BL 501 |
| (1965) | | | |
| LANCASTR | 2349.025 | RDDM TAG CONC SLAB NR 36IN STANDPIPE 40FT N C/L AVE J + 640FT E 50TH ST W | BL 532 |
| (1965) | | | |
| LANCASTR | 2348.276 | CS MON IN WELL 20IN DN @ C/L INT AVE J + 50TH ST BL W MKD (SEC COR 14 13 23 24 T7N R13W) | BL 533 |
| (1965) | | | |
| LANCASTR | 2338.119 | 2IN IP 6IN DN 50FT S + 50FT E C/L INT 50TH ST W + AVE I-8 | BL 534 |
| (1965) | | | |
| LANCASTR | 2338.017 | 2IN IP 6IN DN 50FT N + 50FT E C/L INT 50TH ST W + AVE I-8 | BL 535 |
| (1965) | | | |

AUG 1968

LOS ANGELES COUNTY ROAD DEPARTMENT
SURVEY SECTION FIELD ENGINEERING DIVISION

PAGE 12

| QUAD-YEAR | ELEV | DESCRIPTION (INCLUDE QUAD AND YEAR IN DESCRIPTION) | RM NUMBER |
|-----------------------------|--|---|-----------|
| LANCASTR 2329.964 (1965) | CS MON IN TOP 12IN CONC POST 5IN UP 89FT N C/L AVE I + 30FT E C/L 45TH ST W MKD (BM 102-9 1957) | BL 537 | |
| LANCASTR 2328.386 (1965) | USC+GS MON 12IN UP 36FT W C/L 40TH ST W + 147FT S C/L AVE I 33FT E OF E SIDE HSE 4011 MKD (LINT ALKALI 1929) | BL 538 | |
| LANCASTR 2318.474 (1965) | CS MON TOP 12IN CONC POST 6IN UP 42FT N C/L AVE I + 63FT E C/L 35TH ST W 39FT E OF DRWY HSE 3355 + 25FT W PP 865024E MKD (BM 102-7 1957) | BL 539 | |
| LANCASTR 2318.273 (1965) | L+PK TOP NW COR N HDWL OF BRIDGE NO 53-406 22 N C/L AVE I + 100FT E C/L 30TH ST W | BL 540 | |
| LANCASTR 2317.698 (1965) | CS MON TOP CONC POST 4IN UP 86FT N C/L AVE I + 2FT W C/L 25TH ST W 4FT S PP 1162700E MKD (BM 102-5 1957) | BL 542 | |
| LANCASTR 2369.160 (1965) | CS MON 12IN DN @ C/L INT 30TH ST E + AVE H-8 MKD (1/4 COR 7-8 T7N R11W)(E EDGE) | BL 554 | |
| LANCASTR 2362.121 (1965) | 2IN IP 50FT E C/L 30TH ST E + 50FT S C/L AVE H USE SW RIM | BL 555 | |
| LANCASTR 2359.767 (1965) | CS MON 6IN DN @ C/L INT 30TH ST E + AVE H MKD (SEC COR 5-6-7-8 T7N R11W) USE S EDGE | BL 556 | |
| LANCASTR 2353.671 (1965) | 2IN IP 50FT E C/L 30TH ST E + 50FT S C/L AVE G-8 USE SE RIM | BL 557 | |
| LANCASTR 2350.707 (1965) | CS MON 8IN DN @ C/L INT 30TH ST E + AVE G-8 MKD (1/4 SEC COR 6-7 T7N R11W) USE S EDGE | BL 558 | |
| LANCASTR 2344.585 (1965) | 2IN IP 50FT E C/L 30TH ST E + 50FT S C/L AVE G USE S EDGE | BL 559 | |
| LANCASTR 2343.646 (1965) | CS MON 3IN DN @ C/L INT 30TH ST E + AVE G MKD (31-32-5-6 T7N R11W) USE SW EDGE | BL 560 | |
| LANCASTR 2335.284 (1965) | CS MON 12IN DN @ C/L INT 30TH ST E + AVE F-8 MKD (1/4 COR 31-32 T8N R11W)(S EDGE) | BL 561 | |
| LANCASTR 2336.583 (1965) | 2IN IP 50FT E C/L 30TH ST E + 50FT N C/L AVE F-8 USE SE RIM | BL 562 | |
| LANCASTR 2328.958 (1965) | 2IN IP 50FT E C/L 30TH ST E + 50FT S C/L AVE F | BL 563 | |
| LANCASTR 2327.617 (1965) | CS MON 15IN DN @ C/L INT 30TH ST E + AVE F MKD (29-30-31-32 T8N R11W) USE E EDGE | BL 564 | |
| LANCASTR 2319.381 (1965) | CS MON (E EDGE) IN WELL 15IN DN @ C/L INT 30TH ST E + AVE E-8 MKD (1/4 COR 29 30 T8N R11W) | BL 566 | |
| LANCASTR 2297.538 (1965) | RD MON IN WELL 8IN DN 5FT S PP NO 1270585E 36FT S C/L AVE E + 240FT W C/L 5TH ST E PROP | BL 567 | |
| LANCASTR 2297.673 (1965) | CS MON (E EDGE) IN WELL @ C/L INT AVE E + PROP 5TH ST E MKD (1/4 COR 23 26 T8N R12W) | BL 568 | |
| LANCASTR 2301.019 (1965) | CS MON (N EDGE) IN WELL 18IN DN @ C/L INT AVE E + 10TH ST E PROP MKD (SEC COR 23 24 25 26 T8N R12W) | BL 569 | |

AUG 1968

LOS ANGELES COUNTY ROAD DEPARTMENT
SURVEY SECTION FIELD ENGINEERING DIVISION

PAGE 13

| QUAD-YEAR | ELEV | DESCRIPTION (INCLUDE QUAD AND YEAR IN DESCRIPTION) | BM NUMBER |
|-----------------------------|---|---|-----------|
| LANCASTR 2302.729 (1965) | RD MON IN WELL 8IN DN 6FT S PP NO 1270596E 36FT S C/L AVE E 70FT E C/L 10TH ST E (PROPOSED) | BL 570 | |
| LANCASTR 2303.502 (1965) | RD MON IN WELL 8IN DN 5FT S PP NO 1270605E 40FT S C/L AVE E 240FT W C/L 15TH ST E (PROPOSED) | BL 571 | |
| LANCASTR 2303.060 (1965) | CS MON 30IN DN @ C/L INT AVE E + 15TH ST E MKD (1/4 COR 24-25 T8N R12W) (W EDGE) | BL 572 | |
| LANCASTR 2307.391 (1965) | CS MON 24IN DN @ OUT AVE E + 20TH ST E MKD. (SEC COR 19-24-25 T8N R11W R12W) | BL 573 | |
| LANCASTR 2310.750 (1965) | RD MON IN WELL 8IN DN 6FT S PP NO 1270627E 39FT S C/L AVE E + 225FT E C/L 25TH ST E PROP | BL 576 | |
| LANCASTR 2312.221 (1965) | 2IN IP 50FT E C/L 30TH ST E + 50FT S C/L AVE E USE N RIM | BL 577 | |
| LANCASTR 2313.874 (1965) | RD MON IN WELL 8IN DN 5FT S PP NO 1270648E 28FT S C/L AVE E 260FT W C/L 35TH ST E (PROPOSED) | BL 579 | |
| LANCASTR 2316.199 (1965) | RD MON IN WELL 8IN DN 5FT S PP NO 1273708E 30FT S C/L AVE E + 250FT W C/L 40TH ST E (PROPOSED) | BL 581 | |
| LANCASTR 2314.797 (1965) | CS MON IN WELL 18IN DN @ C/L INT AVE E + 45TH ST E (PROPOSED) MKD (1/4 COR 21-28 T8N R11W) USE N EDGE | BL 583 | |
| LANCASTR 2317.266 (1965) | CS MON IN WELL 8IN DN @ C/L INT AVE E + 50TH ST E MKD (SEC COR 21-22-27-28 T8N R11W) USE N EDGE | BL 585 | |
| LANCASTR 2318.779 (1965) | 2IN IP 50FT E C/L 50TH ST E + 50FT N C/L AVE E USE N EDGE PUNCH MARK | BL 586 | |
| LANCASTR 2321.390 (1965) | CS MON IN WELL 8IN DN @ C/L INT AVE E + 55TH ST E MKD (1/4 COR 22-27 R11W T8N) (N EDGE) | BL 587 | |
| LANCASTR 2322.563 (1965) | L+T IN CONC STANDPIPE 33FT N C/L AVE E + 40FT W C/L 55TH ST E MKD (BM) | BL 588 | |
| LANCASTR 2322.176 (1965) | CS MON IN WELL 8IN DN @ C/L INT AVE E + 60TH ST E MKD (SEC COR 22-23-26-27 T8N R11W) USE N EDGE | BL 589 | |
| LANCASTR 2322.429 (1965) | L+T IN CONC SLAB OF GARAGE TO HSE ON NW COR AVE E + 60TH ST E 65FT W + 145FT N C/L INT MKD (BM) | BL 590 | |
| LANCASTR 2330.793 (1965) | L+T CONC PUMP BASE 35FT N C/L AVE E-8 + 170FT E C/L 60TH ST E MKD (BM) | BL 592 | |
| LANCASTR 2339.580 (1965) | L+T 4FT E BCR 38FT N C/L AVE I 50FT E C/L SIERRA HWY | BL 666 | |
| LANCASTR 2338.667 (1965) | CSBM MON 64FT N C/L AVE I + 168FT E C/L SIERRA HWY MKD (BM 101-132 1957) | BL 667 | |
| LANCASTR 2342.150 (1965) | L+T 5FT E OF W END CONC PUMP ISL 50FT E C/L TREVOR AVE 60FT S C/L AVE I | BL 668 | |
| LANCASTR 2341.815 (1965) | L+T N CB (DEP) 24FT E C/L SPEARMAN AVE + 40FT N C/L AVE I | BL 669 | |
| LANCASTR 2356.991 (1965) | L+T 10FT W BCR @ NW COR DIVISION ST + LANCASTER BLVD FROM W 30FT N + 44FT W C/L INT. | BL 671 | |

AUG 1968

LOS ANGELES COUNTY ROAD DEPARTMENT
SURVEY SECTION FIELD ENGINEERING DIVISION

PAGE 14

| QUAD-YEAR | ELEV | DESCRIPTION (INCLUDE QUAD AND YEAR IN DESCRIPTION) | BM NUMBER |
|-----------------------------|--|---|-----------|
| LANCASTR 2360.581 (1965) | USC+GS BR CAP FLUSH IN SHELL OIL CO YARD 150FT N C/L NEWGROVE ST + 175FT E C/L SIERRA HWY MKD (A 57 1926) | BL 672 | |
| LANCASTR 2358.507 (1965) | L+T CTR CB RET @ SE COR MILLING ST + YUCCA AVE 39FT S + 46FT E C/L INT | BL 673 | |
| LANCASTR 2365.073 (1965) | L+BRAD S CB 1FT W BCR 30FT S C/L LANCASTER BLVD 43FT W C/L 3RD ST E | BL 675 | |
| LANCASTR 2365.473 (1965) | L+BRAD E CB 0.5FT S BCR 18FT E C/L 3RD ST E 54FT S C/L LANCASTER BLVD | BL 676 | |
| LANCASTR 2371.227 (1965) | L+T S CB 3FT E BCR 30FT S C/L LANCASTER BLVD 51FT W C/L 5TH ST E | BL 677 | |
| LANCASTR 2372.089 (1965) | L+T E CB 2FT S BCR 30FT E C/L 5TH ST E 63FT S C/L LANCASTER BLVD | BL 678 | |
| LANCASTR 2373.977 (1965) | L+T S CB SERVICE RD 0.5 FT W BCR 70FT S C/L LANCASTER BLVD 50FT W C/L ANDALE AVE | BL 679 | |
| LANCASTR 2379.632 (1965) | CSBM MON FLUSH 50FT S C/L AVE J + 174FT E C/L SIERRA HWY MKD (BM 101-128 1957) | BL 680 | |
| LANCASTR 2350.508 (1965) | CS MON 27IN DN @ C/L INT AVE J + 55TH ST W (PROP) MKD (1/4 COR 14-23 R13W T7N) | BL 704 | |
| LANCASTR 2352.799 (1965) | RD MON IN WELL 8IN DN ON SW COR AVE J + 55TH ST W (PROP) 100FT W + 50FT S C/L INT 2IN IP MARKER 2FT S 3FT UP | BL 705 | |
| LANCASTR 2353.692 (1965) | CS MON IN WELL 18IN DN @ C/L INT AVE J + 60TH ST W MKD (SEC COR 14-15-22-23 T7N R13W) | BL 706 | |
| LANCASTR 2355.254 (1965) | RDBM TAG IN COR OF FENCE ON NE COR AVE J + 60TH ST W 33FT N + 43FT E C/L INT | BL 707 | |
| LANCASTR 2347.982 (1965) | CS MON IN WELL 10IN DN @ C/L INT 60TH ST W + AVE I-8 (PROP) MKD (1/4 COR 14-15 T7N R13W) | BL 708 | |
| LANCASTR 2346.578 (1965) | RD MON IN WELL 8IN DN ON NW COR 60TH ST W + AVE I-8 (PROP) 95FT N + 50FT W C/L INT 2IN IP MARKER 2FT W 3FT UP | BL 709 | |
| LANCASTR 2349.109 (1965) | USC+GS BR CAP IN CONC FLOOR OF GUARD HSE OF MIRA LOMA @ SE COR AVE I + 60TH ST W 125FT S + 100FT E C/L INT MKD (U 1153 1961) | BL 710 | |
| LANCASTR 2335.644 (1965) | USC+GS BR CAP NR COR CONC HDWL @ SW COR AVE I + 50TH ST W 30FT S + 31FT W C/L INT MKD (T, 1153 1961) | BL 712 | |
| LANCASTR 2342.485 (1965) | RDBM TAG ON CONC COLLAR OF SMH (S SIDE) 46FT N C/L AVE I + 9FT E C/L 55TH ST W (PROP) | BL 713 | |
| LANCASTR 2334.303 (1965) | RDBM TAG IN CONC FTG OF COR FENCE POST ON SW COR 50TH ST W + AVE I 40FT S + 60FT W C/L INT | BL 714 | |
| LANCASTR 2335.598 (1965) | RDBM TAG IN CONC HDWL BETWEEN 2 CMP ON SW COR 50TH ST W + AVE I 35FT S + 26FT W C/L INT | BL 715 | |
| LANCASTR 2329.892 (1965) | RDBM TAG ON CONC COLLAR OF SMH RIM NE COR AVE I + 45TH ST W 28FT N + 5FT E C/L INT | BL 716 | |

AUG 1968

LOS ANGELES COUNTY ROAD DEPARTMENT
SURVEY SECTION FIELD ENGINEERING DIVISION

PAGE 15

| QUAD-YEAR | ELEV | DESCRIPTION (INCLUDE QUAD AND YEAR IN DESCRIPTION) | BM NUMBER |
|-----------------------------|--|---|-----------|
| LANCASTR 2320.141 (1965) | L+T IN CONC PORCH OF HSE @ NE COR AVE I + 35TH ST W 125FT N + 100FT E C/L INT MKD (BM) | BL 718 | |
| LANCASTR 2368.014 (1965) | CS MON FLUSH ON SW COR AVE K + 20TH ST W 39FT S + 39FT W C/L INT MKD (BM 105-4 1958) | BL 719 | |
| LANCASTR 2388.331 (1965) | L+T CONC DR NR CONC BLOCK POST 42FT S C/L AVE K + 263FT W C/L 25TH ST W MKD (BM) | BL 721 | |
| LANCASTR 2386.333 (1965) | CS MON IN WELL 20IN DN @ C/L INT AVE K + 30TH ST W MKD (SEC COR 19-20-29-30 R12W T7N) USE N EDGE | BL 722 | |
| LANCASTR 2385.706 (1965) | RD MON IN WELL 8IN DN ON SE COR AVE K + 35TH ST W 100FT E + 50FT S C/L INT | BL 724 | |
| LANCASTR 2383.525 (1965) | CS MON IN WELL 20IN DN @ C/L INT AVE K + 35TH ST W MKD (1/4 COR 19-30 R12W T7N) USE S EDGE | BL 725 | |
| LANCASTR 2382.665 (1965) | CS MON IN WELL 6IN DN @ C/L INT AVE K + 40TH ST W MKD (SEC COR 19-24-25-30 R12W T7N) (W EDGE) | BL 726 | |
| LANCASTR 2360.439 (1965) | RD MON IN WELL 8IN DN ON SE COR 30TH ST W + AVE J-8 100FT S + 50FT E C/L INT | BL 729 | |
| LANCASTR 2411.970 (1965) | CS MON 15IN DN @ C/L INT 30TH ST W + AVE K-8 MKD (1/4 SEC COR 30-29 T7N R12W) USE N EDGE | BL 730 | |
| LANCASTR 2414.820 (1965) | RD MON IN WELL 8IN DN ON SE COR 30TH ST W + AVE K-8 100FT S + 50FT E C/L INT | BL 731 | |
| LANCASTR 2360.598 (1965) | USC+GS MON FLUSH ON NW COR AVE I + 66TH ST W 228FT W + 25FT N C/L INT MKD (H 747 1945) | BL 819 | |
| LANCASTR 2365.723 (1965) | L+T CONC SLAB OF BLDG ON SW COR AVE I + 70TH ST W 114FT W + 70FT S C/L INT MKD (BM) | BL 821 | |
| LANCASTR 2374.647 (1965) | L+T W END GAS ISL ON SE COR AVE I + 75TH ST W 115FT E + 90FT S C/L INT MKD (BM) | BL 822 | |
| LANCASTR 2376.545 (1965) | USC+GS MON FLUSH NE COR AVE I + 75TH ST W 61FT N + 16FT E C/L INT MKD (B 306 1935) | BL 823 | |
| LANCASTR 2390.778 (1965) | L+T CONC STANDPIPE SE COR AVE I + 80TH ST W 60FT S + 60FT E C/L INT MKD (BM) | BL 824 | |
| LANCASTR 2389.408 (1965) | CS MON FLUSH NE COR AVE I + 80TH ST W 48FT N + 25FT W C/L INT MKD (BM 102-17 1957) | BL 825 | |
| LANCASTR 2403.909 (1965) | RDBM TAG IN NE COR CONC WEIR BOX SE COR AVE I + PROP 85TH ST W 32FT S + 25FT E C/L INT | BL 826 | |
| LANCASTR 2400.006 (1965) | CS MON FLUSH 28FT N C/L AVE I + 7FT E C/L PROP 85TH ST W MKD (BM 102-18 1957) | BL 827 | |
| LANCASTR 2420.366 (1965) | L+T CONC WK HSE SE COR AVE I + 90TH ST W 83FT S + 60FT E C/L INT MKD (BM) | BL 828 | |
| LANCASTR 2421.937 (1965) | CS MON NW COR AVE I + 90TH ST W 31FT N + 70FT W C/L INT MKD (BM 102-19 1957) | BL 829 | |
| LANCASTR 2417.828 (1965) | RDBM MON IN WELL 8IN DN SE COR 90TH ST W + PROP AVE H-8 75FT S + 25FT E C/L INT 2IN IP MARKER 2FT E 3FT UP | BL 830 | |

AUG 1968

LOS ANGELES COUNTY ROAD DEPARTMENT
SURVEY SECTION FIELD ENGINEERING DIVISION

PAGE 16

| QUAD-YEAR | ELEV | DESCRIPTION (INCLUDE QUAD AND YEAR IN DESCRIPTION) | BM NUMBER |
|-----------------------------|---|---|-----------|
| LANCASTR 2423.021 (1965) | L+T IN 24IN CONC STANDPIPE @ SE COR 90TH ST W + PROP AVE H-8 180FT E + 30FT S C/L INT MKD (BM) | BL 831 | |
| LANCASTR 2430.372 (1965) | RDBM TAG N CB PARKING AREA NW COR 90TH ST W + AVE H 155FT W + 44FT N C/L INT | BL 832 | |
| LANCASTR 2430.762 (1965) | RDBM TAG W CB PARKING AREA NW COR 90TH ST W + AVE H 250FT N + 50FT W C/L INT | BL 833 | |
| LANCASTR 2428.753 (1965) | RDBM TAG CONC BASE OF 3IN IP BREATHER SE COR 90TH ST W + PROP AVE G-8 50FT S + 40FT E C/L INT | BL 834 | |
| LANCASTR 2429.997 (1965) | RDBM MON IN WELL 8IN DN ON NW COR 90TH ST W + PROP AVE G-8 210FT N + 23FT W C/L INT 6FT S PP K5409Y 2IN IP MKR 3FT UP 2FT W | BL 835 | |
| LANCASTR 2424.741 (1965) | CS MON IN WELL 14IN DN @ C/L INT 90TH ST W + AVE G MKD (SEC COR 31 32 5 6 T8N T7N R13W) | BL 836 | |
| LANCASTR 2416.580 (1965) | L+T IN CONC WK OF HSE SW COR 90TH ST W + AVE F 380FT S + 85FT W C/L INT MKD (BM) | BL 838 | |
| LANCASTR 2416.671 (1965) | CS MON 18IN DN @ C/L INT 90TH ST W + AVE F MKD (SEC COR 29 30 31 32 T8N R13W) | BL 839 | |
| LANCASTR 2422.594 (1965) | CS MON 14IN DN @ C/L INT 90TH ST W + AVE E-8 MKD (T8N R13W 29-30) | BL 840 | |
| LANCASTR 2424.288 (1965) | L+T IN CONC PORCH STORE BLDG NW COR 90TH ST W + AVE E-8 100FT N + 80FT W C/L INT MKD (BM) | BL 841 | |
| LANCASTR 2433.385 (1965) | L+T CONC PORCH HSE SW COR 90TH ST W + AVE E 68FT S + 92FT W C/L INT MKD (BM) | BL 843 | |
| LANCASTR 2437.415 (1965) | CS MON 18IN DN @ C/L INT 90TH ST W + AVE D MKD (SEC COR 17 18 19 20 T8N R13W) | BL 846 | |
| LANCASTR 2440.756 (1965) | RDBN TAG IN CONC FTG OF 10IN BREATHER NE COR PUMP HSE SE COR 90TH ST W + AVE D 150FT E + 56FT S C/L INT | BL 847 | |
| LANCASTR 2443.621 (1965) | CS MON 12IN DN @ C/L INT 90TH ST W + AVE C-8 MKD (T8N R13W 17-18) | BL 848 | |
| LANCASTR 2442.999 (1965) | CS MON 14IN DN @ C/L INT 90TH ST W + AVE C MKD (T8N R13W 7-8-17-18) | BL 850 | |
| LANCASTR 2440.293 (1965) | CS MON 12IN DN @ C/L INT 90TH ST W + PROP AVE B-8 MKD (T8N R13W 7-8) | BL 852 | |
| LANCASTR 2445.149 (1965) | RDBM TAG CONC STANDPIPE 30IN UP NW COR 90TH ST W + PROP AVE B-8 30FT N + 55FT W C/L INT | BL 853 | |
| LANCASTR 2438.266 (1965) | CS MON IN WELL 8IN DN @ C/L INT 90TH ST W + AVE B MKD (5 6 7 8 T8N R13W) | BL 855 | |
| LANCASTR 2428.472 (1965) | RDBM MON IN WELL 8IN DN SE COR AVE B + 85TH ST W 167FT E + 35FT S C/L INT 2IN IP MARKER 2FT S 3FT UP | BL 857 | |
| LANCASTR 2416.825 (1965) | CS MON 14IN DN @ C/L INT AVE B + 80TH ST W MKD (SEC COR 4 5 8 9 T8N R13W) | BL 858 | |

AUG 1968

LOS ANGELES COUNTY ROAD DEPARTMENT
SURVEY SECTION FIELD ENGINEERING DIVISION

PAGE 17

| QUAD-YEAR | ELEV | DESCRIPTION (INCLUDE QUAD AND YEAR IN DESCRIPTION) | BM NUMBER |
|-----------------------------|---------------|---|-----------|
| LANCASTR 2417.105 (1965) | | RDBM MON IN WELL 8IN DN @ NE COR AVE B + 80TH ST BL W 30FT N + 72FT E C/L INT 2IN IP MKR 3FT UP 2FT N | 859 |
| LANCASTR 2408.388 (1965) | | RDBM MON IN WELL 8IN DN NE COR AVE B + PROP 75TH BL ST W 28FT N + 42FT E C/L INT 2IN IP MARKER 2FT N 3FT UP | 861 |
| LANCASTR 2396.272 (1965) | CS | MON 14IN DN @ C/L INT AVE B + 70TH ST W MKD (T8N R13W 3-4-9-10) | BL 862 |
| LANCASTR 2397.569 (1965) | | RDBM MON IN WELL 8IN DN NE COR AVE B + 70TH ST W 25FT N + 65FT E C/L INT 2IN IP MARKER 2FT N 3FT UP | BL 863 |
| LANCASTR 2389.041 (1965) | | RDBM MON IN WELL 8IN DN NE COR AVE B + 65TH ST W 33FT N + 96FT E C/L INT 2IN IP MARKER 2FT N 3FT UP | BL 865 |
| LANCASTR 2381.059 (1965) | CS | MON 14IN DN @ C/L INT AVE B + 60TH ST W MKD (T8N R13W 2-3-10-11) | BL 866 |
| LANCASTR 2381.634 (1965) | BR CAP | MON FLUSH SE COR AVE B + 60TH ST W 27FT S + 32FT E C/L INT MKD (R 27 1929) | BL 867 |
| LANCASTR 2383.221 (1965) | L+T | IN CONC APRON GARAGE SE COR 60TH ST W + PROP AVE B-8 15FT S + 118FT E C/L INT MKD (E8N) | BL 869 |
| LANCASTR 2381.959 (1965) | RDBM | MON IN WELL 8IN DN SE COR 60TH ST W + PROP AVE C 160FT S + 22FT E C/L INT 2IN IP MARKER 2FT E 3FT UP | BL 871 |
| LANCASTR 2382.801 (1965) | RD | MON IN WELL 8IN DN NE COR 60TH ST W + AVE C-8 5FT N + 90FT E C/L INT 2IN IP MARKER 2FT N 3FT UP | BL 873 |
| LANCASTR 2384.670 (1965) | USC+GS BR CAP | IN CONC HDWL @ NE COR AVE D + 60TH ST W 30FT N + 30FT E C/L INT MKD (B1154 1961) | BL 874 |
| LANCASTR 2385.149 (1965) | ST HWY BR CAP | IN CONC IN HDWL NW COR 60TH ST W + AVE D 40FT N + 24FT W C/L INT | BL 875 |
| LANCASTR 2375.803 (1965) | 1-1/2IN IP | WITH CUT SPK 14IN DN @ C/L INT 60TH ST W + AVE E-8 | BL 876 |
| LANCASTR 2375.740 (1965) | L+T | IN CONC SLAB OF HSE SE COR 60TH ST W + AVE D-8 120FT E + 70FT S C/L INT | BL 877 |
| LANCASTR 2380.072 (1965) | CS | MON 6IN DN @ C/L INT 60TH ST W + PROP AVE E MKD (T8N R13W 22-23-26-27) | BL 878 |
| LANCASTR 2358.55+ | RD | MON IN WELL 8IN DN SW COR 60TH ST W + PROP AVE E 115FT S + 30FT W C/L INT 2IN IP MARKER 2FT W 3FT UP | BL 879 |
| LANCASTR 2355.741 (1965) | 1-1/2IN IP | 14IN DN @ C/L INT 60TH ST W + PROP AVE E-8 USE'S EDGE | BL 880 |
| LANCASTR 2355.131 (1965) | L+T | CONC PORCH CHURCH BLDG 107FT E C/L 60TH ST W BL + 630FT S PROP AVE E-8 | BL 881 |
| LANCASTR 2352.951 (1965) | L+T | 2IN DN @ C/L INT 60TH ST W + AVE F | BL 882 |

AUG 1968

LOS ANGELES COUNTY ROAD DEPARTMENT
SURVEY SECTION FIELD ENGINEERING DIVISION

PAGE 18

| QUAD-YEAR | ELEV | DESCRIPTION (INCLUDE QUAD AND YEAR IN DESCRIPTION) | BM NUMBER |
|-----------------------------|--|---|-----------|
| LANCASTR 2353.523 (1965) | CS MON 2IN UP SE COR 60TH ST W + AVE F 31FT S + 75FT E C/L INT MKD (BM 103-11 1957) | BL 883 | |
| LANCASTR 2352.229 (1965) | L+T IN CONC CROSS GUTTER @ C/L INT 60TH ST W + PROP AVE F-8 | BL 884 | |
| LANCASTR 2352.797 (1965) | RDBM TAG IN CONC FTG 5FT CHAIN LINK FEN AROUND AIRPORT SE COR 60TH ST W + PROP AVE F-8 50FT S + 50FT E C/L INT | BL 885 | |
| LANCASTR 2352.490 (1965) | RDBM TAG SE COR FTG OF AIRPORT FENCE @ NE COR 60TH ST W + AVE G 50FT N + 50FT E C/L INT | BL 886 | |
| LANCASTR 2353.838 (1965) | CS MON IN WELL 18IN DN @ C/L INT 60TH ST W + AVE G MKD (T7N T8N R13W 2-3-34-35) | BL 887 | |
| LANCASTR 2357.534 (1965) | CS MON IN WELL 17IN DN @ C/L INT 60TH ST W + PROP AVE G-8 MKD (T7N R13W 2-3) | BL 888 | |
| LANCASTR 2358.388 (1965) | RD MON IN WELL 8IN DN SW COR 60TH ST W + PROP AVE G-8 180FT S + 31FT W C/L INT 2IN IP MARKER 2FT W 3FT UP | BL 889 | |
| LANCASTR 2352.282 (1965) | CS MON 3IN UP SE COR 60TH ST W + PROP AVE H-8 42FT S + 42FT E C/L INT MKD (BM 103-16 1957) | BL 893 | |
| LANCASTR 2389.571 (1965) | CS MON 8IN DN @ C/L INT AVE D + PROP 65TH ST W MKD (T8N R13W 22-15) (E EDGE) | BL 894 | |
| LANCASTR 2390.777 (1965) | RDBM MON IN WELL 8IN DN NW COR AVE D + PROP 65TH ST W 30FT N + 180FT W C/L INT 2IN IP MARKER 2FT N 3FT UP | BL 895 | |
| LANCASTR 2397.585 (1965) | CS MON (N EDGE) IN WELL 18IN DN @ C/L INT AVE D + 70TH ST W MKD (15 16 21 22 T8N R13W) | BL 896 | |
| LANCASTR 2411.325 (1965) | RDBM TAG IN 12IN CONC STANDPIPE NE COR AVE D + 75TH ST W 55FT N + 40FT E C/L INT | BL 898 | |
| LANCASTR 2407.868 (1965) | CS MON (E EDGE) IN WELL 16IN DN @ C/L INT 75TH ST W + AVE D MKD (16 21 T8N R13W) | BL 899 | |
| LANCASTR 2416.218 (1965) | CS MON IN WELL 24IN DN @ C/L INT 80TH ST W + AVE BL D MKD (16 17 20 21 T8N R13W) | BL 900 | |
| LANCASTR 2418.447 (1965) | RDBM TAG IN NW CONC FTG OF HAY BARN ON SE COR AVE D + 80TH ST W 32FT S + 50FT E C/L INT | BL 901 | |
| LANCASTR 2426.683 (1965) | RDBM NON IN WELL 8IN DN NE COR AVE D + 85TH ST W 105FT E + 28FT N C/L INT 2IN IP MARKER 2FT N 3FT UP | BL 902 | |
| LANCASTR 2426.281 (1965) | CS MON (E EDGE) IN WELL 14IN DN @ C/L INT AVE D + 85TH ST W MKD (17 20 T8N R13W) | BL 903 | |
| BASELINE 2567.044 (1965) | CSBM MON 5IN UP 30FT S + 90FT W C/L INT AVE M + 65TH ST W MKD (BM 104-16 1958) | BL 904 | |
| BASELINE 2610.051 (1965) | CSBM MON 5IN UP 76FT N + 44FT W C/L INT AVE M + 70TH ST W 4FT N PP 1183862E MKD (BM 104-17 1958) | BL 905 | |
| LANCASTR 2515.520 (1965) | CSBM MON 5IN UP ON SW COR 70TH ST W + AVE L-8 66FT S + 46FT W C/L INT MKD (BM 104-18 1958) | BL 906 | |

AUG 1968

LOS ANGELES COUNTY ROAD DEPARTMENT
SURVEY SECTION FIELD ENGINEERING DIVISION

PAGE 19

| QUAD-YEAR | ELEV | DESCRIPTION (INCLUDE QUAD AND YEAR IN DESCRIPTION) | BM NUMBER |
|-----------|----------|---|-----------|
| LANCASTR | 2445.004 | CSBM MON 4IN UP ON SW COR 70TH ST W + AVE L 78FT BL (1965) S + 28FT N C/L INT MKD (BM 104-19 1958) | 907 |
| LANCASTR | 2378.560 | CSBM MON 5IN UP ON NW COR 70TH ST W + AVE K 32FT BL (1965) N + 32FT W C/L INT MKD (BM 104-21 1958) | 909 |
| LANCASTR | 2362.754 | CSBM MON 5IN UP ON NW COR 70TH ST W + AVE J-8 (1965) 280FT N + 30FT W C/L INT MKD (BM 104-22 1958) | BL 910 |
| LANCASTR | 2358.227 | CSBM MON 5IN UP ON SW COR AVE J + 70TH ST W 55FT BL (1965) S + 30FT W C/L INT MKD (BM 104-23 1958) | 911 |
| LANCASTR | 2359.904 | CSBM MON 5IN UP ON NW COR 70TH ST W + AVE I-8 (1965) 250FT N + 26FT W C/L INT MKD (BM 104-24 1958) | BL 912 |
| BASELINE | 2443.850 | CSBM MON 4IN UP NR SW COR EDISON PIUTE SUBSTA (1965) 45FT N C/L AVE J + 40FT E C/L 90TH ST E MKD (BM 107-24 1961) | BL 1075 |
| BASELINE | 2343.237 | CSBM MON 6IN UP 32FT E C/L 90TH ST E + 46FT S (1965) C/L AVE E 7FT SE PP 538296E MKD (BM 106-122 1959) | BL 1165 |
| BASELINE | 2348.476 | RDBM TAG CONC FOOTING OF SUPPORT @ NW COR HAY (1965) SHED 50FT E C/L 90TH ST E + 50FT S C/L AVE E-8 | BL 1167 |
| BASELINE | 2357.291 | CSBM MON 2IN UP 30FT N C/L AVE F + 77FT E C/L (1965) 90TH ST E MKD (BM 116-6 1961) | BL 1168 |
| BASELINE | 2366.969 | CSBM MON 2IN UP 80FT N C/L AVE F-8 + 30FT E C/L (1965) 90TH ST E MKD (BM 116-5 1961) | BL 1169 |
| BASELINE | 2376.516 | CSBM MON 2IN UP 27FT W C/L 90TH ST E + 70FT S (1965) C/L AVE G MKD (BM 116-4 1961) | BL 1170 |
| BASELINE | 2386.033 | CSBM MON 4IN UP 80FT E C/L 90TH ST E + 20FT S (1965) C/L AVE G-8 25FT W PP 951530E MKD (BM 116-3 1961) | BL 1171 |
| BASELINE | 2397.331 | CSBM MON 4IN UP 35FT N + 115FT E C/L INT AVE H + (1965) 90TH ST E MKD (BM 116-2 1961) | BL 1172 |
| BASELINE | 2404.665 | CSBM MON 3IN UP 30FT E C/L 90TH ST E + 155FT N (1965) C/L AVE H-8 MKD (BM 116-1 1961) | BL 1173 |
| BASELINE | 2415.682 | CSBM MON 4IN UP 68FT W C/L 90TH ST E + 30FT S (1965) C/L AVE I 2FT E PP 955497E MKD (BM 107-26 1961) | BL 1174 |
| BASELINE | 2426.433 | CSBM MON 4IN UP 35FT E C/L 90TH ST E + 550FT N (1965) AVE I-8 3FT E PP 771405E MKD (BM 107-25 1961) | BL 1175 |
| BASELINE | 2457.139 | CSBM MON 4IN UP 90FT W C/L 90TH ST E + 29FT S (1965) C/L AVE J-8 1FT N OF N P/L GLENDALE AUTO PARTS YD MKD (BM 107-23 1961) | BL 1177 |
| BASELINE | 2475.631 | CSBM MON 27FT W C/L 90TH ST E + 60FT S C/L AVE K BL (1965) 2FT W TP K9248Y MKD (BM 107-22 1961) | 1178 |
| BASELINE | 2490.569 | CSBM MON 3IN UP 33FT E C/L 90TH ST E + 45FT S (1965) C/L AVE K-8 3FT E PP 771366E MKD (BM 107-21 1961) | BL 1179 |
| BASELINE | 2498.260 | CSBM MON 60FT W C/L 90TH ST E + 30FT S C/L AVE L BL (1965) 3FT S PP 800334E MKD (BM 107-20 1961) | 1180 |

AUG 1968

LOS ANGELES COUNTY ROAD DEPARTMENT
SURVEY SECTION FIELD ENGINEERING DIVISION

PAGE 20

| QUAD-YEAR | ELEV | DESCRIPTION (INCLUDE QUAD AND YEAR IN DESCRIPTION) | BM NUMBER |
|-----------------|----------|--|-----------|
| BASELINE (1965) | 2513.418 | CSBM MON 34FT E C/L 90TH ST E + 35FT N C/L AVE L-8 3FT S PP 771347E MKD (BM 107-19 1961) | BL 1181 |
| BASELINE (1965) | 2526.145 | CSBM MON 4IN UP 36FT N C/L AVE M + 36FT E C/L 90TH ST E MKD (BM 107-18 1961) | BL 1182 |
| LANCASTR (1965) | 2448.761 | CS MON 14IN DN @ C/L INT AVE D (PAVED) + 95TH ST BL W (DIRT RD) MKD (T8N R13W 1/4 SEC COR 18-19) (NW EDGE) | 1208 |
| LANCASTR (1965) | 2461.612 | RDBM TAG 1FT N OF S EDGE + 8FT E OF W EDGE CONC SLAB 110FT N C/L AVE D + 215FT E C/L 100TH ST W | BL 1209 |
| LANCASTR (1965) | 2460.572 | CS MON (S EDGE) IN WELL 20IN DN @ C/L INT AVE D + 100TH ST W MKD (SEC COR 13 18 19 24 T8N R13W R14W) | BL 1210 |
| LANCASTR (1965) | 2474.593 | L+BN IN CONC AROUND 3IN IP 77FT N C/L AVE D + 22FT E C/L 105TH ST W (DIRT RD) | BL 1211 |
| LANCASTR (1965) | 2472.137 | CS MON 24IN DN @ C/L INT AVE D + 105TH ST W (DIRT RD) MKD (T8N R14W 1/4 SEC COR 13,24) (W EDGE) | BL 1212 |
| BASELINE (1965) | 2485.338 | CS MON (SW EDGE) IN WELL 14IN DN @ C/L INT AVE D + 110TH ST W MKD (SEC COR 13 14 23 24 T8N R14W) | BL 1213 |
| BASELINE (1965) | 2497.288 | CS MON IN WELL 15IN DN 5FT N C/L INT AVE I + 110TH ST W MKD (SEC COR 11 12 13 14 R14W T7N) | BL 1303 |
| LANCASTR (1965) | 2480.905 | USC+GS MON FLUSH 33FT N C/L AVE I + 125FT W C/L 105TH ST W 14FT SE OF SW COR EDISON TOWER 57-4 MKD (A 306 1935) | BL 1304 |
| LANCASTR (1965) | 2477.248 | CS MON IN WELL 14IN DN @ C/L INT AVE I + 105TH ST W MKD (1/4 COR 12 13 R14W T7N) | BL 1305 |
| LANCASTR (1965) | 2456.047 | CS MON IN WELL 18IN DN @ C/L INT AVE I + 100TH ST W MKD (SEC COR 7 12 13 18 T7N R14W R13W) | BL 1306 |
| LANCASTR (1965) | 2436.946 | CSBM MON FLUSH 56FT S C/L AVE I @ 95TH ST W UNDER EDISON TOWER M2624 MKD (BM 102-21 1957) | BL 1307 |
| LANCASTR (1965) | 2417.811 | USGS MON 24IN UP 298FT E C/L 90TH ST W + 0.2MI N AVE I 89FT S FIELD RD TO HAYSHED 274FT NE OF NE COR METAL SHED OVER WELL MKD (LINT DEL SUR) | BL 1308 |
| BASELINE (1965) | 2525.434 | CSBM MON 5IN UP 34FT N C/L AVE M + 175FT E C/L 35TH ST W 6FT E PP 1054605E MKD (BM 104-7 1958) | BL 1373 |
| BASELINE (1965) | 2516.770 | CS MON IN WELL @ C/L INT AVE N + 35TH ST W MKD (1/4 COR 31-6 R12W T7N T6N) | BL 1374 |
| BASELINE (1965) | 2567.496 | CS MON IN WELL 18IN DN @ C/L INT AVE M + 45TH ST W ON CREST OF HILL 800FT W QUARTZ HILL RD MKD (1/4 SEC 1 36 T6N T7N R13W) | BL 1376 |
| BASELINE (1965) | 2529.473 | CSBM MON 4IN UP 28FT S + 41FT W C/L INT AVE M + 47TH ST W 4FT W PP 168073E MKD (BM 104-12 1958) | BL 1377 |
| BASELINE (1965) | 2528.638 | CS TAG W END OF N HDWL ON NE COR AVE M + SIERRA HWY 43FT N + 248FT E C/L INT | BL 1425 |

AUG 1968

LOS ANGELES COUNTY ROAD DEPARTMENT
SURVEY SECTION FIELD ENGINEERING DIVISION

PAGE 21

| QUAD-YEAR | ELEV | DESCRIPTION (INCLUDE QUAD AND YEAR IN DESCRIPTION) | BM NUMBER |
|-----------------------------|--|---|-----------|
| LANCASTR 2463.873 (1965) | USGS MON 10IN UP (LEANING N) 0.25MI N AVE L + 150FT E C/L SIERRA HWY MKD (BM 36) MARKER POST 1FT W | BL 1426 | |
| LANCASTR 2423.215 (1965) | CSBM MON 2IN DN ON SE COR SIERRA HWY + AVE K 198FT S + 62FT E C/L INT MKD (BM 101-126 1957) | BL 1427 | |
| LANCASTR 2422.224 (1965) | L+BN SE COR CONC APRON OF GAS STA ON SW COR SIERRA HWY + AVE K 133FT S + 61FT W C/L INT MKD (BL) | BL 1428 | |
| LANCASTR 2396.952 (1965) | RDBM TAG N CB 1FT W BCR @ NW COR SIERRA HWY + AVE J8 86FT W + 18FT N C/L INT | BL 1429 | |
| LANCASTR 2327.124 (1965) | L+BR W CB 1FT N BCR @ SW COR AVE H8 + BEECH AVE 49FT S + 20FT W C/L INT | BL 1430 | |
| LANCASTR 2326.442 (1965) | SQ HD SPK N CB 4FT W BCR @ NW COR AVE H8 + BEECH AVE 25FT N + 48FT W C/L INT | BL 1431 | |
| LANCASTR 2326.316 (1965) | RDBM TAB W END OF N HDWL ON NW COR SIERRA HWY + AVE H 30FT N + 4 ^{1/2} FT W C/L INT | BL 1432 | |
| LANCASTR 2325.628 (1965) | CSBM MON 3IN UP ON NE COR SIERRA HWY + AVE H 155FT N + 90FT E C/L INT MKD (BM 101-135 1957) | BL 1433 | |
| LANCASTR 2317.028 (1965) | 6X6 CONC POST W/RAM SET 50FT S CULV G90+50 57FT W C/L SIERRA HWY + 0.6MI N AVE H POST MKD (C) | BL 1434 | |
| LANCASTR 2314.807 (1965) | CS MON ON NE COR SIERRA HWY + AVE G 124FT N + 97FT E C/L INT MKD (BM 101-137 1957) | BL 1435 | |
| LANCASTR 2314.824 (1965) | RDBM TAG CTR OF S HDWL ON NW COR SIERRA HWY + AVE G 185FT N + 35FT W C/L INT | BL 1436 | |
| LANCASTR 2308.439 (1965) | RDBM TAG CTR OF S HDWL ON NW COR SIERRA HWY + AVE F8 (PROP) 200FT N + 50FT W C/L INT | BL 1437 | |
| LANCASTR 2308.239 (1965) | L+BN CTR OF N HDWL ON NW COR SIERRA HWY + AVE F8 (PROP) 225FT N + 50FT W C/L INT MKD (BM) | BL 1438 | |
| LANCASTR 2307.005 (1965) | RDBM TAG CONC BASE OF SEMAPHORE NO 4022 123FT E C/L SIERRA HWY + 0.1MI S AVE F | BL 1439 | |
| LANCASTR 2302.631 (1965) | RD HD SPK IN CHIS SQ N END E HDWL BRIDGE @ G215 +50 ON NE COR SIERRA HWY + AVE E 88FT N + 43FT E C/L INT | BL 1440 | |
| LANCASTR 2302.501 (1965) | L+PK NAIL N END OF E HDWL OF BRIDGE NO 53-510 0.15MI S AVE D8 (PROP) 25FT E C/L SIERRA HWY | BL 1441 | |
| LANCASTR 2299.484 (1965) | CSBM MON 2IN UP ON SE COR SIERRA HWY + AVE D8 (PROP) 90FT E + 250FT S C/L INT MKD (BM 101-144 1957) | BL 1442 | |
| LANCASTR 2303.705 (1965) | RDSM TAG W CB SIERRA HWY (E CB OF ISLAND) 31FT W C/L + 20FT S C/L AVE D (Hwy 138) | BL 1443 | |
| LANCASTR 2301.985 (1965) | L+PK NAIL CTR OF N HDWL ON NW COR SIERRA HWY + AVE D (Hwy 138) 172FT W + 50FT N C/L INT | BL 1444 | |
| LANCASTR 2303.382 (1965) | 6X6 CONC POST W/NAIL 10IN UP ON SW COR SIERRA HWY + AVE C8 (PROP) NR NE COR CO SANITATION DIST YD NO 14 50FT S + 56FT W C/L INT POST MKD (C) | BL 1445 | |

AUG 1968

LOS ANGELES COUNTY ROAD DEPARTMENT
SURVEY SECTION FIELD ENGINEERING DIVISION

PAGE 22

| QUAD-YEAR | ELEV | DESCRIPTION (INCLUDE QUAD AND YEAR IN DESCRIPTION) | BM NUMBER |
|-----------|----------|--|-----------|
| LANCASTR | 2301.719 | CSBM MON 2IN UP ON NE COR SIERRA HWY + PROPOSED AVE C 8 275FT N + 40FT E C/L INT MKD (BM 101-146 1957) | BL 1446 |
| LANCASTR | 2304.958 | RDBM TAG N END BRIDGE 53-512 25FT W C/L SIERRA HWY + 90FT N C/L AVE C | BL 1447 |
| LANCASTR | 2304.550 | RDBM TAG N END CONC HDWL 25FT W C/L SIERRA HWY + 0.6MI N AVE C | BL 1448 |
| LANCASTR | 2304.334 | 8IN DIA CONC POST W/IRON SPK 35FT E C/L SIERRA HWY 0.75MI N AVE C 2FT IP MARKER 1FT S MKD (W56) | BL 1449 |
| LANCASTR | 2303.701 | WIRE SPK S END CONC HDWL OF CULV G383+10 25FT E C/L SIERRA HWY + 106FT S C/L AVE B | BL 1450 |
| LANCASTR | 2307.346 | RD HD SPK S END E HDWL BRIDGE 53-514 25FT E C/L SIERRA HWY + 0.65MI N AVE B MKD (BM 101-150) | BL 1451 |
| LANCASTR | 2307.399 | RDBM TAG N END W HDWL BRIDGE 53-514 25FT W C/L SIERRA HWY + 0.65MI N AVE B | BL 1452 |
| LANCASTR | 2307.249 | WIRE SPK S END CONC HDWL OF CULV G426+19 ON SE COR SIERRA HWY + AVE A 25FT E + 208FT S C/L INT | BL 1453 |
| LANCASTR | 2306.899 | RDBM TAG CTR N HDWL OF CULV L 1237+60 23FT N C/L BL AVE D + 15FT W C/L 15TH ST W (PROP) | BL 1455 |
| LANCASTR | 2313.034 | USC+GS BR DISK IN NW COR OF E CONC HDWL @ ENT TO SANITATION DIST NO 14 YD 39FT N C/L AVE D + 155FT E C/L PROP 20TH ST W MKD (D1154 1961) | BL 1456 |
| LANCASTR | 2312.075 | L+PK IN W END CONC GATE PAD TO SANITATION DIST NO 14 YD 40FT N C/L AVE D + 125FT E C/L PROP 20TH ST W MKD (2314.170) | BL 1457 |
| LANCASTR | 2318.246 | RDBM TAG CTR OF CONC HDWL L 1185+00 23FT N C/L AVE D + 75FT E C/L PROP 25TH ST W | BL 1458 |
| LANCASTR | 2319.664 | RDBM TAG CTR OF CONC HDWL L 1176+00 21FT N C/L AVE D + 816FT W C/L PROP 25TH ST W | BL 1459 |
| LANCASTR | 2328.297 | CHIS X ON ANCHOR BOLT IN WATER TANK FOOTING ON NE COR AVE D + 30TH ST W (PROP) 127FT N + 3FT E C/L INT | BL 1460 |
| LANCASTR | 2334.917 | RDBM TAG CTR CONC HDWL L 1134+00 21FT N C/L AVE D + 330FT E C/L PROP 35TH ST W | BL 1462 |
| LANCASTR | 2338.051 | RDBM TAG CTR CONC HDWL L 1125+00 21FT N C/L AVE D + 570FT W C/L PROP 35TH ST W | BL 1463 |
| LANCASTR | 2343.342 | USGS MON 12IN UP ON SE COR AVE D + 40TH ST W 40FT S + 12FT E C/L INT MKD (R46 1929) (NW 1/4) | BL 1464 |
| LANCASTR | 2345.383 | RDBM TAG CTR CONC HDWL L 1101+00 21FT N C/L AVE D + 356FT W C/L PROP 40TH ST W | BL 1465 |
| LANCASTR | 2351.462 | STATE HWY BR CAP CTR CONC HDWL L 1085+00 21FT N C/L AVE D + 964FT E C/L PROP 45TH ST W | BL 1466 |
| LANCASTR | 2354.244 | CS MON 20IN DN ON C/L INT AVE D + 45TH ST W MKD (1/4 SEC COR 13-24 T8N R13W) | BL 1467 |

AUG 1968

LOS ANGELES COUNTY ROAD DEPARTMENT
SURVEY SECTION FIELD ENGINEERING DIVISION

PAGE 23

| QUAD-YEAR | ELEV | DESCRIPTION (INCLUDE QUAD AND YEAR IN DESCRIPTION) | BM NUMBER |
|-------------------|----------------------------------|---|-----------|
| LANCASTR 2367.104 | USC+GS | REF MON 6IN UP ON NE COR AVE D + 50TH ST W 95FT N + 61FT E C/L INT MKD (AVENUE NO 1 1960) | BL 1468 |
| LANCASTR 2367.850 | USC+GS | MON 4IN UP ON NW COR AVE D + 50TH ST W 102FT N + 92FT W C/L INT MKD (AVENUE 1960) | BL 1469 |
| LANCASTR 2375.710 | RDBM TAG CTR OF CONC HDWL | AVE D + 490FT E C/L PROPOSED 55TH ST W 1030+00 21FT N C/L | BL 1470 |
| LANCASTR 2377.604 | 2IN IP W/CUT SPK + CONC COLLAR | ON C/L PROP 55TH ST W + 45FT S C/L AVE D | BL 1471 |
| LANCASTR 2320.085 | RDBM TAG W CB | 1FT N BCR @ NW COR AVE I + 23RD ST W 76FT N + 30FT W C/L INT | BL 1472 |
| LANCASTR 2458.544 | CS MON IN WELL 24IN DN @ C/L INT | 50TH ST W + AVE L8 MKD (1/4 SEC COR 35-36 T7N R13W 1928) | BL 1473 |
| LANCASTR 2363.844 | CS MON IN WELL 12IN DN @ C/L INT | 50TH ST W + PROPOSED AVE J8 MKD (1/4 COR 23-24 R13W T7N) USE S EDGE | BL 1474 |
| LANCASTR 2392.652 | CHIS (X) ON S SIDE OF SMH RIM | @ SW COR AVE K + 15TH ST W 20FT S + 5FT W C/L INT | BL 1476 |
| LANCASTR 2393.269 | CHIS (X) ON W BOLT OF FIRE HYDT | ON SW COR AVE K + 15TH ST W 40FT S + 65FT W C/L INT | BL 1477 |
| LANCASTR 2366.542 | CS MON 2IN UP ON C/L | 15TH ST E 30FT S C/L AVE I 12FT N + 12FT E PP 1491371E MKD (WC SEC 13 T7N R12W) (W EDGE) | BL 1478 |
| LANCASTR 2378.344 | L+BN CONC FOOTING OF GATEPOST | SW COR AVE K + 70TH ST W 40FT S + 103 FT W APPROX C/L INT MKD (BM) | BL 1804 |
| LANCASTR 2381.961 | 2IN IP WITH CE TAG | 6IN UP ON SE COR AVE K + 75TH ST W PROP 50FT S + 50FT E APPROX C/L INT | BL 1805 |
| LANCASTR 2380.355 | CS MON 12IN DN IN WELL | @ C/L INT AVE K + 75TH ST W MKD (21 28 T7N R12W) | BL 1806 |
| LANCASTR 2395.813 | CS MON IN WELL 18IN DN @ C/L INT | AVE K + 80TH ST W MKD (20 21 28 29 T7N R13W) | BL 1807 |
| LANCASTR 2399.280 | 2IN IP WITH CE TAG | 6IN UP ON SW COR AVE K + 80TH ST W 50FT S + 50FT W APPROX C/L INT | BL 1808 |
| LANCASTR 2427.605 | CS MON IN WELL 10IN DN @ C/L INT | AVE K + 85TH ST W MKD (1/4 COR 20 29 T7N R13W) | BL 1809 |
| LANCASTR 2430.084 | 2IN IP WITH CE TAG | 8IN UP ON NW COR AVE K + 85TH ST W PROP 50FT N + 50FT W APPROX C/L INT (N EDGE) | BL 1810 |
| LANCASTR 2470.005 | 1.5IN IP + BRAD FLUSH | ON SE COR AVE K + 90TH ST W 50FT S + 50FT E APPROX C/L INT | BL 1811 |
| LANCASTR 2491.440 | 1.5IN IP NR CTR TOWER NO 35-1 | 75FT S C/L AVE K + 600FT W C/L 90TH ST W (S EDGE) | BL 1812 |
| LANCASTR 2523.767 | 2IN IP WITH CE TAG | 2IN DN ON SE COR AVE K + 95TH ST W PROP 50FT S + 50FT E APPROX C/L INT | BL 1813 |

AUG 1968

LOS ANGELES COUNTY ROAD DEPARTMENT
SURVEY SECTION FIELD ENGINEERING DIVISION

PAGE 24

| QUAD-YEAR | ELEV | DESCRIPTION (INCLUDE QUAD AND YEAR IN DESCRIPTION) | BM NUMBER |
|-----------------------------|--|---|-----------|
| LANCASTR 2523.707 (1965) | 2IN IP WITH CE TAG 4IN DN ON NW COR AVE K + 95TH ST W PROP 50FT N + 50FT W APPROX C/L INT | BL 1814 | |
| LANCASTR 2577.689 (1965) | SPK+T PP NO 574764E 21FT N APPROX C/L AVE K + 325FT E C/L 100TH ST W PROP | BL 1815 | |
| LANCASTR 2583.157 (1965) | RDBM MON 8IN DN 20FT E C/L 100TH ST W PROP ON TP LINE + SOFT N C/L AVE K 2IN IP MARKER 3FT UP + 2FT N | BL 1816 | |
| LANCASTR 2530.585 (1965) | RDBM MON 8IN DN ON TP LINE 20FT E C/L 100TH ST W BL + 33FT N C/L AVE J-8 2IN IP MKR 3FT UP-2FT N | BL 1818 | |
| LANCASTR 2470.755 (1965) | CS MON 18IN DN IN WELL @ C/L INT AVE J + 100TH ST W MKD (SEC COR 24 19 13 18 R13W R14W T7N) | BL 1819 | |
| LANCASTR 2467.316 (1965) | L+BN CONC FOOTING TOWER 25-5 100FT E C/L 100TH ST W + 500FT N AVE J | BL 1820 | |
| LANCASTR 2456.508 (1965) | 2IN IP 12IN UP ON SE COR 100TH ST W PROP + AVE I-8 PROP 40FT S + 40FT E APPROX C/L INT | BL 1821 | |
| LANCASTR 2454.605 (1965) | CS MON 6IN DN @ C/L INT 100TH ST W + FUT AVE I-8 MKD (1/4 COR 13 18 T7N R13W R14W) | BL 1822 | |
| BASELINE 2610.458 (1965) | CS MON IN WELL 8IN DN @ C/L INT AVE M + 70TH ST W MKD (33 34 4 3 T6N T7N R13W) | BL 1997 | |
| BASELINE 2561.273 (1965) | CS MON IN WELL 22IN DN @ C/L INT AVE M + 65TH ST W MKD (1/4 COR 34 3 T6N T7N R13W) | BL 1998 | |
| BASELINE 2512.526 (1965) | L+BN CONC BASE FIRE HYD PROTECTION PIPE @ NE COR AVE M + 60TH ST W 75FT N + 40FT E C/L INT MKD (BM) | BL 1999 | |
| BASELINE 2501.276 (1965) | CSBM MON 4IN UP ON SW COR AVE M + 55TH ST W 39FT BL S + 37FT W C/L INT MKD (BM 104-14 1958) | BL 2000 | |
| BASELINE 2519.783 (1965) | CSBM MON 4IN UP ON NE COR AVE M + 25TH ST W 34FT BL N + 60FT E C/L INT MKD (BM 104-5 1958) | BL 2001 | |
| BASELINE 2519.273 (1965) | CS MON IN WELL 6IN DN @ C/L INT AVE M + 15TH ST W MKD (1/4 COR 33 4 T7N T6N R12W) | BL 2002 | |
| BASELINE 2518.450 (1965) | CSBM MON 4IN UP ON NE COR AVE M + 15TH ST W 31FT BL N + 215FT E C/L INT MKD (BM 104-3 1958) | BL 2003 | |
| BASELINE 2522.622 (1965) | CS MON 21IN DN IN WELL @ C/L INT AVE M + 10TH ST W MKD (SEC COR 3 4 33 34 T7N T6N R12W 1928) | BL 2004 | |
| BASELINE 2524.455 (1965) | USC+GS MON 3IN UP ON NE COR AVE M + 10TH ST W 62FT E + 33FT N C/L INT MKD (C 489 1955) | BL 2005 | |
| BASELINE 2528.538 (1965) | CS MON IN WELL 21IN DN @ C/L INT AVE M + 5TH ST W MKD (1/4 COR 34 3 T7N T6N R12W) | BL 2006 | |
| LANCASTR 2436.512 (1965) | RDBM MON IN WELL 8IN DN ON SW COR 90TH ST W + AVE D-8 210FT S + 46FT W C/L INT 2IN IP MKR 3FT UP 2FT W | BL 2007 | |
| BASELINE 2532.284 (1965) | RDBM TAG N CB AVE M 40FT N C/L + 250FT E C/L 5TH BL ST W IN FRONT OF COUNTY DISPATCH CENTER | BL 2008 | |

AUG 1968

LOS ANGELES COUNTY ROAD DEPARTMENT
SURVEY SECTION FIELD ENGINEERING DIVISION

PAGE 25

| QUAD-YEAR | ELEV | DESCRIPTION (INCLUDE QUAD AND YEAR IN DESCRIPTION) | BM NUMBER |
|-----------------------------|---|---|-----------|
| BASELINE 2519.419 (1965) | CSBM MON IN CONC POST 4IN UP ON NW COR AVE M + 5TH ST E 40FT N + 100FT W C/L INT MKD (BM 121-1 1961) | BL 2009 | |
| BASELINE 2518.546 (1965) | CS MON 8IN DN IN WELL @ C/L INT AVE M + 5TH ST E BL MKD (1/4 COR 35 2 T6N T7N R12W) | 2010 | |
| BASELINE 2504.285 (1965) | CSBM MON 4IN UP ON NW COR AVE M + 10TH ST E 72FT BL N + 40FT W C/L INT MKD (BM 121-2 1961) | 2011 | |
| BASELINE 2504.101 (1965) | CS MON IN WELL 8IN DN @ C/L INT AVE M + 10TH ST E MKD (SEC COR 35 36 1 2 R12W T6N T7N) | 2012 | |
| BASELINE 2487.357 (1965) | CSBM MON 4IN UP ON SW COR AVE M + 15TH ST E 40FT BL S + 50FT W C/L INT MKD (BM 121-3 1961) | 2013 | |
| BASELINE 2486.367 (1965) | L+BN CONC FOOTING 4FT BARBED WIRE FENCE @ SE COR BL AVE M + 15TH ST E 40FT S + 30FT E C/L INT MKD (BM) | 2014 | |
| BASELINE 2477.314 (1965) | CSBM MON 4IN UP ON SW COR AVE M + 20TH ST E 68FT BL W + 40FT S C/L INT MKD (BM 121-4 1961) | 2015 | |
| BASELINE 2476.204 (1965) | L+BN CONC FOOTING 7FT CHAIN LINK FENCE @ NW COR BL AVE M + 20TH ST E 50FT N + 45FT W C/L INT MKD (BM) | 2016 | |
| BASELINE 2470.439 (1965) | CSBM MON 4IN UP 38FT S C/L AVE M + 229FT W C/L 25TH ST E MKD (BM 121-5 1961) 2IN IP MKR 3FT UP 2FT N | 2017 | |
| BASELINE 2469.998 (1965) | L+BN CONC FOOTING 7FT CHAIN LINK FENCE ON NE COR BL AVE M + 25TH ST E 40FT N + 500FT E C/L INT MKD (BM) | 2018 | |
| BASELINE 2471.199 (1965) | CSBM MON 4IN UP ON SW COR AVE M + 30TH ST E 38FT BL S + 125FT W C/L INT MKD (BM 121-6 1961) 2IN IP NKR 3FT UP 2FT N | 2019 | |
| BASELINE 2471.621 (1965) | L+BN CONC FOOTING COR FENCE POST @ SE COR AVE M + 30TH ST E 40FT S + 40FT E C/L INT MKD (BM) | 2020 | |
| BASELINE 2472.551 (1965) | CSBM MON 4IN UP 38FT S C/L AVE M + 585FT W 35TH ST E MKD (BM 121-7 1961) 2IN IP MKR 3FT UP 2FT N | 2021 | |
| BASELINE 2474.849 (1965) | L+BN CONC IRRIG STANDPIPE 30FT N C/L AVE M + 30FT W C/L FUT 35TH ST E MKD (BM) | 2022 | |
| BASELINE 2473.590 (1965) | CSBM MON 4IN UP ON SE COR AVE M + 40TH ST E 38FT BL S + 34FT E C/L INT MKD (BM 121-8 1961) 2IN IP MKR 3FT UP 2FT N | 2023 | |
| BASELINE 2473.612 (1965) | L+BN CONC OF 4FT STANDPIPE ON NE COR AVE M + 40TH ST E 30FT N + 28FT E C/L INT MKD (BM) | 2024 | |
| BASELINE 2473.696 (1965) | CSBM MON 4IN UP ON SW COR AVE M + FUT 45TH ST E 37FT S + 90FT W C/L INT MKD (BM 121-9 1961) 2IN IP MKR 3FT UP 2FT N | 2025 | |
| BASELINE 2472.801 (1965) | CS MON IN WELL 10IN DN @ C/L INT AVE M + FUT 45TH ST E MKD (1/4 COR 33 4 T6N T7N R11W) | BL 2026 | |
| BASELINE 2476.811 (1965) | CS MON 30IN DN IN WELL @ C/L INT AVE M + 50TH ST BL E MKD (SEC COR 3 4 33 34 T6N T7N R11W) | 2027 | |

AUG 1968

LOS ANGELES COUNTY ROAD DEPARTMENT
SURVEY SECTION FIELD ENGINEERING DIVISION

PAGE 26

| QUAD-YEAR | ELEV | DESCRIPTION (INCLUDE QUAD AND YEAR IN DESCRIPTION) | BM NUMBER |
|-----------------------------|--|---|-----------|
| BASELINE 2480.166 (1965) | CSBM MON 6IN UP ON SE COR AVE M + 50TH ST E 95FT BL S + 36FT E C/L INT MKD (BM 120-2 1961) 2IN IP MKR 3FT UP 2FT W | | 2028 |
| BASELINE 2483.486 (1965) | CSBM MON 4IN UP 32FT N C/L AVE M + 450FT W 55TH ST E MKD (BM 121-10 1961) 2IN IP MKR 3FT UP 2FT W | | 2029 |
| BASELINE 2487.260 (1965) | CSBM MON 4IN UP @ NW COR FUT AVE M + 60TH ST E 30FT N + 42FT W C/L INT MKD (BM 121-11 1961) 2IN IP MKR 3FT UP 2FT S | | 2030 |
| BASELINE 2484.787 (1965) | CS MON FLUSH @ FUT C/L INT AVE M + 65TH ST E MKD (1/4 COR 35 2 T6N T7N R11W) | BL | 2031 |
| BASELINE 2496.488 (1965) | CS MON @ C/L INT FUT AVE M + 75TH ST E MKD (1/4 COR 36 1 T6N T7N R11W) | BL | 2033 |
| BASELINE 2499.424 (1965) | RDBM MON IN WELL 8IN DN ON NW COR FUT AVE M + 80TH ST E 160FT N + 23FT W C/L INT BET PP 1185566E + DEADMAN 2IN IP MKR 3FT UP 2FT W | BL | 2034 |
| BASELINE 2514.861 (1965) | CS MON 14IN DN @ C/L INT FUT AVE M + 85TH ST E MKD (1/4 COR 31 6 T6N T7N R10W) 2IN IP MKR 3FT UP 2FT E | BL | 2035 |
| BASELINE 2666.035 (1965) | RDBM TAG CONC COLLAR FIRE HYD @ SE COR AVE M + FUT 75TH ST W 28FT S + 40FT E C/L INT | BL | 2057 |
| BASELINE 2706.638 (1965) | USC+GS MON IN SE LEG EDISON TOWER 62-3 50FT N C/L AVE M + 800FT E 80TH ST W MKD (A 1045 1960) | BL | 2058 |
| BASELINE 2721.725 (1965) | RDBM MON IN WELL 8IN DN @ NW COR FUT AVE M + 80TH ST W 20FT N + 15FT W C/L INT 2IN IP MKR 3FT UP 2FT W | BL | 2059 |
| BASELINE 2864.391 (1965) | CS MON 12IN DN @ FUT C/L INT AVE M + 85TH ST W MKD (1/4 SEC COR 32 5 T6N T7N R13W) | BL | 2060 |
| BASELINE 2989.442 (1965) | USC+GS MON 4IN UP @ NW COR FUT AVE M + 90TH ST W BL 5FT N + 11FT W APPROX C/L INT MKD (Z 1044 1960) | BL | 2061 |
| BASELINE 2756.738 (1965) | CS MON 12IN DN @ FUT C/L INT AVE L-8 + 90TH ST W BL MKD (1/4 COR 31 32 R13W T7N) | BL | 2062 |
| BASELINE 2702.226 (1965) | USC+GS MON 4IN UP 20FT S C/L AVE L (DIRT RD) + 0.4MI W 90TH ST W NR FUT 94TH ST W MKD (X 1044 1960) | BL | 2063 |
| BASELINE 2710.836 (1965) | CS MON 24IN DN @ FUT C/L INT AVE L + 95TH ST W MKD (1/4 COR 30 31 T7N R13W) | BL | 2064 |
| BASELINE 2761.762 (1965) | CS MON 24IN DN @ FUT C/L INT AVE L + 100TH ST W MKD (SEC COR 25 30 36 31 T7N R13W R14W) | BL | 2065 |
| LANCASTR 2372.271 (1965) | RDBM TAG E CB FRONT OF WATER TANKS 40FT E C/L 50TH ST W + 0.3MI N AVE K | BL | 2079 |
| LANCASTR 2349.773 (1965) | 2IN IP + CS TAG 3IN UP ON NW COR 50TH ST W + AVE BL J 60FT N + 60FT W C/L INT | BL | 2080 |
| LANCASTR 2352.962 (1965) | USC+GS MON 3IN UP ON NE COR 60TH ST W + AVE G 72FT N + 49FT E C/L INT MKD (W 1154 1961) | BL | 2081 |

AUG 1968

LOS ANGELES COUNTY ROAD DEPARTMENT
SURVEY SECTION FIELD ENGINEERING DIVISION

PAGE 27

| QUAD-YEAR | ELEV | DESCRIPTION (INCLUDE QUAD AND YEAR IN DESCRIPTION) | BM NUMBER |
|-----------------------------|---|---|-----------|
| LANCASTR 2342.913 (1965) | CSBM MON 4IN UP 42FT S C/L AVE I + 0.5MI W 50TH ST W MKD (BM 102-11B 1962) 2IN IP MKR 3FT UP 2FT N | BL 2082 | |
| LANCASTR 2342.752 (1965) | CSBM MON E HDWL DRIVE TO MIRA LOMA FACILITY 30FT S C/L AVE I + 1200FT E 60TH ST W MKD (BM 102-11A 1962) | BL 2083 | |
| LANCASTR 2362.981 (1965) | CS MON IN WELL 10IN DN ON C/L 70TH ST W 33FT S C/L AVE I MKD (SEC COR 9 10 15 16 R13W T7N) | BL 2084 | |
| LANCASTR 2357.897 (1965) | CS MON IN WELL 18IN DN @ C/L INT 70TH ST W + FUT AVE I-8 MKD (1/4 COR 16 15 R13W T7N) | BL 2085 | |
| LANCASTR 2356.282 (1965) | CS MON IN WELL 18IN DN @ C/L INT 70TH ST W + AVE BL J MKD (SEC COR 15 16 21 22 R13W T7N) | BL 2086 | |
| LANCASTR 2361.971 (1965) | CS MON IN WELL 16IN DN @ C/L INT 70TH ST W + FUT AVE J-8 MKD (1/4 COR 21 22 R13W T7N) | BL 2087 | |
| LANCASTR 2399.639 (1965) | CS MON IN WELL 20IN DN @ C/L INT 70TH ST W + FUT AVE K-8 MKD (1/4 COR 27 28 R13W T7N) | BL 2088 | |
| LANCASTR 2439.136 (1965) | CS MON IN WELL 20IN DN @ C/L INT 70TH ST W + AVE BL L MKD (SEC COR 33 34 27 28 R13W T7N) | BL 2089 | |
| LANCASTR 2511.234 (1965) | CS MON IN WELL 20IN DN @ C/L INT 70TH ST W + FUT AVE L-8 MKD (1/4 COR 33 34 R13W T7N) | BL 2090 | |
| LANCASTR 2436.269 (1965) | CS MON IN WELL 14IN DN @ C/L INT AVE I + 95TH ST W MKD (1/4 COR 7 18 R13W T7N) | BL 2091 | |
| LANCASTR 2426.870 (1965) | CSBM MON 6IN UP ON SW COR 90TH ST W + AVE G 25FT S + 25FT W C/L INT MKD (BM 119-16 1961) | BL 2094 | |
| LANCASTR 2420.431 (1965) | L+T CONC STANDPIPE SE COR 90TH ST W + AVE F-8 32FT S + 60FT E C/L INT MKD (BM) | BL 2095 | |
| LANCASTR 2415.438 (1965) | CS MON IN WELL 18IN DN @ C/L INT 90TH ST W + AVE F-8 MKD (1/4 COR 31 32 T8N R13W) | BL 2096 | |
| LANCASTR 2431.203 (1965) | CS MON IN WELL 18IN DN @ C/L INT 90TH ST W + AVE BL E MKD (SEC COR 19 20 29 30 T8N R13W) | BL 2097 | |
| LANCASTR 2437.076 (1965) | 2IN IP 6IN DN ON SW COR 90TH ST W + AVE D-8 50FT S + 50FT W C/L INT | BL 2098 | |
| LANCASTR 2443.792 (1965) | USC+GS MON FLUSH ON SW COR 90TH ST W + AVE C 80FT W + 27FT S C/L INT MKD (LITTLE BUTTE 1932) | BL 2099 | |
| LANCASTR 2440.860 (1965) | USC+GS MON 3IN UP @ NE COR 90TH ST W + AVE B 25FT N + 25FT E C/L INT MKD (1T NW 1963) | BL 2100 | |
| LANCASTR 2428.125 (1965) | CS MON 14IN DN @ C/L INT AVE B + FUT 85TH ST W MKD (1/4 COR 5 8 R13W T8N) | BL 2101 | |
| LANCASTR 2408.229 (1965) | CS MON 12IN DN @ C/L INT AVE B + FUT 75TH ST W MKD (1/4 COR 4 9 R13W T8N) | BL 2102 | |
| LANCASTR 2399.531 (1965) | CSBM MON 6IN UP ON SW COR AVE B + 70TH ST W 107FT S + 25FT W C/L INT MKD (BM 119-2 1961) | BL 2103 | |
| LANCASTR 2383.052 (1965) | USC+GS MON FLUSH ON SE COR 60TH ST W + FUT AVE C BL 170FT S + 40FT E C/L INT MKD (P 1154 1961) | BL 2104 | |

AUG 1968

LOS ANGELES COUNTY ROAD DEPARTMENT
SURVEY SECTION FIELD ENGINEERING DIVISION

PAGE 28

| QUAD-YEAR | ELEV | DESCRIPTION (INCLUDE QUAD AND YEAR IN DESCRIPTION) | BM NUMBER |
|-----------------------------|--|---|-----------|
| LANCASTR 2360.330 (1965) | USC+GS MON 4IN UP ON SE COR 60TH ST W + FUT AVE E 25FT S + 40FT E C/L INT MKD (A 1154 1961) | BL 2105 | |
| LANCASTR 2353.309 (1965) | CS MON 6IN UP ON SE COR 60TH ST W + FUT AVE F-8 40FT S + 40FT E C/L INT MKD (BM 103-12A 1962) | BL 2106 | |
| LANCASTR 2357.882 (1965) | USC+GS MON 4IN UP ON NE COR 60TH ST W + AVE H 40FT N + 25FT E C/L INT MKD (V 1153 1961) | BL 2107 | |
| LANCASTR 2356.877 (1965) | CS MON IN WELL 12IN DN @ C/L INT 60TH ST W + AVE H MKD (SEC COR 2 3 10 11 R13W T7N) | BL 2108 | |
| LANCASTR 2468.519 (1965) | CS MON IN WELL @ C/L INT AVE K + 90TH ST W MKD (SEC COR 19 20 29 30 R13W T7N) | BL 2111 | |
| LANCASTR 2583.333 (1965) | CS MON IN WELL 8IN DN @ C/L INT AVE K + FUT 100TH ST W MKD (SEC COR 24 25 19 30 R13W R14W T7N) | BL 2112 | |
| LANCASTR 2530.755 (1965) | CS MON 12IN DN @ C/L INT 100TH ST W + AVE J-8 MKD (1/4 COR 19 24 R13W R14W T7N) 2IN IP MKR 3FT UP 3FT N | BL 2113 | |
| BASELINE 2487.588 (1965) | CSBM MON FLUSH 90FT S + 30FT W C/L INT AVE D + 110TH ST W MKD (BM 119-41 1961) | BL 2128 | |
| LANCASTR 2402.586 (1965) | CSBM MON IN SIDE OF RESERVOIR @ NW COR AVE D + 70TH ST W 110FT N + 30FT W C/L INT MKD (BM 119-6 1961) | BL 2129 | |
| BASELINE 2486.343 (1965) | CS MON IN WELL @ C/L INT 110TH ST W + AVE D-8 MKD (1/4 COR 23 24 R14W T8N) | BL 2130 | |
| BASELINE 2488.933 (1965) | CSBM MON 72FT S + 32FT E C/L INT AVE D-8 + 110TH ST W MKD (BM 119-42 1961) | BL 2131 | |
| BASELINE 2481.336 (1965) | CS MON (NE EDGE) IN WELL 18IN DN @ C/L INT 110TH ST W + AVE E MKD (SEC COR 23 24 25 26 R14W T8N) | BL 2132 | |
| BASELINE 2485.210 (1965) | CSBM MON 6IN UP 117FT S + 30FT W C/L INT 110TH ST W + FUT AVE E MKD (BM 119-43 1961) | BL 2133 | |
| BASELINE 2494.208 (1965) | CS MON IN WELL 18IN DN @ C/L INT 110TH ST W + FUT AVE E-8 30FT E PP 1222609E MKD (1/4 COR 25 26 R14W T8N) | BL 2134 | |
| BASELINE 2496.326 (1965) | CSBM MON 6IN UP 110FT S + 30FT W C/L INT 110TH ST W + AVE E-8 110FT S PP 1222609E MKD (BM 119-44 1961) | BL 2135 | |
| BASELINE 2513.327 (1965) | CS MON (NE EDGE) IN WELL 18IN DN @ C/L INT 110TH ST W + AVE E 25FT S + 30FT E PP 1222596E MKD (SEC COR 26 25 35 36 R14W T8N) | BL 2136 | |
| BASELINE 2516.157 (1965) | CSBM MON 6IN UP 260FT S + 35FT W C/L INT 110TH ST W + FUT AVE F MKD (BM 119-45 1961) | BL 2137 | |
| BASELINE 2514.833 (1965) | CS TRI STA MON 8IN UP 238FT S + 38FT W C/L INT AVE F + 110TH ST W MKD (DEL SUR G-1 ECC 1 1964) | BL 2138 | |
| BASELINE 2487.866 (1965) | CS MON (N EDGE) IN WELL 16IN DN @ C/L INT 110TH ST W + AVE F-8 MKD (1/4 COR 35 36 R14W T8N) | BL 2139 | |

AUG 1968

LOS ANGELES COUNTY ROAD DEPARTMENT
SURVEY SECTION FIELD ENGINEERING DIVISION

PAGE 29

| QUAD-YEAR | ELEV | DESCRIPTION (INCLUDE QUAD AND YEAR IN DESCRIPTION) | BM NUMBER |
|--------------------------|---|---|-----------|
| BASELINE (1965) 2490.816 | CSBM MON 6IN UP 240FT S + 30FT W C/L INT 110TH ST W + AVE F-8 92FT N PP 1222581E MKD (BM 119-46 1961) | BL 2140 | |
| BASELINE (1965) 2493.045 | CS MON (N EDGE) IN WELL 12IN DN @ C/L INT 110TH ST W + AVE G MKD (SEC COR 35 36 1 2 R14W T7N T8N) | BL 2141 | |
| BASELINE (1965) 2496.752 | CSBM MON 6IN UP 145FT S + 30FT W C/L INT 110TH ST W + AVE G MKD (BM 119-20 1961) | BL 2142 | |
| BASELINE (1965) 2494.393 | CS MON (W EDGE) IN WELL 12IN DN @ C/L INT 110TH ST W + AVE G-8 MKD (1/4 COR 1 2 R14W T7N) | BL 2143 | |
| BASELINE (1965) 2499.049 | CSBM MON 35FT W C/L 110TH ST W + 365FT S AVE G-8 MKD (BM 119-21 1961) | BL 2144 | |
| BASELINE (1965) 2494.642 | CS MON (E EDGE) IN WELL 24IN DN @ C/L INT 110TH ST W + AVE H MKD (SEC COR 1 2 11 12 T7N R14W) | BL 2145 | |
| BASELINE (1965) 2497.882 | CSBM MON 160FT S + 30FT W C/L INT 110TH ST W + AVE H MKD (BM 119-22 1961) | BL 2146 | |
| BASELINE (1965) 2500.044 | CS MON (E EDGE) IN WELL 12IN DN @ C/L INT 110TH ST W + AVE H-8 MKD (1/4 COR 11 12 T7N R14W) | BL 2147 | |
| BASELINE (1965) 2501.568 | CSBM MON 30FT E C/L 110TH ST W 390FT S AVE H-8 MKD (BM 119-23 1961) | BL 2148 | |
| BASELINE (1965) 2499.969 | CS MON (W EDGE) IN WELL @ C/L INT 110TH ST W + AVE I-8 MKD (1/4 COR 13 14 T7N R14W) | BL 2149 | |
| BASELINE (1965) 2505.583 | CSBM MON 6IN UP 30FT W C/L 110TH ST W + 260FT S AVE I-8 174FT SW TP 49/30 MKD (BM 119-24 1961) | BL 2150 | |
| BASELINE (1965) 2534.521 | USC+GS MON 8IN UP ON NW COR AVE J + 110TH ST W 40FT N + 33FT W C/L INT 110TH ST W (SUR 1932 NO 3) | BL 2151 | |
| BASELINE (1965) 2535.556 | USC+GS TRI STA MON FLUSH ON SW COR AVE J + 110TH ST W 45FT W + 40FT S C/L INT MKD (SUR 1932) | BL 2152 | |
| BASELINE (1965) 2535.366 | USC+GS MON FLUSH ON SE COR AVE J + 110TH ST W 33FT S + 24FT E C/L INT MKD (SUR 1932 NO 1) | BL 2153 | |
| BASELINE (1965) 2581.374 | CS MON (N EDGE) IN WELL @ C/L INT 110TH ST W + AVE J-8 (DIRT RD TO W) MKD (1/4 COR 23 24 R14W T7N) | BL 2154 | |
| BASELINE (1965) 2583.786 | CSBM MON 34FT E C/L 110TH ST W + 35FT N C/L AVE J-8 2.5FT S BARBED WIRE FENCE MKD (BM 119-26 1961) | BL 2155 | |
| BASELINE (1965) 2674.633 | CS MON (E EDGE) IN WELL @ C/L INT AVE K + 110TH ST W MKD (SEC COR 23 24 26 25 T7N R14W) | BL 2156 | |
| BASELINE (1965) 2681.649 | CSBM MON 6IN UP ON SW COR AVE K + 110TH ST W 101FT S + 27FT W C/L INT MKD (BM 119-27 1961) | BL 2157 | |
| BASELINE (1965) 2810.761 | CSBM MON 27FT E C/L 110TH ST + 56FT S C/L AVE K-8 235FT SE PP 503791 191FT NE PP 503792E MKD (BM 119-28 1961) | BL 2158 | |
| BASELINE (1965) 2342.774 | L+T S END GAS PUMP ISL @ NE COR 90TH ST E + AVE E 75FT N + 80FT E C/L INT | BL 2165 | |

AUG 1968

LOS ANGELES COUNTY ROAD DEPARTMENT
SURVEY SECTION FIELD ENGINEERING DIVISION

PAGE 30

| QUAD-YEAR | ELEV | DESCRIPTION (INCLUDE QUAD AND YEAR IN DESCRIPTION) | BM NUMBER |
|-----------------------------|--|---|-----------|
| BASELINE 2348.551 (1965) | CS MON FLUSH ON SW COR 90TH ST E + AVE E-8 60FT S + 27FT W C/L INT MKD (BM 116-7 1961) | BL 2166 | |
| BASELINE 2385.472 (1965) | CS MON IN WELL 8IN DN @ C/L INT 90TH ST E + AVE G-8 MKD (1/4 COR 5 6 R10W T7N) | BL 2167 | |
| BASELINE 2403.249 (1965) | CS MON IN WELL 9IN DN @ C/L INT 90TH ST E + FUT AVE H-8 MKD (1/4 COR 7 8 T7N R10W) | BL 2168 | |
| LANCASTR 2355.552 (1965) | L+BN 3FT CONC BASE OF VENT PIPE 140FT E + 38FT N C/L INT AVE F + 85TH ST E | BL 2170 | |
| LANCASTR 2352.449 (1965) | L+BN SW COR CONC BASE OF PUMP 385FT W + 85FT N C/L INT AVE F + 85TH ST E | BL 2171 | |
| LANCASTR 2340.201 (1965) | L+T CONC WALK TO HSE @ NW COR 65TH ST E + AVE F 90FT N + 75FT W C/L INT 4FT N OF WOODEN PORCH | BL 2172 | |
| LANCASTR 2323.735 (1965) | USC+GS MON 6IN UP @ SW COR AVE E + 60TH ST E 20FT S + 35FT W C/L INT MKD (S 1155 1961) | BL 2173 | |
| LANCASTR 2318.794 (1965) | CSBM MON ON NW COR AVE E + 50TH ST E 30FT N + 49FT W C/L INT MKD (BM 106-130 1959) | BL 2174 | |
| LANCASTR 2317.276 (1965) | CSBM MON 27FT S C/L AVE E + 1.0MI W 50TH ST E 3FT S PP 1273709E 29FT W OF NE FENCE COR MKD (BM 106-132 1959) | BL 2175 | |
| LANCASTR 2312.537 (1965) | CSBM MON 6IN UP @ SE COR AVE E + 30TH ST E 32FT E + 27FT S C/L INT MKD (BM 106-134 1959) | BL 2176 | |
| LANCASTR 2344.621 (1965) | L+T N CB AVE G 1FT E BCR @ NE COR AVE G + 30TH ST E 77FT E + 42FT N C/L INT | BL 2177 | |
| LANCASTR 2379.059 (1965) | 2IN IP (SW EDGE) 6IN DN @ NW COR AVE I + 30TH ST E 53FT W + 47FT N C/L INT | BL 2178 | |
| LANCASTR 2383.006 (1965) | CSBM MON 6IN UP 58FT S C/L AVE I ON C/L PROD 35TH ST E MKD (BM 107-37 1961) | BL 2179 | |
| LANCASTR 2385.220 (1965) | CSBM MON 6IN UP 12FT E + 25FT S C/L INT AVE I + 45TH ST E MKD (BM 107-35 1961) | BL 2180 | |
| LANCASTR 2389.999 (1965) | USC+GS MON @ SE COR AVE I + 50TH ST E 94FT E + 27FT S C/L INT 3FT S PP 1122574E MKD (G 1154 1951) | BL 2181 | |
| LANCASTR 2393.981 (1965) | CSBM MON 145FT W + 23FT N C/L INT AVE I + 55TH ST E MKD (BM 107-33 1961) | BL 2182 | |
| LANCASTR 2399.773 (1965) | CSBM MON 6IN UP @ NW COR AVE I + 60TH ST E 70FT N + 27FT W C/L INT 3FT W PP 991726E MKD (BM 107-32 1961) | BL 2183 | |
| LANCASTR 2314.577 (1965) | CSBM MON @ SW COR 25TH ST E (DIRT RD) + AVE E 5FT W + 65FT S C/L INT MKD (BM 106-135 1959) | BL 2184 | |
| LANCASTR 2304.951 (1965) | CSBM MON 6IN UP 28FT E + 36FT S C/L INT AVE E + FUT 15TH ST E 5FT S PP 1270606E MKD (BM 106-137 1959) | BL 2185 | |
| LANCASTR 2303.222 (1965) | USC+GS MON 42FT S + 50FT E C/L INT AVE E + 10TH ST E MKD (F 1154 1961) | BL 2186 | |

AUG 1968

LOS ANGELES COUNTY ROAD DEPARTMENT
SURVEY SECTION FIELD ENGINEERING DIVISION

PAGE 31

| QUAD-YEAR | ELEV | DESCRIPTION (INCLUDE QUAD AND YEAR IN DESCRIPTION) | BM NUMBER |
|-----------------------------|---|---|-----------|
| LANCASTR 2296.866 (1965) | USC+GS MON 4IN UP @ NW COR AVE E + DIVISION ST 45FT N + 20FT W C/L INT MKD (E 1154 1961) | BL 2187 | |
| LANCASTR 2297.697 (1965) | CSBM MON 6IN UP 90FT W + 35FT S C/L INT AVE E + 5TH ST W 4FT S PP 1270563E MKD (BM 106-141 1959) | BL 2188 | |
| BASELINE 2488.948 (1965) | CS MON (S EDGE) IN WELL 8IN DN @ C/L INT 90TH ST E + AVE K-8 MKD (1/4 COR 29 30 R10W T7N) | BL 2189 | |
| BASELINE 2511.991 (1965) | CS MON IN WELL 8IN DN @ C/L INT 90TH ST E + FUT AVE L-8 MKD (1/4 SEC COR 31 32 R10W T7N) | BL 2190 | |
| LANCASTR 2476.876 (1965) | L+BN S END CONC PUMP ISL OF GAS STA @ NW COR SIERRA HWY + AVE L 105FT N + 80FT W C/L INT MKD (BM) | BL 2191 | |
| LANCASTR 2376.651 (1965) | RDBM TAG E CB 1FT N BCR @ NE COR SIERRA HWY + AVE J 75FT N + 40FT E C/L INT | BL 2192 | |
| LANCASTR 2302.195 (1965) | USGS REF MON 7IN UP 188FT W C/L SIERRA HWY + 2175FT N AVE F MKD (OBAN NO 1 1941) | BL 2193 | |
| LANCASTR 2307.168 (1965) | CS MON IN WELL 8IN DN @ C/L INT AVE D + FUT 15TH ST W MKD (1/4 COR 16 21 R12W T8N) | BL 2194 | |
| LANCASTR 2336.341 (1965) | 2IN IP @ SW COR AVE H + DIVISION ST 50FT S + 50FT W C/L INT | BL 2195 | |
| LANCASTR 2375.207 (1965) | L+T CONC WALK 3FT N + 2FT E OF SE COR BLDG 2201 AVE I 90FT N C/L + 1270FT W 25TH ST E | BL 2196 | |
| LANCASTR 2350.726 (1965) | CS MON IN WELL 14IN DN @ C/L INT AVE G + FUT 55TH ST E MKD (1/4 COR 3 34 R12W T7N T8N) | BL 2197 | |
| LANCASTR 2347.886 (1965) | CS MON IN WELL 12IN DN @ C/L INT AVE G + 50TH ST E MKD (SEC COR 4 3 33 34 R11W T7N T8N) | BL 2198 | |
| LANCASTR 2349.302 (1965) | USC+GS MON 2IN UP @ SW COR AVE G + 50TH ST E 25FT W + 35FT S C/L INT MKD (J 1154 1961) | BL 2199 | |
| LANCASTR 2346.315 (1965) | CS MON 18IN DN @ C/L INT AVE G + FUT 40TH ST E MKD (SEC COR 33 32 5 4 R11W T7N T8N) | BL 2200 | |
| LANCASTR 2318.936 (1965) | CS MON IN WELL 8IN DN @ C/L INT AVE I + 25TH ST W MKD (1/4 COR 17 8 R12W T7N) | BL 2202 | |
| LANCASTR 2323.037 (1965) | CS MON IN WELL @ C/L INT AVE I + 20TH ST W MKD (SEC COR 8 9 17 16 R12W T7N) | BL 2203 | |
| LANCASTR 2326.251 (1965) | CSBM MON FLUSH IN PARKWAY @ NE COR AVE I + 15TH ST W 51FT N + 44FT E C/L INT MKD (BM 102-2 1957) | BL 2204 | |
| LANCASTR 2330.947 (1965) | CS MON IN WELL @ C/L INT AVE I + 10TH ST W MKD (SEC COR 9 10 15 16 T7N R12W) | BL 2205 | |
| LANCASTR 2446.906 (1965) | CS MON IN WELL 8IN DN @ C/L INT AVE L + 20TH ST W MKD (SEC COR 29 28 32 33 R12W T7N) | BL 2209 | |
| LANCASTR 2448.588 (1965) | RDBM TAG W CB 1FT N BCR @ SW COR AVE L + 20TH ST W 40FT W + 76FT S C/L INT | BL 2210 | |
| LANCASTR 2380.101 (1965) | RDBM TAG S CB 2FT W BCR @ SW COR LANCASTER BLVD + 10TH ST E 78FT W + 22FT S C/L INT | BL 2211 | |

AUG 1968

LOS ANGELES COUNTY ROAD DEPARTMENT
SURVEY SECTION FIELD ENGINEERING DIVISION

PAGE 32

| QUAD-YEAR | ELEV | DESCRIPTION (INCLUDE QUAD AND YEAR IN DESCRIPTION) | BM NUMBER |
|-----------------|----------|---|-----------|
| LANCASTR (1965) | 2424.035 | L+SQ SPK N CB @ NE COR AVE K + 4TH ST E 60FT E + BL 38FT N C/L INT MKD (AV 199) | 2212 |
| LANCASTR (1965) | 2423.291 | CS TAG S CB AVE K 5FT E OF END CB 42FT S + 85FT E C/L INT AVE K + DIVISION ST 2FT N TP K10680Y | BL 2213 |
| LANCASTR (1965) | 2356.907 | L+T E CB DIVISION ST 28FT E C/L ON C/L PROD LANCASTER BLVD FROM THE W 5FT N OF DRWY TO HIGH SCHOOL | BL 2214 |
| LANCASTR (1965) | 2362.284 | L+T S CB 5FT W BCR @ SW COR DIVISION ST + MILLING ST 72FT W + 30FT S C/L INT MKD (BM) | BL 2215 |
| LANCASTR (1965) | 2362.494 | L+T S CB 6FT E BCR @ E EDGE C B @ SE COR LANCASTER BLVD + DIVISION ST 30FT S + 61FT E C/L INT MKD (BM) | BL 2216 |
| LANCASTR (1965) | 2410.578 | L+BN W CB 8FT N BCR @ NW COR FIG AVE + AVE K SERVICE RD 50FT N + 15FT W C/L INT | BL 2217 |
| LANCASTR (1965) | 2406.799 | L+T N CB 7FT W OF C B @ NE COR 10TH ST W + AVE K 109FT E + 40FT N C/L INT | BL 2218 |
| LANCASTR (1965) | 2346.582 | L+T S CB N SERVICE RD 54FT N C/L AVE K + 135FT E C/L 22ND ST W | BL 2220 |
| LANCASTR (1965) | 2387.248 | CS MON (S EDGE) IN WELL 18IN DN @ C/L INT AVE K + 25TH ST W MKD (1/4 COR 20 29 T7N R12W) | BL 2221 |
| LANCASTR (1965) | 2385.248 | 2IN IP CONC PLUG + CS TAG 4IN UP @ SW COR AVE K + 40TH ST W 50FT W + 50FT S C/L INT | BL 2222 |
| LANCASTR (1965) | 2378.404 | CS MON (N EDGE) IN WELL 12IN DN @ C/L INT AVE K + 45TH ST W MKD (1/4 COR 24 25 T7N R13W) | BL 2223 |
| LANCASTR (1965) | 2314.221 | CS MON IN WELL 14IN DN @ C/L INT AVE A + 20TH ST W TO THE N MKD (SEC COR 32 33 4 5 R12W T8N T9N) | BL 2224 |
| LANCASTR (1965) | 2314.833 | CSBM MON @ SW COR AVE A + 20TH ST W 40FT S + 40FT W C/L INT MKD (BM 117-1 1961) | BL 2225 |
| LANCASTR (1965) | 2320.657 | CS MON (W EDGE) IN WELL 14IN DN @ C/L INT AVE A + 25TH ST W (PROP) MKD (1/4 COR 32 5 R12W T8N T9N) | BL 2227 |
| LANCASTR (1965) | 2324.839 | CSBM MON 30FT N C/L AVE A + 0.25MI W OF 25TH ST W (PROP) 30FT W OF POWER LINE MKD (BM 117-3 1961) | BL 2229 |
| LANCASTR (1965) | 2329.055 | CS MON (E EDGE) IN WELL 14IN DN @ C/L INT AVE A + 30TH ST W MKD (SEC 31 32 6 5 T9N T8N R12W) | BL 2230 |
| LANCASTR (1965) | 2329.360 | CSBM MON @ SW COR AVE A + 30TH ST W 43FT S + 43FT W C/L INT MKD (BM 117-4 1961) | BL 2231 |
| LANCASTR (1965) | 2338.097 | CS MON IN WELL 14IN DN @ C/L INT AVE A + 35TH ST BL W (PROP) MKD (1/4 COR 31 6 T9N T8N R12W) | 2232 |
| LANCASTR (1965) | 2338.736 | L+BN CONC FOOTING 4FT BARBED WIRE FENCE @ ANCHOR POST 40FT N + 10FT W C/L INT AVE A + 35TH ST W (PROP) MKD (BM) | BL 2233 |
| LANCASTR (1965) | 2345.518 | CS MON (S EDGE) IN WELL 14IN DN @ C/L INT AVE A + BL + 40TH ST W (PROP) MKD (SEC COR 36 31 1 6 T8N T13W R12W) | 2234 |

AUG 1968

LOS ANGELES COUNTY ROAD DEPARTMENT
SURVEY SECTION FIELD ENGINEERING DIVISION

PAGE 33

| QUAD-YEAR | ELEV | DESCRIPTION (INCLUDE QUAD AND YEAR IN DESCRIPTION) | BM NUMBER |
|-----------------------------|--|---|-----------|
| LANCASTR 2345.373 (1965) | CSBM MON 8IN UP @ SW COR AVE A + 40TH ST W (PROP) 71FT W + 40FT S C/L INT MKD (BM 117-6 1961) | BL 2235 | |
| LANCASTR 2352.662 (1965) | CS MON (S EDGE) IN WELL 14IN DN @ C/L INT AVE A + 45TH ST W (PROP) MKD (1/4 COR 36 1 T9N T8N R13W) | BL 2236 | |
| LANCASTR 2353.338 (1965) | L+T DRWY TO HSE @ NW COR AVE A + 45TH ST W (PROP) 147FT W + 67FT N C/L INT | BL 2237 | |
| LANCASTR 2358.208 (1965) | CSBM MON 8IN UP 35FT S C/L AVE A + 0.2MI W 45TH ST W 32FT E PP 955226E MKD (BM 117-7 1961) | BL 2238 | |
| LANCASTR 2362.930 (1965) | CS MON (E EDGE) IN WELL 14IN DN @ C/L INT AVE A + 50TH ST W MKD (SEC COR 35 36 2 1 T8N T9N R13W) | BL 2239 | |
| LANCASTR 2363.535 (1965) | CSBM MON 8IN UP @ SW COR AVE A + 50TH ST W 40FT W + 44FT S C/L INT MKD (BM 117-8 1961) | BL 2240 | |
| LANCASTR 2372.255 (1965) | CS MON (S EDGE) IN WELL 14IN DN @ C/L INT AVE A + 55TH ST W (PROP) MKD (1/4 COR 35 2 R13W T8N T9N) | BL 2241 | |
| LANCASTR 2372.821 (1965) | CSBM MON 8IN UP @ SW COR AVE A + 55TH ST W (PROP) 30FT S + 50FT W C/L INT MKD (BM 117-9 1961) | BL 2242 | |
| LANCASTR 2380.830 (1965) | USGS MON 8IN UP @ SW COR AVE A + 60TH ST W 30FT S + 36FT W C/L INT MKD (LINT CORNERS) | BL 2243 | |
| LANCASTR 2381.381 (1965) | CSBM MON 8IN UP @ SE COR AVE A + 60TH ST W 64FT S + 31FT E C/L INT MKD (BM 117-10A 1961) | BL 2244 | |
| LANCASTR 2380.772 (1965) | CS MON (S EDGE) IN WELL 14IN DN @ C/L INT 60TH ST W + AVE A-8 MKD (1/4 COR 3 2 T8N R13W) | BL 2245 | |
| LANCASTR 2381.371 (1965) | 2IN IP 6IN UP @ SE COR AVE A-8 + 60TH ST W 50FT S + 50FT E C/L INT | BL 2246 | |
| LANCASTR 2369.080 (1965) | RDBM TAG E CB ELM AVE @ NE COR ELM AVE + AVE J 4FT N DRWY 17FT E + 84FT N C/L INT | BL 2247 | |
| LANCASTR 2347.909 (1965) | L+BN S CB @ SE COR AVE J + ENT TO VALLEY HAVEN HOSPITAL (18TH ST W) 56FT E + 40FT S C/L INT | BL 2248 | |
| LANCASTR 2341.827 (1965) | L+BN N CB SERVICE RD @ SW COR AVE J + 22ND ST W 8FT W BCR 42FT S + 54FT W C/L INT MKD (BM) | BL 2249 | |
| LANCASTR 2340.784 (1965) | L+BN S CB SERVICE RD 8FT W BCR @ SW COR AVE J + 23RD ST W 47FT W + 71FT S C/L INT | BL 2250 | |
| LANCASTR 2340.314 (1965) | CS MON (N EDGE) IN WELL 12IN DN @ C/L INT AVE J + 30TH ST W MKD (SEC COR 19 20 17 18 T7N R12W) | BL 2251 | |
| LANCASTR 2341.238 (1965) | CS MON (N EDGE) IN WELL 12IN DN @ C/L INT AVE J + 35TH ST W (PROP) MKD (1/4 COR 18 19 T7N R12W) | BL 2252 | |
| LANCASTR 2347.094 (1965) | CS MON (E EDGE) IN WELL 16IN DN @ C/L INT AVE J + 45TH ST W TO N MKD (1/4 COR 13 24 T7N R13W) | BL 2253 | |
| LANCASTR 2351.261 (1965) | RDBM TAG CB 3FT S BCR @ SE COR 10TH ST W + NEWGROVE AVE 34FT S + 30FT E C/L INT | BL 2254 | |

OUT

AUG 1968

LOS ANGELES COUNTY ROAD DEPARTMENT
SURVEY SECTION FIELD ENGINEERING DIVISION

PAGE 34

| QUAD-YEAR | ELEV | DESCRIPTION (INCLUDE QUAD AND YEAR IN DESCRIPTION) | BM NUMBER |
|-----------------------------|---|---|-----------|
| LANCASTR 2345.154 (1965) | L+T N CB 8FT W BCR @ NW COR LANCASTER BLVD + 10TH ST W 27FT N + 60FT W C/L INT | BL 2255 | |
| LANCASTR 2352.706 (1965) | L+BN S CB 3FT W BCR @ SW COR KETTERING ST + DIVISION ST 56FT W + 20FT S C/L INT MKD (BM) | BL 2256 | |
| LANCASTR 2351.517 (1965) | CS TAG N CB 1.3FT W BCR @ NW COR KETTERING ST + REDWOOD AVE 48FT W + 20FT N C/L INT | BL 2257 | |
| LANCASTR 2350.462 (1965) | L+T E CB 1.0FT S BCR @ SE COR KETTERING ST + TREVOR AVE 53FT S + 20FT E C/L INT | BL 2258 | |
| LANCASTR 2342.546 (1965) | CS TAG W CB 2FT S BCR @ SW COR SIERRA HWY + JACKMAN ST 37FT S + 30FT N C/L INT | BL 2259 | |
| LANCASTR 2367.113 (1965) | L+T FIRST STEP HSE 108 NEWGROVE ST @ E EDGE WALK 112FT W + 25FT S C/L INT NEWGROVE ST + DIVISION ST | BL 2260 | |
| LANCASTR 2363.207 (1965) | CS TAG SE COR CONC SLAB IN FRONT BLDG 44665 74FT S + 34FT W C/L INT NEWGROVE ST TO E + TREVOR AVE | BL 2261 | |
| LANCASTR 2362.448 (1965) | L+T CONC PORCH @ N SIDE BLDG 44659 @ SW COR YUCCA AVE + NEWGROVE ST 85FT W + 38FT S C/L INT | BL 2262 | |
| LANCASTR 2359.659 (1965) | L 1/2IN IP CONC PLUG + BOLT @ C/L INT YUCCA AVE + NEWGROVE ST | BL 2263 | |
| LANCASTR 2366.033 (1965) | L+T W CB 5FT S BCR @ SW COR CEDAR AVE + OLDFIELD ST 39FT S + 18FT W C/L INT | BL 2264 | |
| LANCASTR 2358.717 (1965) | L+T CTR C B 30FT S C/L MILLING ST ON C/L PROD SPEARMAN AVE FROM THE N | BL 2265 | |
| LANCASTR 2358.309 (1965) | L+T W CB ISL 25FT N + 26FT E C/L INT YUCCA AVE + MILLING ST MKD (BM) | BL 2266 | |
| LANCASTR 2363.773 (1965) | L+T 0.8FT S OF N EDGE WALK TO HSE 44544 @ SE COR ELM AVE + OLDFIELD ST 59FT S + 56FT E C/L INT | BL 2267 | |
| LANCASTR 2429.310 (1965) | L+T CONC APRON @ NW COR BLDG 4358 (GAS STA) @ SE COR AVE L + 45TH ST W 51FT E + 58FT S C/L INT | BL 2268 | |
| LANCASTR 2363.280 (1965) | CSBM MON 30FT N C/L AVE G + 340FT E PROP 65TH ST W MKD (BM 119-47 1961) | BL 2269 | |
| LANCASTR 2363.012 (1965) | CS MON (S EDGE) IN WELL 18IN DN @ C/L INT AVE G + PROP 65TH ST W MKD (1/4 COR 34 3 R13W T8N T7N) | BL 2270 | |
| LANCASTR 2371.727 (1965) | CS MON IN WELL 18IN DN @ C/L INT AVE G + 70TH ST BL W MKD (SEC COR 33 34 4 3 R13W T8N T7N) | BL 2271 | |
| LANCASTR 2374.400 (1965) | CSBM MON 6IN UP @ NW COR AVE G + 70TH ST W 28FT N + 31FT W C/L INT MKD (BM 119-12 1961) | BL 2272 | |
| LANCASTR 2384.954 (1965) | CS MON (S EDGE) IN WELL 14IN DN @ C/L INT 75TH ST W + AVE G MKD (1/4 COR 33 4 R13W T8N T7N) | BL 2273 | |
| LANCASTR 2387.687 (1965) | CSBM MON 8IN UP 27FT N C/L AVE G + 259FT W OF 75TH ST W MKD (BM 119-13 1961) | BL 2274 | |
| LANCASTR 2399.068 (1965) | CS MON (S EDGE) IN WELL 16IN DN @ C/L INT 80TH ST W + AVE G MKD (SEC COR 33 32 5 4 T7N T8N R13W) | BL 2275 | |

AUG 1968

LOS ANGELES COUNTY ROAD DEPARTMENT
SURVEY SECTION FIELD ENGINEERING DIVISION

PAGE 35

| QUAD-YEAR | ELEV | DESCRIPTION (INCLUDE QUAD AND YEAR IN DESCRIPTION) | BM NUMBER |
|-----------------------------|---|---|-----------|
| LANCASTR 2401.692 (1965) | CSBM MON @ NW COR 80TH ST W + AVE G 96FT W + 25FT N C/L INT MKD (BM 119-14 1961) | BL 2276 | |
| LANCASTR 2411.579 (1965) | CS MON (N EDGE) IN WELL 14IN DN @ C/L INT AVE G + 85TH ST W (PROP) MKD (1/4 COR 32 5 T7N T8N R13W) | BL 2277 | |
| LANCASTR 2414.532 (1965) | CSBM MON 6IN UP 230FT W + 25FT N C/L INT AVE G + 85TH ST W (PROP) MKD (BM 119-15 1961) | BL 2278 | |
| LANCASTR 2437.401 (1965) | CS MON (N EDGE) IN WELL 28IN DN @ C/L INT PROP 95TH ST W + AVE G MKD (1/4 COR 31 6 T8N T7N R13W) | BL 2279 | |
| LANCASTR 2442.709 (1965) | CSBM MON 6IN UP 315FT W + 25FT N C/L INT AVE G + PROP 95TH ST W MKD (119-17 1961) | BL 2280 | |
| LANCASTR 2450.181 (1965) | CS MON (N EDGE) 6IN DN @ C/L INT AVE G + 100TH ST W (PROP) MKD (SEC COR 36 31 1 6 T8N T7N R13W R14W) | BL 2281 | |
| LANCASTR 2452.010 (1965) | CSBM MON 8IN UP 25FT N + 180FT W C/L INT AVE G + 100TH ST W (PROP) MKD (BM 119-18 1961) | BL 2282 | |
| LANCASTR 2459.994 (1965) | CS MON (S EDGE) IN WELL 12IN DN @ C/L INT AVE G + 105TH ST W (PROP) MKD (1/4 COR 36 1 R14W T8N T7N) | BL 2283 | |
| LANCASTR 2464.931 (1965) | CSBM MON 6IN UP 25FT N + 395FT W C/L INT AVE G + 105TH ST W (PROP) 85FT E PP 430227E MKD (BM 119-19 1961) | BL 2284 | |
| LANCASTR 2359.558 (1965) | CS MON IN WELL 10IN DN @ C/L INT PROP AVE J-8 + 30TH ST W MKD (1/4 COR 19 20 R12W T7N) | BL 2286 | |
| LANCASTR 2302.048 (1965) | CS MON (W EDGE) IN WELL 24IN DN @ C/L INT AVE F + PROP 10TH ST W MKD (SEC COR 28 27 33 34 T8N R12W) | BL 2287 | |
| LANCASTR 2304.476 (1965) | RDBM TAG 2FT E OF W EDGE S HDWL 1.06 25FT S C/L AVE F + 472FT W C/L PROP 10TH ST W | BL 2288 | |
| LANCASTR 2304.976 (1965) | BOLT (W EDGE) IN WELL 12IN DN @ C/L INT AVE F + PROP 15TH ST W | BL 2289 | |
| LANCASTR 2305.978 (1965) | CSBM MON 8IN UP @ SW COR AVE F + PROP 15TH ST W 42FT W + 40FT S C/L INT MKD (AVA 14) | BL 2290 | |
| LANCASTR 2309.994 (1965) | CSBM MON 8IN UP @ SW COR AVE F + 20TH ST W 19FT W + 43FT S C/L INT MKD (AVA 13) | BL 2292 | |
| LANCASTR 2313.926 (1965) | CSBM MON @ SE COR AVE F + 25TH ST W 40FT E + 38FT S C/L INT MKD (AVA 12) | BL 2293 | |
| LANCASTR 2312.835 (1965) | BOLT IN CONC 17IN DN @ C/L INT AVE F + 25TH ST E | BL 2294 | |
| LANCASTR 2317.986 (1965) | CS MON 6IN DN @ C/L INT AVE F + 30TH ST W MKD (SEC COR 30 29 31 32 T8N R12W) | BL 2295 | |
| LANCASTR 2322.723 (1965) | CSBM MON 6IN UP @ SW COR AVE F + 35TH ST W 40FT W + 39FT S C/L INT MKD (AVA 10) | BL 2296 | |

AUG 1968

LOS ANGELES COUNTY ROAD DEPARTMENT
SURVEY SECTION FIELD ENGINEERING DIVISION

PAGE 36

| QUAD-YEAR | ELEV | DESCRIPTION (INCLUDE QUAD AND YEAR IN DESCRIPTION) | BM NUMBER |
|-------------------|------|--|-----------|
| LANCASTR 2322.113 | | BOLT IN CONC 18IN DN @ C/L INT AVE F + 35TH ST W BL (1965) | 2297 |
| LANCASTR 2325.319 | | CS MON (SW COR) IN WELL 8IN DN ON C/L AVE F 0.2MI W 35TH ST W @ NE COR FOX AIRFIELD | BL 2298 |
| LANCASTR 2326.653 | | CS MON (N EDGE) IN WELL 18IN DN @ C/L INT AVE F + 40TH ST W MKD (SEC COR 25 36 30 31 R12W R13W T8N) | BL 2299 |
| LANCASTR 2327.120 | | CSBM MON @ SW COR AVE F + 40TH ST W 34FT S + 34FT W C/L INT MKD (BM 103-7 1957) | BL 2300 |
| LANCASTR 2333.350 | | CSBM MON 8IN UP ON C/L 45TH ST W 40FT S C/L AVE F MKD (AVA 8) | BL 2301 |
| LANCASTR 2338.785 | | CSBM MON 40FT S + 40FT W C/L INT AVE F + 50TH ST W 36FT W OF W GATE POST TO FOX AIRFIELD MKD (AVA 7 1959) | BL 2302 |
| LANCASTR 2339.595 | | CSBM MON 4IN UP 42FT S + 41FT W C/L INT AVE F + 50TH ST W 37FT W OF W GATE POST TO FOX AIRFIELD MKD (BM 103-9A 1962) | BL 2303 |
| LANCASTR 2345.923 | | CSBM MON @ SE COR AVE F + 55TH ST W (PROP) 40FT S + 40FT E C/L INT MKD (AVA 6) | BL 2304 |
| LANCASTR 2345.010 | | BOLT IN 2IN IP 15IN DN @ C/L INT AVE F + PROP 55TH ST W | BL 2305 |
| LANCASTR 2436.828 | | CS MON IN WELL 8IN DN @ C/L INT 90TH ST W + AVE A-8 MKD (1/4 COR 5 6 T8N R13W) | BL 2315 |
| LANCASTR 2438.659 | | L+BN CONC SADDLE OF PIPE @ OLD PUMP HSE ON NE COR 90TH ST W + AVE A-8 40FT N + 53FT E C/L INT MKD (BM) | BL 2316 |
| LANCASTR 2433.209 | | CSBM MON 6IN UP ON SE COR AVE A + 90TH ST W 90FT S + 21FT E C/L INT MKD (BM 117-16 1961) | BL 2317 |
| LANCASTR 2431.658 | | CS MON IN WELL 8IN DN @ C/L INT AVE A + 90TH ST W MKD (5 6 31 32 T8N T9N R13W) | BL 2318 |
| LANCASTR 2444.575 | | CSBM MON 4IN UP ON SE COR AVE A + 95TH ST W 27FT S + 75FT E C/L INT MKD (BM 117-17 1961) | BL 2319 |
| LANCASTR 2443.058 | | CS MON IN WELL 14IN DN @ C/L INT AVE A + 95TH ST W MKD (31 6 T8N T9N R13W) | BL 2320 |
| LANCASTR 2459.560 | | CSBM MON 6IN UP ON SE COR AVE A + 100TH ST W 28FT S + 100FT E C/L INT MKD (BM 117-18 1961) | BL 2321 |
| LANCASTR 2458.617 | | CS MON IN WELL 14IN DN @ C/L INT AVE A + 100TH ST W MKD (36 31 1 6 T8N T9N R13W R14W) | BL 2322 |
| LANCASTR 2473.256 | | CSBM MON 6IN UP ON SE COR AVE A + 105TH ST W 28FT S + 252FT E C/L INT MKD (BM 117-19 1961) | BL 2323 |
| LANCASTR 2472.519 | | CS MON IN WELL 16IN DN @ C/L INT AVE A + 105TH ST W MKD (36 1 T8N T9N R14W) | BL 2324 |
| BASELINE 2485.793 | | CSBM MON 4IN UP ON SE COR AVE A + 110TH ST W 28FT S + 75FT E C/L INT MKD (BM 117-20 1961) | BL 2325 |

AUG 1968

LOS ANGELES COUNTY ROAD DEPARTMENT
SURVEY SECTION FIELD ENGINEERING DIVISION

PAGE 37

| QUAD-YEAR | ELEV | DESCRIPTION (INCLUDE QUAD AND YEAR IN DESCRIPTION) | BM NUMBER |
|-------------------|--|---|-----------|
| BASELINE 2484.190 | CS MON IN WELL 14IN DN @ C/L INT AVE A + 110TH ST W MKD (35 36 2 1 R14W T8N T9N) | BL 2326 | |
| (1965) | | | |
| BASELINE 2487.082 | CSBM MON 6IN UP 250FT N + 30FT W C/L INT AVE A-8 + 110TH ST W MKD (BM 119-36 1961) | BL 2327 | |
| (1965) | | | |
| BASELINE 2486.027 | CS MON IN WELL 14IN DN @ C/L INT AVE A-8 + 110TH ST W MKD (1/4 COR 2 1 T8N R14W) | BL 2328 | |
| (1965) | | | |
| BASELINE 2482.934 | CS MON IN WELL 30IN DN @ C/L INT AVE B + 110TH ST W MKD (2 1 11 12 R14W T8N) | BL 2329 | |
| (1965) | | | |
| BASELINE 2485.200 | CSBM MON 4IN UP ON NE COR AVE B + 110TH ST W 28FT N + 55FT E C/L INT MKD (BM 119-37 1961) | BL 2330 | |
| (1965) | | | |
| BASELINE 2484.206 | CS MON IN WELL 20IN DN @ C/L INT 110TH ST W + FUT AVE B-8 MKD (1/4 COR 11 12 R14W T8N) | BL 2331 | |
| (1965) | | | |
| BASELINE 2486.524 | CSBM MON 4IN UP @ SE COR 110TH ST W + FUT AVE B-8 125FT S + 28FT E C/L INT MKD (BM 119-38 1961) | BL 2332 | |
| (1965) | | | |
| BASELINE 2483.473 | CS MON IN WELL 24IN DN @ C/L INT 110TH ST W + AVE C MKD (11 12 13 14 R14W T8N) | BL 2333 | |
| (1965) | | | |
| BASELINE 2486.193 | CSBM MON 4IN UP @ SE COR 110TH ST W + AVE C 85FT S + 27FT E C/L INT MKD (BM 119-39 1961) | BL 2334 | |
| (1965) | | | |
| BASELINE 2482.717 | CS MON IN WELL 14IN DN @ C/L INT 110TH ST W + AVE C-8 MKD (1/4 COR 14 13 T8N R14W) | BL 2335 | |
| (1965) | | | |
| BASELINE 2485.675 | CSBM MON 6IN UP ON SW COR 110TH ST W + AVE C-8 95FT S + 25FT W C/L INT MKD (BM 119-40 1961) | BL 2336 | |
| (1965) | | | |
| LANCASTR 2457.573 | CS MON IN WELL 2IN DN @ C/L INT 30TH ST E + FUT AVE L-8 MKD (1/4 COR 31 32 T7N R11W) | BL 2361 | |
| (1965) | | | |
| LANCASTR 2444.568 | CS MON IN WELL 12IN DN @ C/L INT 30TH ST E + FUT AVE L MKD (30 29 31 32 T7N R11W) | BL 2362 | |
| (1965) | | | |
| LANCASTR 2446.177 | L+BN CONC FOOTING WATER TANK ON NW COR 30TH ST E BL + FUT AVE L 35FT N + 30FT W C/L INT MKD (BM) | 2363 | |
| (1965) | | | |
| LANCASTR 2433.016 | CS MON IN WELL 6IN DN @ C/L INT 30TH ST E + FUT AVE K-8 MKD (1/4 SEC COR 30 29 T7N R11W) | BL 2364 | |
| (1965) | | | |
| LANCASTR 2420.137 | CS MON IN WELL 24IN DN @ C/L INT 30TH ST E + AVE K MKD (SEC COR 19 20 29 30 T7N R11W) | BL 2365 | |
| (1965) | | | |
| LANCASTR 2420.452 | 2IN IP 4IN UP ON NW COR 30TH ST E + AVE K 50FT N BL + 50FT W C/L INT | 2366 | |
| (1965) | | | |
| LANCASTR 2422.401 | CS MON IN WELL 12IN DN @ C/L INT AVE K + FUT 35TH ST E MKD (1/4 COR 20 29 R11W T7N) | BL 2367 | |
| (1965) | | | |
| LANCASTR 2428.335 | CS MON IN WELL 18IN DN @ C/L INT AVE K + 40TH ST E MKD (20 21 29 28 R11W T7N) | BL 2368 | |
| (1965) | | | |
| LANCASTR 2432.224 | CS MON IN WELL 14IN DN @ C/L INT AVE K + FUT 45TH ST E MKD (1/4 COR 21 28 R11W T7N) | BL 2369 | |
| (1965) | | | |
| LANCASTR 2436.328 | CS MON IN WELL 12IN DN @ C/L INT AVE K + 50TH ST E MKD (SEC COR 21 22 28 27 R11W T7N) | BL 2370 | |
| (1965) | | | |

AUG 1968

LOS ANGELES COUNTY ROAD DEPARTMENT
SURVEY SECTION FIELD ENGINEERING DIVISION

PAGE 38

| QUAD-YEAR | ELEV | DESCRIPTION (INCLUDE QUAD AND YEAR IN DESCRIPTION) | BM NUMBER |
|-----------------------------|--|---|-----------|
| LANCASTR 2437.193 (1965) | CSBM MON 6IN UP ON NE COR AVE K + 50TH ST E 88FT BL | 2371 | |
| | N + 37FT E C/L INT MKD (BM 120-6 1961) | | |
| LANCASTR 2436.889 (1965) | 2IN IP + SPK IN WELL 18IN DN @ C/L INT AVE K + 55TH ST E | BL 2372 | |
| LANCASTR 2442.655 (1965) | CS MON IN WELL 18IN DN @ C/L INT AVE K + 60TH ST BL E MKD (SEC COR 22, 23 26 27 R11W T7N) | 2373 | |
| LANCASTR 2444.720 (1965) | L+BN CONC SLAB OF ELECT PANEL ON NW COR AVE K + FUT 65TH ST E 75FT N + 90FT W C/L INT MKD (BM) | BL 2374 | |
| LANCASTR 2446.158 (1965) | L+BN CONC FOUNDATION ON NE COR AVE K + 70TH ST E 75FT N + 75FT E C/L INT MKD (BM) | BL 2375 | |
| LANCASTR 2434.010 (1965) | L+BN CONC MOTOR MOUNT ON NW COR 70TH ST E + FUT AVE J-8 75FT N + 120FT W C/L INT MKD (BM) | BL 2376 | |
| LANCASTR 2420.102 (1965) | RDBM MON IN WELL 8IN DN ON SW COR AVE J + 70TH ST E 40FT S + 55FT W C/L INT 2IN IP MKR 3FT UP 2FT S | BL 2377 | |
| LANCASTR 2410.205 (1965) | 2IN IP 14IN DN @ C/L INT 70TH ST E + FUT AVE I-8 | BL 2378 | |
| LANCASTR 2328.366 (1965) | CS MON 12IN DN @ C/L INT FUT AVE I-8 + FUT 40TH ST W MKD (1/4 COR 13 18 R12W R13W T7N) | BL 2445 | |
| LANCASTR 2327.144 (1965) | CSBM MON 6IN UP ON NE COR FUT AVE E-8 + 50TH ST E 82FT N + 35FT E C/L INT MKD (BM 120-17 1961) | BL 2446 | |
| LANCASTR 2334.277 (1965) | USC+GS MON 4IN UP ON NE COR 50TH ST E + AVE F 55FT E + 20FT N C/L INT MKD (K 1154 1961) | BL 2448 | |
| LANCASTR 2340.872 (1965) | CSBM MON IN CONC 3IN UP ON NW COR FUT AVE F-8 + 50TH ST E 260FT N + 30FT W C/L INT MKD (BM 120-15 1961) | BL 2450 | |
| LANCASTR 2339.955 (1965) | CS MON (S EDGE) IN WELL 24IN DN @ C/L INT FUT AVE F-8 + 50TH ST E MKD (1/4 COR 33 34 R11W T8N) | BL 2451 | |
| LANCASTR 2317.715 (1965) | CSBM MON 6IN UP @ SE COR AVE F + 30TH ST W 40FT E + 39FT S C/L INT MKD (AVA 11) | BL 2452 | |
| LANCASTR 2318.357 (1965) | PM NE RIM 2IN IP WITH CONC PLUG + CS TAG 3IN UP ON SE COR 30TH ST W + AVE F-8 50FT S + 50FT E C/L INT | BL 2454 | |
| LANCASTR 2317.865 (1965) | PM N RIM 2IN IP WITH CONC PLUG + CS TAG 3IN UP ON NW COR 30TH ST W + FUT AVE G 50FT N + 50FT W C/L INT | BL 2455 | |
| LANCASTR 2314.791 (1965) | CS MON IN WELL 12IN DN @ C/L INT 30TH ST W + AVE H MKD (SEC COR 5 6 7 8 R12W T7N) | BL 2459 | |
| LANCASTR 2315.979 (1965) | PM NW RIM 2IN IP WITH CONC PLUG + CS TAG 3IN UP ON SE COR 30TH ST W + AVE H 63FT S + 63FT E C/L INT | BL 2460 | |
| LANCASTR 2314.168 (1965) | PM E RIM 2IN IP WITH CONC PLUG + CS TAG 3IN UP ON NW COR 30TH ST W + FUT AVE H-8 50FT N + 50FT W C/L INT | BL 2461 | |

AUG 1968

LOS ANGELES COUNTY ROAD DEPARTMENT
SURVEY SECTION FIELD ENGINEERING DIVISION

PAGE 39

| QUAD-YEAR | ELEV | DESCRIPTION (INCLUDE QUAD AND YEAR IN DESCRIPTION) | BM NUMBER |
|-----------------------------|--|---|-----------|
| LANCASTR 2314.467 (1965) | PM S RIM 2IN IP WITH CONC PLUG + CS TAG FLUSH ON SE COR 30TH ST W + FUT AVE H-8 50FT S + 50FT E C/L INT | BL 2462 | |
| LANCASTR 2318.846 (1965) | L+T W END S HDWL BRIDGE B 1091 20FT S C/L AVE I + 100FT E C/L 30TH ST W | BL 2463 | |
| LANCASTR 2367.738 (1965) | CSBM MON 6IN UP 22FT E C/L 70TH ST W + 200FT S C/L FUT AVE F-8 MKD (BM 119-11 1961) 2IN IP 2FT UP 2FT W | BL 2464 | |
| LANCASTR 2368.056 (1965) | PM N RIM 1 1/2IN IP WITH CONC PLUG + BRAD FLUSH ON SW COR 70TH ST W + FUT AVE F-8 50FT S + 50FT W C/L INT | BL 2465 | |
| LANCASTR 2368.856 (1965) | PM S RIM 1 1/2IN IP WITH CONC PLUG + BRAD FLUSH ON NE COR 70TH ST W + FUT AVE F-8 50FT N + 50FT E C/L INT | BL 2466 | |
| LANCASTR 2372.459 (1965) | CSBM MON 4IN UP ON SW COR 70TH ST W + AVE F 66FT S + 34FT W C/L INT MKD (BM 119-10 1961) 2IN IP 3FT UP 2FT E | BL 2467 | |
| LANCASTR 2380.076 (1965) | PM NE RIM 1 1/2IN IP WITH CONC PLUG + BRAD 3IN UP ON NE COR AVE F + FUT 75TH ST W 50FT N + 50FT E C/L INT | BL 2468 | |
| LANCASTR 2387.702 (1965) | CS MON IN WELL 12IN DN @ C/L INT AVE F + 80TH ST W MKD (SEC COR 28 29 32 33 R13W T8N) | BL 2470 | |
| LANCASTR 2388.937 (1965) | PM W RIM 1 1/2IN IP WITH CONC PLUG + BRAD 2IN UP ON NW COR AVE F + 80TH ST W 50FT N + 50FT W C/L INT | BL 2471 | |
| LANCASTR 2389.154 (1965) | CS MON IN WELL 8IN DN @ C/L INT 80TH ST W + AVE E-8 MKD (1/4 COR 29 28 R13W T8N) | BL 2472 | |
| LANCASTR 2387.798 (1965) | PM S RIM 1 1/2IN IP CONC PLUG + BRAD FLUSH ON NE COR 80TH ST W + AVE E-8 50FT N + 50FT E C/L INT | BL 2473 | |
| LANCASTR 2404.413 (1965) | CS MON IN WELL 8IN DN @ C/L INT AVE E + 80TH ST W MKD (SEC COR 20 21 28 29 R13W T8N) | BL 2474 | |
| LANCASTR 2417.072 (1965) | CS MON IN WELL 10IN DN @ C/L INT AVE D-8 + 80TH ST W MKD (1/4 COR 20 21 R13W T8N) | BL 2475 | |
| LANCASTR 2373.376 (1965) | RDBM TAG S CB 4FT E DRWY @ SE COR AVE J + CEDAR AVE 90FT E + 42FT S C/L INT | BL 2711 | |
| LANCASTR 2367.856 (1965) | L+T N CB 6FT E BCR @ NE COR AVE J + FIG AVE 40FT N + 40FT E C/L INT | BL 2712 | |
| LANCASTR 2365.949 (1965) | RDBM TAG W CB HARDWOOD AVE @ SW COR HARDWOOD AVE BL + AVE J IN FRONT OF FIRE HYD 76FT S + 20FT W C/L INT | BL 2713 | |
| BASELINE 2491.510 (1965) | 2IN IP (SE EDGE) CONC PLUG + CE TAG 2IN DN @ NW COR 70TH ST E + PROP AVE M 50FT N + 50FT W C/L INT | BL 2760 | |