Fd. I.P. Center Sec. 7
per Tract 7/8 Corner

N0°-41'-04"W
2611.97

NORTH

Scale~1"=40'

Basis of Bearings, C.S. B-201

D:O.R. 6943-214
U.S.C.D.-15538-J
O.T. Gilbank, Trustee
D:O.R. 6943-214
D:O.R. 6670-100
Emma R. Gertz
D:85-215, O.R. 11129-109
D:23-254, O.R. 11278-353

D:O.R. 7167-283
D:O.R. 7232-67
Emma R. Gertz

D:O.R. 10814-94
U.S.C.D.-15538-J
O.T. Gilbank, Trustee
T.D:O.R. 6564-391, % O.R. 10815-362
Title Guarantee and Trust Co.
D:23-254, O.R. 11278-353

Entrada Road

TRACT 3

2

Garage

38" Corr. Iron Pipe

4±

2" Cut Tree

F.M. 11119

Bottom of Cut ?

28±'A

Existing Macadam Pavement

Top of Fill ?

H:36-21-23

C.S. 7916

S 26°-33'-22"W

P.I. 46+

S 4°-00'-21" E

Creek Channel

(12)
℄ Curve Data:
Δ = 88°-20'-31"
R = 200'
T = 194.29'
L = 308.37'

(15)
℄ Curve Data
Δ = 29°-46'-43"
R = 300'
T = 79.76'
L = 155.92'

D:O.R. 10700-196
D:O.R. 7387-240
D:O.R. 7377-229
D:O.R. 10700-196
D:O.R. 11256-356, D:O.R. 11272-321
Martha H. Davie
M:O.R. 11267-233
W.C. Weiss
D:O.R. 11252-343
Fred H. Solomon
D:87-51, O.R. 11453-297

(16)
℄ Curve Data
Δ = 20°-35'-49"
R = 600'
T = 109.02'
L = 215.69'

S 47°-21'-50"
47.14'-11"W

TRACT 1

179

174

175

176

Circle Trail

1632.62'

Ed. Sandstone Mon. SW Cor.
NW¼ Sec. 7, T.1S., R.1E.W

Public Road

15"C

31K+

H1413

F.M. 10553-2

A1 OF A6

N 0°-31'-04" W
2611.97
(2609.96)

TRACT 3

D:O.R. 10814-94
U.S.C.D.-15538-J
O.T. Gilbank, Trustee of the Est. of Harry H. Godber
Shfs. Cif. O.R. 10805-381
W. T. Gibbon
D: 85-169, O.R. 10976-376
D: 23-254, O.R. 11278-353

D:O.R. 5756-62
Emory H. Schuster
Minnie E. Schuster
D: 23-228, O.R. 11301-348

M.B. 114 - 40 - 43

No

Stucco House

D:O.R. 10814-94
U.S.C.D.-15538-J
O.T. Gilbank, Trustee of the Estate of Harry H. Godber
Shfs. Cif. O.R. 10805-381
W.T. Gibbon
D: 85-169, O.R. 10976-376
D: 23-254, O.R. 11278-353

7806

U.S.C.D.-15538-J
O.T. Gilbank, Trustee
D: 23-254, O.R. 11278-353

D:O.R. 10814-94
U.S.C.D.-15538-J
O.T. Gilbank, Trustee of the Est. of Harry H. Godber
Shfs. Cif. O.R. 10805-381
W. T. Gibbon
D: 85-169, O.R. 10976-376
D: 23-254, O.R. 11278-353

15" Corr. Iron Pipe

TOPANGA CANON ROAD

S 05°-15'-58" W
176.35

S 21°-17'-
N 11°-42'-30" W
169.11

Curve Data
Δ = 100°-56'-00"
R = 200'
T = 248.93'
L = 352.32'

D:O.R. 10822-348
D:O.R. 2374-163
William T. Gibbon
D: 85-202, O.R. 11042-373

Land Locked

N 11°-42'-30" E
105.42'

D:O.R. 2941-348
H.O. Probasco
D: 73-246, O.R. 11439-54

Curve Data
Δ = 46°-22-18"
R = 200'
T = 85.66'
L = 161.87

D:O.R. 10700-196
D:O.R. 7387-240
D:O.R. 7377-229
D:O.R. 10700-196
D:O.R. 11256-356, D:O.R. 11272-321
Martha H. Davis
M:O.R. 11267-233
W.C. Weise
D:O.R. 11252-343
Fred H. Soloman
D:87-51, O.R. 11453-297

S 41°-00'-00" E
118.10

Public Well

Curve Data
Δ = 98°-20-31"
R = 200'
T = 194.29'
L = 300.31'

15" Corr. Iron Pipe

S 31°-45'-00" E

Conc. Bridge

F.M. 10553-2

A2 OF A6

Fd 2" I.P. S¼ Cor. Sec. 7
T.1S., R.16W. per Tr. #7806

N0°31'04"W 2611.97'

S0°33'40"E 2646.13'

17

18

22

33

21

19

Cuesta Cala Road

S 68°58'53"E 355.79'

S 68°58'53"E 1176.18'

D:OR 10040-78
Dec. O.R. 10514-94
O.T. Gilbank
D-23-254, O.R. 11278-353

Bridge

30' 30' 60'

H:36-24

H:36-21-23

138.66'

Vac. O.R.D 5127-418

16" Corr Iron Pipe

D:OR 9482-346, D:OR 2425-312
Fred H. Solaman
D-87-52, O.R. 11488-163
Vacated - D:46-286, O.R. 13294-260

D:OR 8467-218
D:OR 7272-237
Gladys Beatrice Chaney
A.G. Chaney
T.D. OR. 8384-393
Title Insurance & Trust Co.
D-85-156, OR 10956-336
D-87-165, 11624-116 Q.C. Deed

N72°49'04"W 168.11'

OR 8579-278

Curve Data
Δ = 46°-52'-20"
R = 250'
T = 103.37'
L = 204.52

D:OR 7730-198
Fred C. Leavitt
L.L. Leavitt
Millicent C. Leavitt
M:OR 8078-223
M:OR 9026-200
W.T. Gibbon
L-OR 7186-207
Standard Oil Company of Calif.
D-23-231, O.R. 11364-190

Curve Data
Δ = 16°-19'-30"
R = 220'
T = 31.64'
L = 232.67'

Not a part of Tract No 7806

Air & water Stand
Gas Pumps

24" Oak Tree

Bottom of Cut

Existing Macadam Pavement

Log Curb

Concrete Gutter Paving

Top of Bank

Creek Channel

Old Topanga Canyon Road

bridge

C.S. 8992

C.S. 7915

F.M. 11119

Fd 2" I.P. 3½ Cor. Sec. 7
T.1S. R.16W per Tr. #7806

S0°33'40"E 2646.13'

S68°58'53"E

(N 144 636.10
E 106 631.63)

P.I. #8

Fd House

TOPANGA

D:OR 6105-171
Daniel L. Ayres
Marguerite Ayres
Bert R. Ayres
Bertha H. Ayres
D-23-168, O.R. 11283-175

Curve Data
Δ = 49°-35-06"
R = 300'
T = 138.57'
L = 259.63'

S68°58'53"E 1176.84'

30' 60' 80'

Existing Macadam Pavement

Bridge

D:OR 9482-346
Fred H. Solomon
D-87-52, O.R. 11488-163

S 68°58'53"E 866.19'

D:OR 7440-334
R.P. Davie
D:OR 10489-373
Martha H. Davie
D-73-147, O.R. 11249-177
D-87-54, O.R. 11525-94
Fred Solomon

This line is plotted in wrong position, should be about here

Fd Sandstone Mon. S.W. Cor. Sec. 7
T.1S., R.16W. per Tr. #7806

1320.00'
S0°33'43"E

This deed is void, because the strip of land described for Topanga Canyon Blvd. does not intersect the land described in OR 7440-334.

F.M. 10553-2

A3 OF A6

TOPANGA CANYON ROAD

S 19°23'47"E 996.78'

C.S. 7915

N 19-35-25 W

N 0°-33'-40"W 2646.13'

N 70°55'30"E 996.78'

Frame House

Ft. House

Garage

Ft. Gar.

Sluice Gar.

Shed

Stone Shack

D:O.R. 2425-312
Fred H. Soloman
D:87-52, O.R. 11488-163

D:O.R. 3830-95
R. H. Tolheron
D:23-296, O.R. 11433-188

D:O.R. 6124-339
N.S. Harshman
Title Insurance & Trust Co.
D:O.R. 7838-250
R.W. Sporting, Inc.
D:23-135, O.R. 11117-393
D:85-252, O.R. 11138-245

℄ Curve Data
Δ = 40°-25'-05"
R = 200'
T = 73.62'
L = 141.03'

D:O.R. 10934-374
Marie M. Hart
D:O.R. 9064-244, D:O.R. 7809-128
Title Insurance & Trust Co.
D:O.R. 7838-250
R.W. Sporting, Inc.
D:O.R. 9124-107
Title Guarantee & Trust Co. P.R.
D:23-135, O.R. 11117-393
D:85-251, O.R. 11138-246

N 143°-09'-48"
E 1065.62
N 3043.54
E 1916.20

℄ Curve Data
Δ = 57°-36'-24"
R = 500.27'
T = 103.27'
L = 201.05'

N 37°16'49"
E 2915.53

C.F. 1938

D:O.R. 6124-339

1894.14'
N 29°55'32"E

1368.00'
S 0°03'43"E 1327.38'

Fd 2" I.P. per Tr. 8319

SUNKEN TRAIL

BLOCK

1 2 3 4 5 6 7

FERNWOOD

LOOKOUT TRAIL

TRA

F.M. 10553-2

A4 OF A6

N0°-33'-40"W
2646.13'

℄ Curve Data
Δ= 57°-36'-24"
R= 200'
T= 103.27'
L= 201.09'

N 37°49'
E 1815.5

C.F. 1938

S 36°35'06"E 155.35'

℄ Curve Data
Δ= 35°-16'-32"
R= 200'
T= 63.59'
L= 123.13'

℄ Curve Data
Δ= 79°-40'-37"
R= 200'
T= 166.86'
L= 278.12'

S 71°51'32"E 350.04'

S 7°49'59"W 152.02'

Lot 1 Block 16

Store Room

Frame Garage

Frame House

Hay Shed

Store Room

Frame House

Coal Shed

Coal Shed

Coal Shed

Coal Shed

Coal Shed

Coal Shed

Frame Shack

County Forestry Station

FERNWOOD PACIFIC DR.

SHORT TR.

LOOKOUT TRAIL

DRIVE

BLOCK 2

BLOCK 3

CAVE WAY

PACIFIC

TRACT No 8319

M.B. 105 38-42

℄ Curve Data
Δ= 64°-43'-08"
R= 300'
T= 197.09'
L= 338.87'

Vacated-D.R. 281, O.R. 1316-280

S.N.C. 492

Existing Monument Found

N 7°-49'-59"E 1320.02'

C.F. 1938

H. 36-25-26

AMLAR

CANYON TRAIL

GRAND VIEW DR.

BLOCK No 1

Frame House

D: O.R. 5535-91
Martin V. Huarte
T.I. & T. Co.
D: O.R. 7838-250
R.W. Sperling, Inc.
D: 87-164, O.R. 11494-390
D: 87-165, O.R. 11633-127

Fd. Sandstone at ¼ Cor. Sec. 19
T. 1S., R. 1W. per Tr. No 8319

F.M. 10553-2

A5 OF A6

Set 3x3 by intersection

L.A. City

Los Angeles Co. Cond. No. 6583-37

Co. Condemnation (Br. Suit No.)
Tr. 41,457-3
R. 102-201-87

Frame Bldg.

C.F. 1938

E.C.B. Line

P.M. 1119

193.27'

S 18°15'52" E

C.S. 7915

Vacated D.R. 281, O.R. 13716-390

Bissell S 89°49'33" W 941.31

Fd. 1½ in mound of rock, center Sec. 18, T.1S. R.16W. per Tr. No. 8319

Fx 63 N 63°31'01" W 2616.13'

Fd. Cutter punch C.F. 1938 per Tr. No. 8319

543.90' S 15°53' H:38-25-26 C.F. 1938

Red Pepper W.F. 63.1

S 56°54'09" E 88.81'

Existing Macadam Path

2905'

30'

40'

15'

80'

GRAND VIEW DR.

BLOCK N° 1

1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18

S 53°42'32" W 251.23'

16

Per Revision on Record of C.S. 7915

BLOCK N° 14

1 2 3 4

FALLS DR.

D.O.R. 4896-307
Henry Trulson
Title Insurance & Tr. Co.
D.O.R. 7838-250
R.W. Sparling, Inc.
D-87-263, O.R. 11624-389
D-87-264, O.R. 11731-151

R.5535-91
Jan V Huarte
& T. Co.
R. 7838-250
Sparling, Inc.
-164, O.R. 11494-390
-165, O.R. 11633-127

TRACT N° 5664
M.B. 114:9-21

Fd. Surveystone W ¼ Cor. Sec. 18 T. 1S., R. 16 W. per Tr. N° 8319

5

1 Curve Data
Δ = 41°59'44"
R = 300'
T = 115.14'
L = 219.89'

116.16' S 60°15'36" E

2 Curve Data
Δ = 3°21'27"
R = 2000'
T = 58.61'
L = 117.20'

M.L. 58.61

R.L.

58.61

C.S.B. 553-2

Los Angeles N 22°11'19" E 658.37

Fd. 8" I.P. per Tr. 8859 N 22°11'19" E 658.37
Lot 1, Block 13

Courtesy Copy
Tr. 10813
C.S. 7915, Tr.

Fd. 8" Con
Monte

NORTH

Scale: 1" = 40'

Basis of Bearings, C.S. B-201

Note: This Tracing is to be filed with Map No. 5498 (2 sheets) W.O. No. 3831 The Co. Surveyor

W.O. 3831

N. TOPANGA CAÑON ROAD

Map Showing Property to be Acquired or Vacated

SHEET N° 2 of 2 SHEETS

Sht-89

Los Angeles Co. Road Dept.
Office Work Nichell
Checked Steve E.C.S.

July 1938
Scale: 1"
Approved
C.S. Engr.

Notes—
Portion colored red shows property to be acquired for ... purposes
Portion colored yellow shows property ... to be vacated

Topanga Cañon Rd. changed to Topanga Canon Blvd. ...

Size: 25" x 15" = 38 □"

F.M. 10553-2

A6 OF A6