



**SURVEY
FOR
CANVANT HEAD**
TUNER W.S.B.H.
 (Part of Road from Tejunga Mines to Actor)

Note - This
 C.A. Engn.
 For New Alignment see C.S. B-193, Shis 1 to 4.
 C.A. Engn.





F.M.	18198	
A1	OF	A7



F.M.	18198	
A2	OF	A7

FILED MAP NO 1919

3 NOV 1918



Los Angeles County, California, Dec. , 1890.

To the honorable, the Board of Supervisors of Los Angeles County.

Gentlemen:-

The undersigned respectfully represent that they are residents of the said County of Los Angeles, and will be materially and beneficially accommodated by the road hereinafter described; that we are each free holders within said county and that at least _____ of us are residents of and free holders in the road district where the herein-after proposed road is situated, and are taxable therein for road purposes. The names of those so residing and taxable in said road district are designated opposite their names as hereto subscribed, by the words "resident and taxable."

And we your petitioners therefore respectfully represent and petition as follows:-

That the public interests will be subserved by the establishing and opening a public county road from Acton, in said county, up the Aliso Canyon at least as far as Pearson's mill, in said canyon.

There is at present a road up said canyon, but running mostly in the creek bed or wash and which has never been declared or worked as a county road, and which it would not be advisable to adopt as a public road because it is subject to be filled with boulders and bewashed out during each rainy season, and in fact does become impassable at various points during each winter.


Your petitioners further represent that the lands over which the route of road hereinafter more particularly described passes, has lately been surveyed by the United States government, and the same are public lands, with numerous occupants and settlers along and near the line of said route; and that the said settlers, and the mines and mills situated in said canyon and near the head thereof, and the settlements which will also surely be made on said public lands demand a safe and convenient public road up said Aliso canyon.

Your petitioners therefore pray that a public road be established as follows: Commencing at a point in the ~~wash~~ present road way in west fork of said canyon, on the south bank of the arroyo and in the south-west quarter of Section 30, Township 4 north, Range 11 west, S. B. M., from which point of beginning the mound of stones raised against the north side of a large needle pine for the end center monument of "Gold Bar" and "Gold Note" mining claims of the Cedar Mining district bears East, 12 links distant, and running thence in a north-westerly course down said Aliso canyon, first crossing the claims of Captain Jas. M. Pearson at what is known as Pearson's Mill in said south-west quarter of said Section 30 and thence in a more westerly direction crossing the line between Ranges 11 and 12 in said Township 4, at a point about eleven chains south of the section corners of Sections 19, 24, 25 and 30, and continuing north-westerly across the corner of Section 25 and across the boundary line between said Sections 24 and 25 at 16 chains west of the said

-2-

corner of Sections 19, 24, 25 and 30 aforesaid, thence in the same general course across said Section 24 and crossing another claim of Captain Jas. M. Pearson about one and one-half chains westerly of his gate, in the north-west quarter of the south-east quarter of said Section 24; thence in same general course to the line between Sections 23 and 25 at a point 16 chains south of the corner of Sections 18, 14, 23 and 24, and still continuing across the corner of said Section 23 to intersect the line between Sections 14 and 22 at 18 chains west of the last named section corner; thence on same general course and east of the old road, to near the north-west corner of the south-west quarter of the south-east quarter of Section 14, and crossing the old road westerly and continuing in to the fork of the canyons and into the old road about eight chains south-easterly from the quarter section corner between Sections 14 and 15, and thence crossing the line about four chains south of said corner and following old road a distance of about 32 chains to cross a branch canyon, and thence continuing westerly of the old road and upon the mesa, crossing the land claim of Stewart & Simartz, and crossing Jones creek about $\frac{1}{2}$ chains south-easterly from the corner of Sections 9, 10, 15 and 16 and thence rising to and along the mesa and crossing the line between Sections 15 and 16 at a point 7.70 chains south of said last named corner, into and across lands claimed by E. Owens; thence west a distance of 33.60 chains to a point near the bank of the canyons, and thence by detour southerly

-3-



and northerly around the head of a deep narrow branch which opens into the Aliso canyon, and thence north-westerly across line between Sections 9 and 16 at a point about 27 chains east of corner of Sections 8, 9, 16, 17 and continuing the same general course over the mesa to cross the line between Sections 8 and 9, and thence descending to an old stone cabin at the mouth of the Gleason canyon, there being no claimants to the lands where said cabin stands; thence mainly following the old road way down the Aliso canyon crossing the lands of George Blum in Section 5 and to a point crossing the north boundary of the township and rising to the mesa five and one-half chains west of the quarter section corner, south boundary of Section 32, Township 5 North, Range 12 west, and into and over the land of Olympia Nyssia, and continuing in same general course north-west to intersect the present county road as traveled at the guide board at forks of Soledad and Aliso canyon.

A definite survey of a road down said canyon with field notes and plat thereof have been made at the instance of these petitioners by C. A. Ensign civil engineer; copies of the said field notes and plat of survey are hereto attached for purpose of reference, and the general route of the road as herein petitioned for corresponds with said survey.

All of the lands in this petition described as being in Township 4 are public lands of the United States. A survey thereof has been made but not yet approved and the same are not yet open to settlement and the persons in this petition

named as owning or claiming lands over which said road would pass have only such rights or titles as settlers obtain on unsurveyed lands.

And your petitioners herewith present a sufficient bond to cover the probable cost of viewing and laying out said road, for approval by this Board.

And your petitioners will ever pray.

Michael Schwartz
F. S. Weatherly
Valentino Rapeti
H. De Recchio Repsale

Luigi Cicalo "
S. P. Capelli "
Ermengildo Galvetti "
Guglielmo Venanzio "
Cresto Falsi "
P. Marinelli "
G. Petraita "
A. Palla "
Mariella Delfante "


Carl D. Morrow
John F. Brown

H. Thomas

Harry Thomas
J. H. Jones

F. A. Henderson

W. Hudson




Field Notes of a Survey for a
New Road in Aliso Canyon,
T. 4 N., R. 12 W., S. 13. M. & C.
Being part of the route from Acton to the Tegunga Mines.
Surveyed at request of
Messrs. J. Hugh Jones, James M. Pearson et al.,
October 1896,
By C. A. Ensign, 2d. S. D. S.; L. S.

Begins at a point in the present roadway on the S. bank of the Arroyo in the S. fork of Aliso Canyon in Sec. 30, T. 4 N., R. 12 W., S. 13. M., Los Angeles County, California, from which point of beginning the mound of stones raised against the N. side of a large Needle Pine for the End Center monument of the Gold Bar and the Gold Mine Mining Claims of the Cedar Mining District, bears E. 10° S. 1.8 miles. Surveying thence upon the following courses and distances to locate and define the actual lines of the proposed roadway and right-of-way with 30 ft. upon each side thereof.

- References to temporary marks
1. N. 37° 00' E. 40 to bottom of Arroyo, course N. W.
} 60 Sta. 2.
 2. N. 20° 20' E. 8.60 " 3.
 3. N. 9 00' E. 80 " 4.
 4. N. 26 50' E. 4.00 " 5.
 5. N. 7 50' E. 2.20 at 27 lbs. N. of N. Cor. of "Bunkhouse".
} 2.8 ft. apart from which the + marked on top of the large boulder for N. S. Cor. of the Gold Bar and N. W. Cor. of the Gold Bar Mining Claims bears S. 79° 12' W. 7.7 miles dist; the S. W. Cor. of P. Pearson's one mile bears N. 59° W. 103 lbs.
6. N. 29 12' E. 1.80 Sta. 7.
 7. N. 67 14' N. 1.12 at 30 lbs. to right of N. W. Cor. of the Mill site - a + mark on top of ledge boulder in surface of ground.
4.70 Sta. 8.
 8. N. 44 37' N. 2.83 " 9.
 9. N. 18 37' N. 9.0 " 10.
 10. N. 15 30' N. 9.20 " 11.
 11. N. 15 16' N. 7.86 " 12.
- Hab. #7 of the mining traverse
Trav. hub #3.
" " 11.

- Onward chart #10 - 2 - References to temporary marks
12. N. 38 15' W. 4.85 Sta. 13.
13. N. 24 15' W. 9.80 Intersect pipe line Survey. A Mineral monument a mound of stones with a marked stone set in ground, at sp. Range line at 12.69 chs. S. of Cor. of Secs. 19 & 20; 20 & 30. 7.5° N. R. 5.11 & 12 W. 6.60. N. 95° 36' W. at 7.50 chs. distance.
3.85 Sta. 14.
14. N. 30 10' W. 4.10 " 15.
15. N. 24 05' W. 3.66 " 16.
16. N. 9 57' W. 1.40 " 17. from which the marked on N. face of bluff of rocks in East bank of Aliso Arroyo bears E. 10° S. 1.8
3.7 miles. distant.
17. N. 48 35' W. 1.00 Intersect T. P. range line; st. Stone marked N. on S. face at 30 links (= 20 feet) N. on N. bank of arroyo.
3.00 Sta. 18.
18. N. 25 00' W. 3.80 bottom of Aliso Arroyo cor. N.
5.60 Sta. 19.
19. N. 71 10' W. 10.00 " 20.
20. N. 57 10' W. 2.78 Intersect S. bdy. of Sec. 24 at 16.00 chs. N. of Cor. Sec. 25 30.
Set stone marked S.P. on its N. face at 10.00. East for soft (10') right of the course.
6.50 Sta. 21.
21. N. 51 40' W. 4.00 " 22.
22. N. 45 50' W. 10.15 " 23.
23. N. 71 05' W. 3.30 " 24. at 2.50 cross spring run course N. W.
24. N. 31 50' W. 3.50 " 25.
25. N. 72 25' W. 3.60 " 26. at 1.20 cross Aliso Arroyo (Cor. N. 30° 31' E.) at 2.00 (45 lbs) Sta. at 2.77
Set of old arastras N. end Ranch house, lbs. N. 9° 30' E.
26. N. 46.00 W. 20.00 Sta. 27. at 6.65 cross road to Ranch house, big about N. 60° E.
27. N. 35 00' W. 16.30 Sta. 28.
28. N. 20 00' W. 4.00 " 29.
29. N. 36 20' W. 6.60 " 30. at 6.70 cross Aliso Arroyo (with water) course N. 5. W.
30. N. 33 00' W. 6.75 " 31.
31. N. 50 00' W. 1.00 " 32.
32. N. 55 00' W. 1.00 " 33.
33. N. 61 00' W. 1.00 " 34.
34. N. 69 00' W. 8.60 " 35. intersect bly. bet. Secs. 20 & 21 S. of road way 16.00 chs. S. of
Cor. Secs. 13, 14, 23 & 24. (about 2.00 cross ridge E. 37' N.)
2.45 Sta. 36.
35. N. 58 00' W. 2.45 " 36.
36. N. 61 15' W. 1.30 " 37. set on S. 0.30 off road courses to the left: courses 37 & 49
lie along North easterly slopes.
37. N. 48 15' W. 5.10 " 38.
38. N. 40 35' W. 7.0 " 39.
- " " 28.
" " 29.
" " 31.
" " 32.
" " 33.
" " 34.
" " 35.
" " 36.
" " 37.
" " 38.
" " 39.
- Trav. hub #27.

- Field Notes New road Aliso Canyon - Cont'd -
- Temporary references
- Trav. hub #7.
39. N. 62 15' W. 2.10 Sta. 40.
40. N. 39 10' W. 4.0 " 41.
41. N. 49 50' W. 5.90 " 42.
42. N. 67 00' W. 2.65 " 43. intersection of S. bdy. Sec. 14 at 1.8 rods. S. of Cr. to Secs.
13, 14, 23 & 24. marked S.P. + on S. point of boulders, cluster of
Sec. line and boulders S. of Sta.; the + is in line of Sta. 43 to 44:
raised a mound of stones at S. side of secants.
43. N. 54 40' W. 2.90 Sta. 44.
44. N. 41 15' W. 2.00 " 45.
45. N. 78 30' W. 1.80 " 46.
46. N. 59 10' W. 2.25 " 47.
47. N. 71 10' W. 3.20 " 48.
48. N. 58 40' W. 1.70 " 49.
49. N. 86 50' W. 1.40 " 50.
50. N. 61 25' W. 2.18 " 51.
51. N. 39 25' W. 2.60 " 52.
52. N. 58 30' W. 7.00 " 53.
53. N. 67 20' W. 5.50 " 54.
54. N. 79 50' W. 3.40 " 55.
55. N. 89 10' W. 3.50 " 56. hence to Sta. 67 on S. W. slopes of Aliso Canyon Bluff.
56. N. 76 40' W. 3.20 " 57.
57. N. 69 30' W. 2.70 " 58.
58. N. 54 40' W. 2.70 " 59.
59. N. 56 40' W. 2.20 " 60.
60. N. 71 20' W. 1.50 " 61.
61. N. 33 55' W. 2.50 " 62.
62. N. 47 50' W. 3.15 " 63.
63. N. 79 00' W. 2.69 " 64.
64. N. 53 20' W. 0.60 " 65.
65. N. 17 30' W. 1.75 " 66.
66. N. 6 30' E. 4.10 " 67.
67. N. 30 50' W. 2.10 " 68.
68. N. 81 50' W. 4.70 " 69.
69. N. 81 30' W. 3.80 " 70. in intersection bly. bet. Secs. 14 & 15 at 2.0 rods.
S. of ridge. Cor. set a stone marked S.P. at N. edge
of roadway - being 20 ft. S. of station.
70. 0.75 to 71. 6.10 Sta. 68.
- " " 102.



-4-		-5-		-6-	
71. S. 87 40W. 610 Sta. 73.	Trach hub * 103.	Temporaray reproduction.	103. N. 35 30W. 3.90 Sta. 136	Trach hub 171	
72. N. 70 50W. 610 " 73.	" 102.	Trach hub 139	136 N. 40 50W. 5.70 " 137	" " 172	
73. N. 59 40W. 3.00 " 74.	" 102.	" 140	137 N. 36 40W. 8.70 " 138	" " 173	
74. S. 79 25W. 3.05 " 75.	" 102.	" 141	138 N. 4 45E. 5.30 " 139	" " 174	
75. N. 74 25W. 610 " 76.	" 102.	" 142	139 N. 12 30W. 13.70 " 140	" " 175	
76. N. 82 20W. 9.85 " 77. (at about 9.00 begin ascent to leave canyon.)	" 102.	" 143	140 N. 35 00W. 8.85 " 141	" " 176	
77. N. 60 00W. 2.60 " 78. (No. 78 is merged in this corner and omitted)	" 102.	" 144	141 N. 6 40W. 3.10 T. 5 N. R. 18 W. brd N. 7.3' 25' S. 67.3 cho. Rancheria		
78. N. 37 50W. 1.60 " 80. top of cliff whence over mesa to Sta. 86.	" 102.	" 145	142 N. 13 05W. 7.18 Intersect prolongation S. fence O. Nyssino's Garden at		
80. N. 28 30W. 1.00 " 81.	" 102.	" 146	20 links N. 45 E. Cor. of inclosure of		
81. N. 50 40W. 1.00 " 82.	" 102.	" 147	11.14 Sta. 143; the intersection of prolongation of fence of Nyssino's		
82. N. 64 50W. 6.00 " 83.	" 102.	" 148	garden at 41 links N. of N. G. Corral; from this		
83. N. 47 50W. 6.20 " 84.	" 102.	" 149	Sta. the 14 Dec. Cor. d. b. 14 Dec. 32 brd. S. 41' 14' E.		
84. N. 63 40W. 9.75 " 85. At top of S. blff of Canyon Aliso-	" 102.	" 150	" " 180.		
85. N. 67 00W. 3.35 " 86. narrow neck of land between Aliso and Jones' Canions.	" 102.	" 151	147 N. 7.49 16 N. 8.78 " 148. To Guide Board Bar Road return to Vincent.		
86. N. 74 55W. 4.80 " 87. Second from mesa in middle step of bluff.	" 102.	" 152	" " 181.		
87. N. 60 25W. 1.69 " 88.	" 102.	" 153	146 N. 18 50W. 7.10 " 145	" " 182	
88. N. 45 00W. 3.80 " 89. At 2.60 crosss Jones Lake Corral N.	" 102.	" 154	145 N. 56 20W. 9.75 " 146	" " 183	
89. N. 37 20W. 4.34 " 1.10 east blff, but brd. 1.10 N. 1.10 S. of Cor. to sta. " 102.	" 102.	" 155	146 N. 7.3 10W. 7.50 " 147	" " 184	
90. " 10.15 + 16. Set stone marked Row N. face at 5.6 brd.	" 102.	" 156	147 N. 14 16 N. 8.78 " 148. To Guide Board Bar Road return to Vincent.		
91. N. 55 Sta. 90, at top of S. blff Jones Canon; chain over mesa.	" 102.	" 157	" " 185.		
92. West 9.00 " 91.	" 102.	" 158	9.70 intersect present roadway brd. about E. & N.		
93. N. 73 00W. 6.90 " 92.	" 102.	" 159	C. A. Cullings Licensed Surveyor.		
94. West 1.90 " 93. At top of mesa S. blff of Aliso Canon	" 102.	" 160			
95. S. 37 20W. 7.00 " 94.	" 102.	" 161			
96. S. 20 30W. 3.08 " 95.	" 102.	" 162			
97. S. 6.2 20W. 1.69 " 96.	" 102.	" 163			
98. S. 7.4 30W. 7.00 " 97.	" 102.	" 164			
99. S. 70 50W. 6.90 " 98. at large boulder in Arroyo on side of wagon trail which crosses the head of a deep narrow gulch Connell.	" 102.	" 165			
100. N. 35 20W. 3.50 Sta. 99.	" 102.	" 166			
101. N. 41 30W. 3.90 " 100.	" 102.	" 167			
102. N. 15 40W. 1.80 " 101.	" 102.	" 168			
103. N. 16 30W. 1.80 " 102.	" 102.	" 169			
104. N. 18 30W. 1.00 " 103.	" 102.	" 170			
105. N. 18 30W. 9.10 " 104.	" 102.	"			

