

FIELD NOTES

TOWNSHIP FIVE NORTH

RANGE TEN WEST

M.D.M.

SECTIONS NOS.

16, 17, 18, 21, 22, 23

and 24

-0-

R10W.

	6	5	4	3	2	1	
	7	8	9	10	11	12	
	"	"	"	"	"	"	
	² 18	¹⁰ 17	⁸ 16	⁷ 15	14	13	
T5N.	¹⁰ 19	⁹ 20	⁸ 21	⁷ 22	⁵ 23	³ 24	T5N.
	30	29	⁶ 28	⁵ 27	⁴ 26	² 25	
	31	32	33	34	35	36	

R10W.

Hancock 1855

EAST BOUNDARY

North on West boundary of section 30

T. 5 N., R. 9 W., S. B.M.

80.00 Set section post and charred stake in mound of small rock 5 ft. base corner to sections 19, 24, 25 and 30 opposite about 20 chains there is a hill some 10 chs. East of line about 60 ft. high with a clear base of about 20 chains dia.

Land sloping North for last half mile, at times over flowed by river.

Soil third rate.

-o-

North on West boundary of section 19.

40.00 Set $\frac{1}{4}$ section post and charred stake in mound of small rock 5 ft. base.

42.50 Cross Rio Del Slano 16 lks. wide, 6 in. deep and rapid course NW skirted with alders.

80.00 Set section post and charred stake in mound with trench and pits as per instructions corner of sections 13, 18, 19, and 24, pebbly and rocky, being mostly in winter bed of the Rio Del Slano.

-o-

HENRY HANCOCK

1855

-o-o-o-o-o-o-o-

West Boundary T. 5 N., R. 10 W.

North on West boundary of section 19

80.00 Drive section post and charred stake and dig trench as per instructions corner of section 13, 18, 19 and 24,

From which bears a

Spanish Bayonet 10 in. dia. N. 7° W., 68 lks.

Spanish Bayonet 11 in. dia. N.33° E., dist.

omitted.

First half mile hilly.

Last North base of a mountain sloping North, mostly

Third rate soil.

-o-

North on West boundary of section 18.

40.00 Set $\frac{1}{4}$ section post and charred stake in mound with trench and pits as per instructions.

76.00 Cross gully 20 lks. wide, banks 4 ft. high, course NW

80.00 Set section post and charred stake in mound with trench and pits as per instructions, corner of sections 7, 12, 13 and 18.

Land gently sloping North.

Soil second rate Reddish loam.

-o-

Henry Hancock,

-o-o-o-o-o-o-o-

SUBDIVISIONS

North between sections 25 and 26

Var. $14^{\circ} 08'$ East.

80.00 Set section post and charred stake in mound with trench and pits as per instructions corner of sections 23, 24, 25 and 26,

Soil second rate, disentergrated soil.

-o-

East on a random line between sections 24 and 25

Var. $14^{\circ} 08'$ East.

40.00 Set temporary $\frac{1}{4}$ section post in dry bed of arroyo, course NW

79.52 Intersect the East Boundary 10 lks. N. of corner to sections 19, 24, 25 and 30,

From which I run

West on a true line between sections 24 and 25

Var. $14^{\circ} 04'$ East

39.76 Set $\frac{1}{4}$ section post and charred stake in mound of rock and

earth 5 ft. base and 30 in. high.

79.52 To corner of sections 23, 24, 25 and 26.

Gently sloping to the NW

Third rate and pebbly soil.

-0-

North between sections 23 and 24

Var. $14^{\circ} 08'$ East.

40.00 Set $\frac{1}{4}$ section post and charred stake in mound of rock
and earth 8 ft. base and 30 in. high

75.50 Cross dry arroyo 15 lks. wide, course NW

80.00 Set section post and charred stake in mound with trench
and pits as per instructions corner of sections 13, 23,
14 and 24

Land level.

Soil third rate, consisting of red sand and pebbles.

-0-

East on a random line between sections 13 and 24

Var. $14^{\circ} 08'$ East.

40.00 Set temporary $\frac{1}{4}$ section post

58.00 Cross Rio Del Slano 28 lks. wide and rapid skirted with
Alders, course NW

79.46 Intersect the East boundary 12 lks. N. of corner to
sections 13, 18, 19 and 24

From which I run

West on a true line between sections 13 and 24

Var. $14^{\circ} 03'$ East.

39.73 Set $\frac{1}{4}$ section post and charred stake in mound with trench
and pits as per instructions.

79.46 To corner of sections 13, 14, 23 and 24.

Level land.

Soil same as last mile.

-0-

North between sections 26 and 27

Var. $14^{\circ} 08'$ East.

80.00 Set section post and charred stake in mound with trench and pits as per instructions, corner of sections 22, 23, 26 and 27.

Undulating land sloping to the North.

Scattering Cedar on first half mild.

Soil second rate.

-0-

East on a random line between sections 23 and 26

Var. $14^{\circ} 08'$ East.

40.00 Set temporary $\frac{1}{4}$ section post.

72.50 Center of dry arroyo 50 lks. wide, banks $4\frac{1}{2}$ ft. high, course North.

79.87 Intersect the North and South line 29 lks. North of corner to sections 23, 24, 25 and 26,

From which I run

West on a true line between sections 23 and 26

Var. $13^{\circ} 56'$ East.

39.94 $\frac{1}{2}$ Set $\frac{1}{4}$ section post and charred stake in mound with trench and pits as per instructions.

79.89 To corner to sections 22, 23, 26 and 27.

Undulating land.

Soil third rate.

Sandy and pebbly.

Nov. 15

-0-

North between sections 22 and 23

Var. $14^{\circ} 08'$ East.

40.00 Set $\frac{1}{4}$ section post and charred stake in mound with trench and pits as per instructions.

45.75 Spanish Bayonet 8 in. dia.

80.00 Set section post and charred stake in mound with trench and pits as per instructions corner of sections 15, 22, 23 and 24,

Land sloping to the North.

Soil of first $\frac{3}{4}$ mile second rate.

last $\frac{1}{4}$ mile third rate.

-0-

East on a random line between sections 14 and 23

Var. $14^{\circ} 08'$ East.

40.00 Set temporary $\frac{1}{4}$ section post.

79.60 Intersect the N and S line 28 lks. N. of corner to sections 13, 14, 23 and 24

From which I run

West on a true line between sections 14 and 23

Var. $13^{\circ} 56'$ East.

39.80 Set $\frac{1}{4}$ section post and charred stake in mound with trench and pits as per instructions.

79.60 To corner to sections 14, 15, 22 and 23

Land undulating.

Soil second rate generally.

-0-

North between sections 27 and 28

Var. $14^{\circ} 08'$ East.

80.00 Set section post and charred stake in mound with trench and pits as per instructions, corner of sections 21, 22 27 and 28

Hilly land.

Soil second rate generally.

-0-

East on a random line between sections 22 and 27

Var. $14^{\circ} 08'$ East.

15.00 Enter valley to North.

40.00 Set temporary $\frac{1}{4}$ section post.

49.00 Cross ravine 1 chain wide, course North

79.48 Intersect the N and S line 10 lks. S. of corner to sections 22, 23, 26 and 27

From which I run

West on a random line between sections 22 and 27

Var. $14^{\circ} 12'$ East.

- 40.00 Set $\frac{1}{4}$ section post and charred stake in mound with trench and pits as per instructions.
- 79.48 To corner of sections 21, 22, 27 and 28.
Undulating land.
Soil second rate generally.

-o-

West on random line between sections 21 and 28

Var. $14^{\circ} 08'$ East.

- 20.00 Leave base of hills.
- 40.00 Set temporary $\frac{1}{4}$ section post.
- 59.00 Cross dry arroyo 20 lks. wide, course NW
- 80.00 Intersect the N and S line 57 lks. N. of corner of sections 20, 21, 29 and 28
(North between sections 28 and 29
80.00 Set section post and charred stake in mound with trench and pits as per instructions corner of sections 20, 21, 28 and 29.)

From which corner I run

East on a true line between sections 21 and 28

Var. $14^{\circ} 32'$ East.

- 40.03 Set $\frac{1}{4}$ section post and charred stake in mound with trench and pits as per instructions
- 80.06 To corner of sections 21, 22, 27 and 28.
Undulating land.
Soil second rate generally.

-o-

North between sections 21 and 22

- 5.00 To top of West end of ridge.
- 25.00 In valley, descent 150 ft.

- 40.00 Set $\frac{1}{4}$ section post and charred stake in mound with trench and pits as per instructions.
- 80.00 Set section post and charred stake in mound with trench and pits as per instructions corner of sections 15, 16, 21 and 22.
- Land undulating.
Sloping to the NE
First half mile third rate, last half mile second rate.

-o-

East on a random line between sections 15 and 22

Var. $14^{\circ} 08'$ East.

- 40.00 Set temporary $\frac{1}{4}$ section post.
- 79.72 Intersect the N and S line 10 lks. N. of corner of sections 14, 15, 22 and 23,

From which corner I run

West on a true line between sections 15 and 22

Var. $14^{\circ} 04'$ East.

- 39.86 Set $\frac{1}{4}$ section post and charred stake in mound with trench and pits as per instructions.

- 79.72 To corner of sections 15, 16, 21 and 22

Undulating land.

Soil second rate.

-o-

North between sections 15 and 16

Var. $14^{\circ} 08'$ East.

- 40.00 Set $\frac{1}{4}$ section post and charred stake in mound with trench and pits as per instructions.
- 80.00 Set section post and charred stake in mound with trench and pits as per instructions corner of sections 9, 10, 15 and 16
- Land undulating and gently sloping North.
Soil second rate.

-o-

From the corner of sections 20, 21, 29 and 28
North between sections 20 and 21

Var. $14^{\circ} 08'$ East.

40.00 Set $\frac{1}{4}$ section post and charred stake in mound with
trench and pits as per instructions.

80.00 Set section post and charred stake in mound with
trench and pits as per instructions corner of sections
16, 17, 20 and 21

Land level.

Soil a disintergrated granite. Apparently second rate.

-0-

East on a random line between sections 16 and 21

Var. $14^{\circ} 08'$ East.

26.00 Cross dry arroyo banks 4 ft. high, 60 lks. wide, course
North.

40.00 Set temporary $\frac{1}{4}$ section corner.

79.92 Intersect the N and S line 48 lks. N. of corner to
sections 15, 16, 21 and 22

From which I run

West on a true line between sections 16 and 21

Var. $13^{\circ} 47'$ East.

39.96 Set $\frac{1}{4}$ section post and charred stake in mound with
trench and pits as per instructions.

79.92 To corner of sections 16, 17, 20 and 21

Land level.

Soil second rate.

-0-

North between sections 16 and 17

Var. $14^{\circ} 08'$ East.

40.00 Set $\frac{1}{4}$ section post and charred stake in mound with
trench and pits as per instructions.

80.00 Set section post and charred stake in mound with trench and pits as per instructions corner of sections 8, 9, 16 and 17

Land level.

Soil second and third rate.

-o-

East on a random line between sections 9 and 16

Var. $14^{\circ} 08'$ East.

40.00 Set temporary \dagger section post.

80.13 Intersect the N and S line 74 lks. N. of corner of sections 9, 10, 15 and 16,

From which I run

West on a true line between sections 9 and 16

Var. $13^{\circ} 36'$ East.

40.06 $\frac{1}{2}$ Set \dagger section post and charred post in mound with trench and pits as per instructions.

80.13 The corner to sections 8, 9, 16 and 17.

Land level.

Soil third rate generally.

-o-

North between sections 19 and 20

Var. $14^{\circ} 08'$ East.

80.00 Set section post and charred stake and dug trench as per instructions corner of sections 17, 18, 19 and 20

From which bears a

Spanish Bayonet 15 in. dia. S. 73° W., 57 lks.

Spanish Bayonet 10 in. dia. S. 66° E., 67 lks.

Undulating land.

Soil second rate.

-o-

East on a random line between sections 17 and 20

Var. $14^{\circ} 08'$ East.

15.50 Cross dry arroyo 50 lks. wide, course N.

40.00 Set temporary \dagger section post.

56.00 Cross dry arroyo 50 lks. wide, course North.

80.42 Intersect the N and S line 25 lks. N. of corner to sections 16, 17, 20 and 21

From which I run

West on a true line between sections 17 and 20

Var. $13^{\circ} 57'$ East.

40.21 Set $\frac{1}{4}$ section post and charred stake in mound with trench and pits as per instructions.

80.42 To corner of sections 17, 18, 19 and 20.

Land undulating.

Soil second rate generally.

-o-

West on a random line between sections 18 and 19

Var. $14^{\circ} 08'$ East.

40.00 Set temporary $\frac{1}{4}$ section post.

76.93 Intersect the West boundary of tp. 27 lks. S. of corner to sections 13, 18, 19 and 24

From which I run

East on a true line between sections 18 and 19

Var. $13^{\circ} 56'$ East.

36.93 Set $\frac{1}{4}$ section post and charred stake in mound with trench and pits as per instructions.

76.93 To corner of sections 17, 18, 19 and 20

Land level.

Soil second rate.

-o-

North between sections 17 and 18

Var. $14^{\circ} 08'$ East.

40.00 Set $\frac{1}{4}$ section post and charred stake

From which a

Spanish Bayonet 8 in.dia. brs. N. 69° W., 112 lks.

Spanish Bayonet 12 in.dia.brs. N. 55° E., 84 lks.

80.00 Set section post and charred stake in mound with trench
as per instructions corner of sections 7, 8, 17 and 18

From which a

Spanish Bayonet 10 in. dia. brs.S. 32° W. 54 lks.

Spanish Bayonet 12 in. dia. brs.N.15½° E. 48 lks.

Land level.

Soil second rate.

-o-

East on a random line between sections 8 and 17

Var. 14° 08' East.

2.00 Cross dry arroyo 10 lks. wide, course North
29.00 Cross dry arroyo 12 lks. wide, course NW
40.00 Set temporary ¼ section post.
47.00 Cross dry arroyo 50 lks. wide, course North.
80.50 Intersect the N and S line 24 lks. N. of corner to
sections 8, 9, 16 and 17

From which I run

West on a true line between sections 8 and 17

Var. 13° 58' East.

40.25 Set ¼ section post and charred stake in mound with
trench and pits as per instructions.
80.50 To corner of sections 7, 8, 17 and 18
Level land.
Soil third rate generally.

-o-

West on a random line between sections 7 and 18

Var. 14° 08' East.

11.00 Cross dry arroyo banks nearly 5 ft. high, 30 lks. wide,
course North.
40.00 Set temporary ¼ section post
76.50 Intersect the West boundary 20 lks. N. of corner of
section 12, 13, 18 and 7

From which corner I run

East on a true line between sections 7 and 18

Var. 14° 16' East.

36.50 Set $\frac{1}{4}$ section post and charred stake in mound with
trench and pits as per instructions

76.50 To corner of sections 7, 8, 17 and 18

Level land.

Soil mostly third rate.

-o-

November 20th.

Henry Hancock.

-o-o-o-o-o-