

FIELD NOTES OF SURVEY

OF

S.line of Secs. 34 & 35, and part of S.bdy. of Sec. 33, In T. 2 S., R. 10 W., S. B. M.

Rancho lines of San Juan Cajon de Santa Ana

- " La Habra.
- " Rincon de la Brae.
- * Santa Ana del Chino.
- * La Puente

And Subdivisions of T. 2 S., R. 10 W., S. B. M. California.

CEW. Transcriber. EBG. Comparer. EBG. Reader.

(Surveyed by Henry Hancock, Contract of July 5th, 1853 Book 167, Part 3.)

Township 2 S., R. 10 W., San Bernardino Mer.

Chs.Lks. East on random line on South boundaries of Secs. 31, 32, 33 & 34, from which I offset to south boundary of Secs. 2 & 1, in T. 3 S., R. 10 W. on account of an abrupt Canada consisting of numerous gulches & ravines falling in line and on south boundary of Secs. 2 & 1. Setting temporary mile and ½ wile posts intersect the east boundary of Sec.1 at 414 links north of corner of Secs. 1 & 12, 5 miles 75 chains & 55 links. Therefore the correction will be 145 links west & 69 links South per mile.

True south boundary.

West on offset of 1 mile South & on Variation 13°30' E.
line.
West on South boundary of Sec. 1, T. 3 S., R. 10 W. as offset/

- 12.55 Over trail & ravine 8.
- 16.06 Ridge.
- 18.55 Ravine.
- 21.05 Ridge.
- 26.15 Ravine course S.
- 31.55 Ridge.
- 40.00 Set & sec. post & charred stake in mound.
- 40.60 Ravine taking 8.
- 45.00 S. slope of ridge.
- 50.00 * * *
- 54.00 Ravine taking S.
- 58.00 West bluff of same.
- 60.50 Ravine taking S.
- 73.50 Leave S. face of hills.
- Soil, 2d rate argillaceous sand & ocean matter.

 West on south boundary of Sec. 2, T. 3 S., R. 10 W. as offset line.
- 8.55 Base of hills.
- 34.00 Across Canada & chains from bluff to bluff & sandy arroyo loo links wide, course 8. 30 w.

Township 2 S., R. 10 W., San Bernardino Mer.

Chs. Lks.

- 35.25 Across trail S. 55 W.
- 40.00 Set & sec. post & charred stake in mound.
- 80.00 Set sec. post & charred stake in mound, cor. of Secs. 3, 2, 10, 11.

Soil 2d rate. Prairie & good pasturage.

Thence

Worth on offset to Township boundary and on the west boundary of Sec. 2, T. 3 S., R. 10 W.

- 2.50 East bank of gulch.

 North on offset & on west boundary of Sec. 2, T. 3 S., R. 10 W.
- 18.00 South bank of gulch.
- 40.00 Set \(\frac{1}{4} \) sec. post & charred stake in witness mound 45 links east of true corner for gulch.
- 60.20 Gulch 20 feet deep course S. 7 W.
- 75.20 Base of hill.
- 50.00 Set sec. post & charred stake in mound cor. of Secs. 34,35, 3,2 in oat bottom of same, 25 chs.in width. Soil 2d rate.

Measuring east on Township line so far as practicable from the effset station of S. boundary which was cor. of Secs. 34, 35, 3, 2 (on true line)

East on south boundary of Sec. 35.

- 16.50 Over south point of ridge & to trail in Canada.
- 21.00 To same trail.
- 37.00 Bunch of Gactis for which I offset 50 links S. & clear same at 3 chs. E. & measure 50 links N. to line.
- 40.00 Drove & sec. post and charred stake in mound from which bears walnut 7 ins. diam., S. 15° W. 167 links dist.

 Bo Do 3 in.diam. N. 57½° E.
- 46.50 Across gulch from north.
- 50.00 Do " East.
- 65.90 Offset station.

 Thence South.

Township 2 S., R. 10 W., San Bernardino Mer.

Chs. Lks.

.40 To 2d offset station.
Thence East

14.10 To 3d offset station.

Thence Worth

.40 To line

East on south boundary of Sec. 35 At offset station last taken, set sec. post and charred stake in mound from which bears a walnut 4 in. diam. S. $31\frac{1}{2}$ E. 116 links dist. Do Do 6 in. diam. S. 36 W. 136 links dist. on south boundary of Sec. 36

- 9.00 Cross gulch coming from north.
- 20.00 Head of Canada on east side of ridge.
- 20.52 To brink of a continued series of abrupt and insuperable gulches intervening between this point & Township corner. set post & charred stake in rocks from which bears an Elder 5 in. diam. S. 14 W. 262 links dist. also Do 4 in diam. N.4 E. 116 links dist. There is a 2d growth of walnut up this Canada. Some little water & on north it is exceedingly rough & rocky.

West from cor. of Secs. 34,35,3, 2 and on south boundary of Sec. 34.

- 2.50 Trail sourse SW.
- 9.05 Ridge.
- 12.05 Gulch course S.
- 18.55 Ridge.
- 40.00 Set t sec. post & charred stake in mound on E. of gulch taking S.
- 51.55 Ridge.
 West on South boundary of Sec. 34.
- 57.05 Ridge.
- 62.25 Ravine 20 feet deep course southeasterly.
- 77.05 Aeross trail.

Township 2 S., R. 10 W., San Bernardino Mer.

Chs. Lks.

50.00 Set sec. post & charred stake in mound cor. of Secs. 33, 34, 4, 3. Broken prairie, 2d rate. Soil with cats, clover & rosin weed.

On south boundary of Sec. 33.

- 8.55 Top of ridge.
- 33.55 Ravine.
- 40.00 Set + sec. post and charred stake in mound on W. side of ridge.
- 51.05 Spur.
- 56.55 Gulch & canada 2 chs. wide S.

 West on south boundary of Sec. 33.
- 58.05 Trail on read, course S.
- 70.05 Spur.
- 73.05 Trail, course south.
- 75.55 Beep ravine.
- 80.00 Set sec. post & charred stake in mound cor. of Secs. 32, 33, 5, 4. Hilly & 2d rate soil.

Field Notes of the final survey of the Rancho Rincon de la Brea. G. Ybarra, Confirmee, by Henry Hancock, Deputy Surveyor, under his instructions of September 1, 1858.

Commenced October 12, 1858, at a post in mound on a small hill near the mouth of the Canada La Brea, and on the west side of the same; the said post in mound constituting Station No.21 of the previously surveyed Rancho called La Puente and Station No.1 of this Rancho. Thence

Variation 13° 30' East.

S. 55° E. 58.50

Intersect the east boundary of Town-ship No. 3 south of the base line of Range No.10 W. of the San Bernardino Meridian, 15.70 chains, south of the quarter section corner on east boundary of Section 1, and set a post and charred stake for Station No.2 at point of intersection.

Thence

s. 854° E. 103.67

To a live oak 36 inches diameter, marked with a cross on the top of the east bluff of the Canada La Brea and marked the same for Station No. 3.

North

6.00

Into Canada course southwest.

13.00

Across same, and enter rolling hills.

124.00

To Station No.4 and set a post and

charred stake in mound.

Thence

23.40

To Station No. 5 and set a brown granite rock 20 inches long, 10 inches

wide and 6 inches thick.

Thence

Rancho Rincon de la Brea.

- North 150.00 To Station No.6 of this Rancho and No.16 of the La Puente. A post and charred stake in mound, having entered the valley 100 chains. Thence
- W. 48½°W. 101.00 To Station No.7 of this Rancho and No.17 of La Puente, situated on the north bank of the San Jose creek, here about 12 links wide, and a foot deep, and set a post and charred stake from which A willow 15 inches diameter, bears north 55° west, distant 55 links.

 Thence
- 8.76° W. 1.50 Across San Jose Creek, 12 links wide, course west.
 - 5.50 Intersected the west boundary of Tp. 2
 S., of the Base line of Range No. 9 W.
 of the San Bernardino Meridian, 15 chs.
 south of corner to Sections 12, 13, 7
 and S; and set a stake at the point of intersection.
 - 7.93 To Station No.8, marked a willow 15 inches diameter, marked E.P.No.15, standing on the left bank of creek, R.L.B.

 Thence
- S.13% W. 32.00 Crossed a road, course west.
 - 19.00 Crosses a stream of water 3 links wide, course west.
 - 150.00 Acress a dry arroyo l chain wide, enter the La Puente Hills.
 - 163.00 A rock 24 inches long, 15 inches wide, and 8 inches thick, on line, and on north slope of hills.
 - 203.00 An irregular mound of rock on line.
 - 237.40 To Station Wo.9, a rock 30 inches long, 10

Rancho Rincon de la Brea.

Inches wide, 6 inches thick, standing on the summit of the La Puente hills. From this Station, a black oak 30 inches diameter, bears north $57\frac{1}{2}$ ° east, distant 424 links.

Thence

S.5° W. 45.00 To Station No.10, and set a sandstone rock, 15 inches long, 12 inches wide, and 10 inches thick.

Thence

8.14°W. 41.00 To place of beginning.

Field Notes of the final survey of the Rancho "La Puente" Situated in the County of Los Angeles, State of California. Executed by Henry Hancock, Deputy Surveyor, in conformity with instructions bearing date October 2, 1857.

		And the same 1900 this plan cale to the same too. And the same
Com	menced Novemb	er 27, 1857, at a point in the center of the
		old bed of the River San Gabriel, on the
		south side of the road from Los Angeles
		to San Bernardine, at which I set a post
		in an irregular mound of rock from which
		a willow tree 7 inches diameter bears
		N. 72 W. distant 981 links. Thence
		Variation 13° 30' E.
N. 32 E.	13.46	To a willow 6 inches diameter and
		marked the same for Station No. 2.
N. 11½ E.	45.00	
n. 14 E.	69.00	To Station No.4, and set a rock 14
		inches long, 8 wide by 6 inches thick
N. 75 E.	5.00	To east bank of dry bed of river course
		southeast.
	101.00	Intersected the 10, range line 11.25
		chains, south of the ‡ section corner
		on the west boundary of Section 15,
		Township Wo.1, south of the base line
		of Range No.10 west of the San Bernar-
		dino Meridian.
		And drove stake and charred stake at
		point of intersection.
	245.00	To a sycamore 24 inches diameter about
		one chain south of the road leading to
		San Bernardino and made it Station No.5.
s. 87 E.		Along the San Bernardino road.
	57.00	To Station No. 6 and drove a stake.
n. 87½ e.	29.00	
s. 79 1 E.	39.00	
n. 87 k.		

N. 56 E. 120.00 To Station No. 11, and drave a stake charred stake on the top of a low remains south of road from which a conical peak bears 8. 22½ E. N. 71½ 114.25 To Station No. 12, a large live oak on the south side of the road 60 inordiameter, and mark same for the north east corner of the Rancho, from which the conical peak, before taken bears S. 7½ W. Thence S. 23 E. 51.50 Across a Canada some 2 chains wide, course northwest along the north base of hills, and convenient to ascend the range of hill on the south. 192.00 To summit of range of hills, general course of which is east and west. 231.00 To south base of range of hills. 250.00 To Station No. 13 and marked a black mut 24 inches diameter from which and brack walnut bears S.71 west distant links and another black walnut 30 indiameter bears N.50W. distant 193 links and another black walnut 30 indiameter bears N.50W. distant 193 links and another black walnut 30 indiameter bears N.50W. distant 193 links and another black walnut 30 indiameter bears N.50W. distant 193 links and another black walnut 30 indiameter bears N.50W. distant 193 links and another black walnut 30 indiameter bears N.50W. distant 193 links and another black walnut 30 indiameter bears N.50W. distant 193 links and another black walnut 30 indiameter bears N.50W. distant 193 links and another black walnut 30 indiameter bears N.50W. distant 193 links and another black walnut 30 indiameter bears N.50W. distant 193 links and another black walnut 30 indiameter bears N.50W. distant 193 links and another black walnut 30 indiameter bears N.50W. distant 193 links and another black walnut 30 indiameter bears N.50W. distant 193 links and another black walnut 30 indiameter bears N.50W. distant 193 links and another black walnut 30 indiameter bears N.50W. distant 193 links and another black walnut 30 indiameter bears N.50W. distant 193 links and another black walnut 30 indiameter bears N.50W. distant 193 links and another black walnut 30 indiameter bears N.50W.	tree
charred stake on the top of a low rechill some 5 chains south of road from which a conical peak bears 8. 22½ E. N. 71½ 114.25 To Station No. 12, a large live oak on the south side of the road 60 inches diameter, and mark same for the north east corner of the Rancho, from which the conical peak, before taken bears S. 7½ W. Thence S. 23 E. 81.50 Across a Canada some 2 chains wide, ceurse northwest along the north base of hills, and convenient to ascend the range of hills, and convenient to ascend the range of which is east and west. 231.00 To summit of range of hills, general course of which is east and west. 231.00 To south base of range of hills. 250.00 To Station No. 13 and marked a black mut 24 inches diameter from which and brack walnut bears S.71 west distant links and another black walnut 30 inches diameter bears N.50W. distant 193 links and another black walnut 30 inches diameter bears N.50W. distant 193 links and another black walnut 30 inches diameter bears N.50W. distant 193 links and another black walnut 30 inches diameter bears N.50W. distant 193 links and another black walnut 30 inches diameter bears N.50W. distant 193 links and another black walnut 30 inches diameter bears N.50W. distant 193 links and another black walnut 30 inches diameter bears N.50W. distant 193 links and another black walnut 30 inches diameter bears N.50W. distant 193 links and another black walnut 30 inches diameter bears N.50W. distant 193 links and another black walnut 30 inches diameter bears N.50W. distant 193 links and another black walnut 30 inches diameter bears N.50W. distant 193 links and another black walnut 30 inches diameter bears N.50W. distant 193 links and another black walnut 30 inches diameter bears N.50W. distant 193 links and another black walnut 30 inches diameter bears N.50W. distant 193 links and another black walnut 30 inches diameter bears N.50W.	tree
hill some 5 chains south of road from which a conical peak bears 8. 22½ E. N. 71½ 114.25 To Station No. 12, a large live oak on the south side of the road 60 inch diameter, and mark same for the north east corner of the Rancho, from which the conical peak, before taken bears S. 7½ W. Thence S. 23 E. 51.50 Across a Ganada some 2 chains wide, course northwest along the north base of hills, and convenient to ascend the range of hills, general course of which is east and west. 231.00 To summit of range of hills, general course of which is east and west. 231.00 To Station No. 13 and marked a black mut 24 inches diameter from which and black walnut bears S.71 west distant links and another black walnut 30 included the south boundary of towns.	tree les
which a conical peak bears 3. 22½ E. N. 71½ 114.25 To Station No. 12, a large live oak on the south side of the road 60 inci diameter, and mark same for the north east corner of the Rancho, from which the conical peak, before taken bears S. 7½ W. Thence S. 23 E. 81.50 Across a Canada some 2 chains wide, ceurse northwest along the north base of hills, and convenient to ascend th range of hill on the south. 192.00 To summit of range of hills, general course of which is east and west. 231.00 To south base of range of hills. 250.00 To Station No. 13 and marked a black nut 24 inches diameter from which and black walnut bears S.71 west distant links and another black walnut 30 inc diameter bears N.50W.distant 193 limi diameter bears N.50W.distant 193 limi s.24°50°W. 106.65	tree les
H. 71% 114.25 To Station No. 12, a large live oak on the south side of the road 60 incidiameter, and mark same for the north east corner of the Rancho, from which the conical peak, before taken bears S. 7% W. Thence S. 23 E. 81.50 Across a Canada some 2 chains wide, course northwest along the north base of hills, and convenient to ascend the range of hill on the south. 192.00 To summit of range of hills, general course of which is east and west. 231.00 To south base of range of hills. 250.00 To Station No. 13 and marked a black mut 24 inches diameter from which and black walnut bears S.71 west distant links and canother black walnut 30 incidiameter bears N.50W.distant 193 link intersected the south boundary of towns.	1 08
on the south side of the road 60 incidiameter, and mark same for the north east corner of the Rancho, from which the conical peak, before taken bears S. 7½ W. Thence S. 23 E. 51.50 Across a Canada some 2 chains wide, ceurse northwest along the north base of hills, and convenient to ascend the range of hill on the south. 192.00 To summit of range of hills, general ceurse of which is east and west. 231.00 To south base of range of hills. 250.00 To Station No. 13 and marked a black mut 24 inches diameter from which and brack walnut bears S.71 west distant links and another black walnut 30 incidiameter bears N.50W.distant 193 links and another black walnut 30 incidiameter bears N.50W.distant 193 links Intersected the south boundary of towns.	1 08
diameter, and mark same for the north east corner of the Rancho, from which the conical peak, before taken bears S. 7t W. Thence 8. 23 E. 81.50 Across a Canada some 2 chains wide, sourse northwest along the north base of hills, and convenient to ascend the range of hill on the south. 192.00 To summit of range of hills, general course of which is east and west. 231.00 To south base of range of hills. 250.00 To Station No. 13 and marked a black mut 24 inches diameter from which and black walnut bears S.71 west distant links and another black walnut 30 inc diameter bears N.80W.distant 193 link S.24050'W. 106.65	ਜੇ *-
s. 7½ W. Thence S. 23 E. 51.50 Across a Canada some 2 chains wide, sourse northwest along the north base of hills, and convenient to ascend the range of hill on the south. 192.00 To summit of range of hills, general course of which is east and west. 231.00 To south base of range of hills. 250.00 To Station No. 13 and marked a black nut 24 inches diameter from which and brack walnut bears S.71 west distant links and another black walnut 30 included the south boundary of towns.	
the conical peak, before taken bears S. 7½ W. Thence S. 23 E. S1.50 Across a Canada some 2 chains wide, course northwest along the north base of hills, and convenient to ascend the range of hill on the south. 192.00 To summit of range of hills, general course of which is east and west. 231.00 To south base of range of hills. 250.00 To Station No. 13 and marked a black nut 24 inches diameter from which and black walnut bears S.71 west distant links and another black walnut 30 inch diameter bears N.50W.distant 193 link S.24°50'W. 106.65	1
S. 7½ W. Thence 8. 23 E. 81.50 Across a Canada some 2 chains wide, course northwest along the north base of hills, and convenient to ascend the range of hills, and convenient to ascend the range of hills, general course of which is east and west. 231.00 To summit of range of hills, general course of which is east and west. 231.00 To south base of range of hills. 250.00 To Station No. 13 and marked a black nut 24 inches diameter from which and brack walnut bears S.71 west distant links and another black walnut 30 inches diameter bears N.50W.distant 193 links and another black walnut 193 links and another black walnut so inches diameter bears N.50W.distant 193 links and another black walnut so inches diameter bears N.50W.distant 193 links and another black walnut so inches diameter bears N.50W.distant 193 links and another black walnut so inches diameter bears N.50W.distant 193 links and another black walnut so inches diameter bears N.50W.distant 193 links and another black walnut so inches diameter bears N.50W.distant 193 links and another black walnut so inches diameter bears N.50W.distant 193 links and another black walnut so inches diameter bears N.50W.distant 193 links and another black walnut so inches diameter bears N.50W.distant 193 links and another black walnut so inches diameter bears N.50W.distant 193 links and another black walnut so inches diameter bears N.50W.distant 193 links and another black walnut so inches diameter bears N.50W.distant 193 links and another black walnut so inches diameter bears N.50W.distant 193 links and another black walnut so inches diameter bears N.50W.distant 193 links and another black walnut so inches diameter bears N.50W.distant 193 links and another black walnut so inches diameter bears N.50W.distant 193 links and another black walnut so inches diameter bears N.50W.distant 193 links and another black walnut so inches diameter bears N.50W.distant 193 links and another black walnut so inches diameter bears N.50W.distant 193 links and another black walnut so inche	
8. 23 E. 81.50 Across a Canada some 2 chains wide, sourse northwest along the north base of hills, and convenient to ascend the range of hills, and convenient to ascend the range of hills on the south. 192.00 To summit of range of hills, general course of which is east and west. 231.00 To south base of range of hills. 250.00 To Station No. 13 and marked a black nut 24 inches diameter from which and black walnut bears S.71 west distant links and manother black walnut 30 inches diameter bears N.50W. distant 193 links and south boundary of towns.	
seurse northwest along the north base of hills, and convenient to ascend the range of hills on the south. 192.00 To summit of range of hills, general course of which is east and west. 231.00 To south base of range of hills. 250.00 To Station No. 13 and marked a black nut 24 inches diameter from which and brack walnut bears S.71 west distant links and another black walnut 30 inches diameter bears N.50W.distant 193 links and seven boundary of towns.	
of hills, and convenient to ascend the range of hill on the south. 192.00 To summit of range of hills, general course of which is east and west. 231.00 To south base of range of hills. 250.00 To Station No. 13 and marked a black nut 24 inches diameter from which and black walnut bears S.71 west distant links and another black walnut 30 inches diameter bears N.50W.distant 193 links. 106.65 Intersected the south boundary of towns.	
range of hill on the south. 192.00 To summit of range of hills, general course of which is east and west. 231.00 To south base of range of hills. 250.00 To Station No. 13 and marked a black nut 24 inches diameter from which and black walnut bears S.71 west distant links and another black walnut 30 inc diameter bears N.50W.distant 193 links. 3.24050 W. 106.65	\$
To summit of range of hills, general course of which is east and west. 231.00 To south base of range of hills. 250.00 To Station No. 13 and marked a black nut 24 inches diameter from which and black walnut bears S.71 west distant links and manother black walnut 30 inches diameter bears N.50W.distant 193 links 3.24°50°W. 106.65 Intersected the south boundary of towns.	16
course of which is east and west. 231.00 To south base of range of hills. 250.00 To Station No. 13 and marked a black nut 24 inches diameter from which and black walnut bears S.71 west distant links and another black walnut 30 included the south boundary of total states.	
231.00 To south base of range of hills. 250.00 To Station No. 13 and marked a black nut 24 inshes diameter from which and black walnut bears S.71 west distant links and another black walnut 30 inc diameter bears N.50W. distant 193 links 3.24°50'W. 106.65 Intersected the south boundary of towns.	
To Station No. 13 and marked a black nut 24 inches diameter from which and black walnut bears S.71 west distant links and another black walnut 30 inc diameter bears N.50W.distant 193 links 3.24°50'W. 106.65 Intersected the south boundary of towns.	
nut 24 inches diameter from which and black walnut bears S.71 west distant links and another black walnut 30 inc diameter bears N.50W.distant 193 links S.24°50'W. 106.65 Intersected the south boundary of too	
black walnut bears S.71 west distant links and another black walnut 30 inc diameter bears N.50W.distant 193 links S.24°50'W. 106.65 Intersected the south boundary of texts.	wal-
links and another black walnut 30 inc diameter bears N.50W.distant 193 link 8.24°50'W. 106.65 Intersected the south boundary of ton	ther
diameter bears N. 50W. distant 193 links S. 24°50'W. 106.65 Intersected the south boundary of texts.	125
S. 24°50'W. 106.65 Intersected the south boundary of tor	hes
	B. Thence
ship Wo.l, south of the base line of	m-
- ·	the
San Bernardine Meridian, 9.20 chains	West
of the \(\frac{1}{4}\) section corner, on the south	Ł
boundary of Section 33 and drove a s	ake and
charred stake at point of intersection	n.
165.00 Cross San Jose Creek, 25 links wide,	
course southwest.	
210.68 To Station No.14, and drove a stake a	md
charred stake a course of the Los Nos	ales
Rancho. Thence	
West 6.50 Across the San Jose Creek, 10 lks. wi	.de
course S. 40 west.	

	67.24	To Sta.	.No.15 and drove a stake and charred
			Thence
South	23.75		Across the San Jose Creek from bank to
			bank 50 links wide, course S. 69 W.
	143.14		To Station No. 16 and drove a stake
			and charred stake.
			Thence
W. 48 W.	101.00		To Station No. 17 and drove a stake
			and charred stake.
			From which a willow 18 inches diameter
			bears N. 55 W. distant 88 links.
			Thence
s. 76 w.	1.50		Across the San Jose Creek, 1 chain be-
			low the point called the Pseo de las
			Carretas, course west.
	5.50		Intersected the 9, range line west 15
			chains, south of the corner of sections
			7,12,13,15, between Townships Nos. 2,
			south of the base line of Ranges 9 and
			10 West of the San Bernardino Meridian.
			Set stake at point of intersections.
	7.93		To Station Wo.15, and marked a willow
			15 inches diameter for station on left
			bank of creek, L.P. 18. Thence
s. 13 4 w.	32.00		Across road to Los Angelos, course West.
	79.00		Across stream of water 3 links wide
			course west.
	150.00		Across a dry arroyo l chain wide at the
			base of high hills on the south course
			northwest.
	163.00		Set a rock 24 inches long, 15 inches wide
			8 inches thick on line and on the north
			slope of hills.
	203.00		Raise an irregular mound of rock on line.
	237.40		To Station No.19 and set a rock 30

inches long, 10 inches wide 6 inches thick on crest of hills from which a black oak 30 inches diameter bears north $57\frac{1}{2}$ E. distant 424 links.

S. 5 West	45.00	
s.14 w.	41.00	To Station No. 21 and set a post and
		charred stake in mound as per in-
		structions for the southeast corner
,		of the Rancho, on a hill overlooking the
		Canada de la Brea, on the south and east.
N. 79 ³ W.	165.00	To Station No. 22, Big Granite boulder
		some 5 feet high and 8 feet in diameter
		Thence

N. 19 ¹ E.	37.50	Across a dry arroyo 12 links wide, in
		ravine on the south face of hills,
		covered with a thick growth of walnut
		course of the ravine south 80 west.
	63.50	Across road for Carritas hauling wood
		COURTE N 70 W

65.00	To summit of hills, ranging No. 70 W.
121.00	To Station No. 23 and set a post with
	obarred stake in mound with pits as
	per instructions from which a willow
	10 inches diameter, bears N. 59 E. dist-
	ant 12.43 chains. Thence
166.00	To Station No. 24, and set a post and

stake at the point of intersection.

N. 80½ W. 166.00

To Station No.24, and set a post and charred stake in mound,

N. 66¼ W. 129.75

Intersected the west boundary township

No.2, south of the base line of range

No.10 west of the San Bernardino Meridian, 28.25 chains south of corner to

Sections 18, 19, 13 and 24, and drove a

	260.00	To Station No.25, and drove a stake
	į	and charred stake in mound
N. 34 W.	160.00	To Station No. 26, and set post in
		mound. Thence
¥. 55¼ ¥.	63.00	Leave hills and to a point opposite
		the dam on the San Jose Creek agreed
		upon as a point in line between the
		Rancho La Puente and San Bartole and
		Set a rock 2 ft. long, 15 inches wide,
		and 12 inches thick on line.
	64.00	Across San Jose Creek, at dam or toma
		14 links wide, course south 65 west.
	105.50	To left bank of the river San Gabriel
		and set a rock 14 inches long 10 inch-
		es wide, and 8 inches thick on line for
		witness to Station 27.
	107.00	To Station No. 27, in center of river
		San Gabriel. Thence
n. 20 1 e.	5.00	
n. 334 e.	5.00	
n. 8 1 e.	5.00	
N. 25 W.	7.00	
N. 9 E.	3.75	Intersect the south boundary of town-
		ship No. 1, south of the base line of
		range No.11 W. of the San Bernardino
		Meridian 14.50 chains west of the $\frac{1}{4}$
		section corner on the south boundary
		of Section 33.
	7.00	
n. 46½ e.	12.00	
n. 17# e.	7.00	
N. 10 W.	5.00	
n. 97 E.	6.00	
n hol r	3 00	

N. 42½ E. 3.00

s. 60½ E. 12.00

- n. 864 k. 7.00
- s. 77% E. 5.00
- s. 77½ E. 8.00
- n. 641 E. 4.00
- 8. 45 E. 4.00
- s. 681 E. 6.00
- s. 861 E. 5.00
- 8. 86½ E. 10.00
- s. 79 E. 6.00
- N. 51 E. 5.00
- N. 69½ E. 5.00
- H. 847 E. 8.00
- s. 50% E. 3.50
- n. 681 E. 3.00
- N. 644 E. 5.00
- H. 291 E. 8.00
- H. 66† E. 6.00
- s. 661 E. 5.00 s. 274 E.
- 9.00
- N. 71% E. 8.00
- N. 304 E. 9.00
- ₩. 43 E. 13.00
- 13.00 n. 53 e.
- N. 301 W. 3.50
- N. 34½ W. 11.00
- N. 2 E. 16.00
- n.401 E. 36.00

To Station No.1 or point of commencement.

Field Notes of the Final Survey of the Rancho La Habra.

Andras Pico et al Confirmee, by Henry Hancock, Deputy

Surveyor, under his instructions of September 1, 1858.

Commenced November 14, 1858.

At a rock set in earth some 3 feet high 20 inches wide and 18 inches thick on the road to Santa Ana called the Pillar and constituting the northeast corner of the ranch "Los Cayotas" Thence

Variation 13°30' E.

N. 191 E. 185.06

Intersect the south boundary of township No. 2 south of the base line of
Range No. 10 west of the San Bernardino
Meridian 7.41 chains west of corner to
Sections 3, 4, 33 and 34, and set a post
and charred stake as per instructions.

203.00

To a large granite boulder which is a station of the Rancho La Puenta and to base of hills.

324.00

To Station No.2, and set a post and charred stake in mound for northeast corner of La Habra it being also a Station in the survey of Rancho La Puenta and on the north slope of range of hills from which a willow 10 inches diameter bears N. 59 E. distant 12.43 chains. Thence

N. 80 W. 166.00

To Station No.3 or northwest corner of La Habra a post and charred stake also a station of Rancho La Puenta No. 24, from which a sandstone rock 14 inches long 12 inches wide by 6 inches thick bears south—distant 300 links and on the south side of summit of

Rancho La Habra.

ridge course southwest.

Thence

South 10.00 To Station No.4 and set a post and charred stake in mound.

Thence

S.75°55'W. 124.71 To the \(\frac{1}{4}\) section corner or the west boundary of section 30, township

No. 2 S. of the base line of Range

No. 10 west of the San Bernardino

Meridian. Thence

South 40.00 To corner of Sections 30, 31, 25 and 36, on said township line
Thence

S.51 W. 128.00 To Station No.7, and set a post and charred stake at three large rocks the ancient corner of La Habra near Tunas and at a point in the south boundary of Section 35, Township 2 south of the base line of Range No.11 west of the San Bernardino Meridian. Thence

S.66 E. 135.00 To Station No.8, set a post and charred stake in mound on the south side of road leading to Santa Ana and near scattering rocks formerly placed here in the delivery of judicial possession of the adjoining rancho Los Coyolos and Santa Gertrudes Thence

S. 51 E. 190.09 To place of beginning.

Book 171, Part 36.

T. 2 S., R. 10 W., S. B. M.

In order to find the proper variation for subdividing this fractional township, I went to the cor. to Secs. 13, 18, 19 & 24, on the W. boundary of the township.

Thence S. on a blank line along the W. boundary of Sec. 19.

Var. 14º 15' E.

- 25.16 To a point 9 lks. W. of the post on south boundary of Ro. La Puente.
- 40.00 To a point 14 lks. W. of $\frac{1}{4}$ sec. cor.
- 80.20 " " " 30 " W. of cor. to Secs. 19, 30, 24 & 25.

 Hence to retrace this line or run parallel thereto, I

 must adopt the Var. 14° 28' E.

Subdivision commenced May 29, 1876.

East on true line between Secs. 19 & 30.

Var. 140 28' E.

- 1.00 To ravine 50 lks. wide, course ME.
- 2.25 * * 50 * * and creek 10 lks. wide, course W.
 and a spring about 4 chs. south of line.
- 15.00 To house of a Frenchman's sheep camp 12 chs. N. of line.
- 19.70 To ravine 100 lks. wide, course N.N.E.
- 31.00 " " 60 " " " N.W.
- 32.00 To house of Prouty 2.50 chs. N. of line.
- 39.00 * top of ridge, course N.W.
- 40.00 * \frac{1}{4} sec. cor. Set stone 12x16x20 in. 2-3 in ground on N.E. side of ridge.
- 45.50 To junction of two ravines, one from S.E. the other from N.E. Thence course to N.W. 1 ch. wide.
- 61.00 To top of ridge, course N.W.
- 79.50 * ravine 10 lks. wide, course N.W.
- 80.00 " cor. to Secs. 19, 20, 30, 29.

Set elder post 4 in. dia. 4 ft. long, with charred stake on E. side, 1 foot in ground, and raised mound of earth 42 ft. dia., 2 ft. high with pits 18 in.sq. and 12 in. deep. Land quite rolling. Soil 2nd rate.

T. 2 S., R. 10 W., M. D. M.

East on true line bet. Secs. 20 & 29.

Var. 14° 28' E.

- 4.32 To top of ridge, course N. & S.
- 7.00 " ravine 60 lks. wide, course N.
- 14.00 " ridge, course N.
- 24.00 " ravine 1 ch. wide, course N.
- 32.00 " ridge, course N.
- 37.00 * ravine 1 ch. wide, course N.
- 40.00 * \frac{1}{4} sec. cor. Set stone 9 x 16 x 22 2-3 in. ground on W. slope of spur, course N.
- 41.20 Intersect course No.3 of Ro. La Habra, from which Sta. No.3 of La Habra and Sta. No.24 of Ro. La Puente bears due N. distant, 12 lks.

Set 2 x 4 post, 4 ft. long, with charred stake on E. side 1 ft. in ground in mound of stone.

Land rolling. Soil 2nd rate.

I then went to Sta. No. 4 of Ro. La Habra and run thence S. 75° 58' W. flagging out course No. 4 of said Rancho to Sta. No.5, also the † sec. cor. on the W. boundary of Sec. 30. Setting my flags so as to be able to intersect said line in running S. bet. Secs. 29 & 30.

The course S. 75°58' W. with the Var. 14° 28' E. will intersect Sta. No. 5 of La Habra at the $\frac{1}{4}$ sec. cor. on W. boundary of Sec. 30.

May 30th, 1876.

South between Secs. 29 & 30.

Var. 140 28' E.

- 9.00 To top of hill, course E. & W.
- 13.00 " ravine 50 lks. wide, course W.S.W.
- 20.08 Intersect the N. line of Ro. La Habra as previously flagged out by me. Set 2 x 4 elder post, 4 ft. long, with charred stake on S. side, 1 ft. in ground and raised mound of earth

T. 2 S., R. 10 W. M. D. M.

and stone 4 ft. dia. 2 ft. high, from which Sta. No. 4 of Ro. La Habra bears N. 75° 55' E. retracing said line N. 75° 55' E. Var. 14° 25' E.

42.40 To Sta. No. 4 of Ro. La Habra. Land rolling. Soil 2nd rate.

From Sta. No. 24 of Ro. La Puente, I run

N. 66% W. flagging out course No. 24 of said Rancho to

post on said course on the W. boundary of Sec. 19 distant

25.16 chs. S. of N.W. cor. of Sec. 19. Setting my flags

so as to be able to intersect said line in running north

between Secs. 19 & 20 and I find that the course N. 66% W.

with the Var. 140 25' E. will retrace said line.

North between Secs. 19 & 20.

Var. 140 28' E.

- 10.00 To top of spur, course W.
- 14.00 * ravine 30 lks. wide, course W.
- 17.55 Intersect the S. boundary of Ro. La Puente as previously flagged out by me. Set 2 x 4 elder post 4 ft. long with charred stake on N. side 1 ft. in ground in mound of earth and stone 4½ ft. dia. and 2 ft. high from which Sta. No. 24 of Ro. La Puente and Sta. No. 3 of Ro. La Habra bears S. 66½ E.

Retracing the same S. 66% E.

Var. 140 28' E.

44.70 To Sta. No. 24 of the Ro. La Puente and Sta. No. 3 of Ro. La Habra.

Land quite rolling. Soil 2nd rate.

Finished the survey of this township. The remainder is covered by grants.

Field Notes of a Resurvey, a part of the Boundary Lines of the Rancho San Juan Y Cajon De Santa Ana, finally confirmed to Juan Pacifico Ontiveras.

Resurveyed by James E. Freeman under his bond and contract with H.G.Rollins, U.S.Surveyor of the State of California, dated the first day of March, 1876.

Commencing at a live oak stump 24 inches in diameter at the northeast corner of the Rancho, identified as the stump of the live oak tree called for in the Decree of the Court and the "Hoffman Survey." I deposit a sandstone 5 x 14 x 6 inches marked J.C.S.A. one link south and set a redwood post 2 x 3 x 36 inches on the west side of the stump.

March 15, 1876.

Thence

Variation 14° 00' East.

- 1 N.77t W. 1.50 Descend to dry bed of a creek 20 links wide, course southwest.
 - Commence ascending.

60° east.

- Top of a hill slopes northwesterly.
 To left bank Brea Creek and enter Canada de Brea, course W.S.W. comes from north
- 49.50 To running water 30 links wide.
- 50.25 Leave sand bed of Brea Creek at right bank.
- 63.00 A road course W.S.W. to Anaheim Leo
 Cadio Riea's house bears (S.E. corner)
 north, 120 links distant.
- 80.00 Set a redwood post 2 x 3 x 30 inches marked 80. chains.
- 85.00 Leave Canada de Brda, enter hills, course nearly west.

95.50	Top of spur comes from northeast.
104.00	Bottom of ravine, course southwest.
109.50	A ravine, course southwest.
113.00	Top of a spur, course southwest.
115.18	I search diligently for the township
	corner and corners on the range line
	but cannot find any evidence of any
	of the corners.
117.50	Ravine, course southwest.
120.00	Set a redwood post 2 x 3 x 30 inches
	marked #120 C.H. # (Deposit a stone
	3 x 4 x 3 inches marked X).
134.50	A running creek 30 links wide course
	S.S.W. and at about 8.00 unites the
	La Brea Creek.
140.50	A road course S.S.W.from Spadra to
	Anaheim.
147.36	Intersect third course of Hoffman's survey.
	To find this point I measured north
	55° 00' west 47.50 chains from the post
	at the end of the second course on the
	south bank of the La Brea Creek.
	Set a redwood post 2 x 3 x 36 inches,
	made 2 pits 1 north, 1 south of the
	line; deposited a stone 13 x 14 x 10
	inches marked X and made a mound.
	Leauro Malino's house bears north 6°
	west, about 15.00 chains.
	Sherman house bears south 462 east,
	about 30 links.
160.00	Set a redwood post 2 x 3 x 36 inches
180.00	To the foot of steep brushy hills,
	course about south 55° west.
200.00	Set a stone 15 x 10 x 8 marked S.J.C.S.

223.60	Top of hill E.N.E. and W.
	Commence descending.
240.00	Ascend.
245.00	A trail, course southwest.
265.00	Leave rough hills and enter a large un-
	dulating valley, course northwest and
	southeast.
	A gully, course southeast.
	In order to find the township line I now
	run east from a point 9.50 chs. west of
	post supposed to be at Hoffman's inter-
	section point, 41.65 chains. Intersect
	42 links north of a point whence a wal-
	nut tree notched, find no other evidence
	of a corner. Thence continued east on
,	the south boundary of Section 35 and at
	83.22 intersect 10 links north of the
	corner to Sections 35 and 36, find the
	witness trees standing and agreeing with
	the field notes furnished me by the Sur-
	veyor General's Office, to-wit:
	A walnut 4 inches diameter south $31\frac{1}{2}$
	east 116 links distant.
	A walnut 6 inches diameter bears south
	36 west, 136 links distant.
	The trees have grown much larger.
	The marks are clearly recognizable.
289.70	A gully 12 feet deep, course southeast.
292.50	Intersect south boundary of township
	2 south, range 10 west, 96.19 chains
	west of the corner to Sections 35 and 36.
302.50	A gully, southwest.
310.00	A gully, southwest.

Bottom of a ravine, course southwest.

210.00

Rancho San Juan Cajon de Santa Ana.

A gully southwest.
A gully course southwest.
A gully with a stream of water 2
links wide, runs south.
To the large boulder resting on rocks
outcropping from a small conical hill
or natural mound and the point called
for in the Decree of the Court and
the Hoffman survey, and is on the
westerly line of the La Habra Rancho,
also the corner of the La Puenta Rancho. Thence
Descend to foot of mound.
A road, course S.S.E. to Anaheim.
A road, course east and west.
Westerly edge of Cientar Lagoon dried
up in summer (1.00 chain wide.)
To two large sandstones called
The Pillars, each is about 20 x 15 x
30 inches. This point is the south-
east corner of the La Habra Rancho.
Thence: -
Road, course southeast.
Leave level land and enter hills,
course northwest and southeast.
Top of spur, course north.
Commence descending.
Enter a small valley, course south-
east.
Leave same and reenter hills, course
southeast.
A ravine, course S.S.W.
A ravine, course S.S.W.

Rancho San Juan Cajon de Santa Ana

123.00	A gully, S.S.E.
	Leave hills and enter undulating
	land, course north and southeast.
144.00	A gully, course south.
222.50	A road, course west.
231.00	Enter wet land, course west.
237.30	Over same, a few chains west of this
	point there is a fine stream of good
	water 10 links wide; has its source in
	the wet belt.
245.00	A ditch 12 links wide, course southwest.
266.50	A road, northwest and southeast from
	Los Angeles to Anaheim.
275.50	A stream S links wide, course west.
290.00	Enter plowed land.
320.30	Road, course S.S.E. and N.N.W.
324.00	Leave cultivated field.
325.00	A stream 2 links wide, course north.
342.00	Intersect township line 10.55 chs.
	east of corner to Townships 3 and 4
	south, Ranges 10 and 11 West, San
	Bernardino Meridian. (This post point-
	ed out by Mr.W.R.Alden, agent of the
	Company owning both the adjoining
	ranches) as the corner where the
	original post stood. I set a post
	made 2 pits and mound.

- 342.10 A road, course west to Costa Station.
- 365.06 Intersect range line 20.50 chains south of township corner.
- 371.75 Anaheim R.R. course northwest and southeast.
- 400.00 Daniel William's house bears south $57\frac{1}{2}$ east.

Rancho San Juan Cajon de Santa Ana.

412.30 To the lone sycamore tree called for in the Decree of the Court. This tree is about 40 inches in diameter, very prominent and is the only large tree anywhere in the vicinity or that can be seen along the course.

Daniel William's house bears north 58 east. Thence:-

- 4 S.46°10'E. 31.00 A road, course north and south.
 - 75.00 Enter wet land course west and southeast.
 - 51.00 Leave same and enter brush.
 - 96.50 To an old bed of a stream, course west.
 - 102.00 Leave same and enter cultivated land.
 - 120.00 S.W. corner of Brockett's house bears south 79 East.
 - 121.50 Road from Los Angeles to Anaheim, course southeast and northwest.
 - 142.00 Brockett's house bears north 39 east.
 - 204.00 Road, course southwest to Anaheim landing.
 - 223.00 A road, course east and west.
 - 237.00 A road nearly east and west.
 - 240.00 An old ditch fence, course east and west.

 A school house bears east about 4.00 chains distant.
 - 246.33 Set a scantling post 4 x 4 x 40 inches
 marked S.J.C.L.C. at the place of the
 most northerly corner of Rancho "Las
 Bolsas" established by Mr. Hoffman on
 the eastern boundary of the "Los Coyotes", deposited a charred stake and
 made a large mound with two pits.
 The southwest corner of a board fence

Rancho San Juan Cajon de Santa Ana.

enclosing a school house bears north & east 96 links distant.

School house bears north 22° east.

Thence along the northerly line of "Las Balsas".

- 254.50 A road, course north and south.
- 291.50 A road, course east and west.
- 309.90 Enter a board fence enclosure, course north and south.
- 310.05 Leave same east and west.
- 320.10 Y.H. Grinn's house bears south 33½ west, about 20.00 chains distant.
- 333.50 A read, course north and south.
- 345.00 Road southwest and northeast.
- 353.50 A road, course east and west.
- 354.10 A board fence, course east and west.

 John Hannats house bears south 59
- 364.70 Leave enclosure board fence east and west.

John Hanna's house bears north 73\frac{1}{2} west.

- 421.00 Bry bed of an old arroyo.
- 423.50 Leave same, course west.
- 424.33 To the place called La Laguna, I find standing the trees called for in Hoffman's field notes, furnished by the Surveyor-General's Office, towit:

 A marked elder 10 inches in diameter bears south 634 west, 191 links distant.

A leaning sycamore 30 inches diameter bears north 21% east, 416 links distant.

Rancho San Juan Cajon De Santa Ana

5	8.54 % E .	Through dense weeds.
	14.00	To dry bed of arroyo, nearly south.
	15.50	Cross same and leave weeds.
	55.00	Cross main read to Anaheim, runs north.
	72.50	to post marked S.J.C. 5 on right bank
		of old bed of Santa Ana River, this
		being Station No. 78 of Santiago de
		Santa Ana Rancho.
		Thence leaving boundary of Rancho Las
		Balsas and along boundary of Rancho
		Santiago de Santa Ana, meandering up
		bed of old river, as follows:
6	H. 75° E. 4.00	To Station, thence:-
7	$E.63\frac{1}{2}$ E. 14.00	To Station, thence:-
క	H.21° E. 7.00	To Station, from which a willow 6
		inches diameter bears north 52° west,
		distant 51 links. Thence:-
9	N.37° E. 5.00	To Station, thence:-
10	H. 71½ E. 12.00	To an elder 9 inches diameter, marked
		S. No.73, thence:-
11	N. 72° E. 16. 76	To a willow 10 inches diameter, marked
		S. No. 72, thence:-
12	n.31½ g. 27.14	To a willow 10 inches diameter, marked
	•	S. No.71, thence:-
13	n. 7 4 w. 27.63	To an elder 8 inches diameter, marked
		S. No.70, thence:-
14	E. 27° E. 29.04	To Station, from which an elder 5 in-
		ches diameter bears north 67° west 50
		links distant, thence:-
15	W.33° E. 20.00	To willow 10 inches diameter, marked
		S. 65, thence:-
16	n.29° E. 35.04	To willow 14 inches diameter, marked
		S. No.67, thence:-
17	и.41° E. 48.74	To Station, thence:-

Rancho San Juan Cajon De Santa Ana

18	n. 26\r.	15.0 0	Leave old bed of Santa Ana River, and
			enter main bed of same, which bears
			nearly south from here.
			Thence meandering up said main bed:-
		25.00	To Station, thence:-
19	n. 31° E.	15.00	To Station.
			A willow 10 inches diameter bears south
			452 east, distant 8.73 chains, thence:-
20	M. 37 m.	25.00	To Station, thence:-
21	N. 23° E.	14.00	To Station.
			An elder 5 inches diameter bears north
			40% west, 179 links distant, thence:-
22	N. 36° E.	67.00	To Station, thence:-
23	N. 740 E.	50.00	To Station, thence:-
24	n. 879 e.	19.86	To Station, thence leaving boundary of
			Rancho Santiago de Santa Ana and cross-
			ing sandy river bed.
25	H. 44 W.	28.58	To a leaning sycamore tree marked with a
			cross being a corner mentioned in the De-
			cree at north bank of Santa Ana River;
			said tree is also marked S.J.C.S.A.No.1
		30.58	To post in earth mound.
		66.90	To post in earth mound at intersection
			of north boundary of township 4 south,
			range 9 west of San Bernardino Meridian,
			20.75 chains west of corner to sections
			4,5,32 and 33, two pits 24 x 18 x 12
			inches on the grant line are 6 feet dis-
			tant from post.
		114.05	To old river bed 100 links wide, runs
			south 60° west.
		116.08	Crosses road south 60° west.
		118.38	To post of bluff.

Rancho San Juan Cajon De Santa Ana.

- 119.55 To top of rolling table land.
- 124.55 Crosses road, course southwest and northeast.
- 130.08 Small ravine bears west.
- 140.83 To center of dry creek, 15 links wide, course south of west.
- 187.08 Grosses road course northwest and southeast.
- 303.55 Crosses road, runs N.E. to a canon.
- 308.58 Enter mustard.
- 335.05 Crosses little wash, 15 links wide from northeast.
- 370.55 To post of bluff or table land near mouth of gulch coming from northeast.

 Leaves mustard.
- 464.05 To dry creek 25 links wide, coming from northeast.

 Thence ascending steep hill over asphaltum bed.
- 472.58 Crosses same creek 20 links wide, coming from northwest.

 Thence ascending.
- 483.72 To point of beginning.

 Containing 35,970 92-100 acres, from which area a triangle containing 112 60-100 acres is covered by the Rancho Rincon de la Brea and a triangle containing 4,845 7-100 acres is covered by the Rancho Les Coyotes.

HOTE:-

The foregoing field notes on pages 23 and 24, were partly copied from C.F. Hoffman's field notes of survey of the Rancho San Juan Cajon de Santa Ana, and partly compiled from said notes

Rancho San Juan Cajon de Santa Ana.

and Williams Minto's resurveys of the boundaries of the Ranchos Santiago de Santa Ana and San Juan Cajon de Santa Ana in township 4 south, range 9 west, said resurveys having been made by him under contract of eleventh of January, 1875.

HOTE: -

I retraced Mr. Hoffman's sixth course, towit:-

8.11 W. 5.42 Fr

From the fallen pillar. The country is extensively cultivated and the mound corners destroyed as of no value not denoting the boundaries of individual ownership, this, together with discrepancies in corners and distances from natural objects renders it impossible to find exactly where the corners of Las Balsas and San Juan Oajon de Santa Ana Ranchos stood at the end of the said sixth course. The owner says he plewed up a corner some years ago which stood very near where I established the corner. To measure south 13 west, 17.00 chains from the place (new dry) designated to me by the settlers as the "Little Pond of Water", noted in Mr. Hoffman's survey, the corner would be about 5.00 chains northwesterly from where I established it. I am satisfied that where I established the said corner for the Las Balsas and Las Coyotes Ranchos, although it may not be exact

is at least within the limits allowed for closures and as near where the original corner was established as can now be ascertained.

Contract of Dec. 8, 1892 - Book 394, Part 24.

South Boundary Township 2 South, Range 10 West.
San Bernardino Meridian.

Preliminary to commencing the subdivision of fractional township I verify the adjustment of my solar transit and find the correct latitude 33°56' north, longitude 118° west.

Having set my instrument over + marked on large boulder or rock L.P.22 being the south-west corner of Rancho La Puente and northwest corner of Rancho San Juan, Cajon de Santa Ana and on the east boundary of Rancho La Habra

I direct my telescope to Polaris and Alioth 10.35

p.m. and wait 24 minutes, then taking the range of Polaris

I find the Variation to be 14° 45' East.

Set stake north with nail in top about 3.00 chains north.

April 30, 1893.

Survey commenced with Heller and Brightly Transits with Saegmueller solar attachment, examined by the Examiner of instruments as per certificate No. 6 on file in the office of the U.S. Surveyor General.

The courses were run from the true meridian as determined by solar observations.

A measure of the standard chain kept at the U. S. Surveyor General's office was used as field standard and the chain used was compared and adjusted each and every working day.

In commencing this survey I flagged the ranch lines adjoining the public land to be subdivided to determine the true position of said ranch lines on the ground. At one point on course I being the north boundary of Rancho San Juan, Cajon de Santa Ana, I could see the corners at each end of this course. Course 3 of the Rancho Eincon de la Brea is visible at any point for the entire course and

South Boundary Township 2 South, Range 10 West, San Bernardino Meridian.

Chains.

at one point on the course of the south boundary of the Rancho La Puente it is visible its entire length. I set flags at corners and intermediate points on said flagged lines.

Commencing at a marked + on top of large boulder 9 x 8 feet, 7 feet high marked L.P.22, said rock is part of the outerop of conglomerate on south point of spur being the south west corner of Rancho La Puente and north west corner Rancho San Juan, Cajon de Santa Ana and on the east boundary of Rancho La Habra I made observation for latitude at this point on April 30, 1893, and found the latitude to be 33°56' north and the adjustment of the solar transit to be correct.

The Var. being 14045' east (nearly) whence bears south boundary of Rancho La Puente south 81°40' east. (The notes of Deputy Charles F. Hoffman give this course 80° or 1°40 less) and the north boundary of Rancho San Juan, Cajon de Santa Ana south 76°43' east. (The notes of Deputy James E. Freeman give this course 77th or 52' greater).

I made solar observation at two points viz: at the large rock corner common to Rancho La Puente and San Juan Cajon de Santa Ana and at the closing corner of Section 1, Township 3 South, Range 10 West, San Bernardino Meridian and marked post at the junction of course No. 76°43' west of Rancho San Juan Cajon de Santa Ana with course south 58° cast of Rancho Rincon de la Brea.

All lines run and established by me are from forward and back sights from the Meridian established at these two points.

Commencing at a marked + on top of a large boulder 9 x 8 feet, 7 feet high marked L.P. 22 said rock is part of the outcrop of conglomerate on south point of spur, being the southwest corner of Rancho La Puente and northwest corner

South Boundary Township 2 South, Range 10 West, San Bernardine Meridian.

Chains.

Rancho San Juan Cajon de Santa Ana and on the east boundary of Rancho La Habra.

Thence run

South 19th west.

Var. 1430 E.

Along the east boundary of Rancho La Habra.

- 17.26 Thence East
 - 6.68 To point 30 links south of old pits on edge of plowed ground, (being on the County line established and marked between Orange and Los Angeles Counties, which calls for Township line between 2 and 3 south). All other marks being obliterated I accept this point as corner to Sections 33, 34, 2, 3, Townships 2 and 3 South.

East on random line.

Var. 1410 East.

- 40.00 No evidence of quarter corner.
- 82.71 18 links south of old pits of corner to Sections 34, 35, 2 and 3, all other evidence being obliterated, offset north to old corner and continue.
 East.
- 40.00 No evidence of quarter corner.
- 81.49 21 links south of a rock 12 x 10 x 10 inches marked with 1 notch on east and 5 notches on west face. Offset north to corner to Sections 35, 36, 1 and 2 Township 2 and 3 south, range 10 west, San Bernardino Meridian, Whence bears

Stump of a walnut tree S inches in diameter marks obliterated evidently an old bearing tree south 35% east 205 lks.distant. Iron post 6 inches in diameter 30 inches high painted black and marked 0.Co. on south and L.A. Co. on north face for County boundary line monument between Los Angeles and Orange Counties bears east 13.60 chains distant.

South Boundary Township 2 South, Range 10 West, San Bernardine Meridian.
Chains.

Accepting said rock as the true corner to Sections 35, 36, 1 and 2, Township 2 and 3 S. Range 10 West, San Bernardine Meridian.

Thence run

South 89°52' west on true line on south boundary of Section 35.

Var. 141° East.

Along south slope of mountain.

53.78 Intersect south boundary of Rancho La Puente in ra vine, course south.

Set sandstone 3 x 2 feet 16 inches out of ground marked

C.C. on top S 35 T 2 S on west

S 2 R 10 on east and

T 3 S on south face

S1.49 Re-established said corner to Sections 34, 35, 2 and 3.

Set sandstone 14 x 13 x 9 inches, 6 inches in ground

marked 2 notches on east and 4 notches on west edges,

T. 2 S. on north and T. 3 S., R. 10 W. on south face.

Land rough. Third rate.

South 59° 52' west on true line between Sections 34 and 3.

Var. 14°45' East.

Along south slope of mountain.

15.25 Intersect north boundary of Rancho San Juan Cajon de Santa Ana.

Set sandstone 16 x 16 x 5 inches, 10 inches in ground on west side of ravine, marked C.C. on top S.34 on north and S. 3 on south face.

- 18.60 Low flat ridge and wagon road north and south.
- 24.00 Enter valley.
- 82.71 To section corner to 33, 34, 3 and 4.
 Land rolling. Second rate.

Subdivision Township 2 South, Range 10 West, San Bernardino Meridian.
Chains.

North between Sections 33 and 34.

Var. 1440 East.

- 16.04 To north boundary of Rancho San Juan Cajon de Sant Set sandstone 24 x 16 x 8 inches 12 inches in the granted C.C. on top, S.33 on west and S.34 on east face
- 16.12 To south boundary of Rancho La Puente.

 Set sandstone 18 x 16 x 14 inches, 9 inches in the ground,
 marked C.C. on top, 8.33 on west and 8.34 on east face.

 Land rocky.

Third rate.

May 1, 1893.

North between Sections 34 and 35.

Var. 14045' East.

Ascend.

- .65 Cross spur sloping west descend.
- 3.35 Cross ravine course west ascend.
- 3.95 Intersect south boundary of Rancho La Puente.

 Set sandstone 18 x 16 x 13 inches 10 inches in the ground

 marked C.C. on top, S.34 on west, and S.35 on east face.

 Land rolling. Third rate.

Subdivision Township 3 South, Range 10 West, San Bernardino Meridian.

South between Sections 2 and 3.

Var. 14045' East.

Descend.

3.56 Intersect north boundary of Rancho San Juan Cajon de Santa Ana.

Set sandstone 16 x 10 x 10 inches, 8 inches in the ground marked C.C. on top, S. 3 on west and S.2 on east face.

Land rolling. Second rate.

Subdivision Township 3 South, Range 10 West, San Bernardino Meridian.

Chains

South between Sections 1 and 2.

Var. 144° East.

- 3.40 Cross ravine course west. Ascend.
- 7.85 Intersect south boundary of Rancho La Puente 1.81 chains north 81°40' west of southeast corner of said Rancho. Set sandstone 20 x 12 x 8 inches 10 inches in ground marked C.C. on top, S. 2 on west and S. 1 on east face. Descend.
- 12.56 Descend abruptly.
- 21.20 Cross ravine course southwest.
- 22.54 Intersect north boundary of Rancho San Juan Cajon de Santa Ana.

Set sandstone 16 x 16 x 15 inches 9 inches in the ground marked 0.0. on top 8. 2 on west and 8. 1 on east face side of rock mound, 2 feet in diameter and 2 feet high.

Land mountainers. Third rate.

North boundary of Rancho San Juan Cajon de Santa Ana.

Commencing at large rock 9 x S x 7 feet marked L.P. on north face which I marked + C.C. section 34, T.2 S. R.10 W. on top at southwest corner of Ranche La Puente and north-west corner of San Juan Cajon de Santa Ana on west boundary of Rancho La Habra.

Thence

Var. 14º 45' East.

South 76°43' east along the north boundary of Rancho San Juan Cajon de Santa Ana. Descend.

- 1.17 To fractional corner between sections 33, 34, 3 and 4,
 Townships 2 and 3 S., Range 10 west, San Bernardino Meridian.
- 7.16 Cross ravine course south.
- 66.94 Cross wagon road from Puente and Fullerton.
- 70.34 Intersect fractional corner on Township line between sections 34 and 3, 15.25 chains north 89°52' west of corner

North Boundary of Rancho San Juan Cajon de Santa Ana to Sections 34, 35, 2 and 3.

Ascend.

- 56.02 To fractional corner between Sections 2 and 3, 3.56 chains south of corner to Sections 2, 3, 34 and 35, Townships 2 and 3 South, Range 10 West, San Bernardino Meridian.

 Descend.
- 55.40 To corner of fence and leave same.
- 90.70 To right bank of deep ravine, course southwest.
- 91.10 To left bank of ravine. Ascend.
- 101.80 Cross ridge bears east and west. Descend.
- 106.40 Ascend.
- 107.60 On top of high ridge which bears east and west from this point the ranch corners are visible. Descend.
- 129.30 Ascend.
- 135.26 Cross spur sloping south, descend steep south slope.
- 169.84 Intersect fractional corner between Sections 1 and 2, 22.54 chs. south of cor. to Secs. 1, 2, 35 & 36. Tps. 2 and 3 S., R. 10 West, San Bernardine Meridian. Continue along gentle south slope.
- 195.15 Cross wagon road, course south 70° west.
- 195.25 To right bank of La Brea Creek.
- 199.00 Leave right bank of La Brea Creek.
- 204.90 Cross road which bears north 740 west. Ascend.
- 210.56 To redwood post 4 x 4 inches 20 inches out of ground in mound of rocks marked S.J.C.S.A. on south face
 Set en west and side of said redwood post a sandstone
 12 x 12 x 10 inches 4 inches in the ground marked C.C. on
 top and S.l on west face, thence bears
 corner common to southeast corner of Rancho Rincon de la
 Brea and north east of Rancho San Juan Cajon de Santa
 Ana, south 76°43' east 149.46 chains, corner post marked
 S.C.A.Mo.3, on south boundary of Rancho Rincon de la Brea
 south 55° east 43.51 chains distant.

Made observation for latitude at this point and found the latitude to be 33°56, north and the adjustment of the solar transit correct.

Var. 1470 East.

Chains.

Var. 1430 East.

North 58° west.

Ascend along south boundary of Rancho de la Brea.

45.15 To sandstone 14 x 13, 14 inches out of ground, side of rock mound 2 feet in diameter 18 inches high marked L.P.

21 on north face marked C.C. on top and S.1 on south face being the SE. cor. of Rancho La Puente and south west corner of Rancho Rincon de la Brea, situated on top of a small peak on a long ridge bearing west. Thence

North 21° 40' West.

Var. 14° 45' East.

Descend along the south boundary of Rancho La Buente.

- 1.51 Intersect fractional corner between Sections 1 and 2, 7.55 chains south of corner to Sections 1,2,35 and 36, Town-ships 2 and 3 south, range 10 west, San Bernardino Meridian.
- 11.70 Ascend.
- 21.26 To stone marked L.P.
- 27.10 Descend north slope.
- 25.00 Enter walnut grove evidence of old cuts in brush and trees on this line.
- 42.65 To redwood post 4 x 4 inches 20 inches out of ground marked R on west, 22 A on east, V.J.R. 93 on north in mound of rocks. Enter flat.
- 45.07 Cross creek course southwest.

 Ascend along south slope.
- John E. Dunphy south 410 East 163 links distant.
- Intersect fractional corner between Sections 35 and 2, 27.71 chains south 89° 52' east of corner to Sections 34, 35, 2 and 3, Townships 2 and 3 south, Range 10 west, San Bernardino Meridian.
- 78.55 Cross spur sloping south. Descend.
- 80.61 Cross fence bearing north and south.
- S4.35 Intersect fractional corner between Sections 34 and 35, 3.95 chains north of corner to Sections 34, 35, 2 and 3.

- 97.22 Cross ravine course south ascend.
- 102.45 Cross road from Puente to Fullerton. Descend.
- 105.55 Cross ravine course south.

May 2, 1893.

- 108.90 Cross point of spur sloping south. Descend.
- 118.22 Enter valley.
- 161.60 Cross deep ravine course south. Ascend.
- 167.57 Intersect fractional corner between Sections 33 and 34, 16.12 chains north of corner to Sections 33, 34, 3 and 4.
- 168.74 To the point of beginning.

Meander of fractional Section 33, Township 2 South, Range 10 West, San Bernardino Meridian.

Commencing at fractional corner between Sections 33 and 34, 16.04 chains north of corner to Sections 33,34, 3 and 4, on north boundary of Rancho San Juan Cajon de Santa Ana.

Var. 1430 East.

Thence North .08

Morth 51°40' West 1.17 to meander corner which is also common corner to Rancho La Puente and San Juan Cajon de Santa Ana.

South 76°43' East 1.19 to point of beginning. Land southeast slope.

Soil rocky, fourth rate.

Meander of fractional Section 34, Township 2 South, Range 10 West, San Bernardino Meridian.

Commencing at corner to Sections 34, 35, 2 and 3.

Thence run

Var. 1470 East.

Worth 3.95 chains.

North 81° 40' west, 83.28 chains.

South

.08

South 76°43' East 69.17 "

N 59°52' N 15.25 N to the point of beginning.

Land rolling and level. Soil sandy loam, second rate.

Meander of Fractional Section 35, Township 2 South, Range 10 West, San Bernardino Meridian.

Commencing at corner to Sections 34, 35, 2 and 3.

Var. 1410 East.

Thence run

South 89° 52' East. 27.71 chains.

North 51° 10' West 28.00 "

South 3.95 " to point of beginning.

Land rolling. Soil adobe and sandy loam, third rate.

Meander of Fractional Section 3, Township 3 South, Range 10 West, San Bernardino Meridian.

Commencing at corner to Sections 35, 34, 2 and 3.

Var. 140 45' East.

Thence run

North 89° 52' West 15.25 chains.

South 76° 43' East 15.68 "

North 3.56 " to point of beginning

Land rolling. Soil adbbe and sandy loam.

Second rate.

Meander of Fractional Section 2, Township 3 South, Range 10 West, San Bernardino Meridian.

Commencing at corner to Sections 34, 35, 2 and 3.

Var. 140 45' East.

Thence run

South 3.56 chains

76°43' East 83.82

North 14.69 "

" 81°40' West 54.44 "

89°52' # 27.71 # to point of beginning.

Land high, broken and mountainous.

Soil, rocky and sandy loam.

Second and fourth rate.

Meander of Fractional Section 1, Township 3 South, Range 10 West, San Bernardino Meridian.

7.85 chains south of corner to Sections 1, 2, 35 and 36, and Var. 1440 East.

Thence run

South 14.69 chains.

" 76°43' East 41.02 "

North 58° West 45.15 "

" 81°40' " 1.81 " to point of beginning.

Land rolling on east slope of mountain.

Soil adobe and sandy loam.

Small portion rocky and rough. Third rate.

May 3, 1893.

Remarks.

The tract of Public Land surveyed is that lying between the Ranchos Rincon de la Brea, La Puente and San Juan Cajon de Santa Ana situated on the south slope of a range of mountains.

The soil is second, third and fourth rate; the second and third rate soil will grow small grain, will not produce other crops without irrigation for which there is no water to be had. There is a long ravine running through fractional Section 2 and small stream of running water which is dry in the summer months.

There is one settler on the land, he has a house in Section 2, Township 3 South, Range 10 West, he is using the land for grazing purposes.

John B. Treadwell,

U. S. Deputy Surveyor.