

FIELD NOTES

T 11 N, R 5 W, S. B. M.

Sections 34, 35, 36

W. B. sections 25, 26

S. B. " 33

Random line only S.B. Secs. 31, 32.

T. 10 N, R 5 W. S. B. M.

E. B. Section 1

Copied from Notes loaned by Mr. L. Friel.

		<i>R. 5 W.</i>							
		6	5	4	3	2	1		
		7	8	9	10	11	12		
<i>T. 11 N.</i>		18	17	16	15	14	13	<i>T. 11 N.</i>	
		19	20	21	22	23	24		
		30	29	28	27	26	25		
		31	32	33	34	35	36		
		6	5	4	3	2	1		
		<i>T. 10 N. - R. 5 W.</i>							

*R. W. NORRIS 1855*

Exterior lines of T 11 N, R 5 W.

Field notes of the survey of the exterior boundaries of T 11 N, R 5 W, of the S. B. M. according to a survey made by Ralph W. Morris, Deputy surveyor, under his contract dated October 19, 1855.

-----

South Boundary

From the corner to Townships 10 & 11 North, Ranges 4 & 5 West, S.B.M. I run WEST on RANDOM line between said townships, the Var. of my compass being 14° 06' E. I set temporary half mile and mile posts at 40 and 80 chains, I find the township line to be 5 miles 79 chains 14 links, and the falling to be 25 links south per mile. The correction for the true line will therefore be nothing east or west and 4.16 links north per mile.

-----

From the corner to townships 10 & 11 North, Ranges 5 & 6 West I run EAST on a TRUE line.

-----

EAST on a TRUE line between sections 4 & 33. Var. 13° 48' E.

- 40 00 Set a charred post for  $\frac{1}{4}$  section corner and raise mound with trench as instructed.
  - 80 00 Set charred post for corner to sections 3, 4, 33 & 34, and raise mound with trench as instructed.
- Land, rolling, growth grass and bushes.

-----

EAST on a TRUE line between sections 3 & 34. Var. 13° 48' E.

- 40 00 Set charred post for  $\frac{1}{4}$  sec. corner and raised mound with trench as instructed.
  - 80 00 Set charred post for corner to sections 2, 3, 34 & 35, and raise mound with trench as instructed.
- Land, rolling, growth grass and bushes.

-----

EAST on a TRUE line between sections 2 & 35. Var. 13° 48' E.

- 40 00 Set a charred post for  $\frac{1}{4}$  sec. corner and raise mound as instructed.
  - 80 00 Set a charred post for corner to sections 1, 2, 35 & 36, and raise mound with trench as instructed.
- Land, rolling, growth grass and bushes.

-----

EAST on a TRUE line between sections 1 & 36. Var. 13° 48' E.

- 40 00 Set a charred post for  $\frac{1}{4}$  section corner and raise a mound with trench as instructed.
  - 80 00 The established corner to townships 10 & 11, Ranges 4 & 5 West, S.B.M.
- Land, gently rolling, growth grass and bushes.

-----

Exterior lines of T 10 N, R 5 W. S.B.M.

NORTH on the EAST boundary of Section 1. Var. 14° 05' E.

- 40 00 Set a charred post for  $\frac{1}{4}$  section corner and raise mound with trench as instructed.
  - 80 00 To a point for corner to townships 10 & 11 North, Ranges 5 & 6 West, Drove charred stake and raise mound with trench as instructed.
- Land, Level; growth grass and bushes.

-----

EAST Boundary

From the corner to Townships 10 & 11 North, Ranges 4 & 5 West, I run  
NORTH along E. boundary of Section 36. Var. 14° 06' E.

- 40 00 Set a charred post for the  $\frac{1}{4}$  section corner and raise a mound with trench as instructed.
- 80 00 Set a charred post for corner to sections 25, 36, 30 & 31 and raise Land, slightly rolling; growth grass and bushes.

----- \*a mound with trench as instructed.

SUBDIVISIONS

Field notes of the Subdivision lines of T 11 N, R 5 W. S. B. M. according to a survey made by Ralph W. Norris, Deputy Surveyor, under a contract dated October 19, 1855.

-----  
From the corner to sections 1, 2, 35 & 36, on S.B. of Tp. I run  
NORTH between sections 35 & 36. Var. 14° 06' E.

- 40 00 Set a charred post for  $\frac{1}{4}$  section corner and raised mound with trench as instructed.
- 80 00 Set a charred post for corner to sections 25, 26, 35 & 36, and raised mound with trench as instructed.  
Land, gently rolling; growth grass and bushes.

-----  
EAST on a RANDOM line between sections 25 & 36. Var. 14° 06' E.

- 40 00 Set post for temporary  $\frac{1}{4}$  section corner.
- 80 00 Intersect the E. boundary 49 lks. N. of corner to sections 25 & 36. from which corner I run

WEST on a TRUE line between sections 25 & 36. Var. 13° 45' E.

- 40 00 Set a charred post for  $\frac{1}{4}$  section corner and raised a mound with trench as instructed.
- 80 00 The corner to sections 25, 26, 35 & 36.  
Land, gently rolling; growth grass and bushes.

-----  
NORTH between sections 25 & 26. Var. 14° 06' E.

- 40 00 Set a charred post for  $\frac{1}{4}$  section corner, and raised mound with trench as instructed.
- 80 00 Set a charred post for corner to sections 23, 24, 25 & 26, and raise mound with trench as instructed.  
Land, level; growth grass and bushes.

-----  
NORTH between sections 34 & 35. Var. 14° 06' E.

- 40 00 Set a charred post for  $\frac{1}{4}$  section corner and raise mound with trench as instructed.
- 80 00 Set a charred post for corner to sections 26, 27, 34 & 35, and raise mound with trench as instructed.  
Land, rolling; growth, grass and bushes.

-----  
EAST on a RANDOM line between sections 26 & 35. Var. 14° 06' E.

- 40 00 Set post for temporary  $\frac{1}{4}$  section corner.
- 80 09 Intersect N. & S. line 50 lks. N. of corner to secs. 25, 26, 35 & 36, from which corner I run

WEST on a TRUE line between secs. 26 & 35. Var. 13° 45' E.

- 40 04 Set a charred post for  $\frac{1}{4}$  sec. cor. and raised mound with trench as instructed.
- 80 09 The cor. to secs. 26, 27, 34 & 35.  
Land, rolling; growth, grass and bushes.

NORTH between sections 26 & 27.

Var. 14° 06' E.

- 40 00 Set a charred post for  $\frac{1}{4}$  section corner and raise a mound with trench as instructed.  
80 00 Set charred post for corner to sections 22, 23, 26 & 27, and raise mound with trench as instructed.  
Land, gently rolling and 3rd rate.
- 

NORTH between sections 33 & 34.

Var. 14° 06' E.

- 40 00 Set a charred post for  $\frac{1}{4}$  section corner and raise a mound with trench as instructed.  
80 00 Set charred post for corner to sections 27, 28, 33 & 34, and raise mound with trench as instructed.  
Land, rolling; growth grass and bushes.
- 

EAST on a RANDOM line between sections 27 & 34.

Var. 14° 06' E.

- 40 00 Set post for temporary  $\frac{1}{4}$  section corner  
80 38 Intersect N. & S. line 18 lks. N. of corner to sections 26, 27, 34 & 35, from which corner I run

WEST on a TRUE line between sections 27 & 34.

Var. 13° 58' E.

- 40 19 Set a charred post for  $\frac{1}{4}$  section corner and raise a mound with trench as instructed.  
80 38 The corner to sections 27, 28, 33 & 34.  
Land, rolling and 3rd rate.
-