

FIELD NOTES

East & West Boundaries

and

Subdivision

of

T 5 N., R 13 W., S.B.B & M.

Copied from notes loaned by

S. H. Douglass, Saugus, Cal.

104.73 CH.	6 5-6 25	5 21	4 21	3 17	2 13	1 19	105.20 CH.
	7 5-8 25	8 23	9 5-5 25	10 13	11 17	12 19	
	18 6	17 24	16 10	15 17	14 17	13 24	
	19 4-B 25	20 25	21 18	22 14	23 4 21	24 2 1-A	
	30 4-B 27	29 21	28 19	27 14	26 3 17	25 1-A	
	31 4-B	32 21	33 17	34 14	35 2 3	36 1-A	

T. 5 N.

R. 13 W.

HANCOCK
MARIANA

1856
5-2

E. B. T. 5 N. R. 13 W. S. B. M.

Commenced April 28, 1856 at the cor. to Tps. 4 & 5 N. Ra. 12 and 13 W., the same having been established last Oct. in traversing the La Solidad Pass. North on the E. B. of Sec. 36.

Va. 14° 6' E.

- 29.00 Leave bottom land of dry arroyo ranging W., having crossed the arroyo proper. (the same being about 3 chs. wide at 3 chs. from Tp. cor.)
- 40.00 Set a post for a 1/4 sec. cor., drove charred stake and raised mound with trench and pits as per inst.
- 78.00 To base of hill.
- 80.00 Set a post for a cor. to secs. 25, 30, 31 and 36, drove a charred stake and raised a mound with a trench and pits as per inst.
- Land undulating, soil 2nd rate principally.

North on E. B. of sec. 25.

Va. 14° 6' E.

- 3.00 To top of E. slope of hill, ascent 100 ft.
- 40.00 Set a post for a 1/4 sec. cor., drove a charred stake and raised mound with trench and pits as per inst.
- 70.00 To base of hill.
- 80.00 Set a post for a witness cor. to secs. 19, 24, 25, 30, 50 lks. N. of true cor. on the steep S. face of hill, drove charred stake and raised a witness mound (to obtain suitable place for cor.) with trench and pits as per inst.
- Land hilly, soil principally 2nd rate.

North on E. B. of sec. 24.

Va. 14° 6' E.

- 3.00 Top of E. slope of hill, ascent 100 ft.
- 25.00 To N. base of same and S. base of another do.
- 40.00 Set a post for a 1/4 sec. cor. on S. face of hill, ascent 500 ft. Drove charred stake and raised mound with trench and pits as per inst.
- 42.00 To top of E. slope of hill extending some 20 chs. W. & 15 E.
- 55.00 Enter valley, descent 400 ft.
- 80.00 Set a post for a cor. to secs. 7, 13, 18, 24, drove a charred stake, and raised a mound with trench and pits as per inst.
- Land hilly, soil 2nd rate generally.

North on E. B. of sec. 13.

Va. 14° 6' E.

40.00 Set a post for a 1/4 sec. cor., drove a charred stake and raised mound with trench and pits as per inst.
 80.00 Set a post for a cor. to secs. 7, 12, 13, 18, on the S. bank of ravine, drove charred stake and raised mound, some 25 chs. from the base of the Mt. on the E. and 30 chs. from the base of the Mt. on the W. with trench and pits as per inst.
 Land undulating, soil 2nd rate.

 North on E. B. of sec. 12.

Va. 14° 6' E.

3.00 Across ravine course W.
 15.00 To base of mountain.
 23.00 Top of W. slope of Mt. base course SW.
 27.00 Across ravine 50 lks. wide, some 10 chs. W. of a watering place for cattle on W. face of mountain.
 30.00 Set a post and charred stake in an irregular mound on the SW. face of the mountain, beyond which it is impracticable to measure further on account of the mountain.

May 7, 1856

HENRY HANCOCK.

Vol. 163-7
 G.B.J.

 W. B. T. 5 N. R. 12 W. S. B. M.

From the cor. to secs. 18 and 19, on W. B. of Tp. which I find standing and agreeing with field notes, I run North on W. B. of sec. 18.

Va. 14° 25' E.

40.00 Along E. side of Cañada.
 After diligent search, being unable to find old cor. I set post

80. North on W. B. of Sec. 7.

Va. 14° 25' E.

Ascend.
 30.00 After diligent search, being unable to find old corner I continue N. and at
 40.00 I set post 4 in. dia. 1 ft. in earth 1 ft. above stone mound 4 ft. in dia. at base by 2 ft. in height for 1/4 sec. cor.
 56.50 Summit of spur brs. NE. & SW. & descend.
 74.50 Cross ravine near head, course SW. & ascend.
 80.00 Set post 4 in. sq. 1 ft. in earth 1 ft. above stone mound 4 1/2 ft. in dia. at base by 2 ft. in height for cor. to secs. 1, 6, 7 and 12.
 Land mountainous, soil 1st and 2nd rate.
 Timber & undergrowth of oak and cedar.

19.
 37.
 40.00 Set post 4 in. dia. 1 ft. in earth 1 ft. above stone mound 4 ft. in dia. at base by 2 ft. in height for 1/4 sec. cor.
 105.20 Int. 1st stand. line N. 12.10 chs. W. of cor. to secs. 32 of T. 6 N. R. 12 W. and set post 4 in. sq. 1 ft. in earth 1 ft. above
 2.A

stone mound $4\frac{1}{2}$ ft. in dia. at base by 2 ft. in height for
closing cor. to Tps. 5 N. Rs. 12 and 13 W. S. B. M.
Land mountainous, soil 2nd rate.
Timber & undergrowth of oak and cedar.

Nov. 7, 1879

W. H. NORWAY.

Vol. 162-34

G. B. J.

.....

W. B. T. 5. N. R. 13 W. S. B. M.

(From cor. to secs. 7, 18, 12, 13,)

North on W. B. of the Tp. and of sec. 7.

Va. 14° 6' E.

35.00 To S. base of Sierra Pelona and drove stake and charred stake for a witness 1/4 sec. cor., beyond which it is impracticable to measure further.

South on W. B. of Tp. and of sec. 18.

Va. 14° 6' E.

20.00 To cañada course W.
27.00 Across same and to N. base of ridge.
40.00 Set a post for a 1/4 sec. cor., drove a charred stake and raised mound with trench and pits as per inst.
43.00 To top of ridge course W.
70.00 To S. base of same and enter cañada course E.
77.00 To base of hills
80.00 Set a post for cor. to secs. 13, 18, 19, 24, drove a charred stake and raised mound with trench and pits as per inst.
Land hilly, soil 2nd rate.

South on W. B. of sec. 19,

Va. 14° 8' E.

15.00 To base of high range of hills, beyond which it is impracticable to measure further S. and drove post.

May 7, 1856

Vol. 163-7
G.B.J.

HENRY HANCOCK.

.....

N. B. T. 4 N. R. 14 W. S. B. M.

From the cor. to Tps. 4 and 5 N. Rs. 13 and 14 W. I run

West on a random line on N. B. of secs. 1, 2, 3, 4, 5, 6.

Va. 14° 25' E.

I set temp. 1/2 mile and mile posts at every 40 and 80 chs. to a point 1.62 chs. S. of cor. to Tps. 4 and 5 N. Rs. 14 & 15 W. Therefore the correction will be 2.20 chs. E. and 27 lks. N. per mile.

I find post for cor. standing as per descriptions furnished me.

From the cor. to Tps. 4 and 5 N. Rs. 14 and 15 W. I run S. 89° 49' E. on a true line on N. B. of sec. 6.

Va. 14° 25' E.

9001

1.B

Descend.
 20.00 Enter mesa, brs. NE. & SW.
 30.00 Leave mesa brs. NE. & SW. & ascend.
 42.20 Set post 4 in. dia. 1 ft. in earth 1 ft. above stone mound 4 ft.
 in dia. at base by 2 ft. in height for 1/4 sec. cor.
 50.50 Top of ridge brs. N. & S. & descend.
 69.50 Cross gulch in Cañada course S. & ascend.
 82.20 Set post 4 in. sq. 1 ft. in earth 1 ft. above stone mound 4½ ft.
 in dia. at base by 2 ft. in height for cor. to secs. 5, 6, 31
 and 32.
 Land mountainous, soil 2nd rate.
 Timber & undergrowth of oak and cedar.

 S. 89° 49' E. on a true line on N. B. of sec. 5.

Va. 14° 25' E.

Ascend.
 5.60 Top of ridge brs. NE. & SW. & descend.
 32.80 To foot of perpendicular bluff and enter Cañada.
 37.00 Leave Cañada brs. N. & S.
 40.00 The point for 1/4 sec. cor. falling on steep side hill, in
 place not suitable to build mound, I set post 4 in. dia. 1 ft.
 in earth 1 ft. above stone mound 4 ft. in dia. at base by 2 ft.
 in height, 3.00 chs. W. for witness post for 1/4 sec. cor.
 67.00 Enter Cañada, then up same,
 71.00 Leave Cañada, and ascend.
 80.00 Set post 4 in. sq. 1 ft. in earth 1 ft. above stone mound 4½
 ft. in dia. at base by 2 ft. in height for cor. to secs. 4, 5,
 32 and 33.
 Land mountainous, soil 2nd and 3rd rate.
 Timber & undergrowth of oak and cedar.

 S. 89° 49' E. on a true line on N. B. of sec. 4

Va. 14° 25' E.

Ascend.
 5.00 Summit of ridge brs. NW. & SE. & descend.
 9.50 Cross near head of gulch course NW. & ascend.
 32.30 Top of ridge brs. NE. & SW.
 40.00 Set post 4 in. dia. 1 ft. in earth 1 ft. above stone mound 4 ft.
 in dia. at base by 2 ft. in height for 1/4 sec. cor. in low sag
 and ascend.
 43.00 Top of ridge brs. NE. & SW. & descend.
 77.50 Cross gulch 32 lks. wide course SE. & ascend
 80.00 Set post 4 in. sq. 1 ft. in earth 1 ft. above stone mound 4½ ft.
 in dia. at base by 2 ft. in height for cor. to secs. 3, 4, 33 and 34.
 Land mountainous, soil 2nd and 3rd rate.
 Timber & undergrowth of oak and cedar.

 S. 89° 49' E. on N. B. of sec. 3.

Va. 14° 25' E.

Descend.
 19.50 Cross ravine 12 lks. wide course SE.
 39.00 Cross gulch 14 lks. wide course SE. & ascend.
 39.50 Enter mesa brs. N. & S.
 40.10 Set post 4 in. dia. 1 ft. in earth 1 ft. above stone mound 4 ft.
 in dia. at base by 2 ft. in height for 1/4 sec. cor.
 47.00 Leave table land or mesa brs. N. & S. & descend.
 55.00 Enter Cañada de Agua Fria brs. N. & S.
 56.50 Cross road and wash in cañada course S.
 57.50 Leave Canada, thence over hills.
 80.10 Set post 4 in. sq. 1 ft. in earth 1 ft. above stone mound 4 1/2 ft.
 in dia. at base by 2 ft. in height for cor. to secs. 2, 3, 34
 and 35.
 Land mountainous, except in Cañada, soil 1st and 2nd rate.
 Timber & undergrowth of oak and cedar.

S. 89° 49' E. on a true line on N. B. of sec. 2.
 Va. 14° 25' E.

Ascend.
 8.50 Top of spur brs. NE. & SW. & descend.
 22.50 Cross large Cañada brs. SW. & NE.
 40.00 Set post 4 in. dia. 1 ft. in earth 1 ft. above stone mound 4 ft.
 in dia. at base by 2 ft. in height for 1/4 sec. cor.
 Ascend.
 68.00 Top of ridge brs. NE. & SW. & descend.
 80.00 Set post 4 in. sq. 1 ft. in earth 1 ft. above stone mound 4 1/2 ft.
 in dia. at base by 2 ft. in height for cor. to secs. 1, 2, 35 and 36.
 Land mountainous, soil 2nd rate.
 Timber & undergrowth of oak and cedar.

S. 89° 49' E. on true line on N. B. of sec. 1.
 Va. 14° 25' E.

Descend.
 15.50 Cross gulch 20 lks. wide course SW. & ascend.
 36.50 Top of spur brs. NE. & SW. & descend.
 40.00 Set post 4 in. dia. 1 ft. in earth 1 ft. above stone mound 4 ft.
 in dia. at base by 2 ft. in height for 1/4 sec. cor.
 42.50 Cross gulch 15 lks. wide course S. & ascend.
 56.50 Top of ridge brs. NE. & SW. & descend
 75.50 Cross ravine 10 lks. wide course S. & ascend.
 80.00 The cor. to Tps. 4 and 5 N. Rs. 13 and 14 W.
 Land mountainous, soil 2nd and 3rd rate.
 Timber & undergrowth of oak and cedar.

.....

W.B. T. 5 N. R. 13 W. S.B.M.

From the cor. to Tps. 4 and 5 N. Rs. 13 and 14 W., I run North on W. B. of sec. 31.

Va. 14° 25' E.

11.00 Ascend. 3.B

14.00 Summit of spur brs. NW. & SE. & descend.
 40.00 Set post 4 in. dia. 1 ft. in earth 1 ft. above stone mound 4 ft. in dia. at base by 2 ft. in height for 1/4 sec. cor.
 56.50 Cross gulch in Cañada Escadido course SW. & ascend.
 80.00 Set post 4 in. sq. ft. in earth 1 ft. above stone mound 4 1/2 ft. in dia. at base by 2 ft. in height for cor. to secs. 25, 30, 31 and 36.
 Land mountainous, soil 2nd rate.
 Timber & undergrowth of oak and cedar.

Nov. 5, 1879

 North on W. B. of sec. 30.

Va. 14° 25' E.

Ascend.
 16.00 Summit of high rocky peak brs. E. & W. & descend.
 40.00 Set post 4 in. dia. 1 ft. in earth 1 ft. above stone mound 4 ft. in dia. at base by 2 ft. in height for 1/4 sec. cor.
 48.10 Cross gulch course SW. & ascend.
 80.00 Set post 4 in. sq. ft. in earth 1 ft. above stone mound 4 1/2 ft. in dia. at base by 2 ft. in height for cor. to secs. 19, 30, 24 and 25.
 Land mountainous, soil 2nd rate.
 Timber & undergrowth of oak, cedar and cottonwood.
~~XXXXXXXXXXXXXXXXXXXX~~

 North on W. B. of sec. 19.

Va. 14° 25' E.

Ascend.
 20.50 Summit of spur brs. NE. & SW. & descend.
 35.10 Cross head of gulch course NE. & ascend mountain.
 40.00 Set post 4 in. dia. 1 ft. in earth 1 ft. above stone mound 4 ft. in dia. at base by 2 ft. in height for 1/4 sec. cor.
 70.00 Leave mountain and enter valley brs. E. & W.
 74.75 Cross wagon road brs. E. & W.
 75.00 Cross gulch 35 lks. wide course W. & ascend.
 80.00 After diligent search being unable to find old cor. I set post 4 in. sq. 1 ft. in earth 1 ft. above stone mound 4 1/2 ft. in dia. at base by 2 ft. in height for cor. to secs. 18, 19, 13, 24
 Land mountainous, soil 1st and 2nd rate.
 Timber & undergrowth of oak and cedar.

 North on W. B. of sec. 18.

Va. 14° 25' E.

Ascend.
 27.50 Summit of spur brs. E. & W. & descend.
 40.00 After diligent search, being unable to find old cor. I set post 4 in. dia. 1 ft. in earth 1 ft. above stone mound 4 ft. in dia. at base by 2 ft. in height for 1/4 sec. cor.
 41.20 Enter wash in Cañada.
 47.10 Leave Cañada course SW.

52.00 Top of high bank of Cañada, thence over level table land & descend
80.00 After diligent search, being unable to find old cor. I set post
4 in. sq. 1 ft. in earth 1 ft. above earth mound $4\frac{1}{2}$ ft. in dia.
at base by 2 ft. in height for cor. to secs. 12, 13, 7 and 18.
Land mountainous, except in valley, soil 1st and 2nd rate.
Timber & undergrowth of oak and cedar.

North on W. B. of sec. 7,

Va. $14^{\circ} 25'$ E.

Descend.

24.00 A valley brs. NE. & SW. & ascend.
40.00 Set post 4 in. dia. 1 ft. in earth 1 ft. above stone mound 4 ft.
in dia. at base by 2 ft. in height for $1/4$ sec. cor.
71.00 Summit of spur brs. NW. & SE. & descend.
80.00 Set post 4 in. dia. 1 ft. in earth 1 ft. above stone mound $4\frac{1}{2}$
ft. in dia. at base by 2 ft. in height for cor. to secs. 1, 6, 7, 12
Land mountainous, soil 1st and 2nd rate.
Timber & undergrowth of oak and cedar.

North on W. B. of sec. 6.

Va. $14^{\circ} 25'$ E.

Descend.

17.50 Cross near head of gulch course SW. & ascend.
40.00 Set post 4 in. dia. 1 ft. in earth 1 ft. above stone mound 4 ft.
in dia. at base by 2 ft. in height for $1/4$ sec. cor.
104.73 Int. 1st stand line N. 4.53 chs. E. of witness post to cor. to
secs. 31 and 32, T 6 N. R. 13 W. being W. 7.60 chs. of true cor. to
secs. 31 and 32. I do not establish the cor. as it falls on steep
side hill, but make witness post, 4.53 chains W. witness post to
closing cor. to Tps. 5 N. R. 13 and 14 W. S.B.M.
Land mountainous, soil 2nd rate.
Timber & undergrowth of oak and cedar.

Nov. 6, 1879.

W. H. NORWAY.

Vol. 162-34 G.B.J.

T. 5 N. R. 13 W. S. B. M.

North bet. secs. 35 and 36.

- 40.00 Set a post for a 1/4 sec. cor., Va. 14° 6' E. drove charred stake and raised a mound with trench and pits as per inst. some 15 chs. SE. of the SE. terminus of a ridge.
- 80.00 Set a post for cor. to secs. 25, 26, 35, 36, drove a charred stake and raised mound with trench and pits as per inst.
- Land level, soil 2nd rate.

East on a random line bet. secs. 25 and 36.

- Va. 14° 6' E.
- 40.00 Set a post for a temp. 1/4 sec. cor.
- 60.00 To W. base of hills course S.
- 72.00 To top of hill, ascent 200 ft.
- 80.24 Int. E. B. of Tp. 44 lks. N. of cor. of secs. 25, 30, 31, 36 from which cor. I run
West on a true line bet. secs. 25 and 36.
- Va. 13° 47' E.
- 40.12 Set a post for a 1/4 sec. cor., drove a charred stake and raised a mound with trench and pits as per inst.
- 80.24 To cor. of secs. 25, 26, 35, 36.
- Land undulating, soil 2nd rate.

North bet. secs. 25 and 26

- Va. 14° 6' E.
- 40.00 Set a post for a 1/4 sec. cor., drove a charred stake and raised mound and trench and pits as per inst.
- 74.00 To base of hill.
- 80.00 Set a post for cor. to secs. 23, 24, 25, 26, drove a charred stake and dug trench as per inst. from which a Cedar 8 in. dia. brs. S. 66 W. dist. 22 lks.
- Land undulating, soil 2nd rate.

East on a random line bet. secs. 24 and 25.

Va. 14° 6' E.

3.00 To E. face of hill.
40.00 Set a post for a temp. 1/4 sec. cor.
79.65 Int. the E.B. of Tp. 34 lks. S. of cor. to secs. 19,24,25,30
from which cor. I run
West on a true line bet. secs. 24 and 25.

Va. 14° 21' E.

39.82- $\frac{1}{2}$ Set a post for a 1/4 sec. cor., drove a charred stake and raised
a mound with trench and pits as per inst.
79.65 The cor. to secs. 23, 24, 25, 26.
Land undulating, soil 2nd rate.

North bet. secs. 23 and 24.

Va. 14° 6' E.

40.00 Set a post for a 1/4 sec. cor., drove a charred stake.
80.00 Set a post for cor. to secs. 13, 14, 23, 24, drove a charred stake
and raised mound with a trench and pits as per inst.
Land broken and principally along the E. base of a high ridge.
Soil 3rd rate.

East on random line bet. secs. 13 and 24.

Va. 14° 6' E.

40.00 Set a post for a temp. 1/4 sec. cor.
63.00 Across a ravine 50 lks. wide course S
79.66 Int. the E.B. of Tp. 8 lks. N. of cor. to secs. 13, 18, 19, 24,
from which corner I run
West on a true line bet. secs. 13 and 24.

Va. 14° 3' E.

39.83 Set a post for a 1/4 sec. cor., drove a charred stake and raised
mound with trench and pits as per inst.
79.66 To cor. of secs. 14, 13, 23, 24.
Land principally level, soil 2nd rate.

North bet. secs. 34 and 35.

Va. 14° 6' E.

25.00 To center of gully 2 chs. wide course SW.
40.00 Set a post for a 1/4 sec. cor., drove a charred stake and raised
mound with trench and pits as per inst.
63.00 To base of range of hills to SE.
80.00 Set a post for cor. to secs. 26, 27, 34, 35, drove a charred stake
and raised mound with trench and pits as per inst.
Land 1st 1/2 mile mountains; last do. broken.
Soil 3rd rate generally.

East on a random line bet. secs. 26 and 35.

Va. 14° 6' E.

40.00 Set a post for a temp. 1/4 sec. cor.
51.50 Enter valley course SE.
79.10 Int. the N. & S. line at post cor. of secs. 25, 26, 35, 36,
From which cor. I run
West on a true line bet. secs. 26 and 35.

Va. 14. 6! E.

39.55 Set a post and charred stake in mound with trench and pits
as per inst.
79.10 To cor. of secs. 26, 27, 34, 35.
Land undulating, soil 3rd rate principally.

North bet. secs. 26 and 27.

Va. 14° 6' E.

9.00 To top of ridge to SE.
23.00 To center of ravine 2 chs. wide course E.
40.00 Set a post for a 1/4 sec. cor. in rock mound 3 ft. base and 18 in.
high.
42.00 To top of one of a range of hills to SE.
50.00 Enter valley;
80.00 Set a post for cor. to secs. 22, 23, 26, 27; deposited 2 quartz
rock 3 in. dia., raised mound with trench and pits as per inst.
Timber scattering cedar; hilly, soil 3rd rate.

East on a random line bet. secs. 23 and 26.

Va. 14° 6' E.

40.00 Set a post for a temp. 1/4 sec. cor.
65.00 To base of hill.
79.65 Int. N. & S. line 108 lks. S. of cor. to secs. 23, 24, 25, 26
from which corner I run
West on a true line bet. secs. 23 and 26.

Va. 14° 52' E.

39.82½ Set a post for a 1/4 sec. cor., deposited 7 small rock 2-1/2
dia. 8 in. deep raised mound with trench and pits. Shallow
for the nearness of ledge to surface.
79.65 To cor. of secs. 22, 23, 26, 27.
Land 1st 1/2 mile hilly; last do. principally in valley.
Soil 2nd rate.

North bet. secs. 22 and 23.

Va. 14° 6' E.

40.00 Set a post for a 1/4 sec. cor., drove a charred stake and raised mound with trench and pits as per inst.
 45.00 To base of hills.
 80.00 Set a post for cor. to secs. 14, 15, 22, 23, drove a charred stake and raised mound with trench and pits as per inst.
 Land principally level, soil 2nd rate.

East on a random line bet. secs. 14 and 23.

Va. 14° 6' E.

35.00 Center of Dingle course S.
 40.00 Set a post for a temp. 1/4 sec. cor.
 62.00 Top of range of hills course N. & S.
 81.00 Int. the N. & S. line 137 lks. S. of cor. of secs. 13, 14, 23, 24, from which cor. I run
 West on a true line bet. secs. 14 and 23.

Va. 15° 5' E.

40.50 Set a post for a 1/4 sec. cor., drove a charred stake and raised mound with trench and pits as per inst.
 81.00 To cor. of secs. 14, 15, 22, 23.
 1st 1/2 mile hilly; last do. undulating.
 Soil 2nd rate.

From cor. of secs. 14, 15, 22, 23, since it is top mountainous to measure further North, I run
 West on a true line bet. secs. 15 and 22.

Va. 14° 6' E.

15.00 To top of ridge of hills course - - -
 40.00 Set a post for 1/4 sec. cor., drove a charred stake and raised mound with trench and pits as per inst.
 47.50 Across dry arroyo 12 lks. wide course S.
 80.00 Set a post for cor. to secs. 15, 16, 21, 22, drove a charred stake and raised mound with trench and pits as per inst. some 30 chs. from the mountain on the SW.
 Hilly, soil 3rd rate.

North bet. secs. 15 and 16.

Va. 14° 6' E.

2.00 To S. base of red granite hills.
 19.00 To top of same, course W.
 30.00 Enter valley and cross dry arroyo 15 lks. wide course SE.
 40.00 Set a post for a 1/4 sec. cor., drove a charred stake and raised mound with trench and pits as per inst.
 80.00 Set a post for cor. to secs. 9, 10, 15, 16, drove a charred stake and raised mound with trench and pits as per inst. within some 30 chs. of the mountain on the N.
 1st 1/2 mile hilly; last level. Soil 2nd rate.

East on a true line bet. secs. 10 and 15.

Va. 14° 6' E.

40.00 Set a post for a 1/4 sec. cor., drove a charred stake and raised mound with trench and pits as per inst. some 15 chs. W. of Mt. on E. and 60 chs. of the Mt. on the North.

From cor. of secs. 9, 10, 15, 16, I run West on a true line bet. secs. 9 and 16.

Va. 14° 6' E.

22.50 Across dry arroyo 25 lks. wide course S., issuing from the Mt. at about 30 chs. N. where there is every sign of water.

40.00 1/4 sec. post with mound, pits, trench, etc.

76.00 To Puerto Suelo, entering the place known as the Valley of Sierra Pelona (naked mountain)

80.00 Set a post for cor. of secs. 8, 9, 16, 17, drove charred stake and raised mound with trench and pits as per inst. in valley (high) about 60 chs. wide, ranging W.

Land principally an inclined plain, sloping East Soil 3rd rate.

North bet. secs. 8 and 9.

Va. 14° 6' E.

40.00 Set a post for a 1/4 sec. cor. on E. bank of a gully 100 lks. wide course SW., drove charred stake and raised mound with trench and pits as per inst. at S. base of Mt.

From cor. to secs. 8, 9, 16, 17, I run South bet. secs. 16 and 17.

Va. 14° 8' E.

18.00 To base of hills.

40.00 Set a post for a 1/4 sec. cor., drove a charred stake and raised a mound with trench and pits as per inst. on the crest of a ridge ranging SE., beyond which it is too mountainous to run.

From cor. of secs. 8, 9, 16, 17, I run West on a true line bet. secs. 8 and 17.

Va. 14° 6' E.

40.00 Set a post for a 1/4 sec. cor., depositing 3 quartz rocks and raised mound with trench and pits as per inst.

80.00 Set a post for cor. to secs. 7, 8, 17, 18, drive charred stake and raised mound with trench and pits as per inst.

Land rolling; timber scattering cedar; soil 3rd rate.

North bet. secs. 7 and 8~~1~~.

Va. 14° 6' E.

- 40.00 Set a post for a 1/4 sec. cor., drove a charred stake and raised mound with trench and pits as per inst.
80.00 Set rock 30 x 18 x 12 in for cor. of secs. 6, 5, 7, 8, drove a charred stake and raised an irregular mound of rock.
Land rolling. Timber scattering cedar. Soil 3rd rate at S. base of Mt.

From cor. of secs. 7, 8, 17 and 18, I run
South bet. secs. 17 and 18.

Va. 14° 6' E.

- 15.00 Enter rolling hills.
40.00 Set a post for a 1/4 sec. cor., drove a charred stake and raised mound with trench and pits as per inst.
80.00 Set a post for cor. to secs. 17, 18, 19 and 20. Drove a charred stake and raised mound with trench and pits as per inst. on N. face of the Mt.
Rolling land, soil 3rd rate.

West on true line bet. secs. 7 and 18, from cor. of secs. 7, 8, 17, 18

Va. 14° 6' E.

- 40.00 Set a post for 1/4 sec. cor. drove a charred stake and raised mound with trench and pits as per inst.
80.00 Set a post for cor. to secs. 7, 12, 13, 18 and drove a charred stake and raised a mound with trench and pits as per inst.
Land level, soil 2nd rate.

May 7, 1856

HENRY HANCOCK

From the cor. of secs. 13, 18, 19, 24, I run
East on a random line bet. secs. 18 and 19,

Va. 14° 6' E.

- 40.00 Set a post for a temp. 1/4 sec. cor.
79.96. Int. the N. & S. line 32 lks. N. of cor. of secs. 17, 18, 19, 20, from which cor. I run
West on a true line bet. secs. 18 and 19.

Va. 13° 52' E.

- 40.00 Set a post for a 1/4 sec. cor., drove a charred stake and raised mound with trench and pits as per inst.