

# FIELD NOTES

East & West Boundaries

and

Subdivision

of

T 5 N., R 13 W., S.B.B & M.

Copied from notes loaned by

S. H. Douglass, Saugus, Cal.

104.73 CH.	6	5	4	3	2	1	105.20 CH.
5-6	7	8	9	10	11	12	2-A
25	17	16	15	14	13	12	2-A
18	17	16	15	14	13	12	2-A
19	20	21	22	23	24	25	2-A
30	29	28	27	26	25	24	2-A
31	32	33	34	35	36	37	2-A

T. 5 N.

R. 13 W.

HANDCOCK  
H. H. H. H.

1856  
5-2

E. B. T. 5 N. R. 13 W. S. B. M.

Commenced April 28, 1856 at the cor. to Tps. 4 & 5 N. Ra. 12 and 13 W., the same having been established last Oct. in traversing the La Solidar Pass.  
North on the E. B. of Sec. 36.

Va. 14° 6' E.

- 29.00 Leave bottom land of dry arroyo ranging W., having crossed the arroyo proper. (the same being about 3 chs. wide at 3 chs. from Tp. cor.)  
40.00 Set a post for a 1/4 sec. cor., drove charred stake and raised mound with trench and pits as per inst.  
78.00 To base of hill.  
80.00 Set a post for a cor. to secs. 25, 30, 31 and 36, drove a charred stake and raised a mound with a trench and pits as per inst.  
Land undulating, soil 2nd rate principally.

North on E. B. of sec. 25.

Va. 14° 6' E.

- 3.00 To top of E. slope of hill, ascent 100 ft.  
40.00 Set a post for a 1/4 sec. cor., drove a charred stake and raised mound with trench and pits as per inst.  
70.00 To base of hill.  
80.00 Set a post for a witness cor. to secs. 19, 24, 25, 30, 50 lks. N. of true cor. on the steep S. face of hill, drove charred stake and raised a witness mound (to obtain suitable place for cor.) with trench and pits as per inst.  
Land hilly, soil principally 2nd rate.

North on E. B. of sec. 24.

Va. 14° 6' E.

- 3.00 Top of E. slope of hill, ascent 100 ft.  
25.00 To N. base of same and S. base of another do.  
40.00 Set a post for a 1/4 sec. cor. on S. face of hill, ascent 500 ft. Drove charred stake and raised mound with trench and pits as per inst.  
42.00 To top of E. slope of hill extending some 20 chs. W. & 15 E.  
55.00 Enter valley, descent 400 ft.  
80.00 Set a post for a cor. to secs. 7, 13, 18, 24, drove a charred stake, and raised a mound with trench and pits as per inst.  
Land hilly, soil 2nd rate generally.

North on E. B. of sec. 13.

Va. 14° 6' E.

40.00 Set a post for a 1/4 sec. cor., drove a charred stake and raised mound with trench and pits as per inst.  
80.00 Set a post for a cor. to secs. 7, 12, 13, 18, on the S. bank of ravine, drove charred stake and raised mound, some 25 chs. from the base of the Mt. on the E. and 30 chs. from the base of the Mt. on the W. with trench and pits as per inst.  
Land undulating, soil 2nd rate.

-----  
North on E. B. of sec. 12.

Va. 14° 6' E.

3.00 Across ravine course W.  
15.00 To base of mountain.  
23.00 Top of W. slope of Mt. base course SW.  
27.00 Across ravine 50 lks. wide, some 10 chs. W. of a watering place for cattle on W. face of mountain.  
30.00 Set a post and charred stake in an irregular mound on the SW. face of the mountain, beyond which it is impracticable to measure further on account of the mountain.

May 7, 1856

HENRY HANCOCK.

Vol. 163-7  
G.B.J.

-----  
W. B. T. 5 N. R. 12 W. S.B.M.  
.....

From the cor. to secs. 18 and 19, on W. B. of Tp. which I find standing and agreeing with field notes, I run North on W. B. of sec. 18.

Va. 14° 25' E.

Along E. side of Cañada.  
40.00 After diligent search, being unable to find old cor. I set post

80. North on W. B. of Sec. 7.

Va. 14° 25' E.

Ascend.  
30.00 After diligent search, being unable to find old corner I continue N. and at  
40.00 I set post 4 in. dia. 1 ft. in earth 1 ft. above stone mound 4 ft. in dia. at base by 2 ft. in height for 1/4 sec. cor.  
56.50 Summit of spur brs. NE. & SW. & descend.  
74.50 Cross ravine near head, course SW. & ascend.  
80.00 Set post 4 in. sq. 1 ft. in earth 1 ft. above stone mound 4 1/2 ft. in dia. at base by 2 ft. in height for cor. to secs. 1, 6, 7 and 12.  
Land mountainous, soil 1st and 2nd rate.  
Timber & undergrowth of oak and cedar.

19.  
37

40.00 Set post 4 in. dia. 1 ft. in earth 1 ft. above stone mound 1 ft. in dia. at base by 2 ft. in height for 1/4 sec. cor.

105.20 Int. 1st stand. line N. 12.10 chs. W. of cor. to secs. 32 of T. 6 N. R. 12 W. and set post 4 in. sq. 1 ft. in earth 1 ft. above

2.A

stone mound  $4\frac{1}{2}$  ft. in dia. at base by 2 ft. in height for  
closing cor. to Tps. 5 N. Rs. 12 and 13 W. S. B. M.  
Land mountainous, soil 2nd rate.  
Timber & undergrowth of oak and cedar.

Nov. 7, 1879

W. H. NORWAY.

Vol. 162-34

G. B. J.

.....

W. B. T. 5. N. R. 13 W. S. B. M.

(From cor. to secs. 7, 18, 12, 13,)

North on W. B. of the Tp. and of sec. 7.

Va. 14° 6' E.

35.00 To S. base of Sierra Pelona and drove stake and charred stake for a witness 1/4 sec. cor., beyond which it is impracticable to measure further.

-----  
South on W. B. of Tp. and of sec. 18.

Va. 14° 6' E.

20.00 To cañada course W.  
27.00 Across same and to N. base of ridge.  
40.00 Set a post for a 1/4 sec. cor., drove a charred stake and raised mound with trench and pits as per inst.  
43.00 To top of ridge course W.  
70.00 To S. base of same and enter cañada course E.  
77.00 To base of hills  
80.00 Set a post for cor. to secs. 13, 18, 19, 24, drove a charred stake and raised mound with trench and pits as per inst.  
Land hilly, soil 2nd rate.

-----  
South on W. B. of sec. 19,

Va. 14° 8' E.

15.00 To base of high range of hills, beyond which it is impracticable to measure further S. and drove post.

Vol. 163-7  
G.B.J.

May 7, 1856  
HENRY HANCOCK.

.....  
N. B. T. 4 N. R. 14 W. S. B. M.  
From the cor. to Tps. 4 and 5 N. Rs. 13 and 14 W. I run  
West on a random line on N. B. of secs. 1, 2, 3, 4, 5, 6.

Va. 14° 25' E.

I set temp. 1/2 mile and mile posts at every 40 and 80 chs. to a point 1.62 chs. S. of cor. to Tps. 4 and 5 N. Rs. 14 & 15 W. Therefore the correction will be 2.20 chs. E. and 27 lks. N. per mile.  
I find post for cor. standing as per descriptions furnished me.

From the cor. to Tps. 4 and 5 N. Rs. 14 and 15 W. I run S. 89° 49' E. on a true line on N. B. of sec. 6.

Va. 14° 25' E.

Descend.  
 20.00 Enter mesa, brs. NE. & SW.  
 30.00 Leave mesa brs. NE. & SW. & ascend.  
 42.20 Set post 4 in. dia. 1 ft. in earth 1 ft. above stone mound 4 ft.  
 in dia. at base by 2 ft. in height for 1/4 sec. cor.  
 50.50 Top of ridge brs. N. & S. & descend.  
 69.50 Cross gulch in Cañada course S. & ascend.  
 82.20 Set post 4 in. sq. 1 ft. in earth 1 ft. above stone mound 4½ ft.  
 in dia. at base by 2 ft. in height for cor. to secs. 5, 6, 31  
 and 32.  
 Land mountainous, soil 2nd rate.  
 Timber & undergrowth of oak and cedar.

S. 89° 49' E. on a true line on N. B. of sec. 5.

Va. 14° 25' E.

Ascend.  
 5.60 Top of ridge brs. NE. & SW. & descend.  
 32.80 To foot of perpendicular bluff and enter Cañada.  
 37.00 Leave Cañada brs. N. & S.  
 40.00 The point for 1/4 sec. cor. falling on steep side hill, in  
 place not suitable to build mound, I set post 4 in. dia. 1 ft.  
 in earth 1 ft. above stone mound 4 ft. in dia. at base by 2 ft.  
 in height, 3.00 chs. W. for witness post for 1/4 sec. cor.  
 67.00 Enter Cañada, then up same.  
 71.00 Leave Cañada, and ascend.  
 80.00 Set post 4 in. sq. 1 ft. in earth 1 ft. above stone mound 4½  
 ft. in dia. at base by 2 ft. in height for cor. to secs. 4, 5,  
 32 and 33.  
 Land mountainous, soil 2nd and 3rd rate.  
 Timber & undergrowth of oak and cedar.

S. 89° 49' E. on a true line on N. B. of sec. 4

Va. 14° 25' E.

Ascend.  
 5.00 Summit of ridge brs. NW. & SE. & descend.  
 9.50 Cross near head of gulch course NW. & ascend.  
 32.30 Top of ridge brs. NE. & SW.  
 40.00 Set post 4 in. dia. 1 ft. in earth 1 ft. above stone mound 4 ft.  
 in dia. at base by 2 ft. in height for 1/4 sec. cor. in low sag  
 and ascend.  
 43.00 Top of ridge brs. NE. & SW. & descend.  
 77.50 Cross gulch 32 lks. wide course SE. & ascend  
 80.00 Set post 4 in. sq. 1 ft. in earth 1 ft. above stone mound 4½ ft.  
 in dia. at base by 2 ft. in height for cor. to secs. 3, 4, 33 and 34.  
 Land mountainous, soil 2nd and 3rd rate.  
 Timber & undergrowth of oak and cedar.

S. 89° 49' E. on N. B. of sec. 3.

Va. 14° 25' E.

Descend.  
19.50 Cross ravine 12 lks. wide course SE.  
39.00 Cross gulch 14 lks. wide course SE. & ascend.  
39.50 Enter mesa brs. N. & S.  
40.10 Set post 4 in. dia. 1 ft. in earth 1 ft. above stone mound 4 ft.  
in dia. at base by 2 ft. in height for 1/4 sec. cor.  
47.00 Leave table land or mesa brs. N. & S. & descend.  
55.00 Enter Cañada de Augua Fria brs. N. & S.  
56.50 Cross road and wash in cañada course S.  
57.50 Leave Canada, thence over hills.  
80.10 Set post 4 in. sq. 1 ft. in earth 1 ft. above stone mound 4 1/2 ft.  
in dia. at base by 2 ft. in height for cor. to secs. 2, 3, 34  
and 35.  
Land mountainous, except in Cañada, soil 1st and 2nd rate.  
Timber & undergrowth of oak and cedar.

-----  
S. 89° 49' E. on a true line on N. B. of sec. 2.

Va. 14° 25' E.

Ascend.  
8.50 Top of spur brs. NE. & SW. & descend.  
22.50 Cross large Cañada brs. SW. & NE.  
40.00 Set post 4 in. dia. 1 ft. in earth 1 ft. above stone mound 4 ft.  
in dia. at base by 2 ft. in height for 1/4 sec. cor.  
Ascend.  
68.00 Top of ridge brs. NE. & SW. & descend.  
80.00 Set post 4 in. sq. 1 ft. in earth 1 ft. above stone mound 4 1/2 ft.  
in dia. at base by 2 ft. in height for cor. to secs. 1, 2, 35 and 36.  
Land mountainous, soil 2nd rate.  
Timber & undergrowth of oak and cedar.

-----  
S. 89° 49' E. on true line on N. B. of sec. 1.

Va. 14° 25' E.

Descend.  
15.50 Cross gulch 20 lks. wide course SW. & ascend.  
36.50 Top of spur brs. NE. & SW. & descend.  
40.00 Set post 4 in. dia. 1 ft. in earth 1 ft. above stone mound 4 ft.  
in dia. at base by 2 ft. in height for 1/4 sec. cor.  
42.50 Cross gulch 15 lks. wide course S. & ascend.  
56.50 Top of ridge brs. NE. & SW. & descend  
75.50 Cross ravine 10 lks. wide course S. & ascend.  
80.00 The cor. to Tps. 4 and 5 N. Rs. 13 and 14 W.  
Land mountainous, soil 2nd and 3rd rate.  
Timber & undergrowth of oak and cedar.

.....  
W.B. T. 5 N. R. 13 W. S.B.M.  
-----

From the cor. to Tps. 4 and 5 N. Rs. 13 and 14 W., I run  
North on W. B. of sec. 31.

Va. 14° 25' E.

11.00 Ascend.

3.B

14.00 Summit of spur brs. NW. & SE. & descend.  
 40.00 Set post 4 in. dia. 1 ft. in earth 1 ft. above stone mound 4 ft.  
 in dia. at base by 2 ft. in height for 1/4 sec. cor.  
 56.50 Cross gulch in Cañada Escadido course SW. & ascend.  
 80.00 Set post 4 in. sq. ft. in earth 1 ft. above stone mound 4 1/2 ft.  
 in dia. at base by 2 ft. in height for cor. to secs. 25, 30, 31  
 and 36.  
 Land mountainous, soil 2nd rate.  
 Timber & undergrowth of oak and cedar.

Nov. 5, 1879

North on W. B. of sec. 30.

Va. 14° 25' E.

Ascend.  
 16.00 Summit of high rocky peak brs. E. & W. & descend.  
 40.00 Set post 4 in. dia. 1 ft. in earth 1 ft. above stone mound 4 ft.  
 in dia. at base by 2 ft. in height for 1/4 sec. cor.  
 48.10 Cross gulch course SW. & ascend.  
 80.00 Set post 4 in. sq. ft. in earth 1 ft. above stone mound 4 1/2  
 ft. in dia. at base by 2 ft. in height for cor. to secs. 19, 30,  
 24 and 25.  
 Land mountainous, soil 2nd rate.  
 Timber & undergrowth of oak, cedar and cottonwood.  
~~North on W. B. of sec. 19.~~

North on W. B. of sec. 19.

Va. 14° 25' E.

Ascend.  
 20.50 Summit of spur brs. NE. & SW. & descend.  
 35.10 Cross head of gulch course NE. & ascend mountain.  
 40.00 Set post 4 in. dia. 1 ft. in earth 1 ft. above stone mound 4 ft.  
 in dia. at base by 2 ft. in height for 1/4 sec. cor.  
 70.00 Leave mountain and enter valley brs. E. & W.  
 74.75 Cross wagon road brs. E. & W.  
 75.00 Cross gulch 35 lks. wide course W. & ascend.  
 80.00 After diligent search being unable to find old cor. I set  
 post 4 in. sq. 1 ft. in earth 1 ft. above stone mound 4 1/2 ft. in  
 dia. at base by 2 ft. in height for cor. to secs. 18, 19, 13, 24  
 Land mountainous, soil 1st and 2nd rate.  
 Timber & undergrowth of oak and cedar.

North on W. B. of sec. 18.

Va. 14° 25' E.

Ascend.  
 27.50 Summit of spur brs. E. & W. & descend.  
 40.00 After diligent search, being unable to find old cor. I set post  
 4 in. dia. 1 ft. in earth 1 ft. above stone mound 4 ft. in dia.  
 at base by 2 ft. in height for 1/4 sec. cor.  
 41.20 Enter wash in Cañada.  
 47.10 Leave Cañada course SW.



52.00 Top of high bank of Cañada, thence over level table land & descend  
80.00 After diligent search, being unable to find old cor. I set post  
4 in. sq. 1 ft. in earth 1 ft. above earth mound  $4\frac{1}{2}$  ft. in dia.  
at base by 2 ft. in height for cor. to secs. 12, 13, 7 and 18.  
Land mountainous, except in valley, soil 1st and 2nd rate.  
Timber & undergrowth of oak and cedar.

- - - - -

North on W. B. of sec. 7,

Va.  $14^{\circ} 25'$  E.

Descend.  
24.00 A valley brs. NE. & SW. & ascend.  
40.00 Set post 4 in. dia. 1 ft. in earth 1 ft. above stone mound 4 ft.  
in dia. at base by 2 ft. in height for  $\frac{1}{4}$  sec. cor.  
71.00 Summit of spur brs. NW. & SE. & descend.  
80.00 Set post 4 in. dia. 1 ft. in earth 1 ft. above stone mound  $4\frac{1}{2}$   
ft. in dia. at base by 2 ft. in height for cor. to secs. 1, 6, 7, 12  
Land mountainous, soil 1st and 2nd rate.  
Timber & undergrowth of oak and cedar.

- - - - -

North on W. B. of sec. 6.

Va.  $14^{\circ} 25'$  E.

Descend.  
17.50 Cross near head of gulch course SW. & ascend.  
40.00 Set post 4 in. dia. 1 ft. in earth 1 ft. above stone mound 4 ft.  
in dia. at base by 2 ft. in height for  $\frac{1}{4}$  sec. cor.  
104.73 Int. 1st stand line N. 4.53 chs. E. of witness post to cor. to  
secs. 31 and 32, T 6 N. R. 13 W. being W. 7.60 chs. of true cor. to  
secs. 31 and 32. I do not establish the cor. as it falls on steep  
side hill, but make witness post, 4.53 chains W. witness post to  
closing cor. to Tps. 5 N. R. 13 and 14 W. S.B.M.  
Land mountainous, soil 2nd rate.  
Timber & undergrowth of oak and cedar.

Nov. 6, 1879.

W. H. NORWAY.

Vol. 162-34 G.B.J.

T. 5 N. R. 13 W. S. B. M.  
-----

North bet. secs. 35 and 36.

- 40.00      Va. 14° 6' E.  
Set a post for a 1/4 sec. cor., drove charred stake and raised  
a mound with trench and pits as per inst. some 15 chs. SE. of  
the SE. terminus of a ridge.
- 80.00      Set a post for cor. to secs. 25, 26, 35, 36, drove a charred stake  
and raised mound with trench and pits as per inst.
- Land level, soil 2nd rate.

-----  
East on a random line bet. secs. 25 and 36.

- 40.00      Va. 14° 6' E.  
Set a post for a temp. 1/4 sec. cor.
- 60.00      To W. base of hills course S.
- 72.00      To top of hill, ascent 200 ft.
- 80.24      Int. E. B. of Tp. 44 lks. N. of cor. of secs. 25, 30, 31, 36  
from which cor. I run  
West on a true line bet. secs. 25 and 36.
- 40.12      Va. 13° 47' E.  
Set a post for a 1/4 sec. cor., drove a charred stake and raised  
a mound with trench and pits as per inst.
- 80.24      To cor. of secs. 25, 26, 35, 36.
- Land undulating, soil 2nd rate.

-----  
North bet. secs. 25 and 26

- 40.00      Va. 14° 6' E.  
Set a post for a 1/4 sec. cor., drove a charred stake and raised  
mound and trench and pits as per inst.
- 74.00      To base of hill.
- 80.00      Set a post for cor. to secs. 23, 24, 25, 26, drove a charred  
stake and dug trench as per inst. from which a  
Cedar 8 in. dia. brs. S. 66 W. dist. 22 lks.
- Land undulating, soil 2nd rate.

East on a random line bet. secs. 24 and 25.

Va. 14° 6' E.

3.00 To E. face of hill.  
40.00 Set a post for a temp. 1/4 sec. cor.  
79.65 Int. the E.B. of Tp. 34 lks. S. of cor. to secs. 19,24,25,30  
from which cor. I run  
West on a true line bet. secs. 24 and 25.

Va. 14° 21' E.

39.82- $\frac{1}{2}$  Set a post for a 1/4 sec. cor., drove a charred stake and raised  
a mound with trench and pits as per inst.  
79.65 The cor. to secs. 23, 24, 25, 26.  
Land undulating, soil 2nd rate.

-----

North bet. secs. 23 and 24.

Va. 14° 6' E.

40.00 Set a post for a 1/4 sec. cor., drove a charred stake.  
80.00 Set a post for cor. to secs. 13, 14, 23, 24, drove a charred stake  
and raised mound with a trench and pits as per inst.  
Land broken and principally along the E. base of a high ridge.  
Soil 3rd rate.

-----

East on random line bet. secs. 13 and 24.

Va. 14° 6' E.

40.00 Set a post for a temp. 1/4 sec. cor.  
63.00 Across a ravine 50 lks. wide course S  
79.66 Int. the E.B. of Tp. 8 lks. N. of cor. to secs. 13, 18, 19, 24,  
from which corner I run  
West on a true line bet. secs. 13 and 24.

Va. 14° 3' E.

39.83 Set a post for a 1/4 sec. cor., drove a charred stake and raised  
mound with trench and pits as per inst.  
79.66 To cor. of secs. 14, 13, 23, 24.  
Land principally level, soil 2nd rate.

-----

North bet. secs. 34 and 35.

Va. 14° 6' E.

25.00 To center of gully 2 chs. wide course SW.  
40.00 Set a post for a 1/4 sec. cor., drove a charred stake and raised  
mound with trench and pits as per inst.  
63.00 To base of range of hills to SE.  
80.00 Set a post for cor. to secs. 26, 27, 34, 35, drove a charred stake  
and raised mound with trench and pits as per inst.  
Land 1st 1/2 mile mountains; last do. broken.  
Soil 3rd rate generally.

-----

East on a random line bet. secs. 26 and 35.

Va.  $14^{\circ} 6'$  E.

40.00 Set a post for a temp.  $1/4$  sec. cor.  
51.50 Enter valley course SE.  
79.10 Int. the N. & S. line at post cor. of secs. 25, 26, 35, 36,  
From which cor. I run  
West on a true line bet. secs. 26 and 35.

Va.  $14.6'$  E.

39.55 Set a post and charred stake in mound with trench and pits  
as per inst.  
79.10 To cor. of secs. 26, 27, 34, 35.  
Land undulating, soil 3rd rate principally.

-----

North bet. secs. 26 and 27.

Va.  $14^{\circ} 6'$  E.

9.00 To top of ridge to SE.  
23.00 To center of ravine 2 chs. wide course E.  
40.00 Set a post for a  $1/4$  sec. cor. in rock mound 3 ft. base and 18 in.  
high.  
42.00 To top of one of a range of hills to SE.  
50.00 Enter valley;  
80.00 Set a post for cor. to secs. 22, 23, 26, 27; deposited 2 quartz  
rock 3 in. dia., raised mound with trench and pits as per inst.  
Timber scattering cedar; hilly, soil 3rd rate.

-----

East on a random line bet. secs. 23 and 26.

Va.  $14^{\circ} 6'$  E.

40.00 Set a post for a temp.  $1/4$  sec. cor.  
65.00 To base of hill.  
79.65 Int. N. & S. line 108 lks. S. of cor. to secs. 23, 24, 25, 26  
from which corner I run  
West on a true line bet. secs. 23 and 26.

Va.  $14^{\circ} 52'$  E.

39.82 $\frac{1}{2}$  Set a post for a  $1/4$  sec. cor., deposited 7 small rock 2- $1/2$   
dia. 8 in. deep raised mound with trench and pits. Shallow  
for the nearness of ledge to surface.  
79.65 To cor. of secs. 22, 23, 26, 27.  
Land 1st  $1/2$  mile hilly; last do. principally in valley.  
Soil 2nd rate.

-----

North bet. secs. 22 and 23.

Va.  $14^{\circ} 6'$  E.

40.00 Set a post for a 1/4 sec. cor., drove a charred stake and raised mound with trench and pits as per inst.  
 45.00 To base of hills.  
 80.00 Set a post for cor. to secs. 14, 15, 22, 23, drove a charred stake and raised mound with trench and pits as per inst.  
 Land principally level, soil 2nd rate.

-----

East on a random line bet. secs. 14 and 23.

Va. 14° 6' E.

35.00 Center of Dingle course S.  
 40.00 Set a post for a temp. 1/4 sec. cor.  
 62.00 Top of range of hills course N. & S.  
 81.00 Int. the N. & S. line 137 lks. S. of cor. of secs. 13, 14, 23, 24, from which cor. I run  
 West on a true line bet. secs. 14 and 23.

Va. 15° 5' E.

40.50 Set a post for a 1/4 sec. cor., drove a charred stake and raised mound with trench and pits as per inst.  
 81.00 To cor. of secs. 14, 15, 22, 23.  
 1st 1/2 mile hilly; last do. undulating.  
 Soil 2nd rate.

-----

From cor. of secs. 14, 15, 22, 23, since it is top mountainous to measure further North, I run  
 West on a true line bet. secs. 15 and 22.

Va. 14° 6' E.

15.00 To top of ridge of hills course ---  
 40.00 Set a post for 1/4 sec. cor., drove a charred stake and raised mound with trench and pits as per inst.  
 47.50 Across dry arroyo 12 lks. wide course S.  
 80.00 Set a post for cor. to secs. 15, 16, 21, 22, drove a charred stake and raised mound with trench and pits as per inst. some 30 chs. from the mountain on the SW.  
 Hilly, soil 3rd rate.

-----

North bet. secs. 15 and 16.

Va. 14° 6' E.

2.00 To S. base of red granite hills.  
 19.00 To top of same, course W.  
 30.00 Enter valley and cross dry arroyo 15 lks. wide course SE.  
 40.00 Set a post for a 1/4 sec. cor., drove a charred stake and raised mound with trench and pits as per inst.  
 80.00 Set a post for cor. to secs. 9, 10, 15, 16, drove a charred stake and raised mound with trench and pits as per inst. within some 30 chs. of the mountain on the N.  
 1st 1/2 mile hilly; last level. Soil 2nd rate.

East on a true line bet. secs. 10 and 15.

Va. 14° 6' E.

40.00 Set a post for a 1/4 sec. cor., drove a charred stake and raised mound with trench and pits as per inst. some 15 chs. W. of Mt. on E. and 60 chs. of the Mt. on the North.

- - - - -

From cor. of secs. 9, 10, 15, 16, I run  
West on a true line bet. secs. 9 and 16.

Va. 14° 6' E.

22.50 Across dry arroyo 25 lks. wide course S., issuing from the Mt.  
at about 30 chs. N. where there is every sign of water.  
40.00 1/4 sec. post with mound, pits, trench, etc.  
76.00 To Puerto Suelo, entering the place known as the Valley of  
Sierra Pelona (naked mountain)  
80.00 Set a post for cor. of secs. 8, 9, 16, 17, drove charred stake and  
raised mound with trench and pits as per inst. in valley (high)  
about 60 chs. wide, ranging W.  
Land principally an inclined plain, sloping East Soil 3rd rate.

- - - - -

North bet. secs. 8 and 9.

Va. 14° 6' E.

40.00 Set a post for a 1/4 sec. cor. on E. bank of a gully 100 lks. wide  
course SW., drove charred stake and raised mound with trench and  
pits as per inst. at S. base of Mt.  
From cor. to secs. 8, 9, 16, 17, I run  
South bet. secs. 16 and 17.

Va. 14° 8' E.

18.00 To base of hills.  
40.00 Set a post for a 1/4 sec. cor., drove a charred stake and raised a  
mound with trench and pits as per inst. on the crest of a ridge  
ranging SE., beyond which it is too mountainous to run.

- - - - -

From cor. of secs. 8, 9, 16, 17, I run  
West on a true line bet. secs. 8 and 17.

Va. 14° 6' E.

40.00 Set a post for a 1/4 sec. cor., depositing 3 quartz rocks and raised  
mound with trench and pits as per inst.  
80.00 Set a post for cor. to secs. 7, 8, 17, 18, drive charred stake and  
raised mound with trench and pits as per inst.  
Land rolling; timber scattering cedar; soil 3rd rate.

North bet. secs. 7 and 8~~1~~.

Va. 14° 6' E.

40.00 Set a post for a 1/4 sec. cor., drove a charred stake and raised mound with trench and pits as per inst.  
80.00 Set rock 30 x 18 x 12 in for cor. of secs. 6, 5, 7, 8, drove a charred stake and raised an irregular mound of rock.  
Land rolling. Timber scattering cedar. Soil 3rd rate at S. base of Mt.

-----

From cor. of secs. 7, 8, 17 and 18, I run  
South bet. secs. 17 and 18.

Va. 14° 6' E.

15.00 Enter rolling hills.  
40.00 Set a post for a 1/4 sec. cor., drove a charred stake and raised mound with trench and pits as per inst.  
80.00 Set a post for cor. to secs. 17, 18, 19 and 20. Drove a charred stake and raised mound with trench and pits as per inst. on N. face of the Mt.  
Rolling land, soil 3rd rate.

-----

West on true line bet. secs. 7 and 18, from cor. of secs. 7, 8, 17, 18

Va. 14° 6' E.

40.00 Set a post for 1/4 sec. cor. drove a charred stake and raised mound with trench and pits as per inst.  
80.00 Set a post for cor. to secs. 7, 12, 13, 18 and drove a charred stake and raised a mound with trench and pits as per inst.  
Land level, soil 2nd rate.

May 7, 1856

HENRY HANCOCK

-----

From the cor. of secs. 13, 18, 19, 24, I run  
East on a random line bet. secs. 18 and 19,

Va. 14° 6' E.

40.00 Set a post for a temp. 1/4 sec. cor.  
79.96. Int. the N. & S. line 32 lks. N. of cor. of secs. 17, 18, 19, 20, from which cor. I run  
West on a true line bet. secs. 18 and 19.

Va. 13° 52' E.

40.00 Set a post for a 1/4 sec. cor., drove a charred stake and raised mound with trench and pits as per inst.

79.96 To cor. of secs. 13, 18, 19, 24.  
Land undulating, soil 2nd rate.

May 7, 1856

HENRY HANCOCK.

Vol. 163-7  
G.B.J.

T. 5 N. R. 13 W. S. B. M.

This Tp. having been partially surveyed in a previous contract, I begin my survey at the cor. to secs. 13, 14, 23 and 24, where I find standing a post very much decayed. I set a new post 4 in. sq. 1 ft. in earth 1 ft. above earth mound 4  $\frac{1}{2}$  ft. in dia. at base by 2 ft. in height and dug pits 24 x 18 x 12 at 4 angles for said cor. and run.  
East on a random line bet. secs. 13 and 24.

Va. 14° 25' E.

Descend.

15.00 Enter valley brs. N. & S.  
40.00 After diligent search, being unable to find old cor. I set temp. one.  
57.00 Cross gulch 25 lks. wide course S.  
72.00 Leave valley and ascend mountain brs. N. & S.  
79.52 Int. E. B. of Tp. at cor. to secs. 13 and 24, from which cor. I run  
West on a true line bet. secs. 13 and 24

Va. 14° 25' E.

39.76 The point for 1/4 sec. cor. falling in place not suitable to build mound, I continue W. and at  
42.44 I set post 4 in. dia. 1 ft. in earth 1 ft. above earth mound 4 ft. in dia. at base by 2 ft. in height and dug pit 24 x 18 x 12, 8 lks. N. for witness post to 1/4 sec. cor.  
79.52 The cor. to secs. 13, 14, 23 and 24.  
Land valley; soil 1st rate; timber oak and cedar.

~~Mark~~ North bet. secs. 13 and 14.

Va. 14° 25' E.

Ascend.

20.00 Summit of spur brs. SW. & NE. & descend.  
40.00 Set post 4 in. dia. 1 ft. in earth 1 ft. above stone mound 4 ft.



46.00 in dia. at base by 2 ft. in height for 1/4 sec. cor.  
 60.00 Cross near head of gulch course SW. & ascend.  
 71.50 Summit of spur brs. SW. & NE. & descend.  
 80.00 Cross gulch 12 lks. wide course W.  
 Set post 4 in. sq. in earth 1 ft. above stone mound 4 1/2 ft.  
 in dia. at base by 2 ft. in height for cor. to secs. 11, 12, 13, 14  
 from which brs. a  
 Live Oak 12 in. dia. S. 35° W. 78 lks. dist.  
 Land mountainous, soil 2nd rate.  
 Timber & undergrowth of oak and cedar.

-----

East on random line bet. secs. 12 & 13.

Va. 14° 25' E.

Ascend.  
 12.00 Summit of ridge brs. N. & S. & descend.  
 40.00 Set temp. 1/4 sec. cor.  
 42.50 Enter valley brs. N. & S.  
 49.50 Cross gulch 10 lks. wide course S.  
 76.00 Leave valley, brs. N. & S. & ascend.  
 79.30 Int. E. B. of Tp. 18 lks. N. of cor. to secs. 12 and 13  
 from which corner I run  
 N. 89° 52' W. on a true line bet. secs. 12 and 13.

Va. 14° 25' E.

39.65 Set post 4 in. dia. 1 ft. in earth 1 ft. above stone mound 4 ft.  
 in dia. at base by 2 ft. in height for 1/4 sec. cor.  
 79.30 The cor. to secs. 11, 12, 13 and 14.  
 Land mountainous except in valley, soil 1st and 2nd rate.  
 Timber and undergrowth of oak and cedar.

-----

North bet. secs. 11 and 12.

Va. 14° 25' E.

Ascend.  
 36.00 Summit of spur brs. NW. & SE. & descend.  
 40.00 Set post 4 in. dia. 1 ft. in earth 1 ft. above stone mound 4 ft.  
 in dia. at base by 2 ft. in height for 1/4 sec. cor.,  
 from which brs. an  
 Oak 10 in. dia. N. 13° W. 18 lks. dist.

Ascend.  
 69.50 Summit of main divide, brs. NE. & NW. & descend.  
 80.00 Set post 4 in. sq. 1 ft. in earth 1 ft. above stone mound 4 1/2 ft.  
 in dia. at base by 2 ft. height for cor. to secs. 1, 2, 11, 12.  
 Land mountainous, soil 2nd rate.  
 Timber & undergrowth of oak & cedar.

-----

East on random line bet. secs. 1 and 12.

Va. 14° 25' E.

Ascend.  
 11.00 Summit of main divide brs. NE. & SW. & descends.  
 40.00 Set. temp. 1/4 sec. cor.  
 79.22 Int. E. B. of Tp. 27 lks. N. of cor. to secs. 1 and 12.  
 from which cor. I run  
 N. 89° 49' W. on a true line bet. secs. 1 and 12.

Va. 14° 25' E.

39.61 Set post 4 in. dia. 1 ft. earth 1 ft. above stone mound 4 ft.  
 in dia. at base by 2 ft. in height for 1/4 sec. cor.  
 from which brs. an  
 Oak 10 in. dia. N. 80½° W. 61 lks. dist.

79.22 The cor. to secs. 1, 2, 11 and 12.  
 Land mountainous, soil 2nd rate.  
 Timber & undergrowth of oak and cedar.

-----

North on a true line bet. secs. 1 and 2.

Va. 14° 25' E.

Descend.

40.00 Set post 4 in. dia. 1 ft. in earth 1 ft. above stone mound 4 ft.  
 in dia. at base by 2 ft. in height for 1/4 sec. cor.,  
 from which brs. an

104.80 Oak 10 in. dia. S. 0° 45' W. 29 lks. dist.  
 Int. 1st stand line N. 11.14 chs. W. of stand. cor. to secs.  
 31 and 36 of T. 6 N. R. 12 & 13 W. and set post 4 in. sq. 1 ft.  
 in earth 1 ft. above stone mound 4 1/2 ft. in dia. at base by  
 2 ft. in height for closing cor. to secs. 1 and 2.  
 Land mountainous, soil 2nd rate.  
 Timber & undergrowth of oak, cedar and redwood.

Dec. 2, 1879

-----

North bet. secs. 34 and 35.

Va. 14° 25' E.

Descend.

17.00 Cross gulch 12 lks. wide course NE.  
 20.00 Enter valley brs. SW. & NE.  
 40.00 After diligent search, being unable to find old cor. I set post  
 4 in. dia. 1 ft. in earth 1 ft. above stone mound 4 ft. in dia.  
 at base by 2 ft. in height for 1/4 sec. cor.

51.50 Cross gulch 10 lks. wide course SE. Leave valley & ascend.  
 61.50 Summit of spur brs. SE. & NW. & descend.  
 80.00 After diligent search, being unable to find old cor. I set post  
 4 in. sq. 1 ft. in earth 1 ft. above stone mound 4½ ft. in dia.  
 at base by 2 ft. in height for cor. to secs, 26, 27, 34, 35  
 Land mountainous, soil 2nd rate.  
 Timber & undergrowth of oak and cedar.

~~xxxxx~~ East on random line bet. secs. 26 and 35.

Va. 14° 25' E.

Descend.

18.00 Enter valley. brs. N. & S.  
40.00 After diligent search, being unable to find old cor. I set temp. one  
79.10 Int. N. & S. line 92 lks. N. of cor. to secs. 25, 26, 35 and 36,  
I here find old post standing, but no mound. I rebuild mound 4½  
ft. in dia. by 2 ft. in height, from which cor. I run  
N. 89° 25' W. on a true line bet. secs. 26 and 35.

Va. 14° 25' E.

39.55 Set post 4 in. dia. 1 ft. in earth 1 ft. above earth mound 4 ft.  
in dia. at base by 2 ft. in height and dug pits 24 x 18 x 12,  
8 lks. N. for 1/4 sec. cor.  
79.10 The cor. to secs. 26, 27, 35 and 34.  
Land mostly valley, soil 1st and 2nd rate.  
Timber & undergrowth of oak and cedar.

-----  
North bet. secs. 26 and 27.

Va. 14° 25' E.

10.15 Cross road brs. S~~E~~. & NW. and ascend mountain.  
25.00 The Esperanza Quartz mine, brs. W. about 10 chs. dist.  
This mine has been worked in former years, but now abandoned.  
40.00 After diligent search, being unable to find old cor. I set post  
4 in. dia. 1 ft. in earth 1 ft. above stone mound 4 ft. in dia.  
at base by 2 ft. in height for 1/4 sec. cor.  
53.50 Leave mountains and enter valley brs. NW. & SE.  
57.00 Cross road brs. NW. & SE.  
75.00 Ascend high table land brs. NE. & SW.  
80.00 After diligent search being unable to find old cor. I set post  
4 in. sq. 1 ft. in earth 1 ft. above stone mound 4½ ft. in dia.  
at base by 2 ft. in height for cor. to secs. 22, 23, 26, 27.  
Land mountainous, soil 2nd and 3rd rate.  
Timber & undergrowth of oak and cedar.

East on a random line bet. secs. 23 and 26.

Va. 14° 25' E.

Descend.  
2.50 Enter cañada brs. N. & S.  
6.74 Cross road brs. N. & S.  
9.00 Leave Cañada and ascend.  
35.00 Foot of mountain and continue ascent.  
40.00 After diligent search, being unable to find old cor. I set temp.  
one.  
80.04 Int. N. & S. line 10 lks. N. of old cor. to secs. 23, 24, 25 and  
26. I here find old post but no mound. I rebuild mound  $4\frac{1}{2}$  ft.  
in dia. at base by 2 ft. in height and run  
N. 89° 56' W. on a true line bet. secs. 23 and 26.

Va. 14° 25' E.

40.02 Set post 4 in. dia. 1 ft. in earth 1 ft. above stone mound 4 ft.  
in dia. at base by 2 ft. in height for  $\frac{1}{4}$  sec. cor.  
80.04 The cor. to secs. 22, 23, 26, 27.  
Land mountainous, soil 2nd rate.  
Timber & undergrowth of oak and cedar.

-----

North bet. secs. 22 and 23.

Va. 14° 25' E.

Ascend gradually.  
40.00 After diligent search, being unable to find old cor. I set post  
4 in. dia. 1 ft. in earth 1 ft. above earth mound  $\frac{1}{2}$  4 ft. in dia.  
at base by 2 ft. in height and dug pit 24 x 18 x 12, 8 lks. E. for  
 $\frac{1}{4}$  sec. cor.  
41.00 Summit of mountain brs. NW. & SE. & ascend.  
60.00 Cross Eureka Quartz mine, brs. NW. & SE.  
A house brs. W. 20 lks. dist.  
This mine has been worked in former years, and is now being  
re-located.  
80.00 After diligent search, being unable to find old cor. I set post  
4 in. sq. 1 ft. in earth 1 ft. above earth mound  $4\frac{1}{2}$  ft. in dia.  
at base by 2 ft. in height and dug pits 24 x 18 x 12, 8 lks. dist.  
at 4 angles for cor. to secs. 14, 15, 22 and 23.  
Land mountainous, soil 2nd rate.  
Timber & undergrowth of oak and cedar.

-----

East on a random line bet. secs. 14 and 23.

Va. 14° 25' E.

Descend gradually.  
21.50 Cross dry gulch in valley, 20 lks. wide course S.  
40.00 After diligent search, being unable to find old cor. I set temp.  
one.

63.50 Leave valley and ascend low ridge brs. N. & S.  
79.60 Int. N. & S. line 27 lks. S. of cor. to secs. 13, 14, 23, 24,  
from which cor. I run  
S. 89° 48' W. on a true line bet. secs. 14 and 23.

Va. 14° 25' E.

39.80 Set post 4 in. dia. 1 ft. in earth 1 ft. above earth mound 4 ft.  
in dia. at base by 2 ft. in height and dug pit 24 x 18 x 12, 8 lks.  
N. for 1/4 sec. cor.  
79.60 The cor. to secs. 14, 15, 22 and 23.  
Land mountainous, except in valley, soil 1st and 2nd rate.  
Timber & undergrowth of oak and cedar.

- - - - -

North bet. secs. 14 and 15.

Va. 14° 25' E.

Ascend.  
40.00 Set post 4 in. dia. 1 ft. in earth 1 ft. above stone mound 4 ft.  
in dia. at base by 2 ft. in height for 1/4 sec. cor.  
43.50 Summit of spur and along on same.  
55.50 Leave same and descend.  
80.00 Set post 4 in. sq. 1 ft. in earth 1 ft. above stone mound 4 1/2  
ft. in dia. at base by 2 ft. in height for cor. to secs. 10, 11,  
14 and 15.  
Land mountainous, soil 1st and 2nd rate.  
Timber & undergrowth of oak and cedar.

Dec. 3, 1879.

- - - - -

East on random line bet. secs. 11 and 14.

Va. 14° 25' E.

Ascend.  
11.00 Summit of spur brs. N. & S. & descend.  
40.00 Set temp. 1/4 sec. cor. in valley, brg. N. & S.  
53.50 Cross wash, course SW. & ascend.  
68.00 Summit of spur brs. NE. & SW. & descend.  
72.75 Cross gulch 12 lks. wide course S. & ascend.  
80.00 Int. N. & S. line at cor. to secs. 11, 12, 13 and 14,  
from which cor. I run  
West on a true line bet. secs. 11 and 14.

Va. 14° 25' E.

40.00 Set post 4 in. dia. 1 ft. in earth 1 ft. above stone mound 4 ft.  
in dia. at base by 2 ft. in height for 1/4 sec. cor.  
80.00 The cor. to secs. 10, 11, 14 and 15.  
Land mountainous, soil 1st and 2nd rate.  
Timber & undergrowth of oak and cedar.

- - - - -

North bet. secs. 10 and 11.

Va. 14° 25' E.

7.50 Descend.  
 32.50 Cross gulch 20 lks. wide course SW. thence over W. slope of hills.  
 40.00 Cross gulch 30 lks. wide course SW. & ascend mountain.  
 Set post 4 in. dia. 1 ft. in earth 1 ft. above earth mound 4 in.  
 dia. at base by 2 ft. in height and dug pit 24 x 18 x 12, 8 lks.  
 E. for 1/4 sec. cor.  
 80.00 Set post 4 in. sq. 1 ft. in earth 1 ft. above earth mound 4 1/2 ft.  
 in dia. by 2 ft. in height and dug pits 24 x 18 x 12, 8 lks. dist.  
 at 4 angles for cor. to secs. 2, 3, 10 and 11, from which brs. a  
 White Oak 10 in. dia. N. 13 1/2° E. 36 lks. dist.  
 Land mountainous, soil 1st and 2nd rate.  
 Timber & undergrowth of oak and cedar.

East on random line bet. secs. 2 and 11.

Va. 14° 25' E.

28.50 Along S. slope of high Mts.  
 40.00 Cross near head of dry gulch course SW. & ascend.  
 70.00 Set. temp. 1/4 sec. cor.  
 Summit of main divide bet. waters of the desert and those flowing  
 into the Santa Clara, brs. SE. & NW. & descend.  
 79.64 Int. N. & S. line 23 lks. N. of cor. to secs. 1, 2, 11 and 12,  
 from which cor. I run  
 N. 89° 50' W. on a true line bet. secs. 2 and 11.

Va. 14° 25' E.

39.82 Set post 4 in. dia. 1 ft. in earth 1 ft. above stone mound 4 ft.  
 in dia. at base by 2 ft. in height for 1/4 sec. cor.,  
 from which brs. a  
 79.64 White Oak 6 in. dia. S. 16° W. 89 lks. dist.  
 The cor. to secs. 2, 3, 10 and 11.  
 Land mountainous, soil 2nd rate.  
 Timber & undergrowth of oak and cedar.

North on a true line bet. secs. 2 and 3.

Va. 14° 25' E.

32.00 Ascend.  
 36.50 Summit of mountain of main divide.  
 40.00 Descend.  
 Set post 4 in. dia. 1 ft. in earth 1 ft. above stone mound 4 ft.  
 in dia. at base by 2 ft. in height for 1/4 sec. cor.  
 104.98 Int. 1st stand. line N. 10,54 chs. W. of cor. to secs. 35, 36, of  
 T. 6 N. R. 13 W. and set post 4 in. sq. 1 ft. in earth 1 ft. above  
 stone mound 4 1/2 ft. in dia. at base by 2 ft. in height for closing  
 cor. to secs. 2 and 3.  
 Land mountainous, soil 2nd rate.  
 Timber & undergrowth of oak and cedar.

North bet. secs. 33 and 34.

Va. 14° 25' E.

15.00 Ascend.  
 40.00 Summit of spur thence, along on W. slope.  
 Set post 4 in. dia. 1 ft. in earth 1 ft. above stone mound 4 ft.  
 in dia. at base by 2 ft. in height for 1/4 sec. cor. in low sag  
 and ascend.  
 53.70 Summit of spur brs. NW. & SE. & descend.  
 80.00 Set post 4 in. sq. 1 ft. in earth 1 ft. above stone mound 4 1/2 ft.  
 in dia. at base by 2 ft. in height for cor. to secs. 27, 28, 33, 34.  
 Land mountainous, soil 2nd rate.  
 Timber & undergrowth of oak and cedar.

Dec. 4, 1879.

-----

East on random line bet. secs. 27 and 34.

Va. 14° 25' E.

40.00 Over hills.  
 80.22 Set temp. 1/4 sec. cor.  
 Int. N. & S. line 15 lks. N. of cor. to secs. 26, 27, 34, 35,  
 from which cor. I run  
 N. 89° 53' W. on a true line bet. secs. 27 and 34.

Va. 14° 25' E.

40.11 Set post 4 in. dia. 1 ft. in earth 1 ft. above stone mound 4 ft.  
 80.22 in dia. at base by 2 ft. in height for 1/4 sec. cor.  
 The cor. to secs. 27, 28, 33 and 34.  
 Land mountainous, soil 2nd rate.  
 Timber & undergrowth of oak and cedar.

-----

North bet. secs. 27 and 28.

Va. 14° 25' E.

34.50 Descend.  
 40.00 Cross gulch 10 lks. wide course SE. & ascend.  
 Set post 4 in. dia. 1 ft. in earth 1 ft. above stone mound 4 ft.  
 in dia. at base by 2 ft. in height for 1/4 sec. cor.  
 69.50 Summit of spur brs. E. & W. & descend.  
 80.00 Set post 4 in. sq. 1 ft. in earth 1 ft. above stone mound 4 1/2 ft.  
 in dia. at base by 2 ft. in height for cor. to secs. 21, 22, 27, 28  
 Land mountainous, soil 2nd rate.  
 Timber & undergrowth of oak and cedar.

-----

East on a random line bet. secs. 22 and 27.

Va. 14° 25' E.

1.40 Descend.  
 14.00 Cross near head of gulch course SE. & ascend.  
 40.00 Summit of spur brs. NE. & SW. & descend.  
 Set. temp. 1/4 sec. cor.  
 56.00 A valley brs. NW. & S.  
 60.50 Cross road brs. NW. & SE.  
 80.10 Int. N. & S. line 23 lks. S. of cor. to secs. 22, 23, 26 and 27,  
 from which cor. I run  
 S. 89° 50' W. on a true line bet. secs. 22 and 27.

40.05 Set. post 4 in. dia. 1 ft. in earth 1 ft. above stone mound 4 ft. Va. 14° 25' E.  
 80.10 in dia. at base by 2 ft. in height for 1/4 sec. cor.  
 The cor. to secs. 21, 22, 27 and 28.  
 Land mountainous, soil 1st and 2nd rate.  
 Timber & undergrowth of oak and cedar.

-----  
 North bet. secs. 21 and 22.

Va. 14° 25' E.

35.50 Descend.  
 40.00 Cross gulch 12 lks. wide course NE.  
 48.00 Set post 4 in. dia. 1 ft. in earth 1 ft. above stone mound 4 ft.  
 49.50 in dia. at base by 2 ft. in height for 1/4 sec. cor.  
 55.00 Enter valley brs. E. & W.  
 80.00 Cross road brs. E. & W.  
 Leave valley and enter low hills.  
 After diligent search, being unable to find old cor. I set post  
 4 in. sq. 1 ft. in earth 1 ft. above stone mound 4 1/2 ft. in dia.  
 at base by 2 ft. in height for cor. to secs. 15, 16, 21 and 22.  
 Land mountainous except in valley, soil 2nd rate.  
 Timber & undergrowth of oak and cedar.

-----  
 East on random line bet. secs. 15 and 22.

Va. 14° 25' E.

10.00 Descend.  
 40.00 Enter valley brs. N. & S.  
 60.00 After diligent search, being unable to find old cor. I set temp. one  
 71.50 Leave valley brs. N. & S. & ascend.  
 80.40 Summit of spur brs. N. & S. & descend.  
 Int. N. & S. line 45 lks. N. of cor. to secs. 14, 15, 22 and 23,  
 from which cor. I run  
 N. 89° 41' W. on a true line bet. secs. 15 and 22.

40.20 Set post 4 in. dia. 1 ft. in earth 1 ft. above stone mound 4 ft. Va. 14° 25' E.  
 80.40 in dia. at base by 2 ft. in height for 1/4 sec. cor.  
 The cor. to secs. 15, 16, 21 and 22.  
 Land mountainous except in valley, soil 1st and 2nd rate.  
 Timber and undergrowth of oak and cedar.

-----  
 North bet. secs. 15 and 16.

Va. 14° 25' E.

25.00 Descend.  
 26.50 Enter valley brs. NW. & SE.  
 27.00 Cross road brs. SE. & NW  
 40.00 Cross wash course SE.  
 After diligent search, being unable to find old cor. I set post  
 4 in. dia. 1 ft. in earth 1 ft. above stone mound 4 ft. in dia.  
 at base by 2 ft. in height for 1/4 sec. cor.



80.00 I find an old post marked for cor. to secs. 9, 10, 15 and 16,  
 3.00 chs. to the SE. but no indication of a mound. I therefore,  
 set post 4 in. sq. 1 ft. in earth 1 ft. above earth mound  $4\frac{1}{2}$  ft.  
 in dia. at base by 2 ft. in height and dug pits 24 x 18x12,  
 8 lks. dist. at 4 angles at the terminus of the 80.00 chs. for  
 cor. to secs. 9, 10, 15 and 16.  
 Land mountainous, except in valley; soil 1st and 2nd rate.  
 Timber & undergrowth of oak and cedar.

Dec. 5, 1879.

-----  
 East on a random line bet. secs. 10 and 15.

Va.  $14^{\circ} 25'$  E.

Descend.  
 36.50 Cross wash course S.  
 40.00 Set temp.  $\frac{1}{4}$  sec. cor.  
 64.50 Cross wash course SW. & ascend.  
 70.00 Top of mountain brs. NE. & SW. & descend.  
 80.10 Int. N. & S. line at cor. to secs. 10, 11, 14 and 15,  
 from which cor. I run  
 West on a true line bet. secs. 10 and 15.

Va.  $14^{\circ} 25'$  E.

40.05 Set post 4 in. dia. 1 ft. in earth 1 ft. above earth mound 4 ft.  
 in dia. at base by 2 ft. in height and dug pit 24 x 18 x 12, 8 lks.  
 N. for  $\frac{1}{4}$  sec. cor.  
 80.10 The cor. to secs. 9, 10, 15 and 16.  
 Land mostly valley, soil 1st and 2nd rate.  
 Timber & undergrowth of oak and cedar.

-----  
 North bet. secs. 9 and 10.

Va.  $14^{\circ} 25'$  E.

Descend.  
 12.00 High mountains br. E. & W.  
 32.50 Top of spur brs. NE. & SW. & descend.  
 40.00 Set post 4 in. dia. 1 ft. in earth 1 ft. above stone mound 4 ft.  
 in dia. at base by 2 ft. in height for  $\frac{1}{4}$  sec. cor.  
 80.00 Set post 4 in. sq. 1 ft. in earth 1 ft. above stone mound  $4\frac{1}{2}$   
 ft. in dia. at base by 2 ft. in height for cor. to secs. 3, 4, 9, 10  
 Land mountainous, soil 2nd rate.  
 Timber & undergrowth of oak and cedar.

-----  
 East on a random line bet. secs. 3 and 10.

Ascend.  
 6.55 Summit of spur brs. N. & S. & descend.  
 26.75 Cross gulch near its head, course SE.  
 40.00 Set post for temp.  $\frac{1}{4}$  sec. cor.  
 59.50 Cross gulch 15 lks. wide course S.  
 79.62 Int. N. & S. line 37 lks. N. of cor. to secs. 2, 3, 10 and 11,  
 from which cor. I run  
 N.  $89^{\circ} 44'$  W. on a true line bet. secs. 3 and 10.

Va. 14° 25' E.

39.81 Set post 4 in. dia. 1 ft. in earth 1 ft. above stone mound 4 in.  
79.62 in dia. at base by 2 ft. in height for 1/4 sec. cor.  
The cor. to secs. 3, 4, 9 and 10.  
Land mountainous, soil 2nd rate.  
Timber & undergrowth of oak and cedar.

-----

North on a true line bet. secs. 3 and 4.

Va. 14° 25' E.

Ascend.

5.00 Summit of range of Mts. bet. waters of desert and those flowing  
15.00 into the Santa Clara River, brs. NE. & SE.  
40.00 Descend steep mountain.  
Set post 4 in. dia. 1 ft. in earth 1 ft. above stone mound 4 ft.  
in dia. at base by 2 ft. in height for 1/4 sec. cor.,  
from which brs. a  
White Oak 10. dia. N. 13 1/4° W. 89 lks. dist.  
White Oak 6 in. dia. S. 7 1/2° E. 23 lks. dist.  
60.00 Cross gulch 30 lks. wide course course NE.  
104.67 Int. 1st stand. line N. 9.00 chs. W. of stand. cor. to secs.  
34 and 35 of T. 6 N. R. 13 W. and set post 4 in. sq. 1 ft. in  
earth 1 ft. above stone mound 4 1/2 ft. in dia. at base by 2 ft.  
in height for closing cor. to secs. 3 and 4.  
Land mountainous, soil 2nd rate.  
Timber & undergrowth of oak and cedar.

-----

North bet. secs. 32 and 33.

Va. 14° 25' E.

Descend.

11.17 Cross gulch 40 lks. wide course SW. & ascend.  
40.00 Set post 4 in. dia. 1 ft. in earth 1 ft. above stone mound 4 ft.  
in dia. at base by 2 ft. in height for 1/4 sec. cor.  
60.00 Summit of ridge brs. NE. & SW. & descend.  
66.92 A live oak 12 in. dia.  
80.00 Set post 4 in. sq. 1 ft. in earth 1 ft. above stone mound 4 1/2 ft.  
in dia. at base by 2 ft. in height for cor. to secs. 28, 29, 32, 33.  
Land mountainous, soil 2nd rate.  
Timber & undergrowth of oak and cedar.

-----

East on a random line bet. secs. 28 and 33.

Va. 14° 25' E.

Descend.

4.50 Cross gulch 12 lks. wide course SW. & ascend.  
27.50 Summit of spur brs. NE. & SW. & descend.  
40.00 Set temp. 1/4 sec. cor.  
51.75 Cross gulch 20 lks. wide course SW. & ascend.  
80.30 Int. N. & S. line 21 lks. N. of cor. to secs. 27, 28, 33 and 34,  
from which cor. I run  
N. 89° 51' W. on a true line bet. secs. 28 and 33

Va. 14° 25' E.

- 40.15 Set post 4 in. dia. 1 ft. in earth 1 ft. above stone mound 4 ft. in dia. at base by 2 ft. in height for 1/4 sec. cor.
- 80.30 The cor. to secs. 28, 29, 32 and 33.  
Land mountainous, soil 2nd rate.  
Timber & undergrowth of oak and cedar.

Dec. 6, 1879.

-----

North bet. secs. 28 and 29.

Va. 14° 25' E.

- 7.50 Ascend.  
Summit of spur brs. NE. & SW.  
The Escadids Quartz mine bears W. about 10.00 chs. dist.  
This mine was formerly worked but now abandoned.  
A cabin brs. W. about 20.00 chs.
- 30.00 Cross ravine 14 lks. wide course SW.
- 40.00 Set post 4 in. dia. 1 ft. in earth 1 ft. above stone mound 4 ft. in dia. at base by 2 ft. in height for 1/4 sec. cor.
- 80.00 Set post 4 in. sq. 1 ft. in earth 1 ft. above stone mound 4 1/2 ft. in dia. at base by 2 ft. in height for cor. to secs. 20, 21, 28 and 29.  
Land mountainous, soil 2nd and 3rd rate.  
Timber & undergrowth of oak and cedar.

-----

East on a random line bet. secs. 21 and 28.

Va. 14° 25' E.

- 20.00 Ascend.
- 40.00 Summit of mountain, brs. NW. & SE. & descend.
- 80.00 Set temp. 1/4 sec. cor.  
Int. N. & S. line 27 lks. N. of cor. to secs. 21, 22, 27, 28, from which cor. I run  
N. 89° 48' W. on a true line bet. secs. 21 and 28.

Va. 14° 25' E.

- 40.00 Set post 4 in. dia. 1 ft. in earth 1 ft. above stone mound 4 ft. in dia. at base by 2 ft. in height for 1/4 sec. cor.
- 80.00 The cor. to secs. 20, 21, 28 and 29.  
Land mountainous, soil 2nd rate.  
Timber & undergrowth of oak and cedar.

-----

North bet. secs. 20 and 21.

Va. 14° 25' E.

- 10.50 Ascend.
- 24.75 Summit of spur brs. NW. & SE. & descend.
- 40.00 Cross road to Quartz mine brs. SW. & NE.
- 80.00 Set post 4 in. dia. 1 ft. in earth 1 ft. above stone mound 4 ft. in dia. at base by 2 ft. in height for 1/4 sec. cor.  
Set post 4 in. sq. 1 ft. in earth 1 ft. above stone mound 4 1/2 ft. in dia. at base by 2 ft. in height for cor. to secs. 16, 17, 20 and 21.

Land mountainous, soil 2nd rate.  
Timber & undergrowth of oak and cedar.

- - - - -

East on random line bet. secs. 16 and 21.

Va. 14° 25' E.

Over broken spurs.  
40.00 Set. temp. 1/4 sec. cor.  
79.74 Int. N. & S. line 10 lks. S. of cor. to secs. 15, 16, 21, 22,  
from which cor. I run  
S. 89° 56' W. on a true line bet. secs. 16 and 21.

Va. 14° 25' E.

39.87 Set post 4 in. dia. 1 ft. in earth 1 ft. above stone mound 4 ft.  
in dia. at base by 2 ft. in height for 1/4 sec. cor.  
79.74 George R. Rush's house brs. SW. about 10.80 chs. dist.  
The cor. to secs. 16, 17, 20 and 21.  
Land mountainous, soil 2nd rate.  
Timber & undergrowth of oak and cedar.

- - - - -

North bet. secs. 16 and 17.

Va. 14° 25' E.

Ascend.  
18.00 Summit of spur brs. NE. & SW.  
24.00 Summit of ridge brs. NW. & SE. & descend.  
40.00 Set post 4 in. dia. 1 ft. in earth 1 ft. above stone mound 4 ft.  
in dia. at base by 2 ft. in height for 1/4 sec. cor.  
56.00 Cross wash course SW.  
67.25 Cross road course E. & W. & ascend.  
71.00 Top of hill.  
77.00 Cross wash course SE. & enter valley brs. E. & W.  
80.00 After diligent search, being unable to find old cor. I set post  
4 in. sq. 1 ft. in earth 1 ft. above stone mound 4 1/2 ft. in dia.  
at base by 2 ft. in height and dug pits 24 x 18 x 12, 8 lks.  
dist. at 4 angles for cor. to secs. 8, 9, 16 and 17.  
Land mountainous, soil 2nd rate.  
Timber & undergrowth of oak and cedar.

East on a random line bet. secs. 9 and 16.

Va. 14° 25' E.

Descend.

27.00 A wash 20 lks. wide thence over level valley.  
40.00 After diligent search, being unable to find old cor. I set temp. one  
79.90 Int. N. & S. line at cor. to secs. 9, 10, 15 and 16,  
from which cor. I run  
West on a true line bet. secs. 9 and 16.

Va. 14° 25' E.

39.95 Set post 4 in. dia. 1 ft. in earth 1 ft. above earth mound 4 in.  
dia. at base by 2 ft. in height and dug pit 24 x 18 x 12, 8 lks.  
79.90 N. for 1/4 sec. cor.  
The cor. to secs. 8, 9, 16 and 17.  
Land mountainous except in valley, soil 1st and 2nd rate.  
Timber & undergrowth of oak & cedar.

Dec. 8, 1879.

- - - - -

North bet. secs. 8 and 9.

Va. 14° 25' E.

Descend.

30.00 Leave valley brs. SE. & SW. & ascend.  
34.50 Cross a gulch 15 lks. wide course SW.  
38.50 A gulch 16 lks. wide course SW.  
40.00 The point for 1/4 sec. cor. falls in gulch, not a suitable place  
to build mound, and as after diligent search I am unable to find  
old cor. I set post 4 in. dia. 1 ft. in earth 1 ft. above stone  
mound 4 ft. in dia. at base by 2 ft. in height 30 lks. E. for  
witness post to 1/4 sec. cor.  
Ascend.  
69.50 Summit of mountain brs. SW. & NE. & descend.  
80.00 Set post 4 in. sq. 1 ft. in earth 1 ft. above stone mound 4 1/2  
in dia. at base by 2 ft. in height for cor. to secs. 4, 5, 8, 9,  
Land mountainous, soil 2nd rate.  
Timber & undergrowth of oak and cedar.

- - - - -

East on a random line bet. secs. 4 and 9.

Va. 14° 25' E.

Ascend.

38.00 Summit of mountain brs. NE. & SW. & descend.  
40.00 Set temp. 1/4 sec. cor.  
79.72 Int. N. & S. line 38 lks. N. of cor. to secs. 3, 4, 9 and 10,  
from which cor. I run  
N. 89° 44' W. on a true line bet. secs. 4 and 9.

Va. 14° 25' E.

39.86 Set post 4 in. dia. 1 ft. in earth 1 ft. above stone mound 4 ft.  
in dia. at base by 2 ft. in height for 1/4 sec. cor.,  
from which brs. a

79.72 Live Oak 10 in. dia. N. 18° W. 22 lks. dist.  
The cor. to secs. 4, 5, 8 and 9.  
Land mountainous, soil 2nd rate.  
Timber & undergrowth of oak and cedar.

-----

North on a true line bet. secs. 4 and 5.

Va. 14° 25' E.

Descend.

26.75 Cross gulch 35 lks. wide course NW.

40.00 Set post 4 in. dia. 1 ft. in earth 1 ft. above stone mound 4 ft.  
in dia. at base by 2 ft. in height for 1/4 sec. cor.,  
from which brs. a

White Oak 6 in. dia. N. 17 3/4° E. 29 lks. dist.

46.50 Cross gulch 34 lks. wide course SW.

75.00 Cross gulch 30 lks. wide course SW.

86.25 Cross same gulch course SE.

90.00 Enter same gulch and up same.

100.00 Leave same to the E.

104.50 Int. 1st stand. line N. 8.87 chs. W. of stand. cor. to secs. 33  
and 34, of T. 6 N. R. 13 W. Not finding this a suitable place  
to build a mound, I set a post 4 in. sq. 1 ft. in earth 1 ft.  
above stone mound 4 1/2 ft. in dia. at base by 2 ft. in height,  
1.27 lks. E. for witness post to closing cor. to secs. 4 and 5.  
Land mountainous, soil 2nd rate.  
Timber & undergrowth of oak and cedar.

-----

North bet. secs. 31 and 32.

Va. 14° 25' E.

Ascend.

40.00 Set post 4 in. dia. 1 ft. in earth 1 ft. above stone mound 4 ft.  
in dia. at base by 2 ft. in height for 1/4 sec. cor.

41.50 Summit of spur brs. NE. & SW. & descend.

80.00 Set post 4 in. sq. 1 ft. in earth 1 ft. above stone mound 4 1/2 ft.  
in dia. at base by 2 ft. in height for cor. to secs. 29, 30,  
31 and 32.  
Land mountainous, soil 2nd rate.  
Timber & undergrowth of oak and cedar.

-----

East on a random line bet. secs. 29 and 32.

Va. 14° 25' E.

Along S. side of Cañada and ascend.

22.00 Summit of spur brs. SW. & NE. & descend.

40.00 Set temp. 1/4 sec. cor.

50.50 Cross gulch 20 lks wide course NW.

71.30 Summit of ridge, brs. NW. & SE. & descend.  
This ridge is full of gold bearing quartz, which has been worked  
in former years, but now abandoned.

80.24 Int. N. & S. line 21 lks. S. of cor. to secs. 28, 29, 32, 33,  
21.

from which corner I run

S. 89° 51' W. on a true line bet. secs. 29 and 32.

Va. 14° 25' E.

- 40.12 Set post 4 in. dia. 1 ft. in earth 1 ft. above stone mound 4 ft.  
in dia. at base by 2 ft. in height for 1/4 sec. cor.  
80.24 The cor. to secs. 29, 30, 31 and 32.  
Land mountainous, soil 2nd rate.  
Timber & undergrowth of oak and cedar.  
A house in S. 1/2 of SE. 1/4 of sec. 29.

Dec. 9, 1879.

- - - - -

West on a random line bet, secs. 30 and 31.

Va. 14° 25' E.

- Descend.  
20.00 Cross gulch 20 lks. wide course NW. & enter Cañada.  
40.00 Set temp. 1/4 sec. cor.  
44.50 Cross gulch 60 lks. wide course SW.  
47.50 Leave cañada and ascend.  
77.10 Int. W.B. of Tp. 30 lks. S. of cor. to secs. 30 and 31,  
from which cor. I run  
S. 89° 47' E. on a true line bet. secs. 30 and 31.

Va. 14° 25' E.

- 37.10 Set post 4 in. dia. 1 ft. in earth 1 ft. above stone mound 4 ft.  
in dia. at base by 2 ft. in height for 1/4 sec. cor.  
77.10 The cor. to secs. 29, 30, 31 and 32.  
Land mountainous, soil 2nd rate.  
Timber & undergrowth of oak and cedar.

- - - - -

North bet. secs. 29 and 30.

Va. 14° 25' E.

- Descend.  
3.50 Cross gulch 50 lks. wide course W.  
7.50 Cañada Escadida course W.  
40.00 Set post 4 in. dia. 1 ft. in earth 1 ft. above stone mound 4 ft.  
in dia. at base by 2 ft. in height for 1/4 sec. cor.  
60.00 Enter valley brs. NE. & SW.  
69.75 Cross gulch 40 lks. wide course SW.  
80.00 Set post 4 in. sq. 1 ft. in earth 1 ft. above earth mound 4 1/2  
ft. in dia. at base by 2 ft. in height and dug pits 24 x 18 x 12,  
8 lks. dist. at 4 angles for cor. to secs. 19, 20, 29 and 30.  
Land mountainous, soil 1st and 2nd rate.  
Timber & undergrowth of cedar.

East on a random line bet. secs. 20 and 29.

Va. 14° 25' E.

26.00 Cross gulch 20 lks. wide course SW. & ascend.  
39.50 Cross gulch 14 lks. wide course NW.  
40.00 Set temp. 1/4 sec. cor.  
68.50 Cross road brs. SW. & NE. & ascend.  
76.00 Summit of spur brs. SW. & NE. & descend.  
79.82 Int. N. & S. line 10 lks. S. of cor. to secs. 20, 21, 28, 29,  
from which cor. I run  
S. 89° 56' W. on a true line bet. secs. 20 and 29.

Va. 14° 25' E.

39.91 Set post 4 in. dia. 1 ft. in earth 1 ft. above stone mound 4 ft.  
in dia. at base by 2 ft. in height for 1/4 sec. cor.  
79.82 The cor. to secs. 19, 20, 29 and 30.  
Land mountainous, soil 1st and 3rd rate.  
Timber & undergrowth of oak and cedar.

- - - - -

West on a random line bet. secs. 19 and 30.

Va. 14° 25' E.

40.00 Set post for temp. 1/4 sec. cor. Ascend gradually.  
45.50 Cross ravine 10 lks. wide course SE. & ascend abruptly.  
52.50 Summit of spur brs. SW. & NE. & descend.  
59.00 Cross near head of ravine course SW.  
77.80 Int. W. B. of Tp. 10 lks. S. of cor. to secs. 19 and 30,  
from which cor. I run  
S. 89° 56' E. on a true line bet. secs. 19 and 30.

Va. 14° 25' E.

37.80 Set post 4 in. dia. 1 ft. in earth 1 ft. above stone mound 4 ft.  
in dia. at base by 2 ft. in height for 1/4 sec. cor.  
77.80 The cor. to secs. 19, 20, 29 and 30.  
Land mountainous, soil 1st and 2nd rate.  
Timber & undergrowth of oak and cedar.

- - - - -

North bet. secs. 19 and 20.

Va. 14° 25' E.

18.00 Descend.  
40.00 A valley brs. E. & W. & ascend.  
Set post 4 in. dia. 1 ft. in earth 1 ft. above stone mound 4 ft.  
in dia. at base by 2 ft. in height for 1/4 sec. cor.  
52.50 Summit of spur brs. NE. & SW. & descend.  
63.00 A Cañada brs. SW. & NE.  
80.00 After diligent search, being unable to find cor. I set post  
4 in. sq. 1 ft. in earth 1 ft. above stone mound 4 1/2 ft. in  
dia. at base by 2 ft. in height for cor. to secs. 17, 18, 19, 20.  
Land mountainous, soil 1st and 2nd rate.  
Timber & undergrowth of oak and cedar.



East on a random line bet. secs. 17 and 20.

Va. 14° 25' E.

Descend.

1.50 Cross road brs. N. & SE.  
2.00 A cañada course N. & ascend.  
29.00 Top of spur brs. N. & S. & descend.  
40.00 Set temp. 1/4 sec. cor.  
51.50 Cross ravine 12 lks. wide course N. & ascend.  
72.50 Top of ravine brs. NE. & SW. & descend.  
79.78 Int. N. & S. line at the cor. to secs. 16, 17, 20 and 21,  
from which cor. I run  
West on a true line bet. secs. 17 and 20.

Va. 14° 25' E.

39.89 A wild cherry tree 6 in. dia. marked for 1/4 sec. cor.  
79.78 The cor. to secs. 17, 18, 19 and 20.  
Land mountainous, soil 2nd rate.  
Timber and undergrowth of oak and cedar.

-----  
West on a random line bet. secs. 18 and 19.

Va. 14° 25' E.

Descend.

2.00 A Cañada brs. NE. & SW. & ascend.  
5.50 Top of ridge brs. NE. & SW. & descend.  
32.50 Cross road brs. NE. & SW.  
38.50 Leave Cañada and ascend.  
40.00 After diligent search, being unable to find old corner I set temp.  
one.  
77.50 Int. W.B. of Tp. 50 lks. S. of cor. to secs. 18 and 19,  
from which cor. I run  
S. 89° 39' E. on a true line bet. secs. 18 and 19.

Va. 14° 25' E.

37.50 Set post 4 in. dia. 1 ft. in earth 1 ft. above stone mound 4 ft.  
in dia. at base by 2 ft. in height for 1/4 sec. cor.  
77.50 The cor. to secs. 17, 18, 19 and 20.  
Land mountainous, soil 2nd rate.  
Timber & undergrowth of oak and cedar.

Dec. 10, 1879.

-----  
North bet. secs. 17 and 18.

Va. 14° 25' E.

Descend.

5.00 A Cañada brs. NE. & SW.  
15.00 Cross road brs. NE. & SW.  
24.50 Cross gulch 10 lks. wide course NW.  
25.00 Cross road brs. NW. & SE.  
40.00 After diligent search, being unable to find old cor. I set post  
4 in. dia. 1 ft. in earth 1 ft. above stone mound 4 ft. in dia.  
at base by 2 ft. in height for 1/4 sec. cor.  
72.00 Descend into Cañada brs. E. & W.

North bet. secs. 7 and 8.

Va. 14° 25' E.

Descend.  
2.50 Cross gulch 18 lks. wide course SW.  
16.50 Cross gulch 20 lks. wide course SW.  
40.00 After diligent search, being unable to find old cor. I set post  
4 in. dia. 1 ft. in earth, 1 ft. above earth mound 4 ft. in dia.  
at base by 2 ft. in height and dug pit 24 x 18 x 12, 8 lks. E.  
for 1/4 sec. cor.  
74.50 Enter Cañada course SW.  
77.50 Leave Cañada to the E.  
80.00 After diligent search, being unable to find old cor., I set post  
4 in. sq. 1 ft. in earth 1 ft. above stone mound 4 ft. in dia. at  
base by 2 ft. in height for cor. to secs. 5, 6, 7, and 8.  
Land mostly level, soil 1st and 2nd rate.  
Timber & undergrowth of oak and cedar.  
Ruz' house brs. N. 22° E.

- - - - -

East on a random line bet. secs. 5 and 8.

Va. 14° 25' E.

Descend.  
6.00 Cross gulch 50 lks. wide course Sw. in Cañada.  
12.00 Leave Cañada brs. NE. & SW. & ascend.  
40.00 Set temp. 1/4 sec. cor.  
42.25 Cross gulch 20 lks. wide course NW.  
79.82 Int. N. & S. line 20 lks. N. of cor. to secs. 4, 5, 8 and 9,  
from which cor. I run  
N. 89° 51' W. on a true line bet. secs. 5 and 8.

Va. 14° 25' E.

39.91 Set post 4 in. dia. 1 ft. in earth 1 ft. above stone mound 4 ft.  
in dia. at base by 2 ft. in height for 1/4 sec. cor.  
79.82 The cor. to secs. 5, 6, 7 and 8.  
Land mountainous, soil 1st and 2nd rate.  
Timber and undergrowth of oak and cedar.

- - - - -

West on a random line bet. secs. 6 and 7.

Va. 14° 25' E.

Descend.  
11.00 A valley brs. NW. & SW. & ascend.  
30.50 Summit of spur brs. N. & S. & descend.  
33.00 A valley brs. NW. & SW.  
40.00 Set temp. 1/4 sec. cor.  
44.50 Cross gulch 22 lks. wide course SE., leave valley and ascend.  
78.34 Int. W.B. of Tp. 32 lks. N. of cor. to secs. 6 and 7  
from which cor. I run  
N. 89° 40' E. on a true line bet. secs. 6 and 7.

Va. 14° 25' E.

- 38.34 Set post 4 in. dia. 1 ft. in earth 1 ft. above stone mound 4 ft. in dia. at base by 2 ft. in height for 1/4 sec. cor.
- 78.34 The cor. to secs. 5, 6, 7 and 8.  
Land mountainous except in valley, soil 1st and 2nd rate.  
Timber & undergrowth of oak and cedar.

- - - - -

North on a true line bet. secs. 5 and 6.

Va. 14° 25' E.

- 5.00 Descend.
- 32.00 A valley brs. NE. & SE. and ascend Chiro Lopas Mt.
- 40.00 Summit of spur and descend.
- 41.25 Set post 4 in. dia. 1 ft. in earth 1 ft. above stone mound 4 ft. in dia. at base by 2 ft. in height for 1/4 sec. cor.
- 95.50 Cross gulch 15 lks. wide course SE. & ascend.
- 97.00 Cross branch of Willow creek course SE.
- 105.40 A large spring brs. W. about 2.00 chs. dist.
- Int. 1st stand. line N. 8.70 chs. W. of cor. to secs. 32 and 33 of T. 6 N. R. 13 W. and set post 4 in. sq. 1 ft. in earth 1 ft. above stone mound 4 1/2 ft. in dia. at base by 2 ft. in height for closing cor. to secs. 5 and 6.
- A large spring brs. S. 20° E. about 10.00 chs. dist.
- Ruz' house, not in sight, about SE.
- Land mountainous, soil 1st and 2nd rate.
- Timber & undergrowth of oak and cedar.

Dec. 11, 1879

W. H. NORWAY.

Vol. 193-10.

G. B. J.

.....