

FIELD NOTES OF
 SUBDIVISION OF
 T. 5 N., R. 15 West
 Copied from notes loan by
 S.H. Douglass, Saugus Cal.

FIRST STANDARD NORTH 7

T6N, R15W

T6N, R14W

6	18 5	14 4	11 3	7 2	4 1
18	18	14	10	7	4
7	18 8	13 9	10 10	7 11	4 12
17	17	13	10	7	3
18	17 17	13 16	9 15	6 14	3 13
19	16 20	12 21	9 22	6 23	2 24
19	15	12	8 9	5	2
30	15 29	12 28	9 27	5 26	2 25
19	14	11	8	5	1
31	14 32	11 33	8 34	4 35	1 36

T5N

R15W

NORWAY

1879

C.S. 9085 E. B'DY. SECS. 34 & 35
 C.S. 9099 E. B'DY. TWP. 5N, R15W & S.B'DY
 " 6N, R15W.

T. 5 N. R. 13 W. S.B.M.

From the cor. to secs. 35, 36, 1, 2 on the S.B., I run
North bet. secs. 35 & 36

Va. 14° 25' E

Descend

14.50 Cross gulch 50 lks. wide course W. Ascend
40.00 Set post 4 in. dia. 1 ft. in earth 1 ft. above stone mound 4 ft.
in dia. at base by 2 ft. in height for $\frac{1}{4}$ sec. cor.
68.50 Top of ridge brs. N. & S., thence along on same
80.00 The point for cor. to secs. 25, 26, 35, 36 falling on steep
side hill, a place not suitable to build mound, set post 4 ft.
sq. 1 ft. in earth 1 ft. above stone mound $4\frac{1}{2}$ ft. in dia. at
base by 2 ft. in height 35 lks. E. for witness post to cor. to
secs. 25, 26, 35, 36.
Land mountainous, soil 2nd. rate.
Timber & undergrowth of cedar, oak & chaparral.

East on a random line bet. secs. 25 and 36.

Va 14° 25' E.

.35 Witness post on top of ridge brs. N. & S. Descend

19.50 Cross gulch 50 lks. wide course S. Ascend

34.00 Top of ridge brs. N. & S. Descend

40.00 Set temp. $\frac{1}{4}$ sec. cor.

53.50 Cross gulch 45 lks. wide course SE. Ascend

72.00 Top of ridge brs. N.W. & SE. Descend

79.80 Int. E.B. of Tp. 14 lks. N. of cor. to secs. 25 and 36,
from which cor. I run

N. 89° 54' W. on a true line bet. secs. 25 and 36.

Va 14° 25' E.

39.90 Set post 4 in. dia. 1 ft. in earth 1 ft. above stone mound 4 ft.
in dia. at base by 2 ft. in height for $\frac{1}{4}$ sec. cor.

79.80 The cor. to secs. 25, 26, 35, 36.

Land mountainous, soil 2nd. rate.

Timber & undergrowth of cedar, oak & chaparral.

North bet. secs. 25 and 26.

Va 14° 25' E.

Ascend

14.50 Top of ridge brs. N. & S. Thence along same

22.00 Descend

40.00 Set post 4 in. dia. 1 ft. in earth 1 ft. above stone mound 4 ft.
in dia. at base by 2 ft. in height for $\frac{1}{4}$ sec. cor.

60.00 A Canada brs. NE. & SW.

63.00 Cross wash 50 lks. wide course SW. Ascend

66.50 Top of ridge brs. NE. & SW. Descend

80.00 Set post 4 in. sq. 1 ft. in earth 1 ft. above stone mound $4\frac{1}{2}$ ft. in
dia. at base by 2 ft. in height for cor. to secs. 23, 25, 24, 26.

Land mountainous, soil 1st. & 2nd. rate.

Timber & undergrowth of cedar, oak & chaparral.

East on a random line bet. secs. 24 and 25. Va 14°25'E.

Ascend
8.00 Summit of spur brs. NE. & SW. Descend
27.50 Cross gulch 40 lks. wide course SW. Ascend
40.00 Set temp. $\frac{1}{4}$ sec. cor., thence along N slope of Mt.
80.50 Int. E.B. of Tp. 21 lks. S. of cor. to secs. 24 and 25
60 from which cor. I run
S 89°51' W. on a true line bet. secs. 24 and 25 Va 14°25'E
40.00 Set stone 20 x 14 x 10 in stone mound 4 ft. in dia. at base by
2 ft. in height for $\frac{1}{4}$ sec. cor.
80.00 The cor. to secs. 23, 24, 25, 26
Land mountainous, soil 1st. and 2nd. rate
Timber & undergrowth of cedar, oak and chaparral.

North bet. secs. 23 and 24. Va 14°25' E.
Descend

1.00 Cross deep gulch 43 lks. wide course SW. Ascend
15.00 Top of spur brs. NE. & SW. Descend
21.00 Cross gulch 35 lks. wide course SW. Ascend
29.00 As the point for $\frac{1}{4}$ sec. cor. will fall on steep side hill, a place
not suitable to build mound, I set stone 16 x 12 x 8 in stone
mound 4 ft. in dia. at base by 2 ft. in height for witness post to $\frac{1}{4}$
sec. cor. This witness post is on top of high Mt. brg. E. & W.
40.00 The point for $\frac{1}{4}$ sec. cor.
61.36 To W. point of spur
71.50 Top of same spur brs. NW. & SE. Descend
80.00 Set post 4 in. sq. 1 ft. in earth 1 ft. above stone mound $4\frac{1}{2}$ ft. in
dia. at base by 2 ft. in height for cor. to secs. 13, 14, 23, 24.
Land mountainous, soil 1st. rate.
Timber & undergrowth of cedar, oak and chaparral.

East on a random line bet. secs. 13 and 24. Va 14° 25'E.

Descend.
2.50 Cross gulch 25 lks. wide course NW. Ascend
40.00 Set temp. $\frac{1}{4}$ sec. cor.
60.00 Summit of spur brs. NE. & SW., thence across low depression.
74.50 Top of spur brs. N. & S. Descend
80.24 Int. E.B. of Tp. 14 lks. S. of cor. to secs. 13 and 24
from which cor. I run
S 89°54' W. on a true line bet. secs. 13 and 24 Va 14°25'E
40.12 Set post 4 in. dia. 1 ft. in earth 1 ft. above stone mound 4 ft.
in dia. at base by 2 ft. in height for $\frac{1}{4}$ sec. cor.
80.24 The cor. to secs. 13, 14, 23, 24.
Land mountainous, soil 1st. and 2nd. rate
Timber & undergrowth of cedar, oak & chaparral

Dec. 22, 1879

North bet. secs. 13 and 14

Va. 14°25'E.

Descend.

- 4.50 Cross gulch 25 lks. wide course NW. & enter Texas Canada brs. SW. & NE.
- 10.50 Cross dry gulch in Canada 75 lks. wide course SW.
- 18.00 Leave Canada brs. NE. & SW. Ascend
- 40.00 Set post 4 in. dia. 1 ft. in earth 1 ft. above stone mound 4 ft in dia. at base by 2 ft. in height for $\frac{1}{4}$ sec. cor.
- 80.00 Set post 4 in. sq. 1 ft. in earth 1 ft. above stone mound $4\frac{1}{2}$ ft. in dia. at base by 2 ft. in height for cor. to secs. 11, 12, 13, 14
- Land mountainous, soil 1st. & 2nd. rate
- Timber & undergrowth of cedar, oak & chaparral

East on a random line bet. secs. 12 & 13.

Va. 14°25'E.

Descend

- 35.50 Cross gulch 25 lks. wide course S.
- 40.00 Set temp. $\frac{1}{4}$ sec. cor.
- 79.94 Int. E.B. of Tp. 18 lks. N. of cor. to secs. 12 and 13
from which cor. I run
N. 89°52'W. on a true line bet. secs. 12 and 13. Va. 14°25'E.
- 39.97 Set post 4 in. dia. 1 ft. in earth 1 ft. above stone mound 4 ft. in dia. at base by 2 ft. in height for $\frac{1}{4}$ sec. cor.
- 79.94 The cor. to secs. 11, 12, 13, 14
Land mountainous, soil 2nd. rate
Timber & undergrowth of cedar, oak & chaparral

North bet. secs. 11 & 12.

Va. 14°25'E.

Ascend

- 8.00 Summit of high mountain spur brs. NE. & SW. then along same
- 15.00 Descend

40.00 Set stone 24 x 16 x 10 in. stone mound 4 ft. in dia. by 2 ft.
in height for $\frac{1}{4}$ sec. cor.
54.00 Summit of low spur brs. NW. & SE. Descend
80.00 Set stone 18 x 10 x 5 in. stone mound $4\frac{1}{2}$ ft. in dia. at base
by 2 ft. in height for cor. to secs. 1, 2, 11, 12
Land mountainous, soil 1st. and 2nd. rate.
Timber & undergrowth of oak, cedar & chaparral.

East on a random line bet. secs. 1 and 12

Va. $14^{\circ}25'E$.

Descend

25.75 Cross gulch 25 lks. wide course NW. Ascend
40.00 Set temp. $\frac{1}{4}$ sec. cor.
79.75 Int. E.B. of Tp. 10 lks. N. of cor. to secs. 1 and 12.
from which cor. I run
N. $89^{\circ}56'$ W. on a true line bet. secs. 1 and 12.

Va. $14^{\circ}25'E$.

39.87 Set stone 10 x 6 x 12 in stone mound 4 ft. in dia. at base by 2 ft.
in height for $\frac{1}{4}$ sec. cor.
79.75 The cor. to secs. 1, 2, 11, 12
Land mountainous, soil 1st. and 2nd. rate.
Timber & undergrowth of cedar, oak & manzanita

Dec. 23, 1879.

North on a true line bet. secs. 1 and 2.

Va $14^{\circ}25'E$.

Descend.

22.50 Cross gulch 25 lks. wide course NW.
40.00 Set post 4 in. dia. 1 ft. in earth 1 ft. above stone mound 4 ft.
in dia. at base by 2 ft. in height for $\frac{1}{4}$ sec. cor.
62.00 Enter Canada brs. SW. & NE.
68.75 Cross dry gulch 100 lks. wide in Canada course SW.
71.50 Leave Canada and ascend
103.92 Int. 1st. stand. line N 4.60 chs. W. of stand. cor. to T. 6 N. Rs. 14 &
15 W. and set stone 22 x 16 x 6 in. stone mound $4\frac{1}{2}$ ft. in dia. at
base by 2 ft. in height for closing cor. to secs. 1 & 2
Land mountainous, soil 2nd. and 3rd. rate.
Timber & undergrowth of oak, cedar & manzanita.

North bet. secs. 34 and 35

Va $14^{\circ}25'E$.

Ascend.

40.00 Set post 4 in. dia. 1 ft. in earth 1 ft. above stone mound 4 ft.
in dia. at base by 2 ft. in height for $\frac{1}{4}$ sec. cor.
49.50 Top of ridge brs. E. & W. Descend.
65.00 Enter Canada brs. E. & W.
70.50 Cross wash course W. Ascend
71.50 Leave Canada. Ascend
80.00 Set post 4 in. sq. 1 ft. in earth 1 ft. above stone mound $4\frac{1}{2}$ ft. in
dia. at base by 2 ft. in height for cor. to secs. 26, 27, 34, 35.
Land mountainous, except in valley, soil 1st. and 2nd. rate.
Timber & undergrowth of oak, cedar and manzanita.

East on a random line bet.secs.26 and 35.

Va..14°25'E.

Ascend.
3.50 Top of spur brs. N. & S. Descend
11.00 Cross ravine 35 lks.wide course S. Ascend
15.00 Top of spur brs. N. & S. Descend.
18.00 Cross ravine 30 lks.wide course S.
25.00 Enter Canada brs. SW.& NE.
26.50 Cross wash course SW.
33.50 Leave Canada brs.NE.& SW. Ascend
40.00 Set temp. $\frac{1}{4}$ sec.cor.
46.80 Top of perpendicular bluff brs. N.& S. Descend.
60.50 Cross ravine 20 lks.wide course S. Ascend
67.00 Top of ridge brs. N. & S. Descend
70.00 Cross ravine 15 lks.wide course S. Ascend
71.00 Spring brs. N.about 100 chs.dist.
80.10 Int. N.& S.line at cor.to secs. 25,26,35,36.
from which cor.I run
West on a true line bet.secs. 26 & 35.

Va..14°25'E.

30.05 The point for $\frac{1}{4}$ sec.cor.falling on steep side hill a place not
suitable to build,I set post 4 in.dia.1 ft.in earth 1 ft.above
stone mound 4 ft.in dia.at base by 2 ft.in height for witness
post to $\frac{1}{4}$ sec.cor.
80.10 The cor.to secs. 26,27,34, 35.
Land mountainous,except in valley,soil 1st.& 2nd.rate.
Timber & undergrowth of oak & cedar.

North bet.secs. 26 and 27.

Va..14°25'E.

Ascend
25.00 Summit of spur brs. N.E.& S.W. Descend
40.00 Set post 4 in.dia. 1 ft.in earth 1 ft.above stone mound 4 ft.
in dia.at base by 2 ft.in height for $\frac{1}{4}$ sec.cor.in low sag.
Ascend
46.77 Top of ridge brs. NE.& SW.thence along W.slope of same
68.00 Summit of ridge brs. NE.& SW.thence along same
80.00 Set stone 12 x 14 x 8 in stone mound 4 $\frac{1}{2}$ ft.in dia.at base
by 2 ft.in height for cor.to secs. 22,23,26, 27
Land mountainous, soil 1st.& 2nd.rate.
Timber & undergrowth of oak,cedar & chaparral.

East on a random line bet.secs.23 & 26.

Va 14°25'E

Along S.slope of ridge
15.50 Summit of spur brs. NE.& SW. Descend
35.50 Cross gulch 18 lks.wide course SW. Ascend
40.00 Set temp. $\frac{1}{4}$ sec.cor.
47.25 Top of high ridge brs. NE.& SW. Descend
56.40 Cross gulch 20 lks.wide course SE. Ascend
67.50 Top of spur brs. NE.& SW. Descend
79.25 Cross deep gulch 16 lks.wide course SW. Ascend
79.90 Int. N.& S.line 30 lks. S.of cor.to secs.23,24,25,26
from which cor.I run
S. 89°47'W on a true line bet.secs. 23 & 26.
Va.. 14°25'E.
39.95 Set post 4 in.dia. 1 ft.in earth 1 ft.above stone mound 4 ft.
in dia.at base by 2 ft.in height for $\frac{1}{4}$ sec.cor.
79.90 The cor.to secs. 22,23,26, 27.
Land mountainous , soil 1st.rate
Timber & undergrowth of oak,cedar & chaparral.

North bet. secs. 22 & 23.

Va. 14°25'E.

30.50 Descend into Canada Texas
40.00 The point for $\frac{1}{4}$ sec. cor. falling on steep side hill a place
not suitable to build mound, I set post 4 in. dia. 1 ft. in earth
1 ft. above stone mound, 4 ft. in dia. at base by 2 ft. in height
2.62 chs. N. for witness post to $\frac{1}{4}$ sec. cor.
42.62 Witness post, enter Canada brs. NE. & SW.
47.00 Cross wash in Canada 150 chs. wide course SW.
52.50 Leave Canada course NE. & SW. Ascend
71.75 Top of ridge brs. NE. & SW. Descend
80.00 Set stone 14 x 10 x 8 in stone mound $4\frac{1}{2}$ ft. in dia. at base by
2 ft. in height for cor. to secs. 14, 15, 22, 23.
Land mountainous, except in Canadas, soil 1st. & 2nd. rate.
Timber & undergrowth of oak, cedar & manzanita.

December 24, 1879

East on a random line bet. secs. 14 & 23.

Va. 14°25'E.

~~7.50~~ Ascend.
7.50 Top of spur brs. NE. & SW. Descend
23.50 Cross gulch 22 lks. wide course SW.
40.00 Set temp. $\frac{1}{4}$ sec. cor.
50.50 Cross old Panja course SW.
52.00 Cross mouth of gulch 40 lks. wide course SW.
61.00 A Canada brs. NE. & SW.
A house brs. S. about 4.00 chs. dist.
62.25 Canada Texas course SW.
65.00 Cross gulch 50 lks. wide course SW.
Leave Canada & ascend
68.50 N. point of spur & descend
70.50 Cross gulch 20 lks. wide course N. Ascend
77.50 Top of spur brs. NW. & SE. Descend
80.20 Int. N. & S. line 35 lks. S. of cor. to secs. 13, 14, 23, 24
from which cor. I run
S. 89°45'W. on a true line bet. secs. 14 and 23.

Va. 14°25'E.

40.10 Set post 4 in. dia. 1 ft. in earth 1 ft. above stone mound 4 ft.
in dia. at base by 2 ft. in height for $\frac{1}{4}$ sec. cor.
80.20 The cor. to secs. 14, 15, 22, 23
Land mountainous, except in Canadas, soil 1st. & 2nd. rate.
Timber & undergrowth of oak & cedar

North bet. secs. 14 and 15.

Va. 14°25'E.

40.00 Descend.
The point for $\frac{1}{4}$ sec. cor. falling in center of gulch 50 lks. wide,
a place not suitable to build, I set post 4 in. dia. 1 ft. in earth
1 ft. above stone mound 4 ft. in dia. at base by 2 ft. in height 100
lks. N. for witness post to $\frac{1}{4}$ sec. cor.
41.00 Witness post; a Canada brs. NE. & SW. Ascend
60.00 Summit of spur brs. E & W. Descend
80.00 Set post 4 in. sq. 1 ft. in earth 1 ft. above stone mound $4\frac{1}{2}$ ft. in
dia. at base by 2 ft. in height for cor. to secs. 10, 11, 14 & 15.
Land mountainous, soil 2nd. rate.
Timber & undergrowth of oak, cedar & chaparral.

North bet. secs. 33 & 34.

Va. 14°25'E.

Ascend.
9.50 Summit of ridge brs. NE. & SW. Descend
32.50 Cross gulch 25 lks. wide course NW. Ascend.
40.00 Set post 4 in. dia. 1 ft. in earth 1 ft. above stone mound 4 ft.
in dia. at base by 2 ft. in height for $\frac{1}{4}$ sec. cor.
41.00 A Canada brs. E & W. Ascend
48.50 Summit of spur brs. NW. & SE. Descend
52.50 Cross ravine 22 lks. wide course W. Ascend
64.50 Top of spur brs. N.W. & SE. Descend
70.00 A valley brs. E. & W.
74.00 Enter wash course W.
75.00 Leave wash course W.
80.00 Set post 4 in. sq. 1 ft. in earth 1 ft. above stone mound 4 ft.
in dia. at base by 2 ft. in height for cor. to secs. 27, 28, 33, 34
Land mountainous except in valley, soil 1st. & 2nd. rate.
Timber & undergrowth of oak, cedar & chaparral.

Dec. 25, 1879.

East on a random line bet. secs. 27 and 34.

Va. 14°25'E.

Ascend
25.83 Top of low spur brs. NE. & SW. Descend
40.00 Set temp. $\frac{1}{4}$ sec. cor.
63.00 Cross wash 25 lks. wide course SW. Ascend
80.14 Int. N. & S. line 14 lks. N. of cor. to secs. 26, 27, 34, 35
from which cor. I run
N 89°54' W. on a true line bet. secs. 27 & 34.

Va. 14°25'E.

40.07 Set post 4 in. dia. 1 ft. in earth 1 ft. above stone mound 4 ft.
in dia. at base by 2 ft. in height for $\frac{1}{4}$ sec. cor.
80.14 The cor. to secs. 27, 28, 33 & 34.
Land mountainous, soil 1st. & 2nd. rate.
Timber & undergrowth of oak, cedar & chaparral.

North bet. secs. 27 & 28.

Va. 14°25'E.

Descend.
5.50 A valley brs. E. & W. Ascend
23.00 Summit of ridge brs. NE. & SW.
40.00 Set post 4 in. dia. 2 ft. in earth 2 ft. above for $\frac{1}{4}$ sec. cor.,
thence descend into Canada Texas.
50.00 Cross mouth of gulch 25 lks. wide course NW.
53.00 Cross gulch 100 lks. wide course NW.
59.26 Leave Canada Texas and ascend
75.80 Summit of mountain brs. NE. & SW. then along same.
80.00 Set post 4 in. sq. 1 ft. in earth 1 ft. above stone mound 4 $\frac{1}{2}$ ft. in
dia. at base by 2 ft. in height for cor. to secs. 21, 22, 27, 28
Land mountainous, soil 2nd. rate.
Timber & undergrowth of oak, cedar & chaparral.

East on a random line bet. secs. 22 & 27.

Va. 14°25'E.

Descend
25.00 Enter Canada Texas and cross wash in same 50 lks. wide course S.E.
35.25 Cross fence brs. SE.
36.00 Leave Canada Texas and ascend.
39.35 Set temp. $\frac{1}{4}$ sec. cor.
40.00 Top of bluff brs. NE. & SW., thence over hills
47.50 Int. N. & S. line 31 lks. N. of cor. to secs. 22, 23, 26, 27, from which cor.
80.20 I run

N 89°47'W. on a true line bet. secs. 22 & 27

- Va 14°25'E.
- 40.10 Set post 4 in. dia. 1 ft. in earth 1 ft. above stone mound 4 ft. in dia. at base by 2 ft. in height for $\frac{1}{4}$ sec. cor. from which brs. Sycamore 30 in. dia. S 89°W. 266 lks. dist.
- 80.20 The cor. to secs. 21, 22, 27, 28
Land mountainous, soil 1st. & 2nd. rate.
Timber & undergrowth of oak, cedar & chaparral.
-

North bet. secs. 21 and 22

Vav. 14°25'E.

- Ascend
- 40.00 Set post 4 in. 1 ft. in earth 1 ft. above stone mound 4 ft. in dia. at base by 2 ft. in height for $\frac{1}{4}$ sec. cor. on top of high mountain brg. NE. & SW.
- 55.00 Descend
- 60.00 Enter Canada brs. N. 75°E. & S. 75°W.
- 61.70 Cross gulch 25 lks. wide course SW.
- 62.00 Leave Canada and ascend
- A prominent rock brs. W 50 lks. dist.
- 69.50 Top of spur brs. SW. & NE. Descend
- 80.00 The point for cor. to secs. 15, 16, 21, 22 falling on steep side hill a place not suitable to build mound, I set post 4 in. sq. 1 ft. in earth, 1 ft. above stone mound 4 $\frac{1}{2}$ ft. in dia. at base by 2 ft. in height 9.54 chs. E. for witness post to said cor.
Land mountainous, soil 1st. & 2nd. rate
Timber & undergrowth of oak, cedar & chaparral

East on a random line bet. secs. 15 & 22.

Va. 14°25'E.

- Ascend
- 9.54 Witness post on summit of high spur brg. NE. & S.W. Descend
- 40.00 Set temp. $\frac{1}{4}$ sec. cor.
- 52.70 Cross gulch 25 lks. wide course SW. Ascend.
- 79.92 Int. N. & S. line 10 lks. S. of cor. to secs. 14, 15, 22, 23, from which cor. I run
S 89°56'W. on a true line bet. secs. 15 and 22

Va. 14°25'E.

- 39.96 Set post 4 in. dia. 1 ft. in earth 1 ft. above stone mound 4 ft. in dia. at base by 2 ft. in height for $\frac{1}{4}$ sec. cor.
- 79.92 The cor. to secs. 15, 16, 21, 22
Land mountainous, soil 2nd. rate.
Timber & undergrowth of oak, cedar & chaparral.
-

North bet. secs. 15 and 16.

Va. 14°25'E.

- Descend.
- 10.00 Enter Canada Murtos brs. SW. & NE.
- 12.00 Cross gulch 100 lks. wide course SW.
- 32.50 Leave Canada and ascend
- 40.00 Set post 4 in. dia. 1 ft. in earth 1 ft. above stone mound 4 ft. in dia. at base by 2 ft. in height for $\frac{1}{4}$ sec. cor.
- 80.00 Set post 4 in. sq. 1 ft. in earth 1 ft. above stone mound 4 $\frac{1}{2}$ ft. in dia. at base by 2 ft. in height for cor. to secs. 9, 10, 15, 16.
Land mountainous, soil 1st. & 2nd. rate.
Timber & undergrowth of oak, cedar and chaparral.

Dec. 26, 1879.

East on a random line bet.secs. 10 and 15.

Va.14°25'E.

Descend.

19.50 Enter Canada Muertos brs. SW.& NE.
22.50 Cross wash 100 lks.wide course SW.
31.00 Leave Canada Muertos and ascend
40.00 Set temp. $\frac{1}{4}$ sec.cor.
79.88 Int. N.& S.line 21 lks. N.of cor.to secs. 10,11,14,15
from which cor.I run
N 89°51'W.on a true line bet.secs. 10 and 15.

Va 14°25'E.

39.94 Set stone 16 x 12 x 10 in stone mound 4 ft.in dia.at base by
2 ft.in height for $\frac{1}{4}$ sec.cor.
79.88 The cor.to secs. 9,10,15,16
Land mountainous, soil 1st.& 2nd.rate.
Timber & undergrowth of oak, cedar & chaparral

North bet.secs. 9 and 10.

Va.14°25'E.

Ascend

40.00 Set post 4 in.dia. 2 ft.in earth 2 ft.above for $\frac{1}{4}$ sec.cor.
80.00 Set stone 24 x 16 x 10 in stone mound 4 $\frac{1}{2}$ ft.in dia.at base by
2 ft.in height for cor.to secs. 3,4,9,10
Land mountainous, soil 2nd.rate.
Timber & undergrowth of oak, cedar & chaparral.

East on a random line bet,secs. 3 and 10

Va.14°25'E.

Descend

35.00 Enter Canada Muertos brs. SW.& NE.
40.00 Set temp. $\frac{1}{4}$ sec.cor.
42.50 Enter wash in Canada
43.75 Over same course SW.
49.00 Leave Canada and ascend
79.74 Int. N.& S.line 31 lks. S.of cor.to secs. 2,3,10,11
from which cor.I run
S 89° 47'W.on a true line bet.secs. 3 & 10.

Va 14°25'E.

39.87 Set post 4 in.dia. 1 ft.in earth 1 ft.above stone mound 4 ft.
in dia.at base by 2 ft.in height for $\frac{1}{4}$ sec.cor.,
from which brs.an
79.74 Oak 6 in.dia. N 18 $\frac{1}{2}$ °W. 28 lks.dist.
The cor.to secs.s 3,4,9,10
Land mountainous except in valley,soil 1st.& 2nd.rate.
Timber & undergrowth of oak, cedar & chaparral

North on a true line bet.secs. 3 and 4.

Va 14°25'E.

Ascend

40.00 Set post 4 in.dia. 1 ft.in earth 1 ft.above stone mound 4 ft.
in dia.at base by 2 ft.in height for $\frac{1}{4}$ sec.cor.
79.50 Summit of high ridge brs. SW.& NE. Descend.

East on a random line bet.secs. 4 and 9

Va.14°25'E.

3.00 Descend
33.00 Enter Canada brs. NE.& SW.
34.50 Cross gulch 20 lks.wide course SW.
36.50 Leave Canada and ascend
40.00 Set temp. $\frac{1}{4}$ sec.cor.
60.00 Summit of spur brs. N.& S. Descend
79.70 Int. N.& S.line 36 lks. N.of cor. to secs.3,4,9 & 10,
from which cor.I run
N 89°45'W.on a true line bet.secs. 4 & 9

Va. 14°25'E.

39.85 The point for $\frac{1}{4}$ sec.cor.falling on steep side hill a place
not suitable to build mound,I set post 4 in.dia. 1 ft.in earth
1 ft.above stone mound 4 ft.in dia.at base by 2 ft.in height
3.50 chs. W.for witness post to $\frac{1}{4}$ sec.cor.,from which brs.
Live oak 10 in.dia. N/18°W 29 lks.dist.

79.70 The cor.to secs. 4,5,8,9
Land mountainous, soil 2nd.rate.
Timber & undergrowth of oak,cedar & chaparral.

North on a true line bet.secs. 4 and 5.

Va.14°25'E.

Along ridge
.15.00 Leave ridge to the NE.
40.00 Set stone 18 x 12 x 8 in stone mound 4 ft.in dia.at base by 2 ft.
in height for $\frac{1}{4}$ sec.cor.
50.50 Summit of ridge brs. NE.& SW. Descend.
103.40 Int. 1st.stand.line N 4.10 chs.W.of stand.cor.to secs. 33 & 34,T.6N.
R.15 W.& set stone 16 x 10 x 6 in stone mound 4 $\frac{1}{2}$ ft.in dia.at base
by 2 ft.in height for closing cor.to secs. 4 & 5.
Land mountainous, soil 2nd.rate.
Timber & undergrowth of oak, cedar & chaparral

North bet.secs. 31 and 32.

Va 14°25'E

40.00 Ascend.
Set post 4 in.dia. 1 ft.in earth 1 ft.above stone mound 4 ft.
in dia.at base by 2 ft.in height for $\frac{1}{4}$ sec.cor.
80.00 Set post 4 in.sq. 1 ft.in earth 1 ft.above stone mound 4 $\frac{1}{2}$ ft.
in dia.at base by 2 ft.in height for cor.to secs.29,30,31,32.
Land mountainous, soil 1st.& 2nd.rate
Timber & undergrowth of oak,cedar & chaparral.

East on a random line bet.secs. 29,& 32

Va.14°25'E.

14.50 Descend
25.00 Enter Canada and cross dry gulch 10 lks.wide course S.
37.50 Leave Canada course S. Ascend
40.00 Summit of spur brs. N.& S. Descend
Set temp. $\frac{1}{4}$ sec.cor.
77.00 Cross head of gulch 10 lks.wide course S. & ascend
80.00 Int. N.& S.line at cor.to secs. 28,29,32,33
from which cor.I run
West on a true line bet. secs. 29 & 32.

Va.14°25'E.

40.00 Set post 4 in.dia. 1 ft.in earth 1 ft.above stone mound 4 ft.
in dia. at base by 2 ft.in height for $\frac{1}{4}$ sec.cor.
80.00 The cor.to secs. 29,30,31,32
Land mountainous, soil 1st.& 2nd.rate
Timber & undergrowth of oak, cedar & chaparral

West on a random line bet.secs. 30 & 31

Va 14°25'E.

Descend
15.00 Cross gulch 28 lks.wide course S. Ascend
40.00 Set temp. $\frac{1}{4}$ sec.cor.
53.00 Summit of spur brs. SW. & NE. Descend
78.40 Int. W.B.of Tp. 18 lks. S.of cor.to secs. 30 & 31,
from which cor.I run
S 89°52' E.on a true line bet. secs. 30 & 31.

Va 14°25'E.

38.40 Set post 4 in.dia. 1 ft.in earth 1 ft.above stone mound 4 ft.
in dia. at base by 2 ft.in height for $\frac{1}{4}$ sec.cor.
78.40 The cor.to secs. 29,30,31,32
Land mountainous, soil 1st. & 2nd.rate
Timber & undergrowth of oak, cedar & chaparral

Dec. 30-1879.

North bet.secs. 29 and 30.

Va.14°25'E.

7.50 Along ridge
21.00 Leave ridge to the NE.& descend.
28.50 Cross near head of gulch 20 lks.wide course SW. Ascend
37.50 Summit of spur brs. SW. & NE. Descend
40.00 Cross gulch 50 lks. wide course SW.
71.00 Set post 4 in.dia. 1 ft.in earth 1 ft.above stone mound 4 ft.
76.00 in dia. at base by 2 ft.in height for $\frac{1}{4}$ sec.cor. Ascend
80.00 Summit of spur brs. NE. & SW.
Descend from same
Set post 4 in.sq. 1 ft.in earth 1 ft.above stone mound 4 $\frac{1}{2}$ ft.
in dia.at base by 2 ft.in height for cor.to secs.19,20,29,30.
Land mountainous, soil 1st.& 2nd.rate.
Timber & undergrowth of oak, cedar & chaparral.

East on a random line bet.secs 20 & 29.

Va. 14°25'E.

9.00 Ascend
29.50 Summit of spur brs. NE.& SW. Descend
40.00 Cross gulch 25 lks.wide course SW. Ascend
43.50 Set temp. $\frac{1}{4}$ sec.cor.
79.82 Summit of spur brs. NE.& SW. Descend
Int. N.& S.line 21 lks.S.of cor.to secs. 20,21,28,29
from which cor.I run
S 89°51' W.on a true line bet.secs. 20 & 29

Va.14°25'E.

39.91 Set post 4 in.dia. 1 ft.in earth 1 ft.above stone mound 4 ft.
in dia.at base by 2 ft.in height for $\frac{1}{4}$ sec.cor.
79.82 The cor.to secs. 19,20,29,30
Land mountainous, soil 1st.& 2nd.rate
Timber & undergrowth of oak, cedar & chaparral.

West on a random line bet. secs. 19 and 30.

Va. 14°25'E.

Descend.

32.50 Cross gulch 50 lks. wide course SW. Ascend
40.00 Set temp. $\frac{1}{4}$ sec. cor.
45.50 Summit of spur brs. SW. & NE. Descend
62.50 A Canada brs. NE. & SW.
67.00 Cross gulch 40 lks. wide course SW.
76.50 Cross gulch 25 lks. wide course S. Ascend
78.50 Int. W.B. of Tp. 10 lks. S. of cor. to secs. 19 & 30
from which cor. I run
S 89°56'E. on a true line bet. secs. 19 and 30

Va. 14°25'E.

38.50 Set post 4 in. dia. 1 ft. in earth 1 ft. above stone mound 4 ft.
in dia. at base by 2 ft. in height for $\frac{1}{4}$ sec. cor.
78.50 The cor. to secs. 19, 20, 29, 30
Land mountainous, soil 2nd. rate.
Timber & undergrowth of oak, cedar & chaparral

North bet. secs. 19 and 20

Va. 14°25'E.

18.75 Descend into Canada brs. NE. & SW.
21.50 Cross gulch 20 lks. wide course SW.
36.50 Leave Canada brs. NE. & SW. Ascend
40.00 Top of high mountain and along same
Set post 4 in. dia. 1 ft. in earth 1 ft. above stone mound 4 ft.
in dia. at base by 2 ft. in height for $\frac{1}{4}$ sec. cor.
52.50 Descend into Canada brs. NE. & SW.
61.50 Cross gulch 35 lks. wide course SW.
69.00 Leave Canada and ascend
80.00 Set post 4 in. sq. 1 ft. in earth 1 ft. above stone mound 4 $\frac{1}{2}$ ft.
in dia. at base by 2 ft. in height for cor. to secs. 17, 18, 19, 20
Land mountainous, soil 1st. & 2nd. rate.
Timber & undergrowth of oak, cedar & chaparral.

East on a random line bet. secs. 17 and 20.

Va. 14°25'E.

Descend

22.50 Cross gulch 18 lks. wide course SW. Ascend.
40.00 Set temp. $\frac{1}{4}$ sec. cor.
79.68 Int. N. & S. line 17 lks. N. of cor. to secs. 16, 17, 20, 21
from which cor. I run
N. 89°53'W. on a true line bet. secs. 17 & 20.

Va. 14°25'E.

39.84 Set post 4 in. dia. 1 ft. in earth 1 ft. above stone mound 4 ft.
in dia. at base by 2 ft. in height for $\frac{1}{4}$ sec. cor.
79.68 The cor. to secs. 17, 18, 19, 20
Land mountainous, soil 2nd. rate.
Timber & undergrowth of oak, cedar & chaparral

West on a random line bet. secs. 18 and 19

Va. 14°25'E.

Ascend

28.00 Summit of spur brs. NE. & SW. Descend
40.00 Set temp. $\frac{1}{4}$ sec. cor.
78.40 Int. W.B. of Tp. 20 lks. S. of cor. to secs. 18 & 19
from which cor. I run