

RETURN TO  
COUNTY SURVEYOR,  
LOS ANGELES.

	R17W	R16W	R15W				
	6	5	4	3	2	1	
	7	8	9	10	11	12	
	18	17	16	15	14	13	
T8N	19	20	21	22	23	24	T8N
	<sup>16</sup> 30	<sup>15</sup> 29	<sup>14</sup> 28	<sup>14</sup> 27	<sup>13</sup> 26	<sup>12+13</sup> 25	
	31	32	33	34	35	<sup>12</sup> 36	
R17W	R16W	R15W					

Ralph M. Morris

1854

*Some Lines rerun by Geo. W. Pearson 1901.*

*NOTE: These notes were copied from, photographic copies of the original field notes owned by Wilkie Woodard -- They have not been compared.*

Exterior Lines

T 8 N, R 16 W, S. E. M.

Between Sections 6 and 31.

Var 14° 12' E.

- 5 00 To hill bearing N & S.
- 37 50 To steep hills.
- 40 00 Set a post charred and chalked for the  $\frac{1}{4}$  sec corner and raised a mound with trench and pits per instructions.
- 42 00 Enter scattering Pine.
- 80 00 Set a post charred, chalked and notched and established the corner to Tps 7 and 8 North, Rs 15 and 16 West and raised a mound with trench and pits as per instructions, from which  
A Pine 14 ins. dia. bears S. 9° W. 248 lks. distant.  
This mound is on the N side of a steep ravine 80 ft deep.  
It is impossible to run along the west boundary of T 7 N, R 15 W, on account of mountains.  
Land 2nd rate.

-----  
Between Ranges 15 and 16 West, Township 8 North.

From the corner to Townships 7 and 8 North, Ranges 15 and 16 West,  
I run  
NORTH along the E boundary of Section 36. Var. 14° 13' E.

- 20 00 To a ravine, course N. 45° E.
- 34 00 Cross the same.
- 40 00 Set a post charred and chalked for the  $\frac{1}{4}$  sec corner and raised a mound with trench and pits per instructions.
- 45 00 Leave scattering timber.
- 77 00 Leave hills for plain.
- 80 00 Set a post charred, chalked and notched for the corner to sections 25, 26, 30 and 31 and raised a mound with trench and pits per instructions. Land 2nd rate and hilly.

-----  
NORTH on the E boundary of Section 25. Var 14° 13' E.

- 40 00 Set a post charred and chalked for the  $\frac{1}{4}$  section corner and raised a mound with trench and pits as per instructions
- 44 50 To Road to Tejon Fort course N. 68° 30' W.
- 80 00 Set a post charred, chalked and notched for the corner to sections 24, 25, 19 and 30, and raised a mound with trench and pits as per instructions. Land 2nd rate and level.

-----  
NORTH on the E boundary of Section 24. Var 14° 13' E.

- 40 00 Set a post charred and chalked for the  $\frac{1}{4}$  section corner and raised a mound with trench and pits as per instructions.
- 80 00 Set a post charred, chalked and notched for the corner to sections 13, 24, 18 and 19 and raised a mound with trench and pits as per instructions. Land 2nd rate and level.

-----  
NORTH on the E boundary of Section 13. Var. 14° 13' E.

- 40 00 Set a post charred and chalked for the  $\frac{1}{4}$  section corner and raised a mound with trench and pits per instructions.
- 80 00 Set a post charred, chalked and notched for the corner to sections 12, 13, 7 and 18 and raised a mound with trench and pits as per instructions. Land 2nd rate and level.

NORTH on the E boundary of Section 12. Var 14° 13' E.

- 40 00 Set a post charred and chalked for the 1/4 section corner and raised a mound with trench and pits per instructions.
- 80 00 Set a post charred, chalked and notched for the corner to sections 1, 12, 6 and 7, and raised a mound with trench and pits as per instructions. Land 2nd rate level with some Palmetto.

NORTH on the E boundary of Section 1. Var 14° 13' E.

- 40 00 Set a post charred and chalked for the 1/4 section corner and raised a mound.
- 80 00 To a point for corner to Townships 8 and 9 North, Ranges 15 and 16 West. Set a post charred, chalked and notched and raised a mound with trench and pits as per instructions. Land level and 2nd rate.

Between Townships 8 and 9 North, Range 16 West.

As the South Boundary of Township 8 North, Range 16 West, is not run on account of the mountains, I commence at the corner to Tps 8 and 9 North, Ranges 15 and 16 West and run

WEST between Sections 1 and 36. Var 14° 13' E.

- 40 00 Set a post charred and chalked for the 1/4 section corner and raised a mound with trench and pits per instructions.
- 80 00 Set a post charred, chalked and notched for the corner to sections 1, 2, 35 and 36 and raised a mound with trench and pits as per instructions. Land 2nd rate and level with some Palmetto.

WEST between Sections 2 and 35. Var 14° 13' E.

- 40 00 Set a post charred and chalked for the 1/4 section corner and raised a mound with trench and pits per instructions.
- 80 00 Set a post charred, chalked and notched for the corner to sections 2, 3, 34 and 35 and raised a mound with trench and pits per instructions. Land 2nd rate and level with some Palmetto.

WEST between Sections 3 and 34. Var 14° 13' E.

- 40 00 Set a post charred and chalked for the 1/4 section corner and raised a mound with trench and pits per instructions.
- 80 00 Set a post charred, chalked and notched for the corner to sections 3, 4, 33 and 34 and raised a mound with trench and pits per instructions. Land 2nd rate and level with some Palmetto.

WEST between Sections 4 and 33. Var 14° 13' E.

- 40 00 Set a post charred and chalked for the 1/4 section corner and raised a mound with trench and pits per instructions.
- 80 00 Set a post charred, chalked and notched for the corner to sections 4, 5, 32 and 33 and raised a mound with trench and pits per instructions. Land 2nd rate and level with some Palmetto.

WEST between Sections 5 and 32. Var 14° 13' E.

- 8 00 Leave Palmetto.
- 40 00 Set a post charred and chalked for the 1/4 section corner and raised a mound with trench and pits per instructions.
- 80 00 Set a post charred, chalked and notched for the corner to sections 5, 6, 31 and 32 and raised a mound with trench and pits as per instructions. Land 2nd rate and level.

WEST between Sections 6 and 31.

Var 14° 13' E.

- 40 00 Set a post charred and chalked for the 1/4 section corner and raised a mound with trench and pits per instructions.
- 80 00 To a point for corner to Townships 8 and 9 North, Ranges 16 and 17 West. Set a post charred, chalked and notched and raised a mound with trench and pits per instructions. Land 2nd rate and level.

-----

Between Ranges 16 and 17 West, Township 8 North.

From the corner to Townships 8 and 9 North, Ranges 16 and 17 West, I run SOUTH along the EAST boundary of Section 1. Var 14° 13' E.

- 40 00 Set post charred and chalked for the 1/4 section corner and raised a mound with trench and pits per instructions.
- 80 00 Set a post charred, chalked and notched for the corner to sections 1, 12, 6 and 7 and raised a mound with trench and pits as per instructions. Land 2nd rate level and open.

-----

SOUTH on E boundary of Section 12. Var 14° 13' E.

- 40 00 Set a post charred and chalked for the 1/4 section corner and raised a mound with trench and pits per instructions.
- 80 00 Set a post charred, chalked and notched for the corner to sections 12, 13, 7 and 18 and raised a mound with trench and pits as per instructions. Land 2nd rate and slightly ascending to the North.

-----

SOUTH on the E boundary of Section 13. Var 14° 13' E.

- 40 00 Set a post charred and chalked for the 1/4 section corner and raised a mound with trench and pits per instructions.
- 45 60 John Philburn's house bears S. 21° E. 15 chs. distant.
- 75 00 To Road to Fort Tejon course N. 15° W.
- 80 00 Set a post charred, chalked and notched for the corner to sections 13, 24, 18 and 19 and raised a mound with trench and pits per instructions. Land good 2nd rate and ascending.

@@@-----

SOUTH on the E boundary of Section 24. Var 14° 13' E.

- 2 00 Enter steep hills.
- 18 00 Leave hills for valley.
- 40 00 Set a post charred and chalked for the 1/4 section corner and raised a mound with trench and pits per instructions.
- 47 50 Run over hills. (Isolated)
- 60 00 Leave hills for valley.
- 80 00 Set a post charred, chalked and notched for the corner to sections 24, 25, 19 and 30. and raised a mound with trench and pits per instructions. Land hill and valley and 2nd rate.

-----

SOUTH on the E boundary of Section 25. Var 14° 13' E.

- 2 00 Leave valley for steep hills.
- 16 00 To scattering Pine.
- 35 00 Set a post charred and chalked and raised a mound with trench and pits as per instructions on North side of ravine 80 feet deep at the foot of mountain. Land 2nd rate generally.

I can survey no further South on account of steep mountains.

-----

SUBDIVISIONS

Subdivision lines in T 8 N, R 16 W.

As the South boundary is not run on account of the mountains I commence survey at corner to sections 1, 2, 35 and 36, on the N boundary of the Township and run

- SOUTH between sections 1 and 2. Var 14° 13' E.  
 40 00 Set a post charred and chalked for the  $\frac{1}{2}$  section corner and raised a mound with trench and pits per instructions.  
 80 00 Set a post charred and chalked for the corner to sections 1, 2, 11 and 12, and raised a mound with trench and pits per instructions. Land 2nd rate and level, good grass some Palmetto.
- 
- EAST on a RANDOM line between sections 1 and 12. Var 14° 13' E.  
 40 00 Set post for temporary  $\frac{1}{2}$  section corner.  
 79 82 Intersect the E boundary of the Township 65 lks S of the corner to sections 1 and 12 from which corner I run  
 WEST on a TRUE line between sections 1 and 12. Var 14° 41' E.  
 39 91 Set a post charred and chalked for the  $\frac{1}{2}$  section corner and raised a mound with trench and pits as per instructions.  
 79 82 The corner to sections 1, 2, 11 and 12. Land 2nd rate and level growth as before.
- 
- SOUTH between sections 11 and 12. Var 14° 13' E.  
 40 00 Set a post charred and chalked for the  $\frac{1}{2}$  section corner and raised a mound with trench and pits per instructions.  
 80 00 Set a post charred, chalked and notched for the corner to sections 11, 12, 13 and 14, and raised a mound with trench and pits as per instructions. Land 2nd rate and level, grass and Palmetto.
- 
- EAST on a RANDOM line between sections 12 and 13.  
 10 00 Leave Palmetto for open plain.  
 40 00 Set a post for temporary  $\frac{1}{2}$  section corner.  
 79 81 Intersect the E boundary of the Township 20 lks N of the corner to sections 12 and 13, from which corner I run  
 WEST on a TRUE line between sections 12 and 13. Var 14° 04' E.  
 39 99 Set a post charred and chalked for the  $\frac{1}{2}$  section corner and raised a mound with trench and pits per instructions.  
 79 81 The corner to sections 11, 12, 13 and 14. Land 2nd rate and level.
- 
- SOUTH between sections 13 and 14. Var 14° 13' E.  
 40 00 Set a post charred and chalked for the  $\frac{1}{2}$  section corner and raised a mound with trench and pits per instructions.  
 80 00 Set a post charred, chalked and notched for the corner to sections 13, 14, 23 and 24, and raised a mound with trench and pits per instructions. Land level and good 2nd rate.
- 
- EAST on a RANDOM line between sections 13 and 24. Var 14° 13' E.  
 40 00 Set a post for temporary  $\frac{1}{2}$  section corner.  
 79 25 Intersect the E boundary of the Township 45 lks. N of the corner to sections 13 and 24 from which corner I run  
 WEST on a TRUE line between sections 13 and 24. Var 13° 54' E.  
 39 62 Set a post charred and chalked for the  $\frac{1}{2}$  section corner and raised a mound with trench and pits per instructions.  
 79 25 The corner to sections 13, 14, 23 and 24. Land 2nd rate and level, and good grass.
-

SOUTH between sections 23 and 24. Var 14° 13' E.  
40 00 Set a post charred and chalked for the  $\frac{1}{4}$  section corner and raised a mound with trench and pits per instructions.  
80 00 Set a post charred, chalked and notched for the corner to sections 23, 24, 25 and 26 and raised a mound with trench and pits as per instructions. Land 2nd rate and level with good grass.

-----

EAST on a RANDOM line between sections 24 and 25. Var. 14° 13' E.  
40 00 Set a post for temporary  $\frac{1}{4}$  section corner.  
79 37 Intersect the E boundary of the Township 45 lks. N of the corner to sections 24 and 25 from which corner I run  
WEST on a TRUE line between sections 24 and 25. Var 13° 54' E.  
39 68 Set a post charred and chalked for the  $\frac{1}{4}$  section corner and raised a mound with trench and pits as per instructions.  
79 37 The corner to sections 23, 24, 25 and 26.  
Land gently rolling and 1st rate, good grass.

-----

SOUTH between sections 25 and 26. Var 14° 13' E.  
7 50 Cross Road to Fort Tejon, course N. 80° W.  
40 00 Set a post charred and chalked for the  $\frac{1}{4}$  section corner and raised a mound with trench and pits per instructions.  
45 00 To mountains, course N. 60° W.  
80 00 Set a post charred, chalked and notched for the corner to sections 25, 26, 35 and 36, and raised a mound with trench and pits as per instructions. Land 2nd rate, hill and plain.

-----

EAST on a RANDOM line between sections 25 and 36. Var 14° 13' E.  
40 00 Set a post for temporary  $\frac{1}{4}$  section corner.  
79 64 Intersect the E boundary of the Township 30 lks N of the corner to sections 25 and 36 from which corner I run  
WEST on a TRUE line between sections 25 and 36. Var 14° E.  
39 82 Set a post charred and chalked for the  $\frac{1}{4}$  section corner and raised a mound with trench and pits per instructions.  
79 64 The corner to sections 25, 26, 35 and 36.  
Land 2nd rate and very hilly.  
It is impossible to survey further South on account of the steepness of the mountains.

-----

SOUTH between sections 2 and 3. Var 14° 13' E.  
40 00 Set a post charred and chalked for the  $\frac{1}{4}$  section corner and raised a mound with trench and pits per instructions.  
80 00 Set a post charred, chalked and notched for the corner to sections 2, 3, 10 and 11 and raised a mound with trench and pits per instructions. Land level and good 2nd rate, grass and some Palmetto.

-----

EAST on a RANDOM line between sections 2 and 11. Var 14° 13' E.  
40 00 Set a post for temporary  $\frac{1}{4}$  section corner.  
80 00 Intersect N & S line 35 lks N of the corner to sections 1, 2, 11 and 12 from which corner I run  
WEST on a TRUE line between sections 2 and 11. Var 13° 58' E.  
40 00 Set a post charred and chalked for the  $\frac{1}{4}$  section corner and raised a mound with trench and pits per instructions.  
80 00 The corner to sections 2, 3, 10 and 11.  
Land level and good 2nd rate, grass and Palmetto.

-----

SOUTH between sections 10 and 11. Var 14° 13' E.  
36 00 Leave Palmetto for open ground.  
40 00 Set a post charred and chalked for the  $\frac{1}{4}$  section corner and raised a mound with trench and pits per instructions.  
80 00 Set a post charred, chalked and notched for the corner to sections 10, 11, 14 and 15 and raised a mound with trench and pits per instructions. Land 2nd rate and level with good grass.

-----

EAST on a RANDOM line between sections 11 and 14. Var 14° 13' E.  
40 00 Set a post for temporary  $\frac{1}{4}$  section corner.  
79 86 Intersect N & S line 4 lks. S of the corner to sections 11, 12, 13 and 14 from which corner I run  
WEST on a TRUE line between sections 11 and 14. Var 14° 15' E.  
39 93 Set a post charred and chalked for the  $\frac{1}{4}$  section corner and raised a mound with trench and pits per instructions.

79 86 The corner to sections 10, 11, 14 and 15.  
Land good 2nd rate and level with fine grass.

-----

40 00 SOUTH between sections 14 and 15. Var 14° 13' E.  
Set a post charred and chalked for  $\frac{1}{2}$  section corner and raised a mound with trench and pits per instructions.

80 00 Set a post charred, chalked and notched for corner to sections 14, 15, 22 and 23 and raised a mound with trench and pits as per instructions. Land good 2nd rate level with good grass.

-----

40 00 EAST on a RANDOM line between sections 14 and 23. Var 14° 13' E.  
Set post for temporary  $\frac{1}{2}$  section corner.

79 80 Intersect N & S line 35 lks. N of the corner to sections 13, 14, 23 and 24 from which corner I run

39 90 WEST on a TRUE line between sections 14 and 23. Var 13° 58' E.  
Set a post charred and chalked for the  $\frac{1}{2}$  section corner and raised a mound with trench and pits per instructions.

79 80 The corner to sections 14, 15, 22 and 23.  
Land good 2nd rate and level. Fine grass.

-----

40 00 SOUTH between sections 22 and 23. Var 14° 13' E.  
Set a post charred and chalked for the  $\frac{1}{2}$  section corner and raised a mound with trench and pits per instructions.

63 00 Cross Road to Fort Tejon, course N. 70° W.

70 00 To hills.

80 00 Set a post charred, chalked and notched for the corner to sections 22, 23, 26 and 27 and raised a mound with trench and pits per instructions. Land mostly level, good 2nd rate with good grass.

-----

40 00 EAST on a RANDOM line between sections 23 and 26. Var 14° 13' E.  
Set a post for temporary  $\frac{1}{2}$  section corner.

49 00 Cross Road to Fort Tejon, course N. 50° W.

80 20 Intersect N & S line 15 lks. N of the corner to sections 23, 24, 25 and 26 from which corner I run

40 10 WEST on a TRUE line between sections 23 and 26. Var 14° 07' E.  
Set a post charred and chalked for the  $\frac{1}{2}$  section corner and raised a mound with trench and pits per instructions.

80 20 The corner to sections 22, 23, 26 and 27.  
Land 1st rate and hilly with good grass.

-----

5 00 SOUTH between sections 26 and 27. Var 14° 13' E.  
To foot of steep mountain, course N. 80° W.

14 00 To a Cedar 8 ins. dia. marked as instructed.  
I can proceed no further South on account of the steepness of the mountains. Land good 2nd rate and good grass.

-----

40 00 SOUTH between sections 3 and 4. Var 14° 13' E.  
Set a post charred and chalked for the  $\frac{1}{2}$  section corner and raised a mound with trench and pits per instructions.

80 00 Set a post charred, chalked and notched for the corner to sections 3, 4, 9 and 10 and raised a mound with trench and pits per instructions. Land 2nd rate and level with some grass and Palmetto.

-----

40 00 EAST on a RANDOM line between sections 3 and 10. Var 14° 13' E.  
Set a post for temporary  $\frac{1}{2}$  section corner.

80 25 Intersect N & S line 15 lks. S of the corner to sections 2, 3, 10 and 11 from which corner I run

40 12 WEST on a TRUE line between sections 3 and 10. Var 14° 19' E.  
Set a post charred and chalked for the  $\frac{1}{2}$  section corner and raised a mound with trench and pits per instructions.

80 25 The corner to sections 3, 4, 9 and 10.  
Land 2nd rate and level with good grass and some Palmetto.

-----

SOUTH between sections 9 and 10. Var 14° 13' E.  
 40 00 Set a post charred and chalked for the  $\frac{1}{4}$  section corner and raised  
 a mound with trench and pits per instructions.  
 48 00 Leave Palmette.  
 80 00 Set a post charred, chalked and notched for the corner to sections  
 9, 10, 15 and 16, and raised a mound with trench and pits per in-  
 structions. Land 2nd rate and level with good grass.

-----  
 EAST on a RANDOM line between sections 10 and 15. Var 14° 13' E.  
 40 00 Set a post for temporary  $\frac{1}{4}$  section corner.  
 80 27 Intersect N & S. line 5 lks. S of the corner to sections 10, 11, 14  
 and 15 from which corner I run  
 WEST on a TRUE line between sections 10 and 15. Var 14° 15' E.  
 40 13 Set a post charred and chalked for the  $\frac{1}{4}$  section corner and raised  
 a mound with trench and pits as per instructions.  
 80 27 The corner to sections 9, 10, 15 and 16.  
 Land 2nd rate and level, good grass.

-----  
 SOUTH between sections 15 and 16. Var 14° 13' E.  
 40 00 Set a post charred and chalked for the  $\frac{1}{4}$  section corner and raised  
 a mound with trench and pits per instructions.  
 80 00 Set a post charred, chalked and notched for the corner to sections  
 15, 16, 21 and 22, and raised a mound with trench and pits as per  
 instructions. Land 2nd rate and level with good grass.

-----  
 EAST on a RANDOM line between sections 15 and 22. Var 14° 13' E.  
 40 00 Set a post for temporary  $\frac{1}{4}$  section corner.  
 80 00 Intersect N & S line 20 lks. S of the corner to sections 14, 15, 22  
 and 23 from which corner I run  
 WEST on a TRUE line between sections 15 and 22. Var 14° 22' E.  
 40 00 Set a post charred and chalked for the  $\frac{1}{4}$  section corner and raised  
 a mound with trench and pits per instructions.  
 80 00 The corner to sections 15, 16, 21 and 22.  
 Land good 2nd rate and slightly rolling, good grass.

-----  
 SOUTH between sections 21 and 22. Var. 14° 13' E.  
 6 00 To hills.  
 40 00 Set a post charred and chalked for the  $\frac{1}{4}$  section corner and raised  
 a mound with trench and pits per instructions.  
 47 00- Cross road to Fort Tejon, course N. 80° W.  
 74 00 To scattering timber.  
 80 00 Set a post charred, chalked and notched for the corner to sections  
 21, 22, 27 and 28, and raised a mound as instructed from which  
 A Buckeye 12 in. dia. bears S. 7 $\frac{1}{2}$ ° W. 67 lks distant.  
 Land good 2nd rate and hilly with good grass.  
 Timber Buckeye and Cedar.

-----  
 EAST on a RANDOM line between sections 22 and 27. Var 14° 13' E.  
 40 00 Set a post for temporary  $\frac{1}{4}$  section corner.  
 48 00 Leave timber.  
 80 18 Intersect N & S line 16 lks. S of the corner to sections 22, 23, 26  
 and 27 from which corner I run  
 WEST on a TRUE line between sections 22 and 27. Var 14° 20' E.  
 40 09 Set a post charred and chalked for the  $\frac{1}{4}$  section corner and raised  
 a mound with trench and pits per instructions.  
 A Buckeye 12 ins. dia. bears S. 59 $\frac{1}{2}$ ° E. 385 lks.  
 80 18 The corner to sections 21, 22, 27 and 28.  
 Land 2nd rate with good grass.

-----  
 SOUTH between sections 27 and 28. Var 14° 13' E.  
 21 00 To foot of mountain, course E & W.  
 27 80 To solitary rock 10 feet diam. marked thus + I can proceed no  
 further south on account of the rough mountains.

-----



SOUTH between sections 4 and 5. Var 14° 13' E.  
33 00 Leave Palmette.  
40 00 Set a post charred and chalked for the  $\frac{1}{2}$  section corner and raised a mound with trench and pits as instructed.

80 00 Set a post charred, chalked and notched for the corner to sections 4, 5, 8 and 9 and raised a mound with trench and pits as per instructions. Land level and good 2nd rate.

-----

EAST on a RANDOM line between sections 4 and 9. Var 14° 13' E.  
35 00 To Palmette.  
40 00 Set a post for temporary  $\frac{1}{2}$  section corner.  
79 80 Intersect N & S line 22 lks. N of the corner to sections 3, 4, 9 & 10 from which corner I run

WEST on a TRUE line between sections 4 and 9. Var 14° 04' E.  
39 90 Set a post charred and chalked for the  $\frac{1}{2}$  section corner and raised a mound with trench and pits per instructions.  
79 80 The corner to sections 4, 5, 8 and 9. Land level and 2nd rate.

-----

SOUTH between sections 8 and 9. Var 14° 13' E.  
40 00 Set a post charred and chalked for the  $\frac{1}{2}$  section corner and raised a mound with trench and pits per instructions.  
80 00 Set a post charred, chalked and notched for the corner to sections 8, 9, 16 and 17, and raised a mound with trench and pits as instructed. Land level and good 2nd rate.

-----

EAST on a RANDOM line between sections 9 and 16. Var 14° 13' E.  
40 00 Set a post for temporary  $\frac{1}{2}$  section corner.  
79 70 Intersect N & S line 17 lks. N of the corner to sections 9, 10, 15 and 16, from which corner I run

WEST on a TRUE line between sections 9 and 16. Var 14° 16' E.  
39 85 Set a post charred and chalked for the  $\frac{1}{2}$  section corner and raised a mound with trench and pits per instructions.  
79 70 The corner to sections 8, 9, 16 and 17. Land level and good 2nd rate.

-----

SOUTH between sections 16 and 17. Var 14° 13' E.  
40 00 Set a post charred and chalked for the  $\frac{1}{2}$  section corner and raised a mound with trench and pits per instructions.  
80 00 Set a post charred, chalked and notched for the corner to sections 16, 17, 20 and 21, and raised a mound with trench and pits as per instructions. Land level and good 2nd rate.

-----

EAST on a RANDOM line between sections 16 and 21. Var 14° 13' E.  
40 00 Set a post for temporary  $\frac{1}{2}$  section corner.  
80 20 Intersect N & S line 28 lks. N of the corner to sections 15, 16, 21 and 22, from which corner I run

WEST on a TRUE line between sections 16 and 21. Var 14° 01' E.  
40 10 Set a post charred and chalked for the  $\frac{1}{2}$  section corner and raised a mound with trench and pits as instructed.  
80 20 The corner to sections 16, 17, 20 and 21. Land level and 1st rate.

-----

SOUTH between sections 20 and 21. Var 14° 13' E.  
32 50 Cross road to Fort Tejon, course N. 80° W.  
40 00 Set a post charred and chalked for the  $\frac{1}{2}$  section corner and raised a mound with trench and pits as per instructions.  
63.00 To hills.  
76 00 To mountain and ascend.  
80 00 Set a post charred, chalked and notched for the corner to sections 20, 21, 28 and 29, and raised a mound with trench and pits as per instructions.  
Land level for the North portion and hilly and mountainous in the South and 1st rate.

-----