

N 39 E 186 14  
 N 26 W 129.99

R. 17. W.

R. 16. W.

R. 15. W. First Parallel North

T. 5. N.

T. 5. N.

N. LINE R<sup>2</sup> SAN FRANCISCO

6	18 5	13 4	10 3	7 2	3 1
7	11 8	12 3 12A	10	6 11	3 12
18	16 17	12 16	9 15	6 14	2 13
19	15 20	11 6	22	5 23	2 24
30	15 29	11 28	27	4 26	2 25
31	13 32	10 33	7 34	4 35	1 36

R. 16. W.

Norway 1875-80

For Govt notes of S. side Sec 31 & Sec. lines bet. 5<sup>th</sup> & 6<sup>th</sup> tiers C.S. 902

1876  
 1/25

T. 5 N., R. 16 W. S.B.M.

From the cor. to secs. 35, 36, 1 and 2 on S.B., I run  
North bet. secs. 35 & 36. Va. 14°25'E.  
I find post for cor. to secs. 35, 36, 1 & 2 standing as per  
description furnished.  
Ascend.

5.50 2550 A Canada brs. N 10°E. & S. 10°W.  
0.00 40.00 Set post 4 in. dia. 1 ft. in earth 1 ft. above stone mound 4 ft.  
in dia. at base by 2 ft. in height for  $\frac{1}{4}$  sec. cor.  
7.50 47.50 Enter gulch 50 lks. wide co. S.W.  
0.00 50.00 Leave same & ascend  
0.00 60.00 The cor. falling in deep gulch, a place not suitable to build  
mound, I set post 4 in. sq. 1 ft. in earth 1 ft. above stone  
mound 4 $\frac{1}{2}$  ft. in dia. at base by 2 ft. in height 3.00 chs. N.  
for witness post to cor. to secs. 25, 26, 35, 36.  
Land mountainous, soil 1st. rate.  
Timber & undergrowth of oak, cedar & chamisal.

East on a random line bet. secs. 25 and 36. Va. 14°25'E.

4.00 From true cor. in gulch  
9.50 Leave gulch 20 lks. wide co. S.W.  
13.00 Cross gulch 50 lks. wide co. S. & ascend  
33.50 Top of high perpendicular bluff crs. N. & S. & descend  
40.00 Cross near <sup>top</sup> of short gulch co. N.E.  
42.00 Set temp.  $\frac{1}{4}$  sec. cor. & enter Canada brs. N. & S.  
46.00 Cross mouth of gulch in Canada 25 lks. wide co. SE.  
48.00 A wash in Canada co. S.  
51.00 Cross same. House of Italians brs. S. 19 $\frac{1}{2}$ ° W. about 10 chs. dist.  
57.00 Leave Canada and ascend  
74.00 Summit of spur brs. NW. & SE. & descend  
80.00 Cross gulch in Canada 15 lks. wide co. S.W. ascend  
Int. E.B. of Tp. at cor. to secs. 25 and 36.  
from which cor. I run  
West on a true line bet. secs. 25 & 36.

40.00 Set post 4 in. dia. 1 ft. in earth 1 ft. above stone mound 4 ft. in dia.  
at base by 2 ft. in height for  $\frac{1}{4}$  sec. cor., from which brs. S  
Live oak 24 in. dia. S. 62 $\frac{1}{2}$ ° E. 164 lks. dist. Va. 14°25'E.

Land mostly level, soil 1st. rate  
Timber & undergrowth of oak, sycamore, willow, cottonwood & chamisal

North bet. secs. 25 & 26. Va. 14°25'E.

From true cor. Ascend.

3.00 Witness post  
40.00 Set post 4 in. dia. 1 ft. in earth 1 ft. above stone mound 4 ft. in  
dia. at base by 2 ft. in height for  $\frac{1}{4}$  sec. cor.  
60.00 Set post 4 in. sq. 1 ft. in earth 1 ft. above stone mound 4 $\frac{1}{2}$  ft. in  
dia. at base by 2 ft. in height for cor. to secs. 23, 24, 25, 26  
Land mostly level, soil 1st. rate.  
Timber & undergrowth of oak, sycamore, willow, cottonwood & chamisal.

East on a random line bet. secs. 24 and 25.

Va. 14°25'E.

Descend

Enter Canada brs. N. & S.

Cross gulch 18 lks. wide co. S.

Leave Canada brs. N. & S. & ascend

On summit of low spur bearing N. & S. Set temp.  $\frac{1}{4}$  sec. cor. & descend.

Enter Canada brs. N. & S.

Cross wash 100 lks. wide co. S.

Leave Canada brs. N. & S. & ascend

Int. E.B. of Tp. 16 lks. N. of cor. to secs. 24 & 25,

from which cor. I run

N. 89°53' W. on a true line bet. secs. 24 & 25.

Va. 14°25'E.

Set post 4 in. dia. 1 ft. in earth 1 ft. above stone mound 4 ft. in dia. at base by 2 ft. in height for  $\frac{1}{4}$  sec. cor.

The cor. to secs. 23, 24, 25 & 26.

Land mountainous, soil 1st. & 2nd. rate.

Timber & undergrowth of oak, sycamore, willow, cottonwood & chamisal.

18.00  
22.50  
31.00  
40.00

42.00  
50.00  
57.50  
65.22

43.11

53.22

North bet. secs. 23 & 24.

Va. 14°25'E.

Ascend.

Set post 4 in. dia. 1 ft. in earth 1 ft. above stone mound 4 ft. in dia. at base by 2 ft. in height for  $\frac{1}{4}$  sec. cor.

Summit of high spur brs. NE. & SW. & descend

Set post 4 in. sq. 1 ft. in earth 1 ft. above stone mound 4  $\frac{1}{2}$  ft. in dia. at base by 2 ft. in height for cor. to secs. 13, 14, 23 & 24.

Land mountainous, soil 2nd. rate.

Timber & undergrowth of oak & chamisal

40.00

59.00

80.00

East on a random line bet. secs. 13 and 24.

Va. 14°25'E.

Ascend

Summit of high ridge brs. N. & SW. & descend

Set post for temp.  $\frac{1}{4}$  sec. cor.

Cross gulch 50 lks. wide course S.E. & ascend

Int. E.B. of Tp. 31 lks. N. of cor. to secs. 13 & 24.

from which cor. I run

N. 89°47' W. on a true line bet. secs. 13 & 24.

Va. 14°25'E.

Set stone 16 x 12 x 10 in stone mound 4 ft. in dia. at base by 2 ft. in height for  $\frac{1}{4}$  sec. cor.

The cor. to secs. 13, 14, 23 & 24.

Land mountainous, soil 2nd. rate.

Timber & undergrowth of oak & chamisal.

Jan. 17, 1880

30.00

40.00

54.50

80.10

40.05

80.10

North bet. secs. 13 & 14.

Va. 14°25'E.

Descend

Cross gulch 20 lks. wide co. S.W. & ascend

Set post 4 in. dia. 1 ft. in earth 1 ft. above stone mound 4 ft. in dia. at base by 2 ft. in height for  $\frac{1}{4}$  sec. cor.

Summit of high ridge brs. N.E. & SW. & descend

Set post 4 in. sq. 1 ft. in earth 1 ft. above stone mound 4  $\frac{1}{2}$  ft. in dia. at base by 2 ft. in height for cor. to secs. 11, 12, 13 & 14.

Land mountainous, soil 2nd. rate.

Timber & undergrowth of oak & chamisal.

31.75

40.00

60.00

80.00

East on a random line bet. secs. 12 & 13. Va. 14°25'E.  
 Ascend  
 28.50 Summit of spur brs. NE. & SW.  
 40.00 Set temp.  $\frac{1}{4}$  sec. cor. Descend  
 59.75 Cross gulch 20 lks. wide co. S. & ascend  
 79.82 Int. E.B. of Tp. 21 lks. N. of cor. to secs. 12 & 13  
 from which cor. I run  
 N 89°51' W. on a true line bet. secs. 12 & 13.

39.91 Set stone 24 x 16 x 8 in stone mound 4 ft. in dia. at base by  
 2 ft. in height for  $\frac{1}{4}$  sec. cor.  
 79.82 The cor. to secs. 11, 12, 13, 14  
 Land mountainous, soil 2nd. rate.  
 Timber & undergrowth of oak & chemical

North bet. secs. 11 & 12. Va. 14°25'E.  
 Descend.  
 21.50 Cross gulch 25 lks. wide co. SW. & ascend  
 39.00 Summit of spur brs. E. & W. & descend  
 40.00 Set post 4 in. dia. 1 ft. in earth 1 ft. above stone mound 4 ft.  
 in dia. at base by 2 ft. in height for  $\frac{1}{4}$  sec. cor.,  
 thence descending along S. side of Canada de San Francisco  
 80.00 Set post 4 in. sq. 1 ft. in earth 1 ft. above stone mound 4  $\frac{1}{2}$  ft. in  
 dia. at base by 2 ft. in height for cor. to secs. 1, 2, 11, 12.  
 Land mountainous, soil 1st. & 2nd. rate.  
 Timber & undergrowth of oak & chemical.

East on a random line bet. secs. 1 & 12. Va. 14°25'E.  
 Ascend  
 40.00 Set temp.  $\frac{1}{4}$  sec. cor.  
 79.76 Int. E.B. of Tp. 10 lks. S. of cor. to secs. 1 & 12.  
 from which cor. I run  
 S 89°56' W on a true line bet. secs. 1 & 12.  
 39.88 Set post 4 in. dia. 1 ft. in earth 1 ft. above stone mound 4 ft.  
 in dia. at base by 2 ft. in height for  $\frac{1}{4}$  sec. cor.  
 79.76 The cor. to secs. 1, 2, 11 & 12.  
 Land mountainous, soil 1st. rate.  
 Timber & undergrowth of oak & chemical.

North on a true line bet. secs. 1 & 2. Va. 14°25'E.  
 Descend.  
 12.50 Enter Canada of San Francisco brs. SW. & NE.  
 16.00 A house brs. E. about 22 2.00 chs. dist.  
 17.50 Enter wash in Canada co. SW.  
 30.00 Leave same  
 35.00 Foot of mountain, leave Canada brs. NE. & SW. & ascend  
 40.00 The cor. falling on steep side hill, a place not suitable to  
 build mound, I set post 4 in. dia. 1 ft. in earth 1 ft. above stone  
 mound 4 ft. in dia. at base by 2 ft. high 4.50 chs. S. for witness  
 post to  $\frac{1}{4}$  sec. cor., from which brs. a  
 Forked oak 10 in. dia. N 71°E. 66 lks. dist.

49.50  
63.50  
103.43

Summit of spur brs. N. & W. & descend  
Cross gulch 28 lks. wide co. SE. & ascend  
Int. at STD. line N. 1.40 chs. E. of st'd. cor. to Tps. 6N. R. 15 & 16W. &  
set post 4 in. sq. 1 ft. in earth 1 ft. above stone mound for 4 1/2 ft. in  
dia. at base by 2 ft. in height for closing cor. to secs. 1 & 2.  
Land mountainous, soil 1st. & 2nd. rate.  
Timber & undergrowth of oak & chemical.

40.00  
50.00  
58.00  
70.00  
80.00

North bet. secs. 34 & 35 Va. 14°25'E.  
From witness post 4.70 chs. W. of true cor. to secs. 34 & 35,  
thence E. 4.70 chs.  
The point for 1/4 sec. cor. falling on steep bluff, a place not  
suitable to build mound, I continued N. & at  
I set post 4 in. dia. 1 ft. in earth 1 ft. above stone mound 4 ft. in  
dia. at base by 2 ft. in height for witness post to 1/4 sec. cor.  
Cross gulch 20 lks. wide co. SW.  
Cross gulch 10 lks. wide co. SW.  
The point for cor. to secs. 26, 27, 34 & 35 falling in deep wash, a  
place not suitable to build mound, I set post 4 in. sq. 1 ft. in earth  
1 ft. above stone mound 4 1/2 ft. in dia. at base by 2 ft. in height 1.00  
ch. W. for witness post to said cor., from brs. a  
Live oak 24 in. dia. N 9°E. 367 lks. dist.  
Land mountainous, soil 1st. & 2nd. rate.  
Timber & undergrowth of oak & chemical.

25.00  
40.00  
40.50  
41.50  
46.50  
79.86

East on a random line bet. secs. 26 & 35. Va. 14°25'E.  
Ascending from true cor.  
Top of spur brs. N. & S. & descend.  
Set temp. 1/4 sec. cor.  
Enter Canada brs. NW. & SE.  
Cross wash 50 lks. wide co. S.  
Leave Canada brs. N. & S. & ascend  
Int. N. & S. line at cor. to secs. 25, 26, 35 & 36  
from which cor. I run  
West on a true line bet. secs. 26 & 35.

39.93  
79.86

The point for 1/4 sec. cor. falling on steep bluff, a place not suitable  
to build mound, I set post 4 in. dia. 1 ft. in earth 1 ft. above stone  
mound, 4 ft. in dia. at base by 2 ft. in height 50 lks. E. for witness  
post to 1/4 sec. cor., from which brs. a  
Cottonwood 12 in. dia. S. 9 1/2°E. 22 lks. dist.  
Willow 10 in. dia. N. 5 1/2°W. 14 lks. dist.  
House brs. S. about 18.00 chs. dist.  
The cor. to secs. 26, 27, 34 & 35.  
Land mountainous, soil 1st. rate.  
Timber & undergrowth of oak, willow, cottonwood & chemical.  
Jan. 8-1880

.75  
35.00  
40.00  
70.00

North bet. secs. 26 & 27 Va. 14°25'E.  
Descending from true cor.  
A wash brs. N.E. & SW. & ascend  
Top of ridge brs. NE. & SW. & descend  
Set post 4 in. dia. 1 ft. in earth 1 ft. above stone mound 4 ft. in dia.  
at base by 2 ft. in height for 1/4 sec. cor.  
House of Dolores Cardoba brs. N. 88°W. about 3000 chs. dist.  
House of Jesus Lains brs. W. about 1800 chs. dist.

80.00 Set post 4 in. sq. 1 ft. in earth 1 ft. above stone mound  $4\frac{1}{2}$  ft. in dia. at base by 2 ft. in height for cor. to secs. 22, 23, 26, 27.  
Land mountainous, soil 1st. & 2nd. rate  
Timber & undergrowth of oak & chemical  
East on a random line bet. secs. 23 & 26.

Va.  $14^{\circ}25'E$ .

Ascend.

20.00 A Canada brs. N. & S.  
31.50 Cross gulch 60 lks. wide course S. & ascend  
40.00 Set temp.  $\frac{1}{4}$  sec. cor.  
60.00 Summit of spur brs. N. & S. & descend  
79.83 Int. N. & S. line 21 lks. S. of cor. to secs. 23, 24, 25, 26  
from which cor. I run  
S.  $89^{\circ}51'W$ . on a true line bet. secs. 23 & 26

Va.  $14^{\circ}25'E$ .

39.91 Set post 4 in. dia. 1 ft. in earth 1 ft. above stone mound  
4 ft. in dia. at base by 2 ft. in height for  $\frac{1}{4}$  sec. cor.  
79.82 The cor. to secs. 22, 23, 26, 27.  
Land mountainous, soil 2nd. rate.  
Timber & undergrowth of oak & chemical.

---

North bet. secs. 22 & 23.

Va.  $14^{\circ}25'E$ .

Over broken spurs.

18.00 Canada San Francisco brs. NE. & SW. & ascend  
21.50 Point of hill & descend  
35.00 Canada San Francisco brs. N.E. & SW.  
40.00 Set post 4 in. dia. 1 ft. in earth & 1 ft. above ~~stone~~ earth mound 4 ft. in dia. at base by 2 ft. in height & dug pits 24 X 18 X 12,  
8 lks. E. for  $\frac{1}{4}$  sec. cor., from which brs. a  
Willow 12 in. dia. S.  $86^{\circ}W$ . 100 lks. dist.  
52.00 Dry bed of creek 150 lks. wide & ascend  
64.00 Clemente Romero's house brs. W. about 2.50 chs. dist.  
76.00 Summit of spur brs. NE. & S.W.  
80.00 Set post 4 in. sq. 1 ft. in earth 1 ft. above stone mound  $4\frac{1}{2}$  ft. in dia. at base by 2 ft. in height for cor. to secs. 14, 15, 22, 23.  
Land mountainous, except in Canada, soil 1st. & 2nd. rate.  
Timber & undergrowth of oak, willow, sycamore, cottonwood & chemical.

---

East on a random line bet. secs. 14 & 23

Va.  $14^{\circ}25'E$ .

Descend.

2.25 Enter Canada San Francisco brs. NW. & SE.  
House of Ygmeria Orsaves brs. N. about 3.50 chs. dist.  
3.10 Cross fence brs. NE. & SW. & enter was in Canada  
4.50 Over same co. S.W.  
6.50 Cross road brs. NE. & SW.  
A house brs. S. about 2.00 chs. dist.  
13.00 Leave Canada & ascend  
30.50 Summit of ridge brs. NE. & SW. & descend  
40.00 Set temp.  $\frac{1}{4}$  sec. cor.  
46.50 Cross gulch 50 lks. wide co. S.W. & ascend  
62.50 Summit of spur brs. NE. & SW.  
79.70 Int. N. & S. line 14 lks. S. of cor. to secs. 13, 14, 23, 24  
from which cor. I run  
S  $89^{\circ}54'W$ . on a true line bet. secs. 14 & 23. Va.  $14^{\circ}25'E$ .  
39.85 Set post 4 in. dia. 1 ft. in earth 1 ft. above stone mound 4 ft. in dia. at base by 2 ft. in height for  $\frac{1}{4}$  sec. cor.  
79.70 The cor. to secs. 14, 15, 22, 23  
Land mountainous, soil 1st. rate.  
Timber & undergrowth of oak, willow, sycamore & cottonwood.

North bet. secs. 14 & 15. Va. 14°25'E.  
 Along E. slope of mountain on W. side of Canada San Francisco  
 Enter canada brs. E. & W.  
 2.50 Leave same canada brs. NW. & SW. & ascend  
 9.50  
 40.00 Set post 4 in. dia. 1 ft. in earth 1 ft. above stone mound 4 ft.  
 in dia. at base by 2 ft. in height for  $\frac{1}{2}$  sec. cor.  
 60.00 Enter canada brs. E. & W.  
 60.50 Leave same brs. E. & W. & ascend  
 80.00 Set post 4 in. sq. 1 ft. in earth 1 ft. above stone mound  $4\frac{1}{2}$  ft. in  
 dia. at base by 2 ft. in height for cor. to secs. 10, 11, 14 & 15.  
 Land mountainous, soil 2nd. rate.  
 Timber & undergrowth of oak, willow, sycamore, cottonwood & chamisal.

Jan. 8, 1880

East on a random line bet. secs. 11 & 14. Va. 14°25'E.  
 Descend  
 20.00 Enter canada San Francisco at mouth of canon  
 Chas. Roggins brs. S. about 30.00 chs. dist.  
 23.50 Cross wash 75 lks. wide course SW., leave canada & ascend  
 40.00 Set temp.  $\frac{1}{4}$  sec. cor.  
 79.86 Int. N. & S. line 23 lks. N. of cor. to secs. 11, 12, 13, 14,  
 from which cor. I run  
 N 89°50'W. on a true line bet. secs. 11 & 14. Va. 14°25'E.  
 39.94 Set post 4 in. dia. 1 ft. in earth 1 ft. above stone mound 4 ft.  
 in dia. at base by 2 ft. in height for  $\frac{1}{2}$  sec. cor.  
 79.86 The cor. to secs. 10, 11, 14, 15  
 Land mountainous, soil 2nd. rate  
 Timber & undergrowth of oak & chamisal.

North bet. secs. 10 & 11. Va. 14°25'E.  
 Descend  
 1.00 Cross short gulch 2 lks. wide co. NE. & ascend  
 23.50 Summit of spur brs. NW. & SE. & descend  
 40.00 Set stone 18 x 14 x 12 in stone mound 4 ft. in dia. at base by  
 2 ft. in height for  $\frac{1}{2}$  sec. cor.  
 46.50 Cross gulch 10 lks. wide co. SE. & ascend.  
 80.00 Set post 4 in. sq. 1 ft. in earth 1 ft. above stone mound  $4\frac{1}{2}$  ft. in  
 dia. at base by 2 ft. in height for cor. to secs. 2, 3, 10 & 11. The  
 cor. is on summit of low ridge brg. NW. & SE.  
 Land mountainous, soil 2nd. rate.  
 Timber & undergrowth of oak & chamisal.

East on a random line bet. secs. 2 & 11. Va. 14°25'E.  
 Descend.  
 23.70 Cross gulch 40 lks. wide co/SE. & continue descent  
 40.00 Set temp.  $\frac{1}{4}$  sec. cor.  
 64.50 Enter canada San Francisco brs. NE. & SW.  
 65.00 Cross road brs. NE. & SW.  
 70.00 Cross wash in ~~xxxx~~ canada  
 71.50 Leave Canada and ascend  
 79.90 Int. N. & S. line 33 lks. S. of cor. to secs. 1, 2, 11 & 12.  
 from which cor. I run  
 S. 89°46'W. on a true line bet. secs. 2 & 11 Va. 14°25'E.

39.95 Set post 4 in.dia. 1 ft.in earth 1 ft.above stone mound  
 4 ft.in dia.at base by 2 ft.in height for  $\frac{1}{4}$  sec.cor.  
 79.90 The cor.to secs. 2,3,10 & 11.  
 Land mountainous, soil 1st.& 2nd.rate  
 Timber & undergrowth of oak & chemical  
 House in S.W. $\frac{1}{4}$  on N.E. $\frac{1}{4}$

---

North on a true line bet.secs. 2 & 3 Va.14°25'E.  
 2.50 Descend  
 21.65 Cross gulch 20 lks.wide co.SE.& ascend  
 40.00 Set post 4 in.dia. 1 ft.in earth 1 ft.above stone mound 4 ft.  
 in dia.at base by 2 ft.in height for  $\frac{1}{4}$  sec.cor.  
 48.50 Summit of spur brs. NW.& SE.  
 51.00 Descend  
 92.00 Cross near head of gulch 10 lks.wide co.SE. & ascend  
 103.74 Int. 1st.Std.line N 1.16 chs.W.of std.cor.to secs. 35 & 36,& set  
 post 4 in.sq. 1 ft.in earth 1 ft.above stone mound 4 ft.in dia.  
 at base by 2 ft.in height for closing cor.to secs. 2 & 3.  
 Land mountainous, soil 2nd.& 3rd.rate  
 Timber & undergrowth of oak & chemical

---

North bet.secs. 33 & 34. Va,14°25'E.  
 10.36 Ascend  
 Int. N.B.of Rancho San Francisco at a point 68.20 chs.N,8 $\frac{1}{2}$  chs.  
 W.of cor.No.9 of final survey of said rancho as resurveyed by me,  
 & set post 4 in.sq. 1 ft.in earth 1 ft.above earth mound 4 $\frac{1}{2}$  ft.in  
 dia.at base by 2 ft.in height & dug pits 24 x 18 x 12,8 lks.dist.  
 at 4 angles for cor.to fracs.secs.33 & 34. This cor.is on summit  
 of low ridge brs. NE.& SW. & descend.  
 17.50 Enter valley brs. NW.& SE.  
 21.00 Leave same & ascend  
 40.00 Set post 4 in.dia. 1 ft.in earth 1 ft.above ~~xxxxx~~ earth mound 4 ft  
 in dia.at base by 2 ft.in height & dug pit 24 x 18 x 12, 8 lks.E.  
 for  $\frac{1}{4}$  sec.cor.  
 72.50 Enter canada brs. SE.& NW.  
 77.50 Leave same & ascend  
 80.00 Set post 4 in.sq. 1 ft.in earth 1 ft.above earth mound 4 $\frac{1}{2}$  ft.in  
 dia.at base by 2 ft.in height & dug pits 24 x 18 x 12,8 lks.dist.  
 at 4 angles for cor.to secs. 27,28,33 & 34.  
 Land mountainous, soil 1st.rate  
 Timber & undergrowth of oak & chemical.

---

East on a random line bet.secs. 27 & 34. Va. 14°25'E.  
 27.00 Descend  
 36.00 Canada San Francisco brs. NW.& SE.  
 40.00 Cross fence brs. NE.& SW.  
 41.50 Set temp,  $\frac{1}{4}$  sec.cor.  
 41.70 House brs. N.about 5.00 chs.dist.  
 45.00 Cross road from Newhall to Bakersfield brs. N.& S.  
 50.50 A corral brs. N.about 4.00 chs.dist.  
 54.20 Enter wash in canada brs. N. & S.  
 54.40 Leave same  
 72.00 Cross fence brs. N.& S.  
 77.50 Cross gulch 50 lks.wide co. SW.  
 Leave canada & ascend.