

DEPARTMENT OF THE INTERIOR

OFFICE OF U. S. SURVEYOR GENERAL

San Francisco, California,

July 11, 1919

I, Louis H. Mooser, U. S. Surveyor General for California, do hereby certify that the annexed copy of the field notes of Township 7 North, Range 11 West (except East Boundary) of San Bernardino Base and Meridian, California is a

true and literal exemplification of the same on file in this office.

IN TESTIMONY WHEREOF I have hereunto subscribed my name and caused the seal of this office to be affixed on the day and year above written.

Louis H. Mooser

United States Surveyor General for California.



		R.11W.								
		5	5	4	4	4	4			
3	1	6	27 5	22 4	18 3	15 2	11 1			
		27	26	21	18	13	10			
3	1	7	26 8	21 9	17 10	13 11	10 12			
		26	25	21	17	13	10			
3	1	18	25 17	20 16	17 15	14 14	9 13			
		25	24	20	16	12	9			
2	1	19	24 20	20 21	16 22	12 23	9 24			
		24	23	19	16	12	9			
2	1	30	23 29	19 28	16 27	12 26	8 25			
		23	22	19	15	11	8			
2	1	31	22 32	18 33	15 34	11 35	8 36			
		7	7	6	6	6	6			
		R.11W.								

- Norris - West Bdy 1853
- " " " 1855
- " South " 1856
- " Interior Sect. Lines 1855

Sixth Mile north

x x x x x x

80.00

Set post with mound corner to ranges 11 and 12 W.,

and townships 6 and 7 north. We are here about three miles S.W. to N.E. angle of hills.

Range 11 W., T. 7 N. continuing.

North in open desert. First mile north.

40.00

Set 1/2 mile post with mound as required.

80.00

Set 1/2 mile post with mound.

Land third rate desert.

Second mile north.

40.00

Set 1/2 mile post with mound.

80.00

Set second mile post. with mound .

Land as before.

Third mile north.

40.00

Set 1/2 mile post with mound.

80.00

Set third mile post with mound.

Land as before.

Fourth mile north.

40.00

Set 1/2 mile post with mound.

80.00

Set fourth mile post with mound.

Land as before.

Fifth Mile north.

40.00

Set 1/2 mile post with mound.

80.00

Set fifth mile post with mound.

Land as before.

Sixth mile north.

40.00

Set 1/2 mile post with mound.

80.00

Set post with mound corner to ranges 11 and 12 West.

townships 7 and 8 N. The mountains are about 8 miles

Tp. lines N. and W., S.B.M.

to sections 13, 18, 19 and 24 and raised a mound with trench and pits as per instructions.

Soil sandy and level, with bunch grass and palmetto.

North on the East boundary of section 13.

Variation 14°12'E.

40.00 Set a post charred and chalked for the $\frac{1}{4}$ section corner and raised a mound with trench and pits as per instructions.

80;00 Set a post charred, chalked and notched for the corner to sections 7, 12, 13 and 18 and raised a mound with trench and pits as per instructions.

Land level, soil sandy with grass and palmetto.

North on the East boundary of section 12.

Variation 14°12'E.

40.00 Set a post charred and chalked for the $\frac{1}{4}$ section corner and raised a mound with pits and trench as per instructions.

80.00 Set a post charred, chalked and notched for corner to sections 1, 6, 7 and 12 and made mound of earth with trench and pits as per instructions.

Land level, soil sandy with bunch grass and palmetto.

North on the East boundary of section 1.

Variation 14°12'E.

40.00 Set a post charred and chalked for the $\frac{1}{4}$ section corner and raised a mound with trench and pits as per instructions.

80.00 To a point for corner to townships 7 and 8 North, Ranges 11 and 12 West.

Drove a charred stake and raised a mound with trench and pits as per instructions.

Land level with sandy soil and a good growth of grass and scattering palmetto.

80.00 Set a post charred, chalked and notched for corner to sections 4, 5, 32 and 33 and made a mound with trench and pits as per instructions.
Land level and second rate, clay soil.

West on a true line between sections 5 and 32.

Variation 14°26'E.

40.00 Set a post charred and chalked for the 1/4 section corner and made a mound with trench and pits.

80.00 Set a post charred, chalked and notched for the corner to sections 5, 6, 31 and 32 and raised a mound with trench and pits as per instructions.

Land level, soil sandy and good grass.

West on a true line between sections 6 and 31.

Variation 14°26'E.

40.00 Set a post charred and chalked for the 1/4 section corner and raised a mound with trench and pits as per instructions.

81.72 The corner to sections 1, 6, 31 and 36 and corner to townships 7 and 8 North, Ranges 11 and 12 West.
Land, level, soil sandy, scattering plametto and grass.

December 4, 1856.

From the corner to Townships 6 and 7 North, Ranges 11 and 12 West, I run

East on a random line between said townships. The variation of my compass being 14°12'E. I set temporary mile and half mile posts, I find the township line to be 6 miles and 60 links and the falling to be 1 chain 20 links North of the township corner.

The correction for the true line will therefore be 60 links East and 20 links per mile south.

From the corner to townships 6 and 7 North, Ranges 10 and 11 West, I run

40.00

per a base of 14°03'E. Variation 14°03'E.
Tp. Lines N. and W. of S.B.M.

Variation 14°03'E.

40.00

Set a post charred and chalked for the $\frac{1}{4}$ section corner and raised a mound with trench and pits as per instructions.

80.00

Set a post charred, chalked and notched for the corner to sections 4, 5, 32 and 33 and raised a mound with trench and pits as per instructions.

Land level, sandy soil with grass, palmetto and sage bushes.

West on a true line between sections 5 and 32.

Variation 14°03'E.

40.00

Set a post charred and chalked for the $\frac{1}{4}$ section corner and made a mound with trench and pits as per instructions.

80.00

Set a post charred, chalked, and notched for the corner to sections 5, 6, 31 and 32 and raised a mound with trench and pits as per instructions.

Land level, soil sandy with grass and so forth.

West on a true line between sections 6 and 31.

Variation 14°03'E.

40.00

Set a post charred and chalked for $\frac{1}{4}$ section corner, made mound, with trench and pits as per instructions.

80.60

The corner to townships 6 and 7 N., Rs. 11 and 12 W.
Land level, soil sandy with good grass and some palmetto.

Field Notes of the Subdivision lines of T. 7 N., R. 11 W. of San Bernardino Meridian.

December 21, 1855...

From the corner, to Sections 1, 2, 35 and 36 on the South boundary of the township, I run

Chains.

of corner to sections 24 and 25 , from which corner,
I run

West on a true line between sections 24 and 25

Variation 14°22'E.

40.28 Set a charred post for the $\frac{1}{4}$ section corner and made
a mound with trench and pits as per instructions.

80.56 The corner to sections 23, 24, 25 and 26,
Land rolling, sandy soil and some palmetto.

North between sections 23 and 24.

Variation 14°12'E.

40.01 Set a charred post for the $\frac{1}{4}$ section corner and made
a mound with trench and pits as per instructions.

80.00 Set a charred post for the corner to sections 13, 14
23 and 24, and made a mound with trench and pits as
per instructions.

Land rolling, second rate.

East on a random line between sections 13 and 24.

Variation 14°12'E.

40.01 Set a post for temporary $\frac{1}{4}$ section corner.

80.60 Intersect the East Boundary of the township 40 links
South of post corner to sections 13 and 24, from which
corner, I run

West on a true line between sections 13 and 24.

Variation 14°29'E.

40.30 Set a charred post for the $\frac{1}{4}$ section corner and made
a mound with trench and pits as per instructions.

80.60 The corner to sections 13, 14, 23 and 24,
Land third rate and rolling.

North between sections 13 and 14.

Variation 14°11'E.

40.01 Set a charred post for the $\frac{1}{4}$ section corner and made a
mound with trench and pits as per instructions.

80.01 Set a charred post for corner to sections 11, 12, 13

Chains.

40.23 Set a charred post for the $\frac{1}{4}$ section corner and made a mound with trench and pits as per instructions.

80.46 The corner to sections 1, 2, 11 and 12.
Land rolling and generally second rate.

Corner to run

North on a random line between sections 1 and 2.

Variation $14^{\circ}12'E$.

40.01 Set a post for temporary $\frac{1}{4}$ section corner.

80.40 Intersect the North boundary of the Township 24 lks. West of the corner to sections 1 and 2, from which corner,

I run

South on a true line between sections 1 and 2.

Variation $14^{\circ}02'E$.

40.40 Set a charred post for the $\frac{1}{4}$ section corner and made a mound with trench and pits as per instructions.

80.40 The corner to sections 1, 2, 11 and 12.
Land generally second rate; level and open.

North between sections 34 and 35.

Variation $14^{\circ}12'E$.

40.00 Set a charred post for the $\frac{1}{4}$ section corner and made a mound with trench and pits as per instructions.

80.00 Set a charred post for the corner to sections 26, 27 34 and 35, and made a mound with trench and pits as per instructions.

Land rolling and second rate.

East on a random line between sections 26 and 35.

Variation $14^{\circ}12'E$.

17.01 To dry bed of creek, 2 chains wide, North 40° west

40.01 Set a post for temporary $\frac{1}{4}$ section corner.

80.40 Intersect North and South line 29 links North of

Chains.

East on a random line between sections 11 and 14
 Variation 14°12'E.
 40.00 Set a post for temporary $\frac{1}{4}$ section corner.
 80.55 Intersect North and South line 45 links North of
 post corner to sections 11, 12, 13 and 14, from which
 corner, I run
 West on a true line between sections 11 and 14.
 Variation 13°53'E.

40.27 Set a charred post for $\frac{1}{4}$ section corner and made a
 mound with trench and pits as per instructions.
 80.55 The corner to sections 10, 11, 14 and 15.
 Land, level, generally open and third rate.

North between sections 10 and 11.
 Variation 14°12'E.

40.00 Set a charred post for the $\frac{1}{4}$ section corner and made
 a mound with trench and pits as per instructions.
 80.00 Set a charred post for the corner to sections 2, 3,
 10 and 11, and made a mound with trench and pits as
 per instructions.
 Land rolling and generally third rate.

East on a random line between sections 2 and 11
 Variation 14°12'E.

40.01 Set a post for temporary $\frac{1}{4}$ section corner.
 80.66 Intersect the North and South line 48 links North of
 the corner to sections 1, 2, 11 and 12, from which
 corner, I run
 West on a true line between sections 2 and 11.
 Variation 13°51'E.

40.33 Set a charred post for the $\frac{1}{4}$ section corner and made
 a mound with trench and pits as per instructions.
 80.66 The corner to sections 2, 3, 10 and 11.
 Land second rate, sandy soil.

Chains.

December 23, 1855.

North on a random line between sections 2 and 3

Variation 14°12'E.

- 40.00 Set a post for temporary $\frac{1}{4}$ section corner.
- 80.10 Intersect the North boundary of the township 60 links west of the corner to sections 2 and 3, from which corner, I run South on a true line between sections 2 and 3.

Variation 13°46'E.

- 40.10 Set a charred post for the $\frac{1}{4}$ section corner and made a mound with trench and pits as per instructions.
- 80.10 The corner to sections 2, 3, 10 and 11. Land, level and open, generally second rate.

North between sections 33 and 34.

Variation 14°12'E.

- 40.00 Set a charred post for the $\frac{1}{4}$ section corner and made a mound with trench and pits as per instructions.
- 80.01 Set a charred post for the corner to sections 27, 28 33 and 34, and made a mound with trench and pits as per instructions. Soil sandy and mostly third rate, Land open.

East on a random line between sections 27 and 34.

Variation 14°12'E.

- 40.00 Set a post for temporary $\frac{1}{4}$ section corner.
- 80.44 Intersect North and South line 30 links South of post corner to sections 26, 27, 34 and 35, from which corner I run West on true line between sections 27 and 34.

Variation 14°25'E.

- 40.22 Set a charred post for the $\frac{1}{4}$ section corner and made a mound with trench and pits as per instructions.
- 80.44 The corner to sections 27, 28, 33 and 34. Land, level, soil sandy and third rate.

instructions.

Land level and sandy with some good grass.

Chains.

Land third rate, with some palmetto:

East on a random line between sections 9 and 16.

Variation 14°12'E.

40:00 Set a post for temporary $\frac{1}{4}$ section corner.

80:64 Intersect North and South line 20 links south of post corner to sections 9, 10, 15 and 16, from which corner, I run

West on a true line between sections 9 and 16.

Variation 14°21'E.

40:32 Set a charred post for the $\frac{1}{4}$ section corner and made a mound with trench and pits as per instructions.

80:64 The corner to sections 8, 9, 16 and 17. Land level and third rate.

North between sections 8 and 9.

Variation 14°12'E.

40:01 Set a charred post for the $\frac{1}{4}$ section corner and made a mound with trench and pits as per instructions.

80:00 Set a charred post for corner to sections 4, 5, 8 and 9, and made a mound with trench and pits as per instructions.

Land level and sandy with some good grass.

East on a random line between sections 4 and 9

Variation 14°12'E.

40:00 Set a post for temporary $\frac{1}{4}$ section corner.

80:56 Intersect North and South line 30 links South of post corner to sections 3, 4, 9 and 10, from which corner, I run

West on a true line between sections 4 and 9

Variation 14°25'E.

40:28 Set a charred post for the $\frac{1}{4}$ section corner and made a mound with trench and pits as per instructions.

80:56 The corner to sections 4, 5, 8 and 9.

mound with trench and pits as per instructions.

- 80.30 The corner to sections 17, 18, 19 and 20.
Land generally second rate and rolling.

West on a random line between sections 18 and 19.

Variation $14^{\circ}12'E$.

- 40.01 Set a post for temporary $\frac{1}{4}$ section corner.

- 80.20 Intersect the West boundary of the township 33 links
North of the corner to sections 18 and 19, from which
corner I run

East on the true line between sections 18 and 19.

Variation $14^{\circ}26'E$.

- 40.20 Set a charred post for the $\frac{1}{4}$ section corner and made
a mound with trench as per instructions.

- 80.20 The corner to sections 17, 18, 19 and 20.
Land generally rolling and third rate.

North between sections 17 and 18.

Variation $14^{\circ}12'E$.

- 40.00 Set a charred post for the $\frac{1}{4}$ section corner and made
a mound with trench and pits as per instructions.

- 80.00 Set a charred post for the corner to sections 7, 8,
17 and 18, and made a mound with trench and pits as
per instructions.

Soil sandy and generally second rate.

East on a random line between sections 8 and 17.

Variation $14^{\circ}12'E$.

- 40.00 Set a post for temporary $\frac{1}{4}$ section corner.

- 80.26 Intersect North and South line 40 links North of
post corner to sections 8, 9, 16 and 17, from which
corner, I run

West on a true line between sections 8 and 17.

Variation $13^{\circ}55'E$.

- 40.13 Set a charred post for the $\frac{1}{4}$ section corner and made
a mound with trench and pits as per instructions.

- 80.40 The corner to sections 5, 6, 7 and 8.
Land third rate, growth of sage and palmetto.
-
- West on a random line between sections 6 and 7.
Variation $14^{\circ}12'E$.
- 40.01 Set a post for temporary $\frac{1}{4}$ section corner.
- 80.90 Intersect the West boundary of the township 7 links
South of the corner to sections 6 and 7, from which
corner I run
East on the true line between sections 6 and 7.
Variation $14^{\circ}09'E$.
- 40.90 Set a charred post for the $\frac{1}{4}$ section corner and made
a mound with trench and pits as per instructions.
- 80.90 The corner to sections 5, 6, 7 and 8.
Land third rate and rolling. Palmetto and sage bushes.
-
- North on a random line between sections 5 and 6.
Variation $14^{\circ}12'E$.
- 40.01 Set a post for temporary $\frac{1}{4}$ section corner.
- 81.00 Intersect the North boundary of the township 60 links
West of the corner to sections 5 and 6, from which
corner I run
South on the true line between sections 5 and 6
Variation $13^{\circ}46'E$.
- 41.00 Set a charred post for the $\frac{1}{4}$ section corner and made
a mound with trench and pits as per instructions.
- 81.00 The corner to sections 5, 6, 7 and 8.
Land third rate with palmetto and sage bushes.
-

GENERAL DESCRIPTION.

This Township is well adapted to grazing, there being large quantities of fine bunch grass.

Water can be easily obtained by digging.

Surveyed by Ralph W. Norris, Deputy Surveyor,
Contract dated October 19th, 1855.