

Field Notes of certain lines  
in  
Township 2 North, Range 7 West, S. B. M.

	R. 8 W.				
	36	R. 7 W.			
		31	32	33	
		3	3	3	T 3 N
					T 2 N
	1	6	9	5	5
		8	8	8	5
	12	7	8	8	9
		8	7	7	4
	13	18	7	17	4
					16
	24	19	7	7	4
					21
		6	6	6	
	25	30	6	29	4
					28
		5	6	5	
	36	31	5	32	3
					33
					T. 2 N
					T. 1 N
	R. 8 W.	R. 7 W.			

----- J. R. Glover      ----- Feb. 18, 1884

WEST BOUNDARY T. 2 N., R. 7 W., S.B.M.

From the corner to Townships 1 and 2 N., Ranges 7 and 8 W., I run  
NORTH between Sections 31 and 36. Var. 14° 36' E.

Ascend.

17 10 Top of spur bears N. 60° E. and S. 60° W. and descend.  
37 00 Cross ravine 20 lks. wide, course S. 55° W. and ascend.  
40 00 Set a quartz stone 20x16x5 ins. 15 ins. in the ground for  $\frac{1}{4}$  sec cor  
mkd  $\frac{1}{4}$  on N face, and raised a stone md alongside. Pits impracticable.  
64 00 Top of ridge bears NE. and SW.  
64 46 A pine 10 ins. dia. and descend.  
80 00 Set a granite stone 36x12x12 ins. 27 ins. in the ground for corner to  
Sections 25, 30, 31 and 36, mkd with 1 notch on S and 5 notches on N  
edges, and raised a md of stone alongside. Pits impracticable.  
Land mountainous. Soil 3rd rate. Dense undergrowth of chaparral.

-----  
NORTH between Sections 25 and 30. Var. 14° 26' E.

Descend.

5 00 Cross gulch 11 lks. wide, course S. 60° W. and ascend.  
10 00 Top of spur bears N. 88° E. and S. 88° W. and descend.  
12 00 Enter timber bears E and W.  
33 10 Enter San Antonio Canyon, course S. 40° W.  
33 25 Cross San Antonio Creek 20 lks. wide, course S. 40° W.  
36 15 Leave San Antonio Canyon and ascend.  
38 00 Leave timber bears E and W.  
40 00 Set a post 2 ft. long 3 ins. sq. 24 ins. in the ground for  $\frac{1}{4}$  sec cor  
mkd  $\frac{1}{4}$  S on W face, from which bears:  
A pine 18" dia S. 5° E, 196 lks. dist. mkd  $\frac{1}{4}$  S BT.  
A pine 10" dia S. 13° W, 215 lks. dist. mkd  $\frac{1}{4}$  S BT.  
47 12 Cross trail bears N. 30° E. and S. 30° W.  
80 00 Set a granite stone 16x10x5 ins. 11 ins. in the ground for corner to  
Sections 19, 24, 25 and 30, mkd with 2 notches on S and 4 notches on  
N edges and raised a md of stone alongside. Pits impracticable.  
Land mountainous. Soil 2nd rate.  
Timber of pine and dense undergrowth of chaparral.

-----  
NORTH between Sections 19 and 24. Var. 14° 26' E.

Ascend abruptly.

9 50 Top of spur bears E and W and descend.  
40 00 Set a granite stone 12x10x7 ins. 8 ins. in the ground for  $\frac{1}{4}$  sec cor.  
mkd  $\frac{1}{4}$  on W face and raised a md of stone alongside.  
Pits impracticable.  
55 10 Cross West Fork of Bear Creek 6 lks wide, course S 70° E. Ascend  
80 00 Set a granite stone 16x12x8 ins. 11 ins. in the ground for corner  
to Sections 13, 18, 19 and 24, mkd with 3 notches on N and S edges,  
and raised a md of stone alongside. Pits impracticable.  
Land mountainous. Soil 2nd and 3rd rate.  
Dense undergrowth of chaparral.

-----  
NORTH between Sections 13 and 18. Var. 14° 26' E.

Ascend.

8 50 Enter timber bears E and W, and descend.  
21 46 Cross stream 5 lks wide, in Bear Canyon, course S 16° E. Ascend.  
40 00 Set a granite stone 18x10x6 ins. 12 ins. in the ground for  $\frac{1}{4}$  sec. cor.  
mkd  $\frac{1}{4}$  on W face, from which bears:  
A fir 20" dia N. 14° E, 64 lks. dist, mkd  $\frac{1}{4}$  S BT.  
A fir 30" dia S. 28° W, 29 lks. dist, mkd  $\frac{1}{4}$  S BT.  
78 00 Top of ridge bears NE and SW and along same.  
80 00 A white pine 36" dia which I marked:  
T 2 N S 7 on NE. R 7 W S 18 on SE.  
R 8 W S 13 on SW and S 12 on NW faces, with 4 notches

on 8 and 2 notches on Hedges, for corner to Sections 7, 12, 13 & 18, from which bears :

A pine 15" dia S 60° E, 96 lks dist mkd T 2 N R 7 W S 18 BT.  
A pine 12" dia S 68° W, 58 lks dist mkd T 2 N R 8 W S 13 BT.  
No other tree within limits. Land mountainous. Soil 2nd & 4th rate.  
Timber of pine and dense undergrowth of chaparral.

-----  
NORTH between Sections 7 and 12.

Var. 14° 26' E.

Descend.

1 00 Leave timber bears E and W.  
40 00 Set a granite stone 20x10x8 ins. 15 ins. in the ground for  $\frac{1}{4}$  sec. cor. mkd  $\frac{1}{4}$  on W face, and raised a md of stone alongside. Pits impract'ble.  
54 00 Bed of Cattle Canyon, course S 56° W, and ascend abruptly.  
80 00 Set a granite stone 15x10x6 ins 10 ins in the ground for corner to Sections 1, 6, 7 and 12 mkd with 5 notches on S and 1 notch on N edges and raised a md of stone alongside. Pits impracticable.  
Land mountainous. Soil 2nd and 3rd rate.  
Timber of pine and dense undergrowth of manzanita.

-----  
NORTH between Sections 1 and 6.

Var. 14° 26' E.

Ascend.

26 50 Top of San Gabriel range of mountains bears N. 68 $\frac{1}{2}$ ° E & S 69° W.  
Descend.  
40 00 Set a granite stone 16x12x12 ins. 11 ins. in the ground for  $\frac{1}{4}$  sec cor mkd  $\frac{1}{4}$  on W face, and raised a md of stone alongside. Pits impracticable  
80 00 Set a granite stone 24x20x10 ins. 18 ins in the ground for corner to Tps 2 and 3 N, Rs 7 and 8 W, mkd with 6 notches on each edge and raised a md of stone alongside. Pits impracticable.  
Land mountainous. Soil 2nd and 3rd rate.  
Dense undergrowth of manzanita.

-----  
NORTH BOUNDARY T 2 N. R 7 W. S.B.M.

From the corner to Tps 2 and 3 N, Rs 7 and 8 W, I run

EAST on a RANDOM line on North boundary of Tp. Var. 14° 26' E.

I set temporary corners at every 40 and 80 chains and at 6 miles 84 lks. I arrive at a point 94 lks N of corner to Tps 2 and 3 N, Rs 6 and 7 W, previously set by me, from which corner I run

N. 89° 53' W, on a TRUE LINE bet secs 4 and 33. Var. 14° 26' E.

80 00 Set a granite stone 22x15x9 ins. 16 ins. in the ground for corner to Sections 4, 5, 32 and 33, mkd with 4 notches on E and 2 notches on W edges, and raised a md of stone alongside. Pits impracticable.

-----  
N. 89° 53' W, on a TRUE LINE bet Secs 5 and 32. Var. 14° 26' E.

Descend.

40 00 Set a granite stone 16x10x6 ins. 11 ins. in the ground for  $\frac{1}{4}$  sec. cor mkd  $\frac{1}{4}$  on N face, and raised a md of stone alongside. Pits impr'e'ble.  
80 00 Set a quartz stone 13x12x9 ins 9 ins in the ground for corner to Secs 5, 6, 31 and 32, mkd with 5 notches on E and 1 notch on W edges, and raised a md of stone alongside. Pits impracticable.  
Land mountainous. Soil 2nd and 3rd rate.  
Dense undergrowth of manzanita.

-----  
N. 89° 53' W. on a TRUE LINE bet Secs 6 and 31. Var. 14° 26' E.

Along north slope.

40 00 Set a quartz stone 17x10x6 ins 11 ins in the ground for  $\frac{1}{4}$  sec cor mkd  $\frac{1}{4}$  on N face, and raised md of stone alongside. Pits impracticable.  
80 85 The cor to Tps 2 and 3 N, Rs 7 and 8 W. Land mountainous.  
Soil 2nd and 3rd rate. Dense undergrowth of manzanita.

Feb. 4, 1884

Surveyed by J. R. Glover, Deputy Surveyor, Contract Jan. 14, 1884

NORTH BOUNDARY T 2 N, R 7 W, S. B. M. RETRACING

WEST between Sections 4 and 33. Var. 14° 20' E.

79 78 To a point 13 lks. S of the corner to Secs 4, 5, 32 and 33 which is a granite stone 15x9 ins. mkd with 4 notches on east and 2 notches on west edges, with md of stone alongside. The return course will be S. 89° 49' E. Land mountainous, etc.  
-----

WEST between Sections 5 and 32. Var. 14° 20' E.

40 00 Along north slope.  
Being unable to find old  $\frac{1}{4}$  sec corner I set temporary one and continue west.  
80 11 To a point 23 lks S of corner to Secs 5, 6, 31 and 32 which is a quartz stone 12x9 ins. mkd with 5 notches on east and 1 notch on west edges, with md of stone alongside. From which corner I run S. 80° 50' E. on a TRUE LINE bet secs 5 and 32. Var. 14° 20' E.

40 06 Ascend along north slope.  
Set a limestone 20x8x7 ins. 12 ins in the ground for  $\frac{1}{4}$  sec corner mkd  $\frac{1}{4}$  on N face and raised a md of stone alongside. Pits impract.  
80 11 The cor to secs 4, 5, 32 and 33. Land mountainous. Soil 2nd and 3rd rate. No timber. Dense undergrowth of manzanita.  
-----

WEST between Sections 6 and 31. Var. 14° 20' E.

40 00 Along north slope.  
Being unable to find any trace of  $\frac{1}{4}$  sec corner I set a temporary one and continue west.  
80 46 To a point 30 lks S of cor to Tps 2 and 3 N, Rs 7 and 8 W. which is a granite stone 20x10 ins. mkd with 6 notches on N, E, S and W. edges with md of stone alongside. From which corner I run S. 89° 47' E, on a TRUE LINE bet secs 6 and 31. Var. 14° 20' E.

40 46 Along North slope.  
Set a granite stone 27x19x5 ins. 15 ins. in the ground for  $\frac{1}{4}$  sec cor. mkd  $\frac{1}{4}$  on N face and raised a md of stone alongside. Pits impract.  
80 46 The corner to Sections 5, 6, 31 and 32. Land mountainous. Soil 3rd rate. No timber. Dense undergrowth of manzanita.  
-----

Surveyed by Geo. H. Perrin, Deputy Surveyor.  
Contract dated December 24, 1884.

T 2 N, R 7 W, S. B. M.

From the corner to Sections 4, 5, 32 and 33 on South Boundary of Township, I run

NORTH between Sections 32 and 33. Var. 14° 26' E.

36 14 Descend.  
A pine 16" diameter.  
40 00 Set a post 3' long, 3" sq. 24" in the ground for  $\frac{1}{4}$  sec corner, mkd  $\frac{1}{4}$  section on W face, from which bears:  
A cedar 10" dia. S 58° E, 106 lks mkd  $\frac{1}{4}$  S BT.  
A pine 14" dia. S 66° W 74 lks mkd  $\frac{1}{4}$  S BT.  
80 00 Set post 4' long, 4" sq. 24" in the ground for corner to Secs 28, 29, 32, 33, mkd T 2 N S 28 on NE.; R 7 W S 33 on SE.; S 32 on SW and S 29 on NW faces, with 1 notch on S and 4 notches on E edges, from which bears an  
Oak 8" dia. N 43½° E, 17 lks mkd T 2 N R 7 W S 28 B T.  
Pine 16" dia S 32° E, 95 lks mkd T 2 N R 7 W S 33 B T.  
Cedar 12" dia S 69° W, 64 lks mkd T 2 N R 7 W S 32 B T.  
Pine 10" dia N 70½° W, 51 lks mkd T 2 N R 7 W S 29 B T.  
Land mountainous. Soil 2nd and 3rd rate. Undergrowth of chaparral.  
Heavy timber of pine, cedar and oak.

NORTH between Sections 28 and 29.

Var. 14° 26' E.

Ascend.

40 00 Set a granite stone 15x7x5 ins. 10 ins. in the ground for  $\frac{1}{4}$  sec cor mkd  $\frac{1}{4}$  on W face and raised a md of stone alongside. Pits impract.

47 00 Ascend abruptly.

80 00 Set a post 4' long, 4" sq. 12" in the ground for corner to Sections 20, 21, 28 and 29, mkd T 2 N S 21 on NE, R 7 W S 28 on SE, S 29 on SW and S 20 on NW faces, with 2 notches on S and 4 notches on E edges, from which bears

A pine 12" dia S 13° E, 24 lks mkd T 2 N R 7 W S 28 BT.

A pine 16" dia S 65° W, 93 lks mkd T 2 N R 7 W S 29 BT.

No other trees within limits and raised a md of stone around post. Pits impracticable. Land mountainous. Soil 3rd rate. Timber of pine and cedar and dense undergrowth of chaparral.

NORTH between Sections 20 and 21.

Var. 14° 26' E.

In order to avoid crossing the rough broken ground in advance of cor to Sections 20, 21, 28 and 29, I offset East 20 chains. Thence NORTH Telegraph Peak bears west.

23 00  
40 00 Offset West 20 chains to true line and set a granite stone 16x12x12 ins. 11 ins in the ground for  $\frac{1}{4}$  sec cor mkd  $\frac{1}{4}$  on W face and raised a md of stone alongside. Pits impracticable. DESCEND.

67 15 Cross Ice house Canyon 20 lks wide, course West and ascend.

80 00 Set a post 4' long, 4" sq. 12" in the ground for cor to sections 16, 17, 20 and 21, mkd T 2 N, S 16 on NE, R 7 W S 21 on SE, S 20 on SW and S 17 on NW faces, with 3 notches on S and 4 notches on E edges, from which bears

A fir 12" dia N 74° E 58 lks mkd T 2 N R 7 W S 16 BT.

A fir 18" dia N 89° W 64 lks mkd T 2 N R 7 W S 17 BT.

No other tree within limits raised a md of stone around post. Pits impracticable. The summit of Telegraph Peak S 5° W. from this point. Land mountainous. Soil 3rd rate. Timber of pine, fir, cedar and oak and dense undergrowth of chaparral.

NORTH between Sections 16 and 17.

Var. 14° 26' E.

Ascend.

33 50 Top of ridge bears NW and SE, and descend.

37 50 A fir 14" dia.

40 00 A granite stone 36x24x16 ins. in place which I mark with X at exact corner place and  $\frac{1}{4}$  on W face for  $\frac{1}{4}$  sec corner, from which bears

A fir 18" dia N 11° E 59 lks distant, mkd  $\frac{1}{4}$  S BT.

No other trees within limits and raised a md of stone alongside cor. Pits impracticable.

76 00 Enter San Antonio Canyon, course S S ° W. (S 80° W)

77 55 Cross trail bears E and W and ascend gradually from canyon.

80 00 Set a granite stone 15x8x8 ins 12 ins in the ground for corner to Secs 8, 9, 16 and 17, mkd with 4 notches on S and E edges, from which bears

A cedar 12" dia N 21° E 19 lks mkd T 2 N R 7 W S 9 BT.

A pine 24 ins dia S 7° E 52 lks mkd T 2 N R 7 W S 16 BT.

A pine 10 ins dia S 82° W 29 lks mkd T 2 N R 7 W S 17 BT.

No other trees within limits and raised a md of stone alongside cor stone. Pits impracticable. Land mountainous. Soil 3rd rate. Heavy timber of pine, fir and cedar and undergrowth of chaparral.

NORTH between Sections 8 and 9.

Var. 14° 26' E.

Ascend through heavy timber.

40 00 Set a granite stone 20x18x6 ins. 15 ins. in the ground for  $\frac{1}{4}$  sec cor mkd  $\frac{1}{4}$  on W face from which bears

A cedar 10" dia S 38 $\frac{1}{2}$ ° E 67 lks mkd  $\frac{1}{4}$  S BT.

A pine 15" dia N 21° W 40 lks mkd  $\frac{1}{4}$  S BT.  
 52 00 Leave heavy and enter scattering timber.  
 80 00 Set a granite stone 18x10x4 ins 12 ins in the ground for cor to  
 Sections 4, 5, 8 and 9, mkd with 4 notches on East and 5 notches  
 on South edges, from which bears  
 A pine 16" dia N 15° E 28 lks mkd T 2 N R 7 W S 4 BT.  
 A pine 18" dia S 86° W 46 lks mkd T 2 N R 7 W S 8 BT.  
 No other trees within limits, raised a md alongside corner. Pits im-  
 practicable. Land mountainous. Soil 3rd rate. Heavy timber of pine,  
 oak and cedar and undergrowth of chaparral.

NORTH on a RANDOM LINE between Secs 4 and 5. Var. 14° 26' E.  
 40 00 Set temporary  $\frac{1}{4}$  section corner.  
 80 46 Intersect North boundary of Township 29 lks East of corner to Sects  
 4, 5, 32 and 33. Thence I run

S. 12' E. on a TRUE LINE between Sections 4 and 5. Var. 14° 26' E.  
 Ascend.  
 40 46 Set a granite stone 15x11x8 ins 10 ins in the ground for  $\frac{1}{4}$  sec cor  
 mkd  $\frac{1}{4}$  on W face and raised a md of stone alongside. Pits impract.  
 45 46 Summit of San Gabriel Mountains N 88° W and S 85° E and descend.  
 65 46 Enter timber bears E and W.  
 80 46 The corner to Secs 4, 5, 8 and 9.  
 Land mountainous. Soil 3rd rate. Timber of pine and oak and dense  
 undergrowth of chaparral. February 14, 1884.

From the corner to Secs 5, 6, 31 and 32, on S boundary of Tp. I run

NORTH between Secs 31 and 32. Var. 14° 26' E.  
 Ascend abruptly.  
 34 00 Top of divide between Queamonga and San Antonio Canyons bears NW and  
 SE and along same.  
 40 00 Set a granite stone 14x12x8 ins 9 ins in the ground for  $\frac{1}{4}$  sec cor.  
 mkd  $\frac{1}{4}$  on W face and raised a md of stone alongside. Pits impract.  
 65 00 Leave top of divide bears N 15' E and S 5° W and descend.  
 80 00 Set a granite stone 18x7x7 ins 12 ins in the ground for corner to  
 Secs 29, 30, 31 and 32, mkd with 1 notch on S and 5 notches on E edges  
 and raised a md of stone alongside. Pits impracticable.  
 Land mountainous. Soil 3rd rate. Dense undergrowth of chaparral.

EAST on a RANDOM LINE between Secs 29 and 32. Var. 14° 26' E.  
 40 00 Set temporary  $\frac{1}{4}$  section corner.  
 79 71 Intersect N and S line 25 lks N of corner to Secs 28, 29, 32, 33,  
 Thence I run  
 N. 89° 49' W. on a TRUE LINE between Secs 29 and 32. Var. 14° 26' E.  
 Ascend.  
 39 85 Set a granite stone 15x10x7 ins. 10 ins. in the ground for  $\frac{1}{4}$  sec cor.  
 mkd  $\frac{1}{4}$  on N face and raised a md of stone alongside. Pits impract.  
 70 71 Top of divide between Queamonga and San Antonio Canyons bears N 20° E  
 and S 20° W and descend.  
 79 71 The corner to Secs 29, 30, 31 and 32. Land mountainous.  
 Soil 3rd rate. Dense undergrowth of chaparral.

WEST on a RANDOM LINE between Secs 30 and 31. Var. 14° 26' E.  
 40 00 Set temporary  $\frac{1}{4}$  section corner.  
 82 27 Intersect west bdy of Tp 14 lks S of cor to Secs 25, 30, 31, 36.  
 Thence I run  
 S. 89° 54' E. on a TRUE LINE between Sections 30 & 31. Var. 14° 26' E.  
 Ascend.  
 19 27 Top of ridge bears NE and SW and descend.  
 30 89 Cross gulch 8 lks. wide, course S 40° W and ascend.

- 33 27 Enter timber bears NE and SW.  
 42 27 Set a post 3' long, 3" sq. 12" in the ground for  $\frac{1}{4}$  section corner  
 mkd  $\frac{1}{4}$  on N face from which bears  
 A pine 12" dia N 11° E 68 lks distant mkd  $\frac{1}{4}$  S BT.  
 No other trees within limits, raised a md of stone around post.  
 Pits impracticable.
- 73 27 Leave Timber bears N and S.  
 82 27 The corner to Sections 29, 30, 31 and 32. Land mountainous.  
 Soil 2nd and 3rd rate. Timber of pine and cedar and dense under-  
 growth of same and chaparral.

-----  
 NORTH between Sections 29, 30. Var. 14° 26' E.

- Descend.  
 40 00 Set a granite stone 17x12x5 ins 11 ins in the ground for  $\frac{1}{4}$  sec cor  
 mkd  $\frac{1}{4}$  S on W face and raised a stone md alongside. Pits impract.  
 51 50 Cross gulch 8 lks wide course S 60° W and ascend.  
 80 00 Set a granite stone 14x11x9 ins 9 ins in the ground for cor to Secs.  
 19, 20, 29 and 30, mkd with 2 notches on S and 5 notches on E edges  
 and raised a stone md alongside. Pits impracticable.  
 Land mountainous. Soil 3rd rate. Dense undergrowth of chaparral.

-----  
 EAST on a RANDOM LINE between secs 20 and 29. Var. 14° 26' E.

- 40 00 Set temporary  $\frac{1}{4}$  section corner.  
 80 19 Intersect N and S line 32 lks N of corner to Secs 20, 21, 28, 29.  
 Thence I run

N. 89° 46' W. on a TRUE LINE between Secs 20 & 29. Var. 14° 26' E.  
 Descend.

- 40 09 A granite rock in place 6x5x2 ft above ground which I marked with X  
 at exact corner and raised a stone md alongside. Pits impracticable.  
 80 19 The corner to Secs 19, 20, 29, 30. Land mountainous. Soil 3rd rate.  
 Dense undergrowth of chaparral. February 15, 1884.

-----  
 WEST on a RANDOM LINE between Secs. 19 and 30. Var. 14° 26' E.

- 40 00 Set temporary  $\frac{1}{4}$  section corner.  
 81 92 Intersect W bdy of Tp 38 lks S of corner to Secs 19, 24, 25, 30.  
 Thence I run  
 S 89° 44' E. on a TRUE LINE between Secs. 19 & 30. Var. 14° 26' E.  
 Ascend.  
 6 92 Top of spur bears N 6° E and S 6° W and descend.  
 22 92 Enter timber bears N and S.  
 23 85 Cross Bear Creek 7 lks wide course S 60° W.  
 27 12 Enter San Antonio Canyon course S 20° W and cross trail bears N 15° E  
 and S 20° W.  
 36 97 Cross San Antonio Creek 20 lks wide, course S 65° W and ascend.  
 41 92 Set a post 3' long, 3" sq. 24" in the ground for  $\frac{1}{4}$  section corner mkd  
 $\frac{1}{4}$  S on N face, from which bears  
 An oak 10" dia N 77 $\frac{1}{2}$ ° E 15 lks mkd  $\frac{1}{4}$  S BT.  
 An oak 10" dia S 33 $\frac{1}{2}$ ° E 83 lks mkd  $\frac{1}{4}$  S BT.  
 43 12 Leave San Antonio Canyon and ascend.  
 43 92 Enter dense chaparral.  
 81 92 The corner to Secs 19, 20, 29, 30. Land mountainous. Soil 2nd rate.  
 Heavy timber of Pine, oak and sycamore and undergrowth of chaparral.

-----  
 NORTH between Secs 19, 20. Var. 14° 26' E.

- Descend.  
 38 00 Enter San Antonio Canyon course S 40° W.  
 38 10 Cross San Antonio Creek 15 lks wide, course S 35° W.  
 38 45 Cross trail bears NE and SW.  
 40 00 Set a granite stone 16x10x9 ins 11 ins in the ground for  $\frac{1}{4}$  sec cor  
 mkd  $\frac{1}{4}$  on W face from which bears  
 An oak 9" dia S 70° E 40 lks mkd  $\frac{1}{4}$  S BT.



No other trees within limits, raised a md of stone alongside.  
Pits impracticable.

43 00 Leave San Antonio Canyon and ascend.  
80 00 Set a granite stone 18x10x6 ins 12 ins in the ground for corner to  
Secs 17, 18, 19, 20, mkd with 3 notches on S and 5 notches on E  
edges and raised a md of stone alongside. Pits impracticable.  
Land mountainous. Soil 3rd rate.  
Dense undergrowth of chaparral and timber of pine, oak & sycamore.

-----

EAST on a RANDOM LINE between Secs 17 and 20. Var. 14° 26' E.  
40 00 Set temporary  $\frac{1}{4}$  section corner.  
79 82 Intersect N and S line 51 lks N of corner to sections 16, 17, 20, 21.  
Thence I run  
N. 89° 38' W. on a TRUE LINE between Secs 17 and 20. Var. 14° 26' E.  
Descend.  
39 91 Set a granite stone 30x8x8 ins 22 ins in the ground for  $\frac{1}{4}$  sec cor mkd  
 $\frac{1}{4}$  on N face and raised a md of stone alongside. Pits impracticable.  
45 82 Top of spur bears NE and SW and descend.  
58 82 Enter San Antonio Canyon, course S 10° E.  
61 05 Cross San Antonio Creek 12 lks wide, course S 10° E.  
62 82 Leave San Antonio Canyon and ascend.  
67 82 Leave timber bears N and S and ascend abruptly.  
79 82 The cor to Secs 17, 18, 19 and 20. Land mountainous.  
Soil 3rd rate.  
Heavy timber of pine, oak and sycamore and undergrowth of chaparral.

-----

WEST on a RANDOM LINE between Secs 18 and 19. Var. 14° 26' E.  
40 00 Set temporary  $\frac{1}{4}$  section corner.  
81 53 Intersect W bdy of Tp 30 lks N of corner to Secs 13, 18, 19, 24.  
Thence I run  
N. 89° 47' E on a TRUE LINE between Secs 18 and 19. Var. 14° 27' E.  
Descend.  
15 67 Cross Bear Canyon 6 lks wide, course S 5° E and ascend.  
61 53 Set a granite stone 16x10x6 ins 11 ins in the ground for  $\frac{1}{4}$  sec cor.  
mkd  $\frac{1}{4}$  on N face and raised a md of stone alongside. Pits impract.  
55 53 Top of ridge bears N and S and descend.  
81 53 The cor to Secs 17, 18, 19, 20. Land mountainous. Soil 3rd rate.  
Dense undergrowth of chaparral.

-----

NORTH between Sections 17 and 18. Var. 14° 28' E.  
Descend.  
29 00 Cross gulch 10 lks wide course S 10° E and ascend.  
40 00 Set a granite stone 16x10x7 ins 11 ins in the ground for  $\frac{1}{4}$  sec cor  
mkd  $\frac{1}{4}$  on W face and raised a md of stone alongside. Pits impracticable.  
80 00 Set a granite stone 12x12x5 ins 8 ins in the ground for cor to Secs  
7, 8, 17, 18, mkd with 4 notches on S and 5 notches on E edges and  
raised a md of stone alongside. Pits impracticable.  
Land mountainous. Soil 3rd rate. Dense undergrowth of chaparral.  
February 6, 1884.

-----

EAST on a RANDOM LINE between Secs 8 and 17. Var. 14° 26' E.  
40 00 Set temporary  $\frac{1}{4}$  section corner.  
79 72 Intersect N and S line 20 lks S of corner to Secs 8, 9, 16, 17.  
Thence I run  
S 89° 51' W on a TRUE LINE between Secs 8 and 17. Var. 14° 26' E.  
Ascend through scattering timber.  
27 72 Top of spur bears N and S and descend.  
35 54 Cross stream 10 lks wide, course S 10° W and ascend.  
39 86 Set a granite stone 15x8x6 ins 10 ins in the ground for  $\frac{1}{4}$  sec cor  
mkd  $\frac{1}{4}$  on N face and raised a md of stone alongside. Pits impracticable.  
63 72 Leave timber bears NE and SW.  
79 72 The cor to Secs 7, 8, 17, 18. Land mountainous. Soil 3rd rate.  
Timber of pine, fir and cedar and dense undergrowth of chaparral.

-----



WEST on a RANDOM LINE between Secs. 7 and 18. Var. 14° 26' E.  
 40 00 Set temporary  $\frac{1}{4}$  section corner.  
 81 24 Intersect W bdy of Tp 41 lks S of cor to Secs 7, 12, 13, 18.  
 Thence I run  
 S 89° 42' E, on a TRUE LINE between Secs 7 and 18. Var. 14° 28' E.  
 Ascend.  
 2 24 Top of ridge bears NE and SW and descend.  
 11 24 Cross low sag and ascend.  
 20 74 Top of ridge bears N 25° W and S 25° E, and descend abruptly.  
 23 24 Descend gradually.  
 41 24 Set a granite stone 16x10x10 ins 11 ins in the ground for  $\frac{1}{4}$  sec cor  
 mkd  $\frac{1}{4}$  on N face and raised a sd of stone alongside. Pits impract.  
 73 01 Cross gulch 10 lks wide course S and ascend.  
 81 24 The corner to Secs 7, 8, 17, 18. Land mountainous. Soil 3rd rate.  
 Dense undergrowth of chaparral.

-----  
 NORTH between Secs 7 and 8. Var 14° 26' E.  
 Ascend.  
 40 00 Set a granite stone 15x15x12 ins. 10 ins in the ground for  $\frac{1}{4}$  sec cor  
 mkd  $\frac{1}{4}$  on W face and raised a sd of stone alongside. Pits impract.  
 59 00 Ascend abruptly.  
 70 00 Top of ridge bears NE and SW and descend.  
 80 00 Set a post 4' long, 4" sq. 24" in the ground for cor to Secs 5, 6, 7, 8.  
 mkd T 2 N S 5 on NE, R 7 W S 8 on SE, S 7 on SW and S 6 on NW faces  
 with 5 notches on S and E edges, from which bears  
 A fir 16" dia S 69½° E, 84 lks mkd T 2 N R 7 W S 8 BT.  
 A pine 10" dia S 58° W, 60 lks mkd T 2 N R 7 W S 7 BT.  
 A fir 10" dia N 75° W, 82 lks mkd T 2 N R 7 W S 7 BT.  
 Old Baldy bears N. 53° E. Land mountainous. Soil 3rd rate.  
 Heavy timber of pine, fir and undergrowth of same.

-----  
 EAST on a RANDOM LINE between Secs 5 and 8. Var 14° 26' E.  
 40 00 Set temporary  $\frac{1}{4}$  section corner.  
 79 83 Intersect N and S line 34 lks S of corner to Secs 4, 5, 8, 9.  
 Thence I run  
 S 89° 45' W, on a TRUE LINE between Secs 5 and 8. Var 14° 26' E.  
 Descend.  
 23 23 Cross canyon 10 lks wide course S and ascend.  
 39 91 Set a granite stone 10x10x10 ins 7 ins in the ground for  $\frac{1}{4}$  sec cor  
 mkd  $\frac{1}{4}$  on N face from which bears  
 A pine 8" dia N 28½° W, 78 lks mkd  $\frac{1}{4}$  S BT.  
 No other trees within limits, raised a sd of stone alongside.  
 Pits impracticable. Old Baldy bears N. 30° W.  
 65 83 Top of ridge bears NE and SW and descend.  
 79 83 The corner to Secs 5, 6, 7, 8. Land mountainous. Soil 3rd rate.  
 Timber of pine and fir and dense undergrowth of chaparral.

-----  
 WEST on a RANDOM LINE between Secs. 6 and 7. Var 14° 26' E.  
 40 00 Set temporary  $\frac{1}{4}$  section corner.  
 80 60 Intersect W bdy of Tp 58 lks S of corner to Secs 1, 6, 7, 12.  
 Thence I run  
 S 89° 35' E, on a TRUE LINE between Secs 6 and 7. Var 14° 28' E.  
 Descend.  
 40 60 Set a granite stone 16x12x7 ins 11 ins in the ground for  $\frac{1}{4}$  sec cor  
 mkd  $\frac{1}{4}$  on N face from which bears  
 A fir 12" dia S 72½° W, 67 lks mkd  $\frac{1}{4}$  S BT.  
 A fir 10" dia N 61° W, 84 lks mkd  $\frac{1}{4}$  S BT.  
 74 40 Cross Gattle Canyon 10 lks wide, course S 50° W and ascend.  
 80 60 The corner to Secs 5, 6, 7, 8. Land mountainous. Soil 3rd rate.  
 Timber of pine and fir and dense undergrowth of chaparral.

NORTH on a RANDOM LINE between Secs 5 and 6. Var. 14° 26' E.

40 00 Set temporary  $\frac{1}{4}$  section corner.  
80 59 Intersect N bdy of Tp 27 lks E of corner to Secs 5, 6, 31, 32.  
Thence I run

S 12' E, on a TRUE LINE between Secs 5 and 6. Var 14° 28' E.

Ascend.

40 59 Set a granite stone 18x16x8 ins 12 ins in the ground for  $\frac{1}{4}$  sec cor  
mkd  $\frac{1}{4}$  on W face, from which bears  
A fir 24" dia N 86° E, 105 lks mkd  $\frac{1}{4}$  S BT.  
A fir 20" dia S 22½° W, 44 lks mkd  $\frac{1}{4}$  S BT.  
57 59 Top of ridge bears E and W and descend.  
75 64 Cross Cattle Canyon 8 lks wide course S 50° W, and ascend.  
80 59 The corner to Secs 5, 6, 7, 8.  
Land mountainous. Soil 3rd rate.  
Heavy timber of pine and fir and undergrowth of chaparral.

February 18, 1884.

Surveyed by J. R. Glover,  
Deputy Surveyor,

Contract dated January 14, 1884.

-----