

Field Notes of the First Six Courses
of the
Rancho Cucamonga
California



Field Notes of the final survey of the Rancho Cucamonga, situate in the County of San Bernardino, State of California.

Commenced April 1, 1865, under instructions bearing date March 24, 1865.

At corner of Townships 1 S. and 1 N., of the base line of Ranges 7 and 8 W., of the San Bernardino Meridian, at which I set a post marked C.No.1. Variation ascertained from the base line to be 14° E. of N. Thence

- 1 West 22.00 Set post in rock mound for Sta. No. 2, Thence
- 2 North 91.64 Set a granite rock 20x12x10 inches marked for Sta. "C 3" in mound of rocks, Thence
- 3 West 30.00 Enter rocky wash of the arroyo of San Antonio, course S.
84.00 To stream of water 8 lks. wide, course S., called the arroyo de San Antonio and set post in mound of rocks for Sta. No. 4 from which
Sycamore tree 10" dia. brs. S. 69½° E. dist. 100 lks.
Sycamore 8" dia. S. 30° W., distant 15 lks., thence
- 4 N. 14½° E. 3.00 Cross San Antonio Creek or arroyo 8 lks. wide, course SWly.
81.00 To a point in center of arroyo of San Antonio, on a Dam or Toma de Agua for an acequia leading westerly around a rocky point and drove stake for Sta. No. 5, from which a Sycamore 11" dia. brs. S. 24½° W., dist. 340 lks., and a point on face of ledge on the W. side of the creek marked for Sta. No. 5 brs. N. 24½° W., dist. 38 lks.
The creek along this course is from 1 to 5 chs. E. for the most of the way, but its bed shifts by nearly every freshet and the course as run is deemed the center of its proper bed. Thence
- 5 N. 20½° E. 52.25 Along the creek to Station No. 6, and set a post in md. of rock 1 ch. W. of the creek, but in center of its proper bed, from which a Sycamore 10" dia. brs. N. 20° W., distant 175 lks. Another Sycamore 12" dia. brs. N. 6½° W., distant 108 lks. Thence
- 6 East 1.00 Across stream 8 lks. wide, course S.
2.95 To a granite boulder on face of bluff of creek some 30' high about 8' diameter.
3.50 To top of bluff of arroyo of San Antonio and across stone walls course S. 87° E.
11.00 Cross Sanja of water course S.
13.00 Across fence course S. and enter cultivated field.
24.00 To base of high foot hill of the mountain impracticable to measure, and set a granite rock 15" x 10" x 8" and from a point 3.00 chs. W. of same measure on offset as follows:
7.00 To fence of valley course E. & W.
7.50 Cross Sanja course E., some 10 chs. E. of house of Valdez.
14.00 Enter vineyard course N. 40° E. and S. 40° W.
17.00 Leave same.
29.00 Cross fence course N. 36½° W.
41.00 Set temporary stake. Thence on offset.
East 9.10 Enter a field course S.
17.00 Leave cultivated field.
26.50 Cross field of barley 4.00 chs. wide course S.
40.00 Cross ravine 1 ch. wide, course S.
47.25 Intersect Range line between Ranges 7 and 8 W., of the San Bernardino Meridian 22.55 chs. N. of corner to Secs. 19, 30, 24 and 25, and set temporary stake. Thence
- North 19.00 On township line to a point on W. slope of face of the mouth of a ravine 1 ch. wide at S. base of high hill and drove witness stake for intersection with Range line described as follows on true line.
Set a post for a witness to intersection with Range line

between Ranges 7 and 8 West of the San Bernardino Meridian
 22.00 chains S. of true point on S. base of high foot hill
 impracticable to measure and 41.00 chs. N. of corner to Secs.
 19, 30, 24, 25, from which a

Sycamore 24" dia. brs. S. 45° W., distant 200 lks.

Thence on offset to avoid rough land.

East 30.00

To point opposite to where true line meets E. base of hill
 and continues along the S. base of the mountain.

36.00

Across deep ravine 3 chs. wide course S.

53.50

To W. bluff of the arroyo "de Cucamonga".

54.50

Into road rocky bed of same course SEly.

85.00

Across stream of water 4 lks. wide course SEly.

115.50

To top of E. bluff of the arroyo de Cucamonga.

240.00

To temporary stake. Thence offset to line.

North 22.00

To true North boundary. Set a rock of granite 28x18x15 ins.
 on S. base of mountain. Thence on true line and at

343.25

Across Canada 10.00 chs. wide, course SWly, with sycamore
 timber.

353.00

Across stream of water 5 lks. wide course SWly.

360.00

Across dry arroyo 1.00 ch. wide course SW. with sycamore timber.

368.25

To Sta. No. 7 and set a granite rock 20x15x12 ins. in md. of
 rock from which a sycamore tree 10" dia. brs. N. 73 $\frac{1}{4}$ ° E., dist.

370 lks., Thence

7 South 60.00

Leave wash.

Surveyed by Henry Hancock, Deputy Surveyor,
 Instructions dated March 24, 1865.