

Field Notes of  
East boundary and Interior section lines  
In Township 8 North, Range 10 West.

Certified Copy.

R. 11 W.	R. 10 W.							R. 10 W.	R. 9 W.	T. 9 N.
										T. 8 N.
		6 22	5 16 17	4 13	3 9 10	2 6	1 2			
		21 22	21	16	13 12	9	6 5			
		7 21	8 16	9 12	10 9	11 5	12 2			
		20 21	20	16 15	12	9 8	5			
		18 20	17 15	16 12	15 8	14 4	13 2			
		19 20	19	15	11	8	4			
		19 19	20 15	21 11	22 7	23 4	24 1			
		18 19	18	14	11	7	4 3			
		30 18	29 14	28 10	27 7	26 3	25 1			
		17 18	17	14	10	7 6	3			
		31 17	32 13	33 10	34 6	35 2	36 1			
										T. 8 N.
										T. 7 N.

DEPARTMENT OF THE INTERIOR

Office of the Surveyor General

San Francisco, California

November 4, 1920

I, Louis H. Mooser, U. S. Surveyor General  
for California, do hereby certify that the annexed  
transcript of the east boundary and subdivision lines of  
township 8 N., R. 10 W., S.B.M. is a

true and literal exemplification of the official field notes  
which are on file in this office.

IN TESTIMONY THEREOF, I have hereunto subscribed my name and  
caused the seal of this office to be affixed, on the day and  
year above written.

(Signed)

Louis H. Mooser

United States Surveyor General  
for California.

Official Seal

East Bdy. T. 7 N., R. 10 W., S.B.M. Var.  $14\frac{1}{2}^{\circ}$  E.

North on the east bdy. of sec. 1.

- 50.00 To cor. of Tps. 7 and 8 N., Rs. 9 and 10 W.  
 Set charred chalked and notched post.  
 Made mound, trench pits etc. as per instructions.  
 Corner of W. slope of hill.

East bdy. T. 8 N., R. 10 W., S.B.M.Var.  $14^{\circ}12'$  E.

North on the east bdy. of sec. 36.

- 40.00 Set  $\frac{1}{4}$  sec. charred and chalked post made mound trench  
 pits and etc. as per instructions.
- 50.00 Set charred, chalked and notched post, cor. to secs. 25, 36,  
 30 and 31.  
 Made mound, trench pits and etc. as per instructions.  
 Land generally 3rd rate.

North on the east bdy. of sec. 25.

- 40.00 Set  $\frac{1}{4}$  sec. charred and chalked post  
 Made mound, trench pits and etc. as per instructions.  
 Land descending.
- 50.00 Set charred chalked and notched post cor. to secs. 24, 25,  
 19 and 30.  
 Made mound, trench, pits and etc. as per instructions.  
 Land 3rd rate.

North on the east bdy. of sec. 24.

- 40.00 Set  $\frac{1}{4}$  sec. charred and notched post, made mound, trench  
 pits and etc. as per instructions.
- 50.00 Set charred chalked and notched post, cor. to secs. 13, 24,  
 18 and 19.  
 Made mound, trench pits and etc. as per instructions  
 Land 3rd rate.

North on the east bdy. of sec. 13.

- 40.00 Set charred  $\frac{1}{4}$  sec. and chalked post  
Made mound, trench pits and etc., as per instructions, in plain.
- 80.00 Set charred chalked and notched post, cor. to secs. 12, 13,  
7 and 18.  
Made mound, trench pits and etc. as per instructions.  
Land 3rd rate.
- 
- 40.00 North on east bdy. of sec. 12. Set  $\frac{1}{4}$  sec. charred and chalked post  
made mound, trench pits etc as per instructions
- 80.00 Set charred chalked and notched post, cor. to secs. 12, 1,  
6 and 7.  
Made mound, trench, pits etc. as per instructions.  
Land 3rd rate.
- 
- North on the east bdy. of sec. 1.
- 40.00 Set  $\frac{1}{4}$  sec. charred and chalked post  
Made mound, trench pits etc as per instructions  
Masquet 18 ins. in dia. bears S.  $15\frac{1}{2}^{\circ}$  E. 150 lks.
- 80.00 To cor. of Tps. 8 and 9., R. 9 and 10 W.  
Set charred chalked and notched post made mound, trench  
pits etc. as per instructions.  
Land 3rd rate.
- 

Part 10  
Vol. 240

FIELD NOTES OF THE SUBDIVISIONS  
OF TOWNSHIP 8 NORTH, RANGE 10 WEST

From the corner to sections 1, 2, 35 and 36 on south  
boundary of the township I run

North between sections 35 and 36. February 15, 1856.

Var.  $14^{\circ}10'$  E.

- 40.01 Set a charred post for the  $\frac{1}{4}$  section corner and made  
a mound with trench and pits as per instructions.
- 80.01 Set a charred post for the corner to sections 25, 26, 35 and  
36 and made a mound with trench and pits as

per instructions.

Land level. Clay soil with some palmetto,

---

East on a random line between sections 25 and 36.

Var.  $14^{\circ}10'$  E.

40.01 Set a post for temporary  $\frac{1}{4}$  section corner.

80.50 Intersect the east boundary of the township 44 links  
South of the corner to sections 25 and 36, from which  
corner I run

West on the true line between sections 25 and 36

Var.  $14^{\circ}29'$  E.

40.25 Set a charred post for the  $\frac{1}{4}$  section corner and made  
mound with trench and pits as per instructions

80.50 The corner to sections 25, 26, 35 and 36.

Land level, clay soil, some grass mesquite and palmetto

---

North between sections 25 and 26

Var.  $14^{\circ}10'$  E.

40.01 Set a charred post for the  $\frac{1}{4}$  section corner and made a  
mound with trench and pits as per instructions

80.00 Set a charred post for the corner to sections 23, 24,  
25 and 26 and made a mound with trench and pits as per  
instructions.

Clay soil with some grass, mesquit and palmetto

---

East on a random line between sections 24 and 25.

Var.  $14^{\circ}10'$  E.

40.00 Set a post for temporary  $\frac{1}{4}$  section corner

80.44 Intersect the east boundary of the township 39 links  
South of the corner to sections 24 and 25 from which corner I run  
West on the true line between sections 24 and 25

Var.  $14^{\circ}27'$  E.

40.22 Set a charred post for the  $\frac{1}{4}$  section corner and made a

T. 8 N., R. 10 W., of S.B.M.

mound with trench and pits as per instructions.

80.44 The corner to sections 23, 24, 25 and 26.  
Clay soil with grass mesquit and palmetto

---

North between sections 23 and 24.

Var.  $14^{\circ}10'$  E.

40.00 Set a charred post for the  $\frac{1}{4}$  section corner and made a  
mound with trench and pits as per instructions

80.00 Set a charred post for the corner to sections 13, 14, 23 and  
24 and made a mound with trench and pits as per instructions.  
Level clay soil with grass, mesquit and palmetto.

---

East on a random line between sections 13 and 24.

Var.  $14^{\circ}10'$  E.

40.00 Set a post for the temporary  $\frac{1}{4}$  section corner

80.39 Intersect the east boundary of the township 33 links  
South of the corner to sections 13 and 24, from which corner I run  
West on the true line between sections 13 and 24.  
Var.  $14^{\circ}24'$  E.

40.19 Set a charred post for the  $\frac{1}{4}$  section corner and made a mound  
with trench and pits as per instructions.

80.39 The corner to sections 13, 14, 23 and 24.  
Land part clay and part sand with bushes and mesquit.

---

North between sections 13 and 14

Var.  $14^{\circ}10'$  E.

40.00 Set a charred post for the  $\frac{1}{4}$  section corner and made a  
mound with trench and pits as per instructions.

80.00 Set a charred post for the corner to sections 11, 12, 13 and 14  
and made a mound with trench and pits.

Chains Land level and clay soil with mesquit and palmetto

---

East on a random line between sections 12 and 13.

Var.  $14^{\circ}10'$  E.

40.00 Set a post for temporary  $\frac{1}{4}$  section corner

80.41 Intersect the east boundary of the township 7 links

North of the corner to sections 12 and 13, from which corner  
I run

West on the true line between sections 12 and 13

Var.  $14^{\circ}07'$  E.

40.20 Set a charred post for the  $\frac{1}{4}$  section corner and made  
a mound with trench as per instructions.

80.41 The corner to sections 11, 12, 13 and 14.

Land level, with some grass mesquit and palmetto.

---

February 16, 1856

North between sections 11 and 12.

Var.  $14^{\circ}10'$  E.

40.01 Set a charred post for the  $\frac{1}{4}$  section corner and made a  
mound with trench and pits as per instructions.

80.00 Set a charred post for the corner to sections 1, 2, 11 and 12  
and made a mound with trench and pits as per instructions  
Land level, clay soil with mesquit and bushes.

---

East on a random line between sections 1 and 12.

Var.  $14^{\circ}10'$  E.

40.00 Set a charred post for the  $\frac{1}{4}$  section corner and made a  
mound with trench and pits as per instructions

80.36 Intersect the east boundary of the township 10 links

North of the corner to sections 1 and 12 from which  
corner I run

West on the true line between sections 1 and 12

Var.  $14^{\circ}06'$  E.

40.18 Set a charred post for the  $\frac{1}{4}$  section corner and made a

Chains

mound with trench and pits as per instructions

80.36 The corner to sections 1, 2, 11 and 12

Clay soil with some mesquit and palmetto.

---

North on a random line between sections 1 and 2

Var.  $14^{\circ} 10'$  E.

40.00 Set a post for temporary  $\frac{1}{4}$  section corner

80.25 Intersect the north boundary of the township  $34$  links

East of the corner to sections 1 and 2, from which corner I run

South on the true line between sections 1 and 2

Var.  $14^{\circ} 25'$  E.

40.25 Set a charred post for the  $\frac{1}{4}$  section corner and made a

mound with trench and pits as per instructions

80.25 The corner to sections 1, 2, 11 and 12.

Level clay soil with some mesquit and palmetto.

---

North between sections  $34$  and  $35$ .

Var.  $14^{\circ} 10'$  E.

40.01 Set a charred post for the  $\frac{1}{4}$  section corner and made

a mound with trench as per instructions

80.00 Set a charred post for the corner to sections 26, 27,  $34$  and

$35$  and made a mound with trench as per instructions

Land sandy with some mesquit and palmetto.

---

East on a random line between sections 26 and  $35$ .

Var.  $14^{\circ} 10'$  E.

40.00 Set a post for temporary  $\frac{1}{4}$  section corner

80.40 Intersect north and south line at the post corner to

sections 25, 26,  $35$  and  $36$  from which corner I run

West on the true line between sections 26 and  $35$ .

Var.  $14^{\circ} 10'$  E.



Chains

40.20

Set a charred post for the  $\frac{1}{4}$  section corner and made a mound with trench and pits as per instructions.

80.40

The corner to sections 26, 27, 34 and 35.

Land level and sandy with some mesquit and bushes

---

North between sections 26 and 27.

Var.  $14^{\circ}10'$  E.

40.00

Set a charred post for the  $\frac{1}{4}$  section corner and made a mound with trench as per instructions.

80.01

Set a charred post for the corner to sections 22, 23, 26 and 27 and made a mound with trench and pits as per instructions. Land level and sandy with some mesquit and bushes.

---

East on a random line between sections 23 and 26

Var.  $14^{\circ}10'$  E.

40.00

Set a post temporary  $\frac{1}{4}$  section corner.

80.48

Intersect the north and south line 29 links south of the corner to sections 23, 24, 25 and 26 from which corner I run

West on the true line between sections 23 and 26

Var.  $14^{\circ}22'$  E.

40.24

Set a charred post for the  $\frac{1}{4}$  sections corner and made a mound with trench and pits as per instructions

80.48

The corner to sections 22, 23, 26 and 27.

Land level and sandy with some mesquit and bushes.

---

North between sections 22 and 23.

Var.  $14^{\circ}10'$  E.

40.00

Set a charred post for the  $\frac{1}{4}$  section corner and made a mound with trench and pits as per instructions

80.00

Set a charred post for the corner to sections 14, 15, 22 and 23 and made a mound with trench and pits as per instructions

Land level and sandy with some mesquit and bushes.

---

East on a random line between sections 14 and 23.  
Var.  $14^{\circ}10'$  E.

Set a post for temporary  $\frac{1}{4}$  section corner

Intersect the north and south line 40 links south of the  
corner to sections 13, 14, 23 and 24 from which corner  
I run

West on the true line between sections 14 and 23.

Var.  $14^{\circ}27'$  E.

40.21 Set a charred post for the  $\frac{1}{4}$  section corner and made  
a mound with trench and pits as per instructions

80.43 The corner to sections 14, 15, 33 and 23

Land level and sandy with some mesquit and palmetto

---

North between sections 14 and 15.

Var.  $14^{\circ}10'$  E.

40.00 Set a charred post for the  $\frac{1}{4}$  section corner and made a  
mound with trench and pits as per instructions

80.00 Set a charred post for corner to sections 10, 11, 14 and 15  
and made a mound with trench and pits as per instructions  
Clay soil with grass, mesquit and palmetto.

---

East on a random line between sections 11 and 14.

Var.  $14^{\circ}10'$  E.

40.00 Set a post for temporary  $\frac{1}{4}$  section corner.

80.37 Intersect the north and south line 18 links south of the  
corner to sections 11, 12, 13 and 14, from which corner  
I run

West on the true line between sections 11 and 14.

Var.  $14^{\circ}18'$  E.

40.18 Set a charred post for the  $\frac{1}{4}$  section corner and made a  
mound with trench and pits as per instructions

Chains

80.37 The corner to sections 10, 11, 14 and 15.  
Land sandy with some grass, mesquit and palmetto.

---

North between sections 10 and 11

Var.  $14^{\circ}10'$  E.

40.00 Set a charred post for the  $\frac{1}{4}$  section post and made a mound with trench and pits as per instructions

80.00 Set a charred post for the corner to sections 2, 3, 10 and 11 and made a mound with trench as per instructions.  
Sandy soil with some grass, mesquit and palmetto.

---

Feb. 17, 1856

East on a random line between section 2 and 11

Var.  $14^{\circ}10'$  E.

40.00 Set a post for temporary  $\frac{1}{4}$  section corner.

80.33 Intersect the north and south line at post corner to sections 1, 2, 11 and 12, from which corner I run

West on the true line between sections 2 and 11

Var.  $14^{\circ}10'$  E.

40.16 Set a charred post for the  $\frac{1}{4}$  section corner and made a mound with trench and pits as per instructions

80.33 The corner to sections 2, 3, 10 and 11.

Sandy soil with some mesquit and palmetto.

---

North on a random line between sections 2 and 3.

Var.  $14^{\circ}10'$  E.

40.00 Set a post for temporary  $\frac{1}{4}$  section corner.

79.96 Intersect the north boundary of the township 44 links east of corner to sections 2 and 3 from which corner I run  
South on the true line between sections 2 and 3

Var.  $14^{\circ}29'$  E.

39.96 Set a charred post for the  $\frac{1}{4}$  section corner and made a

T. 8 N., R. 10 W.

Chains

mound with trench and pits as per instructions

79.96 The corner to sections 2, 3, 10 and 11.

Sandy soil with some grass and palmetto.

---

North between sections 33 and 34

Var. 14° 10' E.

40.00 Set a charred post for the  $\frac{1}{4}$  section corner and made a mound with trench as per instructions

80.01 Set a charred post for the corner to sections 27 and 28, 33 and 34 and made a mound with trench and pits as per instructions.  
Land slightly rolling and second. rate.

---

East on a random line between sections 27 and 34

Var. 14° 10' E.

40.00 Set a post for temporary  $\frac{1}{4}$  section corner.

80.50 Intersect the north and south line 35 links south of corner to sections 26, 27, 34 and 35, from which corner I run West on the true line between sections 27 and 34.

Var. 14° 25' E.

40.25 Set a charred post for the  $\frac{1}{4}$  section corner and made a mound with trench and pits as per instructions

80.50 The corner to sections 28, 27, 33 and 34.  
Land slightly rolling, with bushes and palmetto.

---

North between sections 27 and 28

Var. 14° 10' E.

40.00 Set a charred post for the  $\frac{1}{4}$  section corner and made a mound with trench as per instructions

80.00 Set a charred post for the corner to sections 21, 22, 27 and 28 and made a mound with trench as per instructions.  
Land rolling with palmetto and so forth.

Chains

East on a random line between sections 22 and 27

Var.  $14^{\circ}10'$  E.

40.00 Set a post for temporary  $\frac{1}{4}$  section corner

50.46 Intersect North and south line 10 links north of corner  
to sections 22, 23, 26 and 27 from which corner I run  
West on the true line between sections 22 and 27

Var.  $14^{\circ}06'$  E.

40.23 Set a charred post for the  $\frac{1}{4}$  section corner with mound  
and so forth

50.46 The corner to sections 21, 22, 27 and 28.  
Land rolling with grass and bushes.

---

North between sections 21 and 22.

Var.  $14^{\circ}10'$  E.

40.00 Set a charred post for the  $\frac{1}{4}$  section corner and made a mound  
with trench as per instructions.

50.00 Set a charred post for corner to sections 15, 16, 21 and  
22 and made a mound with trench as per instructions.  
Land level with grass mesquit and palmetto.

---

East on a random line between sections 15 and 22

Var.  $14^{\circ}10'$  E.

40.00 Set a post for temporary  $\frac{1}{4}$  section corner

50.49 Intersect north and south line 40 links north of corner  
to sections 14, 15, 22 and 23, from which corner I run  
West on the true line between section 22 and 15

Var.  $13^{\circ}53'$  E.

40.24 Set a charred post for the  $\frac{1}{4}$  section corner and made a mound  
with trench as per instructions

50.49 The corner to sections 15, 16, 21 and 22.  
Land level, with grass, mesquit and so forth.

T. 8 N., R. 10 W. of S.B.M.

Chains

North between sections 15 and 16

Var.  $14^{\circ}10'$  E.

- 40.00 Set a charred post for the  $\frac{1}{4}$  section corner and made a mound with trench as per instructions
- 80.00 Set a charred post for the corner to sections 9, 10, 15 and 16 and made a mound with trench as per instructions  
Level land with mesquit and so forth.

---

East on a random line between sections 10 and 15.

Var.  $14^{\circ}10'$  E.

- 40.00 Set a post for temporary  $\frac{1}{4}$  section corner
- 80.40 Intersect north and south line 45 links north of corner to sections 10, 11, 14 and 15, from which corner I run west on the true line between sections 10 and 15.  
Var.  $13^{\circ}51'$  E.
- 40.20 Set a charred post for the  $\frac{1}{4}$  section corner and made a mound with trench as per instructions.
- 80.40 The corner to sections 9, 10, 15 and 16.  
Land level, some grass, mesquit and so forth.

---

North between sections 9 and 10

Var.  $14^{\circ}10'$  E.

- 40.00 Set a post for  $\frac{1}{4}$  section corner and made mound with trench as per instructions
- 80.00 Set a charred post for the corner to sections 3, 4, 9 and 10 and made a mound with trench as per instructions  
Clay soil with some mesquit and bushes.

---

East on a random line between sections 3 and 10

Var.  $14^{\circ}10'$  E.

- 40.00 Set a post for temporary  $\frac{1}{4}$  section corner
- 80.36 Intersect north and south line 11 links south of post corner to sections 2, 3, 10 and 11, from which corner

Chains

I run

West on the true line between sections 3 and 10

Var.  $14^{\circ}15'$  E.

40.18 Set a charred post for the  $\frac{1}{4}$  section corner and made a mound with trench as per instructions.

80.36 The corner to sections 3, 4, 9 and 10  
Clay soil with scattering mesquit and so forth.

---

North on a random line between sections 3 and 4.

Var.  $14^{\circ}10'$  E.

40.00 Set a temporary  $\frac{1}{4}$  section post

79.83 Intersect the north boundary of the township 45 links  
East of the corner to sections 3 and 4 and from which  
corner I run

South on the true line between sections 3 and 4.

Var.  $14^{\circ}29'$  E.

39.83 Set a charred post for the  $\frac{1}{4}$  section corner and made a mound with trench and pits as per instructions

79.83 The corner to sections 3, 4, 9 and 10.  
Land level with some grass and palmetto.

---

February 18, 1856

North between sections 32 and 33.

Var.  $14^{\circ}10'$  E.

40.00 Set a charred post for the  $\frac{1}{4}$  section corner and made a mound with trench as per instructions

80.00 Set a charred post for the corner to sections 28, 29, 32 and 33  
and made a mound with trench and pits as per instructions  
Land level and sandy, with palmetto and so forth.

---

East on a random line between sections 28 and 33

Var.  $14^{\circ}10'$  E.

Chains

40.00

Set a post for temporary  $\frac{1}{4}$  section corner

80.46

Intersect the north and south line 21 links south of the corner to sections 27, 28, 33 and 34 from which corner I run

West on the true line between sections 28 and 33

Var.  $14^{\circ}19'$  E.

40.23

Set a charred post for the  $\frac{1}{4}$  section corner and made a mound with trench and pits as per instructions

80.46

The corner to sections 28, 29, 32 and 33.

Land level and sandy with some grass, bushes and palmetto.

---

North between sections 28 and 29

Var.  $14^{\circ}10'$  E.

40.00

Set a charred post for the  $\frac{1}{4}$  section corner and made a mound with trench as per instructions

80.00

Set a charred post for corner to sections 20, 21, 28 and 29 made a mound with trench and pits as per instructions  
Level and sandy land with some grass and palmetto

---

East on a random line between sections 21 and 28

Var.  $14^{\circ}10'$  E.

40.00

Set a post for temporary  $\frac{1}{4}$  section corner.

80.49

Intersect North and south line 15 links south of the corner to sections 21, 22, 27 and 28 from which corner I run

West on the true line between sections 21 and 28.

Var.  $14^{\circ}16'$  E.

40.24

Set a charred post for the  $\frac{1}{4}$  section corner and made a mound with trench as per instructions

80.49

The corner to sections 20, 21, 28 and 29.

Land level with palmetto and bushes.

---

North between sections 20 and 21.



Chains

Var.  $14^{\circ}10'$  E.

40.00 Set a charred post for  $\frac{1}{4}$  section corner and made a mound with trench as per instructions

80.00 Set a charred post for the corner to sections 16, 17, 20 and 21 and made mound with trench and pits as per instructions

Clay soil with some mesquit grass and bushes.

---

East on a random line between sections 16 and 21.  
Var.  $14^{\circ}10'$  E.

40.00 Set a post for temporary  $\frac{1}{4}$  section corner.

80.34 Intersect the north and south line at post corner to sections 15, 16, 21 and 22, from which corner I run West on the true line between sections 16 and 21  
Var.  $14^{\circ}10'$  E.

40.17 Set a charred post for the  $\frac{1}{4}$  section corner and made a mound with trench as per instructions

80.34 The corner to sections 16, 17, 20 and 21.  
Clay soil with some mesquit and palmetto.

---

North between sections 16 and 17.  
Var.  $14^{\circ}10'$  E.

40.00 Set a charred post for the  $\frac{1}{4}$  section corner and made a mound with trench as per instructions.

80.00 Set a charred post for corner to sections 8, 9, 16 and 17 and made a mound with trench and pits as per instructions  
Clay soil with mesquit and palmetto.

---

East on a random line between sections 9 and 16.  
Var.  $14^{\circ}10'$  E.

40.00 Set a post for temporary  $\frac{1}{4}$  section corner.

80.19 Intersect the north and south line 20 links north of the corner to sections 9, 10, 15 and 16 from which corner I run West on the true line between sections 9 and 16.

Var.  $14^{\circ}01'$  E.

Chains

- 40.09 Set a charred post for the  $\frac{1}{4}$  section corner and made a mound with trench and pits as per instructions.
- 80.19 The corner to sections 8, 9, 16 and 17.  
Clay soil with some mesquit and palmetto.
- 
- North between sections 8 and 9.  
Var.  $14^{\circ}10'$  E.
- 40.00 Set a charred post for the  $\frac{1}{4}$  section corner and made a mound with trench and pits as per instructions
- 80.00 Set a charred post for the corner to sections 4, 5, 8 and 9 and made a mound with trench and pits as per instructions.  
Clay soil with some grass and palmetto.
- 
- East on a random line between sections 4 and 9.  
Var.  $14^{\circ}10'$  E.
- 40.00 Set a post for temporary  $\frac{1}{4}$  section corner
- 80.26 Intersect the north and south line 27 links north of corner to sections 3, 4, 9 and 10 from which corner I run West on the true line between sections 4 and 9.  
Var.  $13^{\circ}58'$  E.
- 40.13 Set a charred post for the  $\frac{1}{4}$  section corner and made a mound with trench as per instructions.
- 80.26 The corner to sections 4, 5, 8 and 9.  
Level clay soil with bushes and palmetto.
- 
- North on a random line between sections 4 and 5.  
Var.  $14^{\circ}10'$  E.
- 40.00 Set a post for the temporary  $\frac{1}{4}$  section corner.
- 79.71 Intersect the north boundary of the township 55 links East of the corner to sections 4 and 5 from which corner I run

## Chains

South on the true line between sections 4 and 5.

Var.  $14^{\circ}34'$  E.

39.71 Set a charred post for the  $\frac{1}{4}$  section corner and made a mound with trench as per instructions

79.71 The corner to sections 4, 5, 8 and 9.

Land level with grass, bushes mesquit and palmetto.

---

February 19, 1856

North between sections 31 and 32.

Var.  $14^{\circ}10'$  E.

40.00 Set a charred post for the  $\frac{1}{4}$  section corner and made a mound with trench as per instructions

80.00 Set a charred post for the corner to sections 29, 30, 31 and 32 and made a mound with trench and pits as per instructions.

Land level with some grass and bushes.

---

East on a random line between sections 29 and 32.

Var.  $14^{\circ}10'$  E.

40.00 Set a post for temporary  $\frac{1}{4}$  section corner

80.45 Intersect the north and south line 16 links south of the corner to sections 28, 29, 32 and 33 from which corner I run west on the true line between sections 29 and 32.

Var.  $14^{\circ}17'$  E.

40.22 Set a charred post for the  $\frac{1}{4}$  section corner and made a mound with trench and pits as per instructions

80.45 The corner to sections 29, 30, 31 and 32.

Level sandy land with some grass and bushes

---

West on a random line between sections 30 and 31.

Var.  $14^{\circ}10'$  E.

40.00 Set a post for temporary  $\frac{1}{4}$  section corner.

79.00 Intersect the west boundary of the township 36 links

North of the corner to sections 30 and 31 from which

Chains

corner I run

East on the true line between sections 30 and 31

Var.  $14^{\circ}25'$  E.

39.00

Set a charred post for the  $\frac{1}{4}$  section corner and made a mound with trench and pits as per instructions.

79.01

The corner to sections 29, 30, 31 and 32.

Land level and sandy with some grass and bushes.

---

North between sections 29 and 30.

Var.  $14^{\circ}10'$  E.

40.00

Set a charred post for the  $\frac{1}{4}$  section corner and made a mound with trench and pits as per instructions

80.00

Set a charred post for corner to sections 19, 20, 29 and 30 and made a mound with trench and pits as per instructions.

Land level and sandy with some grass and bushes.

---

East on a random line between sections 20 and 29.

Var.  $14^{\circ}10'$  E.

40.00

Set a post for temporary  $\frac{1}{4}$  section corner.

80.36

Intersect north and south line 30 links south of the corner to sections 20, 21, 28 and 29 from which corner I run west on the true line between sections 20 and 29

Var.  $14^{\circ}23'$  E.

40.18

Set a charred post for the  $\frac{1}{4}$  section corner and made a mound with trench and pits as per instructions

80.36

The corner to sections 19, 20 and 29 and 30.

Land level and sandy with some grass and bushes.

---

West on a random line between sections 19 and 30.

Var.  $14^{\circ}10'$  E.

40.00

Set a post for temporary  $\frac{1}{4}$  section corner

79.12

Intersect the west boundary of the township 42 links

T. 8 N., R. 10 W. of S.B.M.

Chains

North of the corner to sections 19 and 30 from which  
corner I run

East on the true line between sections 19 and 30  
Var.  $14^{\circ}28'$  E.

39.12 Set a charred post for the  $\frac{1}{4}$  section corner and made a  
mound with trench and pits as per instructions

79.12 The corner to sections 19, 20, 29 and 30.

Land level and sandy and generally second rate.

---

North between sections 19 and 20.

Var.  $14^{\circ}10'$  E.

40.00 Set a charred post for the  $\frac{1}{4}$  section corner and made a  
mound with trench and pits as per instructions

80.00 Set a charred post for the corner to sections 17, 18,  
19 and 20 and made a mound with trench and pits  
Land level and second rate and sandy.

---

East on a random line between sections 17 and 20  
Var.  $14^{\circ}10'$  E.

40.00 Set a post for temporary  $\frac{1}{4}$  section corner

80.48 Intersect the north and south line 10 links south of the  
corner to sections 16, 17, 20 and 21 from which corner I  
run

West on the true line between section 17 and 20  
Var.  $14^{\circ}14'$  E.

40.24 Set a charred post for the  $\frac{1}{4}$  section corner and made  
a mound with trench and pits as per instructions

80.48 The corner to sections 17, 18, 19 and 20

Land level and sandy and generally second rate.

---

West on a random line between sections 18 and 19.  
Var.  $14^{\circ}10'$  E.

40.00 Set a post for temporary  $\frac{1}{4}$  section corner

78.76 Intersect the west boundary of the township 30 links

Chains

North of the corner to sections 18 and 19 from which corner  
I run

East on the true line between sections 18 and 19.  
Var.  $14^{\circ}23'$  E.

35.75<sup>6</sup> Set a charred post for the  $\frac{1}{4}$  section corner and made  
a mound with trench and pits as per instructions

78.76 The corner to sections 17, 18, 19 and 20  
Land level and sandy with some grass and bushes

---

North between sections 17 and 18.  
Var.  $14^{\circ}10'$  E.

40.00 Set a charred post for the  $\frac{1}{4}$  section corner and made a  
mound with trench and pits as per instructions

80.00 Set a charred post for the corner to sections 7, 8,  
17 and 18 and made a mound with trench and pits as per  
instructions.

Level clay land and generally second rate.

---

East on a random line between sections 8 and 17.  
Var.  $14^{\circ}10'$  E.

40.00 Set a post for temporary  $\frac{1}{4}$  section corner

80.50 Intersect the north and south line 37 links south of the  
corner to sections 8, 9, 16 and 17, from which corner  
West on the true line between sections 8 and 17.  
Var.  $14^{\circ}26'$  E.

40.25 Set a charred post for the  $\frac{1}{4}$  section corner and made a  
mound with trench as per instructions.

80.50 The corner to sections 7, 8, 17 and 18  
Level clay land and second rate.

---

West on a random line between sections 7 and 18.  
Var.  $14^{\circ}10'$  E.

40.00 Set a post for temporary  $\frac{1}{4}$  section corner.

78.62 Intersect the West boundary of the township 42 links  
North of corner to sections 7 and 18, from which corner

Chains

I run

East on the true line between sections 7 and 18  
Var.  $14^{\circ}28'$  E.

38.62

Set a charred post for the  $\frac{1}{4}$  section corner and made  
a mound with trench and pits as per instructions

78.62

The corner to sections 7, 8, 17 and 18.  
Level clay land with bushes and palmetto.

---

North between sections 7 and 8

Variation  $14^{\circ}10'$  E.

40.00

Set a charred post for the  $\frac{1}{4}$  section corner and made a  
mound with trench as per instructions

80.00

Set a post for the corner to sections 5, 6, 7 and 8 and  
made a mound with trench as per instructions  
First half mile clay soil, last sandy and second rate.

---

February 20, 1856

East on a random line between sections 5 and 8  
Var.  $14^{\circ}10'$  E.

40.00

Set a post for temporary  $\frac{1}{4}$  section corner

80.44

Intersect the north and south line 39 links south of  
corner to sections 4, 5, 8 and 9 from which corner I run  
West on a true line between sections 5 and 8.  
Var.  $14^{\circ}27'$  E.

40.22

Set a charred post for the  $\frac{1}{4}$  section corner and made  
a mound with trench and pits as per instructions

80.44

The corner to sections 5, 6, 7 and 8.  
Land level and sandy with bushes and palmetto.

---

West on a random line between sections 6 and 7.  
Var.  $14^{\circ}10'$  E.

1.00

Set a post for temporary  $\frac{1}{4}$  section corner

59

Intersect the west boundary of the township 19 links  
North of the corner to sections 6 and 7 from which

Chains

corner I run

East on the true line between sections 6 and 7.

Var.  $14^{\circ}14'$  E.

38.59 Set a charred post for the  $\frac{1}{4}$  section corner and made a mound with trench and pits as per instructions

78.59 The corner to sections 5, 6, 7 and 8.

Land level and sandy with grass, bushes and palmetto.

---

North on a random line between sections 5 and 6.

Var.  $14^{\circ}10'$  E.

40.00 Set a post for temporary  $\frac{1}{4}$  section corner

73.00 To dry bed of lake.

80.11 Intersect the north boundary of the township 23 links East of the corner ~~to~~ sections 5 and 6 from which corner I run

South on the true line between sections 5 and 6.

Var.  $14^{\circ}20'$  E.

40.11 Set a charred post for the  $\frac{1}{4}$  section corner and made a mound with trench and pits as per instructions

80.11 The corner to sections 5, 6, 7 and 8

Land first half mile sandy, the rest, clay soil with grass, bushes and palmetto.

---

#### GENERAL DESCRIPTION

There is much land in this township which would produce good crops of grain and a large quantity of fine grass.

There is an abundance of mesquit and palmetto and water is easily obtained.

---

R. W. Morris, D. S.

Contract of Oct. 19, 1855.