Field Notes

of

West Boundary and
Interior Section Lines

of

Township & North, Range 11 West, S.B.M.

Copied from certified copy of Field Notes received from U. S. Surveyor General for California.
Dated September 24, 1921.

36	31	32 T.	33 9 N.	34	35	36	31	
	6 21						6	
12 N	× 7 20	8 15	15 9 tz	10 8	9	153	7 0	
1 7 7 1	10 /3	100	10///	1	1	1 - 3	P 18	
24		78 20/4					19	
25 ;	30.7	29 /3	28 .′0	27 7	26 🎉	25	30	
36 /	31 /6	7	33 9	34 🐇			3	
l ,	6	5 T.	7 N ·	3	2	ļ	6	
ı							İ	

Tp. lines N. and W. of S. B. M.

Chains

North on the East boundary of Section 1 Var. 14-12' E.

80.00 To a point for corner to township 7 and 8 North
Ranges 11 and 12 West
Brove a charred stake and raised a mound with trench
and pits as per instructions.
Land level with sandy soil and a good growth of grass
and scattering palmetto.

December 5, 1856.

From the corner to townships 7 and 8 North, Ranges 11 and 12 West, I run Worth along the East boundary of Section 36, T. 8 M. between Ranges 11 and 12 West.

Var. 14012' E.

- 40.00 Set a post charred and chalked for the description corner and made a mound with trench and pits as per instructions.
- 50.00 Set a post charred and chalked for the corner to sections 25,30,31 and 36, and raised a mound with trench and pits as per instructions.

 Land level with scattering palmetto and grass.

North on the East boundary of Section 25. Var. 14-12' E.

- 40.00 Set a post charred and chalked for the corner to the section and made a mound with trench and pits as per instructions.
- 50.00 Set a post charred, chalked and notched for the corner to Sections 19,24,25 and 30, and made a mound with trench and pits as per instructions.

 Land level, clay soil, grass and scattering palmetto.

North on East boundary of Section 24 Var. 14-12' E.

40.00 Set a post charred and chalked for the d section corner and raised a mound with trench and pits as per instructions.

Tp. Lines N. and W. of S. B. M.

Chains

50.00 Set a post charred, chalked and notched for the corner to Sections 13, 18, 19 and 24, and raised mound with trench and pits as per instructions.

Land level and second rate, clay soil.

North on East Boundary of Section 13. Var. 14.12'E.

- 40.00 Set a post charred and chalked for the & section corner and raised a sound with trench and pits as per instructions.
- 50.00 Set a post charred, chalked and notched for the corner to Sections 7, 12, 13 and 15, and raised a mound with trench and pite as per instructions.

 Land level, soil sandy with some scattering palmetto and grass.

North on east boundary of Section 12. Var. 14°12' E.

- 20.00 To dry bed of a former lake.
- 40.00 Set a post charred and chalked for the t section corner and raised a mound with trench and pits as per instructions.
- So.00 Set a post charred and chalked and notched for the corner to Sections 1, 6, 7 and 12, and raised a mound with trench and pits as per instructions, in old bed of lake.

 Land level and open, clay soil, second rate.

North on the East boundary of Section 1 Var. 14012' E.

- 40.00 Set a post charred and chalked for the t section corner and raised a mound with trench and pits as per instructions.
- 80.00 To a point for corner to townships 5 and 9 north,
 Ranges 11 and 12 West.
 Drove a charred stake and raised a mound with trench
 and pits as per instructions, still in old bed of lake.
 Land open clay soil, and second rate.

在南水水水水水水水水水水水水水水水水水水水水水水水水水水水水水水水水水水

T. S N., R. 11 W. of S. B. M.

Field Notes of the Subdivisions of Township 5 N.R.11 W. of San Bernardino Meridian.
From the cerner to Sections 1, 2, 35 and 36 on the South boundary of the township, I run Morth between Sections 35 and 36. December 26, 1855.

Var. 14°12' E.

- 40.00 Set a charred post for the & section corner and made a mound with trench as per instructions.
- 80.00 Set a charred post for corner to Sections 25,26,35 and 36 made mound with trench and pits as per instructions.

 Land second rate, level and open.

East on a random line between Sections 25 and 36 Var. 14°12' E.

- 40.01 Set a post for temperary & section corner
- Intersect the Morth and South line 45 links South of the corner to Sections 25 and 36, from which corner I run west on the true line between Sections 25 and 36 Var. 14*31' E.
- 40.20 Set a charred post for the & section corner and made a mound with trench and pits as per instructions.
- 50.40 The corner to Sections 25, 26, 35 and 36, Land second rate, level and open

Horth between Sections 25 and 26. Var. 14-12' K.

- 40.00 Set a charred post for the & section corner and made a mound with treach and pits as per instructions.
- 80.01 Set a charred post for the corner to Sections 23,24,
 25 and 26, and made a mound with trench and pits as
 per instructions.

 Land second rate, level, clay soul

T. S N., R. 11 W., of S. B. M.

East	on	*	random	line	between	Sections	24 and	25
						Var.	14012'	E.

- 40.00 Set a post for temperary & section corner
- So.50 Intersect the East Boundary of the township 40 links South of the corner to Sections 24 and 25, from which corner west on the true line between Sections 24 and 25 Var. 14029' E.
- 40.25 Set a charred post for the $\frac{1}{4}$ section corner and made a mound with trench and pite as per instructions.
- 80.50 The corner to Sections 23, 24, 25 and 26. Land level and second rate and open.

North between Sections 23 and 24.

建海南西南部市南部南部市市大大市市大大市市市市市市市市市市市市市

- 40.01 Set a charred post for the & section corner and made a mound with trench and pits as per instructions.
- 80.01 Set a charred post for the corner to Sections 13, 14, 23 and 24, and made a mound with trench and pits as per instructions.

 Land second rate, level and open.

East on a random line between Sections 13 and 24.

Var. 14°12' E.

- 40.01 Set a post for temporary & section corner.
- So.35 Intersect the East Boundary of the township 40 links South of the post the corner to Sections 13 and 24 from which corner I run west on a true line between Sections 13 and 24.

 Var. 14-29' E.
- 40.17 Set a charred post for the a section corner and made a mound with trench and pits as per instructions.
- 50.35 The corner to Sections 13, 14, 23 and 24 Land second rate, relling and open

North between Sections 13 and 14.

40.00 Set a charred post for the & section corner and made a mound with treach and pits as per instructions.

T. S M., R. 11 W. of S.B.M.

50.01 Set a charred post for the corner to Sections 11, 12, 13 and 14, and made a mound with trench and pits as per instructions.

Land second rate, level and open.

East on a random line between Sections 12 and 13 Var. 14-12' E.

- 40.00 Set a post for temporary & section corner
- So.46 Intersect the East boundary of the township 30 links South of the corner to Sections 12 and 13, from which corner, I run west on a true line between Sections 12 and 13 var. 14.25' E.
- 40.23 Set a charred post for & section corner and made a mound with treach and pits as per instructions.
- 50.46 The corner to Sections 11, 12, 13 and 14. Land level, second rate, clay soil and open.

North between Sections 11 and 12.

- 40.00 Set a charred post for the & section corner and made a mound with trench and pits as per instructions.
- 80.00 Set a charred post for the corner to Sections 1, 2, 11 and 12, and made a mound with trench and pits as per instructions.

 Soil sandy and third rate with some palmetto.

East on a random line between Sections 1 and 12 Var. 14° 12' E.

- 40.00 Set a post for temporary & Section corner.
- SO.55 Intersect that East boundary of the township 20 links North of the cerner to Sections 1 and 12, from which corner, I run West on a true line between Sections 1 and 12 Var. 14° 03' K.
- 40.29 Set a charred post for the t section corner and made a mound with trench and pits as per instructions.

T. S N., R. 11 W., of S.B.M.

50.55 The corner to Sections 1, 2, 11 and 12, Rolling and sandy land and third rate with some palmetto.

North on random line between Sections 1 and 2 Var. 14° 12' E.

- 40.01 Set a post for temperary & section corner.
- 80.75 Intersect the North boundary of the township 70 links west of corner to Sections 1 and 2, from which corner I run South on a true line between Sections 1 and 2 Var. 13° 42' E.
- 40.75 Set a charred post for the t section corner and made a mound with trench as per instructions.
- 80.75 The corner to Sections 1, 2, 11 and 12.
 Land rolling and third rate with some palmetto.

 North between Sections 34 and 35.

 Var. 14° 12' E.
- 40.01 Set a charred post for the & section corner and made a mound with trench and pits as per instructions.
- 80.00 Set a charred post for the corner to Sections 26, 27, 34 and 35, and made a mound with trench and pits as per instructions.

 Clay soil second rate, level and open.

East on a random line between Sections 26 and 35 Var. 14° 12' E.

- 40.01 Set a post for temporary & section corner
- SO.46 Intersect the North and South line 14 links south of the corner to Sections 25, 26, 35 and 36, from which corner, I run west on a true line between Sections 26 and 35 Yar. 14° 15' E.
- 40.23 Set a charred post for the # section corner and made mound with trench and pits as per instructions.
- 80.46 The corner to Sections 26, 27, 34 and 35. Soil second rate, clay, level and open.

T. S N., R. 11 W. of S.B.M.

North between Sections 26 and 27
Var. 14-12' E.

- 40.00 Set a charred post for the t section corner and made a mound with trench and pits as per instructions.
- 80.00 Set a charred post for the corner to Sections 22, 23, 26 and 27, and made a mound with treach and pits as per instructions.

 Clay soil, second rate, level and open.

East on a random line between Sections 23 and 26 Var. 14-12' E.

- 40.00 Set a post for temporary & section corner.
- 80.26 Intersect the North and South line 44 links South of the corner to Sections 23, 24, 25 and 26, from which corner, I run west on a true line between Sections 23 and 26.

 Var. 14-31' E.
- 40.13 Set a charred post for the d section corner and made a mound with trench as per instructions.
- 50.26 The corner to Sections 22, 23, 26 and 27 Land second rate, level and open.

North between Sections 22 and 23 Yar. 14° 12' E.

- 40.01 Set a charred post for the \(\frac{1}{4}\) section corner and made a mound with trench as per instructions.
- 80.01 Set a charred post for the corner to Sections 14, 15, 22 and 23, and made a mound with trench and pits as per instructions.

 Second rate clay soil, level and open.

East on a random line between Sections 14 and 23 Var. 14° 12' E.

- 40.01 Set a post for temperary & section corner
- SO.34 Intersect the North and South line 35 links South of the corner to Sections 13, 14, 23 and 24, from which corner, I run West on a true line between Sections 14 and 23 var. 14° 27' E.

T. S N., R. 11 W., of S. B. M.

- 40.17 Set a charred post for the d section corner and made mound with trench and pits as per instructions.
- 50.34 The corner to Sections 14, 15, 22 and 23. Second rate level clay soil and open.

North between Sections 14 and 15. Var. 14° 12' E.

- 40.01 Set a charred post for the section corner and made a mound with trench as per instructions.
- 80.01 Set a charred post for the corner to Sections 10, 11, 14 and 15 and made a mound with trench and pits as per instructions.

 Soil sandy and third rate with some palmetto.

East on a random line between Sections 11 and 14. Var. 14° 12' E.

- 40.00 Set a post for temporary & section corner
- 80.24 Intersect the North and South line 40 links South of the corner to Sections 11, 12, 13 and 14, from which corner, I run west on a true line between Sections 11 and 14 Var. 14° 29' E.
- 40.12 Set a charred post for the t section corner and made a mound with trench and pits as per instructions.
- 50.24 The corner to Sections 10, 11, 14 and 15. Land third rate and gently rolling.

North between Sections 10 and 11. Var. 14° 12' E.

- 40.01 Set a charred post for the t section corner and made a mound with treach and pits as per instructions.
- 50.00 Bet a charred post for the corner to Sections 2, 3, 10 and 11, and made a mound with trench and pits as per instructions.

 Second rate sandy and rolling land.

T. S N., R. 11 W., of B.B.M.

East on a random line between Sections 2 and 11. Var. 14° 12' E.

- 40.00 Set a post for temporary & section corner.
- Intersect the North and South line 32 links South of corner to Sections 1, 2, 11 and 12, from which corner I run

 West on a true line between Sections 2 and 11.

 Var. 14° 26' E.
- 40.15 Set a charred post for the & section corner and made a mound with trench and pits as per instructions.
- 50.30 The corner to Sections 2, 3, 10 and 11. Sandy soil, third rate, rolling and open.

North on a random line between Sections 2 and 3 Var. 14° 12' E.

- 40.00 Set a post for temporary & section corner
- 50.01 To dry bed of lake
- 69.00 Leave the same
- Intersect the North boundary of the township 56 links west of the corner to Sections 2 and 3, from which corner, I run south on a true line between Sections 2 and 3 var. 13* 45' E.
- 41.20 Set a charred post for the t section corner and made a mound with treach and pits as per instructions.
- 51.20 The corner to Sections 3, 2, 10 and 11. Land third rate and rolling.

December 25, 1855.

North between Sections 33 and 34.

- 40.01 Set a charred post for the & section corner and made a mound with trench and pits as per instructions.
- 80.01 Set a charred post for corner to Sections 27, 26, 33 and 34, and made a mound with trench and pits as per instructions.

 Land level good second rate clay soil and open.

T. S M., R. 11 W., of S.B.M.

	East on a random line between Sections 27 and 34
Chains 40.01	Set a post for temperary & section corner
80.40	Intersect the North and South line 15 links South of the corner to Sections 26, 27, 34 and 35, from which corner I run West on the true line between Sections 27 and 34 Var. 14-16' E.
40.20	Set a charred post for the t section corner and made a mound with trench and pits as per instructions.
80.40	The corner to Sections 27, 28, 33 and 34. Second rate clay soil, level and open.
	North between Sections 27 and 28 Var. 14°12' E.
40.00	Set a charred post for the $\frac{1}{4}$ section corner and made a mound with trench and pits as per instructions
8 0.01	Set a charred post for the corner to Sections 21, 22, 27 and 25, and made a mound with trench and pits as per instructions. Second rate clay soil; level and open.
	East on a random line between Sections 22 and 27.
40.00	Set a post for temporary & section corner
80.30	Intersect the Morth and South line 16 links South of the corner to Sections 22, 23, 26 and 27, from which corner, I run West on a true line between Sections 22 and 27
	Var. 14-19' E.
40.15	Set a charred post for the & section corner and made a mound with trench and pits as per instructions.
80.30	The corner to Sections 21, 22, 27 and 25. Land level and good, second rate.
	North between Sections 21 and 22.
40.00	Set a charred post for the t section corner and made a mound with trench and pits as per instructions.

T. S N., R. 11 W., of S.B.M.

Chains

80.00 Set a charred post for the corner to Sections 15, 16, 21 and 22, and made a mound with trench and pits as per instructions.

Land level, open and second rate.

East on a random line between Sections 15 and 22 Var. 14° 12' E.

- 40.01 Set a post for temporary & section corner
- Intersect the Morth and South line 10 links North of the post corner to Sections 14, 15, 22 and 23, from which corner, I run West on a true line between Sections 15 and 22 Var. 14*05' E.
- 40.21 Set a charred post for the corner to Sections & section and made a mound with trench and pits as per instructions.
- 50.43 The corner to Sections 15, 16, 21 and 22 Land second rate, level and open.

North between Sections 15 and 16.

- 40.01 Set a charred post for the & section corner and made a mound with trench and pits as per instructions.
- 80.01 Set a charred post for the corner to Sections 9, 10, 15 and 16, and made a mound with trench and pits as per instructions.

 Land second rate, level and open.

East on a random line between Sections 10 and 15. Var. 14012' E.

- 40.00 Set a post for temporary & section corner
- 50.32 Intersect the North and South line 24 links South of the corner to Sections 10, 11, 14 and 15, from which corner, I run West on a true line between Sections 10 and 15.

 Var. 14*22' E.
- 40.16 Set a charred post for the & section corner and made a mound with trench and pits as per instructions.

T. S M., R. 11 W., of S.B.M.

50.32 The corner to Sections 9, 10, 15 and 16, Land second rate, level and open.

North between Sections 9 and 10. Var. 14-12' K.

- 40.00 Set a charred post for the t section corner and made a mound with trench and pits as per instructions.
- 61.00 To old bed of lake, dry.
- 50.01 Set a charred post for the sorner to Sections 3, 4, 9 and 10, and made a mound with trench and pits as per instructions.

 Land second rate, North part level, clay bed of lake.

East on a random line between Sections 3 and 10. Var. 14*12' E.

- 40.01 Set a post for temporary & section corner
- 55.01 Leave old bed of lake.
- SO.30 Intersect Worth and South line 26 links South of the corner to Sections 2, 3, 10 and 11, from which corner I run West on a true line between Sections 3 and 10.

 Var. 14*23' E.
- 40.15 Set a charred post for the & section corner and made a mound with trench and pite as per instructions.
- 80.30 The corner to Sections 3, 4, 9 and 10. Land third rate level and open.

North on a random line between Sections 3 and 4. Var. 14.12' K.

- 40.00 Set a post for temporary & section corner.
- S1.45 Intersect the North boundary of the township 30 links West of the corner to Sections 3 and 4, from which corner, I run South on a true line between Sections 3 and 4.

 Var. 13.59' E.
- 41.45 Set a charred post for the & section corner and made a mound with trench and pits as per instructions.
- 81.45 The corner to Sections 3, 4, 9 and 10. Land level, old bed of lake.

T. S N., R. 11 N., of S.B.N.

December 29, 1855.

North between Sections 32 and 33.

- 40.01 Set a charred post for the t section corner and raised a mound with trench as per instructions.
- 50.01 Set a charred post for corner to Sections 25, 29, 32 and 33 and raised a mound with trench and pits as per instructions.

 Land level and open and second rate, clay soil.

East on a random line between Sections 25 and 33. Var. 14°12' E.

- 40.00 Set a post for temporary t section corner.
- SO.34 Intersect North and South line 25 links North of the corner to Sections 27, 25, 33 and 34, from which corner I run West on a true line between Sections 25 and 33.

 Var. 14-01' E.
- 40.17 Set a charred post for the t section orner and made a mound with trench and pits as per instructions.
- 50.34 The corner to Sections 25, 29, 32 and 33. Second rate level clay land.

North between Sections 25 and 29.

- 40.00 Set a charred post for the t section corner and made a mound with trench and pits as per instructions.
- 50.01 Set a charred post for the corner to Sections 20, 21, 28 and29, and made a mound with trench and pits as per instructions.
 Land second rate, level and open.

East on a random line between Sections 21 and 25. Var. 14-12' E.

40.00 Set a post for temporary & section corner.

7. 8 M., R. 11 W., of S.B.M.

- 50.25 Intersect the North and South line 18 links North of the corner to Sections 21, 22, 27 and 25, from which corner, I run West on a true line between Sections 21 and 25.

 Var. 14.04' E.
- 40.14 Set a charred post for & section sorner and made a mound with trench and pits as per instructions.
- 50.25 The sorner to Sections 20, 21, 25 and 29. Land third rate, level and open.

North between Sections 20 and 21. Var. 14012' K.

- 40.00 Set a charred post for the & section corner and made a mound with trench and pits as per instructions.
- 80.01 Set a charred post for the corner to Sections 16, 17, 20 and 21, and made a mound with trench and pits as per instructions.

 Second rate clay soil with scattering palmette.

East on a random line between Sections 16 and 21. Var. 14-12' E.

- 40.01 Set a post for temporary & section corner.
- 50.24 Intersect North and South line 44 links North of the corner to Sections 15, 16, 21 and 22, from which corner I run
 West on a true line between Sections 16 and 21.

 Var. 13°53' E.
- 40.12 Set a charred post for the & section corner and made a mound with trench and pits as per instructions.
- 80.24 The corner to Sections 16, 17, 20 and 21. Level second rate and open clay land.

North between Sections 16 and 17. Var. 14-12' K.

- 40.00 Set a charred post for the & section corner and made a mound with trench and pits as per instructions.
- 50.01 Set a charred post for the corner to Sections 5, 9, 16, 17 and made a mound with trench and pits as per instructions.

 Land level and sandy and generally third rate.

T. S N., R. 11 W., of S.B.M.

East on a random line between Sections 9 and 16. Var. 14° 12' E.

- 40.01 Set a post for temperary & section corner.
- 80.40 Intersect the North and South line 35 links North of the corner to Sections 9, 10, 15 and 16, from which corner, I run West on a true line between Sections 9 and 16.

 Var. 13° 57' E.
- 40.20 Set a charred post for & section corner and made a mound with trench and pits as per instructions.
- 80.40 The corner to Sections 5, 9, 16 and 17. Land second rate, open and level.

North between Sections 5 and 9.

Var. 140 12' E.

- 40.01 Set a charred post for the t section corner and made a mound with trench and pits as per instructions.
- 46.00 Enter old and dry bed of lake.
- 80.01 Set a charred post for the corner to Sections 4, 5, 8 and 9, and made a mound with trench and pits as per instructions.

 Land generally third rate and open.

East on a random line between Sections 4 and 9. Var. 14° 12' E.

- 40.01 Set a post for temporary t section corner.
- 50.50 Intersect the North and South line 30 links North of the corner to Sections 3, 4, 9 and 10, from which corner, I run West on a true line between Sections 4 and 9. Var. 13° 59' E.
- 40.25 Set a charred post for the $\frac{1}{n}$ section corner and made a mound with trench and pits as per instructions.
- 80.50 The corner to Sections 4, 5, 5 and 9, Second rate old and dry bed of lake.

T. S N., R. 11 W., of S.B.M.

North on a random line between Sections 4 and 5.

Var. 14° 12' E.

- 40.00 Set a post for temperary & section corner.
- 81.48 Intersect the North boundary of the township 10 links West of the corner to Sections 4 and 5, from which corner I run South on a true line between Sections 4 and 5.

 Var. 14° 08' E.
- 41.48 Set a charred post for the section corner and made a mound with trench and pits as per instructions.
- 51.45 The corner to Sections 4, 5, 5 and 9. Land second rate, clay bed of lake.

December 30, 1855.

North between Sections 31 and 32.

- 40.01 Set a charred post for the & section corner and made a mound with trench and pits as per instructions.
- 80.01 Set a charred post for the corner to Sections 29, 30, 31 and 32, and made a mound with trench and pits as per instructions.

 Land third rate with some palmetto.

East on a random line between Sections 29 and 32. Var. 14° 12' E.

- 40.00 set a post for temporary & section corner.
- Intersect the North and South line 40 links North of corner to Sections 25, 29, 32 and 33, from which corner I run
 West on a true line between Sections 29 and 32.

 Var. 13° 55' E.
- 40.24 Set a charred post for the & section corner and made a mound with trench and pits as perinstructions.
- 50.46 The corner to Sections 29, 30, 31 and 32 third rate rolling and sandy land.

West on a random line between Sections 30 and 31.

Var. 14° 12' E.

T. S N., R. 11 W. of the B.B.M.

- Chains
- 40.00 Set a post for the t section corner and made a mound with temporarily
- 82.01 Intersect the west boundary of the township 5 links
 North of the post for the corner to Sections 30 and 31
 from which corner, I run
 East on a true line between Sections 30 and 31
 Var. 14-15' E.
- 42.01 Set a charred post for the t section corner and made a mound with trench and pits as per instructions.
- 52.00 The corner to Sections 29, 30, 31 and 32. Land third rate, level and open.

North between Sections 29 and 30. Var. 14-12' E.

- 40.00 Set a charred post for the & section corner and made a mound with trench and pits as per instructions.
- 50.00 Set a charred post for the corner to Sections 19, 20, 29 and 30, and made assemble with trench and pits as per instructions.

 Land third rate with some palmetto.

East on a random line between Sections 20 and 29. Var. 14-12' E.

- 40.00 Set a post for temporary & section corner.
- SO.47 Intersect North and South line 30 links North of post corner to Sections 20, 21, 25 and 29, from which corner I run
 West on a true line between Sections 20 and 29.

 Var. 13*59' E.
- 40.23 Set a charred post for the & section corner and made a mound with trench and pits as per instructions.
- 50.47 The corner to Sections 19, 20, 29 and 30. Third rate rolling land.

West on a random line between Sections 19 and 30. Var. 14-12' K.

T. S N., R. 11 W., of S. B. M.

- 40.00 Set a post for temporary & section corner.
- \$1.90 Intersect the North and South line 20 links South of the corner to Sections 19 and 30, from which corner I run East on a true line between Sections 19 and 30. Var. 1403' E.
- 41.90 Set a charred post for the 4 section corner and made a mound with trench and pits as per instructions.
- \$1.90 The corner to Sections 19, 20, 29 and 30. Third rate rolling and sandy land.

North between Sections 19 and 20. Var. 14.12' E.

- 40.00 Set a charred post for the t section corner and raised a sound with trench and pits as per instructions.
- 50.00 Set a charred post for the corner to Sections 17, 15, 19 and 20, and made a mound with trench and pits. Land third rate, rolling and open.

East on a random line between Sections 17 and 20. Var. 14-12' E.

- 40.01 Set a post for temporary & section cerner.
- 80.32 Intersect Worth and South line 10 links Worth of post corner to Sections 16, 17, 20 and 21, from which corner I run
 West on a true line between Sections 17 and 20.
 Var. 14.05' E.
- 40.16 Set a charred post for t section corner and made a mound with treach and pits as perinstructions.
- 50.32 The corner to Sections 17, 18, 19 and 20.
 Rolling and third rate land with some palmetto.

West on a random line between Sections 15 and 19. Var. 14012' E.

- 40.00 Bet a post for temperary & section corner.
- S1.50 Intersect the West boundary of the township 30 links South of the corner to Sections 15 and 19, from high corner I run

 East on a true line between Sections 15 and 19.

 Var. 13*59' E.

T. S M., R. 11 W. of the S.B.M.

Chains

- 41.50 Set a charred post for the \(\frac{1}{4}\) section corner and made a mound with trench and pits as per instructions.
- \$1.50 The corner to Sections 17, 18, 19 and 20. Third rate rolling land with some palmetto.

North between Sections 17 and 18. Var. 14012' E.

- 40.00 Set a charred post for the d section corner and made a mound with trench and pits as per instructions.
- 80.01 Set a charred post for corner to Sections 7, 8, 17 and 18, and made a mound with trench and pits as per instructions.

 Third rate land with some palmetto.

East on a random line between Sections 5 and 17. Var. 14-12' E.

- 40.00 Set a post for temporary & section corner.
- Intersect the North and South line 20 links North of corner to Sections 5, 9, 16 and 17, from which corner, I run test on a true line between Sections 5 and 17.

 Var. 14.03' E.
- 40.21 Set a charred post for the & section corner and made a mound with trench and pits as per instructions.
- 50.42 The corner to Sections 7, 5, 17 and 18. Third rate rolling and sendy land.

West on a random line between Sections 7 and 18.
Var. 14-12' E.

- 40.00 Bet a post for temperary & section corner.
- 51.92 Intersect the West boundary of the Township 25 links South of corner to Sections 7 and 15, from which corner I run East on a true line between Sections 7 and 15.

 Var. 14-01' E.
- 41.92 Set a charred post for the t section corner and made a mound with treach and pits as per instructions.
- 51.92 The corner to Sections 7, 5, 17 and 18. Third rate open and rolling land.

T. 5 M., R. 11 W. of the S.B.M.

North between Sections 7 and 5. Var. 14-12' E.

- 35.00 To old and dry bed of lake.
- 40.01 Set a charred post for the t section corner and made a mound with trench and pits as per instructions.
- 80.00 Set a charred post for the corner to Sections 5, 6, 7 and 5, and made a mound with trench and pits as per instructions.

 Land second rate and open.

December 31, 1855.

East on a random line between Sections 5 and 5. Var. 14-12' E.

- 40.01 Set a post for temporary & section corner.
- SO.30 Intersect North and South line 34 links North of the gerner to Sections 4, 5, 5 and 9, from which corner I run
 West on a true line between Sections 5 and 8.
 Yer. 13*57' E.
- 40.15 Set a charred post for the & section sorner and made a mound with treach and pits as per instructions.
- 50.30 The corner to Sections 5, 6, 7 and 5. Second rate, old bed of lake.

West on a random line between Sections 6 and 7. Var. 14-12' E.

- 40.00 Set a post for temporary & section corner
- S1.40 Intersect the West boundary of the township 35 links South of the corner to Sections 6 and 7, from which corner, I run

 East on a true line between Sections 6 and 7.

 Var. 13°57' E.
- 41.40 Set a charred post for the t sedtion corner and made a mound with trench as per instructions.
- 51.40 The corner to Sections 5, 6, 7 and 5 second rate old bed of lake.

T. 5 N., R. 11 W., of the S.B.M.

Chain

North on a random line between Sections 5 and 6 Variation 14-12' E.

- 40.01 Set a post for temporary & section corner.
- S1.35 Intersect the North boundary of the tewnship S links East of post corner to Sections 5 and 6, from which corner, I run South on a true line between Sections 5 and 6.

 Var. 14-15' E.
- 41.35 Set a charred post for the & section corner and made a mound with trench and pits as per instructions.
- 51.35 The corner to Sections 5, 6, 7 and 5. Land second rate, old clay bed of lake.

GENERAL DESCRIPTION

This Township contains such good land and fine grass. Much of it is adapted to agriculture and all to grasing, as the grass is of the most nutritious quality.

Surveyed by R. W. Morris, Deputy Surveyor.

Contract dated October 19th, 1855.