

Tp. lines N. and W. of S. E. M.

Chains

North on the East boundary of Section 1
Var. 14°12' E.

50.00 To a point for corner to township 7 and 8 North
Ranges 11 and 12 West
Drove a charred stake and raised a mound with trench
and pits as per instructions.
Land level with sandy soil and a good growth of grass
and scattering palmetto.

December 5, 1856.

From the corner to townships 7 and 8 North, Ranges
11 and 12 West, I run
North along the East boundary of Section 36, T. 8 N.
between Ranges 11 and 12 West.

40.00 Set a post charred and chalked for the $\frac{1}{4}$ section
corner and made a mound with trench and pits as per
instructions.
Var. 14°12' E.

50.00 Set a post charred and chalked for the corner to sect-
ions 25, 30, 31 and 36, and raised a mound with trench
and pits as per instructions.
Land level with scattering palmetto and grass.

North on the East boundary of Section 25.
Var. 14°12' E.

40.00 Set a post charred and chalked for the corner to $\frac{1}{4}$
section and made a mound with trench and pits as per
instructions.

50.00 Set a post charred, chalked and notched for the corner
to Sections 19, 24, 25 and 30, and made a mound with
trench and pits as per instructions.
Land level, clay soil, grass and scattering palmetto.

North on East boundary of Section 24
Var. 14°12' E.

40.00 Set a post charred and chalked for the $\frac{1}{4}$ section
corner and raised a mound with trench and pits as per
instructions.

Tp. Lines N. and W. of S. E. M.

Chains

50.00 Set a post charred, chalked and notched for the corner to Sections 13, 18, 19 and 24, and raised mound with trench and pits as per instructions. Land level and second rate, clay soil.

North on East Boundary of Section 13.
Var. 14°12' E.

40.00 Set a post charred and chalked for the $\frac{1}{4}$ section corner and raised a mound with trench and pits as per instructions.

50.00 Set a post charred, chalked and notched for the corner to Sections 7, 12, 13 and 18, and raised a mound with trench and pits as per instructions. Land level, soil sandy with some scattering palmetto and grass.

North on east boundary of Section 12.
Var. 14°12' E.

20.00 To dry bed of a former lake.

40.00 Set a post charred and chalked for the $\frac{1}{4}$ section corner and raised a mound with trench and pits as per instructions.

50.00 Set a post charred and chalked and notched for the corner to Sections 1, 6, 7 and 12, and raised a mound with trench and pits as per instructions, in old bed of lake. Land level and open, clay soil, second rate.

North on the East boundary of Section 1
Var. 14°12' E.

40.00 Set a post charred and chalked for the $\frac{1}{4}$ section corner and raised a mound with trench and pits as per instructions.

50.00 To a point for corner to townships 8 and 9 north, Ranges 11 and 12 West. Drove a charred stake and raised a mound with trench and pits as per instructions, still in old bed of lake. Land open clay soil, and second rate.

T. 8 N., R. 11 W. of S. B. M.

Field Notes of the Subdivisions of Township 8 N.R.11
W. of San Bernardino Meridian.
From the corner to Sections 1, 2, 35 and 36 on the
South boundary of the township, I run
North between Sections 35 and 36. December 26, 1855.
Var. 14°12' E.

40.00 Set a charred post for the $\frac{1}{4}$ section corner and made
a mound with trench as per instructions.

80.00 Set a charred post for corner to Sections 25, 26, 35
and 36 made mound with trench and pits as per in-
structions.
Land second rate, level and open.

East on a random line between Sections 25 and 36
Var. 14°12' E.

40.01 Set a post for temporary $\frac{1}{4}$ section corner

80.40 Intersect the North and South line 45 links South of
the corner to Sections 25 and 36, from which corner
I run
West on the true line between Sections 25 and 36
Var. 14°31' E.

40.20 Set a charred post for the $\frac{1}{4}$ section corner and made a
mound with trench and pits as per instructions.

80.40 The corner to Sections 25, 26, 35 and 36,
Land second rate, level and open

North between Sections 25 and 26.
Var. 14°12' E.

40.00 Set a charred post for the $\frac{1}{4}$ section corner and made a
mound with trench and pits as per instructions.

80.01 Set a charred post for the corner to Sections 23, 24,
25 and 26, and made a mound with trench and pits as
per instructions.

Land second rate, level, clay soil

T. 6 N., R. 11 W., of S. E. M.

East on a random line between Sections 24 and 25
Var. 14°12' E.

40.00 Set a post for temporary $\frac{1}{4}$ section corner

80.50 Intersect the East Boundary of the township 40 links
South of the corner to Sections 24 and 25, from which
corner
West on the true line between Sections 24 and 25
Var. 14°29' E.

40.25 Set a charred post for the $\frac{1}{4}$ section corner and made a
mound with trench and pits as per instructions.

80.50 The corner to Sections 23, 24, 25 and 26.
Land level and second rate and open.

North between Sections 23 and 24.
Var. 14°12' E.

40.01 Set a charred post for the $\frac{1}{4}$ section corner and made
a mound with trench and pits as per instructions.

80.01 Set a charred post for the corner to Sections 13, 14,
23 and 24, and made a mound with trench and pits as
per instructions.
Land second rate, level and open.

East on a random line between Sections 13 and 24.
Var. 14°12' E.

40.01 Set a post for temporary $\frac{1}{4}$ section corner.

80.35 Intersect the East Boundary of the township 40 links
South of the post the corner to Sections 13 and 24
from which corner I run
West on a true line between Sections 13 and 24.
Var. 14°29' E.

40.17 Set a charred post for the $\frac{1}{4}$ section corner and made a
mound with trench and pits as per instructions.

80.35 The corner to Sections 13, 14, 23 and 24
Land second rate, rolling and open

North between Sections 13 and 14.
Var. 14°12' E.

40.00 Set a charred post for the $\frac{1}{4}$ section corner and made
a mound with trench and pits as per instructions.

T. 5 N., R. 11 W. of S.B.M.

- 80.01 Set a charred post for the corner to Sections 11, 12, 13 and 14, and made a mound with trench and pits as per instructions.
Land second rate, level and open.

East on a random line between Sections 12 and 13
Var. 14°12' E.

- 40.00 Set a post for temporary $\frac{1}{4}$ section corner
- 80.46 Intersect the East boundary of the township 30 links South of the corner to Sections 12 and 13, from which corner, I run
West on a true line between Sections 12 and 13
Var. 14°25' E.
- 40.23 Set a charred post for $\frac{1}{4}$ section corner and made a mound with trench and pits as per instructions.
- 80.46 The corner to Sections 11, 12, 13 and 14.
Land level, second rate, clay soil and open.

North between Sections 11 and 12.
Var. 14° 12' E.

- 40.00 Set a charred post for the $\frac{1}{4}$ section corner and made a mound with trench and pits as per instructions.
- 80.00 Set a charred post for the corner to Sections 1, 2, 11 and 12, and made a mound with trench and pits as per instructions.
Soil sandy and third rate with some palmetto.

East on a random line between Sections 1 and 12
Var. 14° 12' E.

- 40.00 Set a post for temporary $\frac{1}{4}$ Section corner.
- 80.58 Intersect that East boundary of the township 20 links North of the corner to Sections 1 and 12, from which corner, I run
West on a true line between Sections 1 and 12
Var. 14° 03' E.
- 40.29 Set a charred post for the $\frac{1}{4}$ section corner and made a mound with trench and pits as per instructions.

T. 5 N., R. 11 W., of S.E.M.

80.58 The corner to Sections 1, 2, 11 and 12,
Rolling and sandy land and third rate with some palmetto.

North on random line between Sections 1 and 2
Var. $14^{\circ} 12'$ E.

40.01 Set a post for temporary $\frac{1}{4}$ section corner.

80.75 Intersect the North boundary of the township 70 links
west of corner to Sections 1 and 2, from which
corner I run
South on a true line between Sections 1 and 2
Var. $13^{\circ} 42'$ E.

40.75 Set a charred post for the $\frac{1}{4}$ section corner and made
a mound with trench as per instructions.

80.75 The corner to Sections 1, 2, 11 and 12.
Land rolling and third rate with some palmetto.

North between Sections 34 and 35.
Var. $14^{\circ} 12'$ E.

40.01 Set a charred post for the $\frac{1}{4}$ section corner and made
a mound with trench and pits as per instructions.

80.00 Set a charred post for the corner to Sections 26, 27,
34 and 35, and made a mound with trench and pits as
per instructions.
Clay soil second rate, level and open.

East on a random line between Sections 26 and 35
Var. $14^{\circ} 12'$ E.

40.01 Set a post for temporary $\frac{1}{4}$ section corner

80.46 Intersect the North and South line 14 links south of
the corner to Sections 25, 26, 35 and 36, from which
corner, I run
West on a true line between Sections 26 and 35
Var. $14^{\circ} 18'$ E.

40.23 Set a charred post for the $\frac{1}{4}$ section corner and made
mound with trench and pits as per instructions.

80.46 The corner to Sections 26, 27, 34 and 35.
Soil second rate, clay, level and open.

T. 8 N., R. 11 W. of S.B.M.

North between Sections 26 and 27
Var. 14°12' E.

- 40.00 Set a charred post for the $\frac{1}{4}$ section corner and made a mound with trench and pits as per instructions.
- 80.00 Set a charred post for the corner to Sections 22, 23, 26 and 27, and made a mound with trench and pits as per instructions.
Clay soil, second rate, level and open.

East on a random line between Sections 23 and 26
Var. 14°12' E.

- 40.00 Set a post for temporary $\frac{1}{4}$ section corner.
- 80.26 Intersect the North and South line 44 links South of the corner to Sections 23, 24, 25 and 26, from which corner, I run
West on a true line between Sections 23 and 26.
Var. 14°31' E.
- 40.13 Set a charred post for the $\frac{1}{4}$ section corner and made a mound with trench as per instructions.
- 80.26 The corner to Sections 22, 23, 26 and 27
Land second rate, level and open.

North between Sections 22 and 23
Var. 14° 12' E.

- 40.01 Set a charred post for the $\frac{1}{4}$ section corner and made a mound with trench as per instructions.
- 80.01 Set a charred post for the corner to Sections 14, 15, 22 and 23, and made a mound with trench and pits as per instructions.
Second rate clay soil, level and open.

East on a random line between Sections 14 and 23
Var. 14° 12' E.

- 40.01 Set a post for temporary $\frac{1}{4}$ section corner
- 80.34 Intersect the North and South line 35 links South of the corner to Sections 13, 14, 23 and 24, from which corner, I run
West on a true line between Sections 14 and 23
Var. 14° 27' E.

T. S. N., R. 11 W., of S. B. M.

- 40.17 Set a charred post for the $\frac{1}{4}$ section corner and made mound with trench and pits as per instructions.
- 80.34 The corner to Sections 14, 15, 22 and 23.
Second rate level clay soil and open.

North between Sections 14 and 15.
Var. 14° 12' E.

- 40.01 Set a charred post for the $\frac{1}{4}$ section corner and made a mound with trench as per instructions.
- 80.01 Set a charred post for the corner to Sections 10, 11, 14 and 15 and made a mound with trench and pits as per instructions.
Soil sandy and third rate with some palmetto.

East on a random line between Sections 11 and 14.
Var. 14° 12' E.

- 40.00 Set a post for temporary $\frac{1}{4}$ section corner
- 80.24 Intersect the North and South line 40 links South of the corner to Sections 11, 12, 13 and 14, from which corner, I run
West on a true line between Sections 11 and 14
Var. 14° 29' E.
- 40.12 Set a charred post for the $\frac{1}{4}$ section corner and made a mound with trench and pits as per instructions.
- 80.24 The corner to Sections 10, 11, 14 and 15.
Land third rate and gently rolling.

North between Sections 10 and 11.
Var. 14° 12' E.

- 40.01 Set a charred post for the $\frac{1}{4}$ section corner and made a mound with trench and pits as per instructions.
- 80.00 Set a charred post for the corner to Sections 2, 3, 10 and 11, and made a mound with trench and pits as per instructions.
Second rate sandy and rolling land.
-

T. 5 N., R. 11 W., of W.B.M.

East on a random line between Sections 2 and 11.
Var. 14° 12' E.

- 40.00 Set a post for temporary $\frac{1}{4}$ section corner.
- 80.30 Intersect the North and South line 32 links South of
corner to Sections 1, 2, 11 and 12, from which
I run
West on a true line between Sections 2 and 11.
Var. 14° 26' E.
- 40.15 Set a charred post for the $\frac{1}{4}$ section corner and made
a mound with trench and pits as per instructions.
- 80.30 The corner to Sections 2, 3, 10 and 11.
Sandy soil, third rate, rolling and open.

North on a random line between Sections 2 and 3
Var. 14° 12' E.

- 40.00 Set a post for temporary $\frac{1}{4}$ section corner
- 50.01 To dry bed of lake
- 69.00 Leave the same
- 81.20 Intersect the North boundary of the township 56 links
West of the corner to Sections 2 and 3, from which
corner, I run
South on a true line between Sections 2 and 3
Var. 13° 48' E.
- 41.20 Set a charred post for the $\frac{1}{4}$ section corner and made
a mound with trench and pits as per instructions.
- 81.20 The corner to Sections 3, 2, 10 and 11.
Land third rate and rolling.

December 25, 1855.

North between Sections 33 and 34.
Var. 14° 12' E.

- 40.01 Set a charred post for the $\frac{1}{4}$ section corner and made a
mound with trench and pits as per instructions.
- 80.01 Set a charred post for corner to Sections 27, 28, 33
and 34, and made a mound with trench and pits as per
instructions.
Land level good second rate clay soil and open.
-

T. 5 N., R. 11 W., of S.B.M.

- Chains
40.01 East on a random line between Sections 27 and 34
Set a post for temporary $\frac{1}{4}$ section corner
- 80.40 Intersect the North and South line 15 links South of
the corner to Sections 26, 27, 34 and 35, from which
corner I run
West on the true line between Sections 27 and 34
Var. 14°18' E.
- 40.20 Set a charred post for the $\frac{1}{4}$ section corner and made
a mound with trench and pits as per instructions.
- 80.40 The corner to Sections 27, 28, 33 and 34.
Second rate clay soil, level and open.

North between Sections 27 and 28
Var. 14°12' E.

- 40.00 Set a charred post for the $\frac{1}{4}$ section corner and made
a mound with trench and pits as per instructions
- 80.01 Set a charred post for the corner to Sections 21, 22,
27 and 28, and made a mound with trench and pits as
per instructions.
Second rate clay soil; level and open.

East on a random line between Sections 22 and 27.
Var. 14°12' E.

- 40.00 Set a post for temporary $\frac{1}{4}$ section corner
- 80.30 Intersect the North and South line 16 links South of
the corner to Sections 22, 23, 26 and 27, from which
corner, I run
West on a true line between Sections 22 and 27
Var. 14°19' E.
- 40.15 Set a charred post for the $\frac{1}{4}$ section corner and made
a mound with trench and pits as per instructions.
- 80.30 The corner to Sections 21, 22, 27 and 28.
Land level and good, second rate.

North between Sections 21 and 22.
Var. 14°12' E.

- 40.00 Set a charred post for the $\frac{1}{4}$ section corner and made a
mound with trench and pits as per instructions.

T. 8 N., R. 11 W., of S.B.M.

- Chains
50.00 Set a charred post for the corner to Sections 15, 16, 21 and 22, and made a mound with trench and pits as per instructions.
Land level, open and second rate.
-
- East on a random line between Sections 15 and 22
Var. 14° 12' E.
- 40.01 Set a post for temporary $\frac{1}{4}$ section corner
- 50.43 Intersect the North and South line 10 links North of the post corner to Sections 14, 15, 22 and 23, from which corner, I run
West on a true line between Sections 15 and 22
Var. 14° 05' E.
- 40.21 Set a charred post for the corner to Sections $\frac{1}{4}$ section and made a mound with trench and pits as per instructions.
- 50.43 The corner to Sections 15, 16, 21 and 22
Land second rate, level and open.
-
- North between Sections 15 and 16.
Var. 14° 12' E.
- 40.01 Set a charred post for the $\frac{1}{4}$ section corner and made a mound with trench and pits as per instructions.
- 50.01 Set a charred post for the corner to Sections 9, 10, 15 and 16, and made a mound with trench and pits as per instructions.
Land second rate, level and open.
-
- East on a random line between Sections 10 and 15.
Var. 14° 12' E.
- 40.00 Set a post for temporary $\frac{1}{4}$ section corner
- 50.32 Intersect the North and South line 24 links South of the corner to Sections 10, 11, 14 and 15, from which corner, I run
West on a true line between Sections 10 and 15.
Var. 14° 22' E.
- 40.16 Set a charred post for the $\frac{1}{4}$ section corner and made a mound with trench and pits as per instructions.

T. 8 N., R. 11 W., of S.B.M.

80.32 The corner to Sections 9, 10, 15 and 16,
Land second rate, level and open.

North between Sections 9 and 10.
Var. 14°12' E.

40.00 Set a charred post for the $\frac{1}{4}$ section corner and made
a mound with trench and pits as per instructions.

61.00 To old bed of lake, dry.

80.01 Set a charred post for the corner to Sections 3, 4, 9
and 10, and made a mound with trench and pits as per
instructions.
Land second rate, North part level, clay bed of lake.

East on a random line between Sections 3 and 10.
Var. 14°12' E.

40.01 Set a post for temporary $\frac{1}{4}$ section corner

55.01 Leave old bed of lake.

80.30 Intersect North and South line 26 links South of the
corner to Sections 2, 3, 10 and 11, from which corner
I run
West on a true line between Sections 3 and 10.
Var. 14°23' E.

40.15 Set a charred post for the $\frac{1}{4}$ section corner and made
a mound with trench and pits as per instructions.

80.30 The corner to Sections 3, 4, 9 and 10.
Land third rate level and open.

North on a random line between Sections 3 and 4.
Var. 14°12' E.

40.00 Set a post for temporary $\frac{1}{4}$ section corner.

81.45 Intersect the North boundary of the township 30 links
West of the corner to Sections 3 and 4, from which
corner, I run
South on a true line between Sections 3 and 4.
Var. 13°59' E.

41.45 Set a charred post for the $\frac{1}{4}$ section corner and made
a mound with trench and pits as per instructions.

81.45 The corner to Sections 3, 4, 9 and 10.
Land level, old bed of lake.

T. 8 N., R. 11 W., of S.E.M.

December 29, 1855.

North between Sections 32 and 33.

Var. 14°12' E.

- 40.01 Set a charred post for the $\frac{1}{4}$ section corner and raised a mound with trench as per instructions.
- 80.01 Set a charred post for corner to Sections 28, 29, 32 and 33 and raised a mound with trench and pits as per instructions.
Land level and open and second rate, clay soil.

East on a random line between Sections 28 and 33.

Var. 14°12' E.

- 40.00 Set a post for temporary $\frac{1}{4}$ section corner.
- 80.34 Intersect North and South line 25 links North of the corner to Sections 27, 28, 33 and 34, from which corner I run
West on a true line between Sections 28 and 33.
Var. 14°01' E.
- 40.17 Set a charred post for the $\frac{1}{4}$ section corner and made a mound with trench and pits as per instructions.
- 80.34 The corner to Sections 28, 29, 32 and 33.
Second rate level clay land.

North between Sections 28 and 29.

Var. 14°12' E.

- 40.00 Set a charred post for the $\frac{1}{4}$ section corner and made a mound with trench and pits as per instructions.
- 80.01 Set a charred post for the corner to Sections 20, 21, 28 and 29, and made a mound with trench and pits as per instructions.
Land second rate, level and open.

East on a random line between Sections 21 and 28.

Var. 14°12' E.

- 40.00 Set a post for temporary $\frac{1}{4}$ section corner.