

DEPARTMENT OF THE INTERIOR,
OFFICE OF U. S. SURVEYOR-GENERAL.

San Francisco, California,

September 24, 1921

I, Louis H. Hooser, U. S. Surveyor-General for California, do hereby certify that the annexed transcript of the field notes of the Subdivision Lines of Township 8 North, Range 12 West, Mount Diablo Meridian, California, is a *should read: San Bernardino Meridian*

true and literal exemplification of the same on file in this office.

IN TESTIMONY WHEREOF I have hereunto subscribed my name and caused the seal of this office to be affixed on the day and year above written.

Louis H. Hooser

United States Surveyor-General

for California.



T. 9 N.					
T. 8 N.					
6	20 5 21	15 4	11 3	8 2	4 1
20	20	15	11	7	4
7	19 8	14 9	11 10	7 11	3 12
19	19	14	10	7	3
18	18 17	14 16	10 15	6 14	3 13
18	18	13	10	6	2
19	17 20	13 21	9 22	6 23	2 24
17	17	13	9	5	2
30	16 29	12 28	9 27	5 26	1 25
16	16	12	9 8	5	
31	15 32	12 33	8 34	4 35	1 36
T. 8 N.					
T. 7 N.					

Chains.

Field Notes of the subdivisions of Township 8 North
Range 12 west

December 11, 1855.

North between sections 35 and 36

Variation 14°12'E.

40.01 Set a charred post for the $\frac{1}{4}$ section corner and made a mound with trench and pits as per instructions.

80.01 Set a charred post for corner to sections 25, 26, 35 and 36, and made a mound with trench and pits as per instructions.

Land level and second rate, clay soil, with grass and some palmetto.

East on a random line between sections 25 and 36,

Variation 14°12'E.

40.01 Set a post for temporary $\frac{1}{4}$ section corner

80.45 Intersect the East boundary of the township 35 links North of post corner to sections 25 and 36, from which corner, I run

West on a true line between sections 25 and 36

Variation 13°57'E.

40.22 Set a charred post for the $\frac{1}{4}$ section corner and made a mound with trench and pits as per instructions.

80.45 The corner to sections 25, 26, 35 and 36
Land second rate and level, with good grass.

North between sections 25 and 26

Variation 14°12'E.

40.00 Set a charred post for the $\frac{1}{4}$ section corner and made a mound with trench and pits as per instructions.

80.00 Set a charred post for the corner to sections 23, 24, 25 and 26 and made a mound with trench as per instructions.

Land level, clay soil, grass and bushes.

Chains.

East on a random line between sections 24 and 25
 Variation 14.12' E.
 Set a post for temporary $\frac{1}{4}$ section corner
 40.00
 Intersect the East boundary of the township 14 links
 North of the corner to sections 24 and 25, from which
 corner, I run
 West on a true line between sections 24 and 25
 Variation 14.06' E.
 Set a charred post for the $\frac{1}{4}$ section corner and made a
 mound with trench and pits as per instructions.
 40.20
 The corner to sections 25, 24, 25 and 26
 Soil sandy with grass and some palmetto.

North between sections 23 and 24
 Variation 14.12' E.
 Set a charred post for $\frac{1}{4}$ section corner and made a
 mound with trench and pits as per instructions.
 40.00
 Set a charred post for corner to sections 13, 14, 23
 and 24 and made a mound with trench and pits as per
 instructions.
 80.00
 Land level, soil sandy with grass and palmetto.

East on a random line between sections 13 and 24
 Variation 14.12' E.
 Set a post for temporary $\frac{1}{4}$ section corner
 40.01
 Intersect the East boundary of the township 12 links
 South of the corner to sections 13 and 24, from which
 corner, I run
 West on a true line between sections 13 and 24
 Variation 14.17' E.
 Set a post for $\frac{1}{4}$ section corner and made a mound with
 trench and pits as per instructions.
 40.23
 The corner to sections 13, 14, 23 and 24
 Land level, clay soil, growth of grass and palmetto.
 80.47

chains.

North between sections 13 and 14

Variation 14°12'E.

40.00 Set a charred post for the $\frac{1}{4}$ section corner and made a mound with trench as per instructions.

80.00 Set a charred post for the corner to sections 11, 12, 13 and 14, and made a mound with trench and pits as per instructions.

Land second rate and level, with palmetto and grass.

East on a random line between sections 12 and 13

Variation 14°12'E.

40.00 Set a post for temporary $\frac{1}{4}$ section corner.

80.50 Intersect the East boundary of the township 15 links South of the post corner to sections 12 and 13 from which corner I run

West on a true line between sections 12 and 13

Variation 14°18'E.

40.25 Set a charred post for the $\frac{1}{4}$ section corner and made a mound with trench and pits as instructed.

80.50 The corner to sections 11, 12, 13 and 14.

Land second rate, with grass and palmetto.

North between sections 11 and 12

Variation 14°12'E.

40:00 Set a charred post for the $\frac{1}{4}$ section corner and made a mound with trench as per instructions.

70.00 To dry bed of lake

80.00 Set a charred post for corner to sections 1, 2, 11 and 12 and made a mound with trench and pits as per instructions.

Land level and soil sandy except in dry bed of lake which is clay.

December 12, 1855.

East on a random line between sections 1 and 12

Chains.

40.00	Set a post for temporary $\frac{1}{2}$ section corner	80.45	Intersect the East boundary of the township 20 links South of the corner to sections 1 and 12, from which corner, I run
			West on a true line between sections 1 and 12
			Variation 14°21'E.
40.22	Set a charred post for the $\frac{1}{2}$ section corner and made a mound with trench and pits as per instructions.	80.45	The corner to sections 1, 2, 11 and 12.
			Second rate clay bottom, old bed of lake.
<hr/>			
			North on a random line between sections 1 and 2
			Variation 14°12'E.
40.00	Set a post for temporary $\frac{1}{2}$ section corner	79.98	Intersect the North boundary of the township 12 links West of corner to sections 1 and 2, from which corner I run
			South on a true line between sections 1 and 2
			Variation 14°07'E.
39.98	Set a charred post for the $\frac{1}{2}$ section corner and made a mound with trench and pits as per instructions.	79.98	The corner to sections 1, 2, 11 and 12.
			Land second rate, old bed of lake.
<hr/>			
			North between sections 34 and 35
			Variation 14°12'E.
40.00	Set a charred post for the $\frac{1}{2}$ section corner and made a mound with trench and pits as per instructions.	80.00	Set a charred post for the corner to sections 26, 27
			34 and 35 and made a mound with trench and pits as per instructions.
			Land level, second rate with scattering palmetto and Grass.

chains.

East on a random line between sections 26 and 35

Variation 14°12'E.

- 40.01 Set a post for temporary $\frac{1}{4}$ section corner
- 80.40 Intersect North and South line 10 links North of the corner to sections 25, 26, 35 and 36, from which corner I run
- West on a true line between sections 26 and 35

Variation 14°08'E.

- 40.20 Set a charred post for the $\frac{1}{4}$ section corner and made a mound with trench and pits as per instructions.
- 80.40 The corner to sections 26, 27, 34 and 35
Land level and sandy with grass and palmetto.

North between sections 26 and 27

Variation 14°12'E.

- 40.00 Set a charred post for the $\frac{1}{4}$ section corner and made a mound with trench and pits as per instructions.
- 80.00 Set a charred post for corner to sections 22, 23, 26 and 27, and made a mound with trench and pits as per instructions.
- Land second rate, clay soil and level with good grass and so forth.

East on a random line between sections 23 and 26

Variation 14°12'E.

- 40.00 Set a post for temporary $\frac{1}{4}$ section corner
- 80.52 Intersect North and South line 32 links North of post corner to sections 23, 24, 25 and 26, from which corner I run
- West on a true line between sections 23 and 26

Variation 13°58'E.

- 40.26 Set a charred post for the $\frac{1}{4}$ section corner and made a mound with trench and pits as per instructions.
- 80.52 The corner to sections 22, 23, 26 and 27

Land second rate with good grass

North between sections 22 and 23

Variation 14-121E.

40.00 Set a charred post for the $\frac{1}{4}$ section corner and made a mound with trench and pits as per instructions.

80.00 Set a charred post for the corner to sections 14, 15, 22 and 23, and raised a mound with trench and pits as per instructions.

Land second rate and level with good grass.

East on a random line between sections 14 and 23

Variation 14-121E.

40.00 Set a post for temporary $\frac{1}{4}$ section corner

80.60 Intersect North and South line 26 links North of corner to sections 13, 14, 23 and 24, from which corner I run West on a true line between sections 14 and 23

Variation 14-011E.

40.30 Set a charred post for $\frac{1}{4}$ section corner and made a mound with trench as per instructions.

80.60 The corner to sections 14, 15, 22 and 23

second rate clay soil with grass and bushes.

North between sections 14 and 15

Variation 14-121E.

40.00 Set a charred post for the $\frac{1}{4}$ section corner and made a mound with trench and pits as per instructions.

80.01 Set a charred post for the corner to sections 10, 11, 14 and 15, and raised a mound with trench and pits

Land level second rate, clay soil.

East on a random line between sections 11 and 14

Variation 14-121E.

40.00 Set a post for temporary $\frac{1}{4}$ section corner

Chains.

- 80.48 Intersect North and South line 36 links North of the corner to sections 11, 12, 13 and 14, from which corner, I run
West on a true line between sections 11 and 14
Variation 13°57'E.
- 40.24 Set a charred post for $\frac{1}{4}$ section corner and made a mound with trench and pits as per instructions.
- 80.48 The corner to sections 10, 11, 14 and 15.
Land level, second rate, clay soil.
-
- North between sections 10 and 11
Variation 14°12'E.
- 40.01 Set a charred post for the $\frac{1}{4}$ section corner and made a mound with trench and pits as per instructions.
- 80.01 Set a charred post for corner to sections 2, 3, 10 and 11 and made a mound with trench and pits as per instructions.
Land level and sandy with grass and palmetto.
-
- East on a random line between sections 2 and 11
Variation 14°12'E.
- 40.00 Set a post for temporary $\frac{1}{4}$ section corner
- 56.01 To dry bed of lake.
- 80.40 Intersect North and South line 18 links North of corner to sections 1, 2, 11 and 12, from which corner, I run
West on a true line between sections 2 and 11
Variation 14°04'E.
- 40.20 Set a charred post for $\frac{1}{4}$ section corner and made a mound with trench and pits as per instructions.
- 80.40 The corner to sections 2, 3, 10 and 11
First half mile the land is sandy, the rest is clay, dry bed of lake.

North on a random line between sections 2 and 3

40.00	Set a post for temporary $\frac{7}{8}$ section corner
79.56	Intersect the North boundary of the township 20 links East of corner to sections 2 and 3, from which corner I run
	South on a true line between sections 2 and 3
	Variation 14°12' E.
39.56	Set a charred post for the $\frac{7}{8}$ section corner and raised a mound with trench and pits as per instructions
79.56	The corner to sections 2, 3, 10 and 11 Land level, and sandy with palmetto, grass and sage brush.
<hr/>	
	December 13, 1855.
	North between sections 33 and 34
	Variation 14°12' E.
40.01	Set a charred post for the $\frac{7}{8}$ section corner and made a mound with trench and pits as per instructions.
80.01	Set a charred post for the corner to sections 27, 28, 33 and 34, and made a mound with trench and pits as per instructions.
	Land second rate and rolling.
<hr/>	
	East on a random line between sections 27 and 34
	Variation 14°12' E.
40.01	Set a post for temporary $\frac{7}{8}$ section corner
80.45	Intersect North and South line 38 links North of post the corner to sections 26, 27, 34 and 35, from which corner, I run
	West on a true line between sections 27 and 34
	Variation 13°56' E.
40.22	Set a charred post for the $\frac{7}{8}$ section corner and made a mound with trench and pits as per instructions.

Chains.

80.45 The corner to sections 27, 28, 33 and 34.
Land rolling and second rate.

North between sections 27 and 28

Variation 14°12'E.

40.00 Set a charred post for the $\frac{1}{4}$ section corner and made a mound with trench and pits as per instructions.

65.00 To dry bed of creek 40 links wide, course North 40° East

80.00 Set a charred post for corner to sections 21, 22, 27 and 28 and made a mound with trench and pits as per instructions.

Land rolling and second rate.

East on a random line between sections 22 and 27

Variation 14°12'E.

10.00 To dry bed of creek 40 links wide, course North 45° E.

40.01 Set a post for temporary $\frac{1}{4}$ section corner

80.50 Intersect North and South line 35 links North of corner to sections 22, 23, 26 and 27, from which corner I run

West on a true line between sections 22 and 27

Variation 13°57'E.

40.25 Set a charred post for the $\frac{1}{4}$ section corner and made a mound with trench and pits as per instructions.

80.50 The corner to sections 21, 22, 27 and 28.
Land rolling and second rate.

North between sections 21 and 22

Variation 14°12'E.

40.00 Set a charred post for the $\frac{1}{4}$ section corner and made a mound with trench and pits as per instructions.

80.01 Set a charred post for the corner to sections 15, 16, 21 and 22, and raised a mound with trench and pits as per instructions.

Land second rate and open.

Chains.

Land gently rolling and soil second rate.

North between sections 9 and 10

Variation 14°12'E.

40.00 Set a charred post for the $\frac{1}{4}$ section corner and made a mound with trench and pits as per instructions

80.00 Set a charred post for the corner to sections 3, 4, 9 and 10 and made a mound with trench and pits as per instructions.

Land level and second rate.

East on a random line between sections 3 and 10

Variation 14°12'E.

40.00 Set a post for temporary $\frac{1}{4}$ section corner

80.50 Intersect North and south line 30 links north of post corner to sections 2, 3, 10 and 11, from which corner I run

West on a true line between sections 3 and 10.

Variation 13°59'E.

40.25 Set a charred post for $\frac{1}{4}$ section corner and made a mound with trench and pits as per instructions.

80.50 The corner to sections 3, 4, 9 and 10.

Land second rate rolling.

North on a random line between sections 3 and 4

Variation 14°12'E.

40.00 Set a post for temporary $\frac{1}{4}$ section corner

79.40 Intersect the north boundary of the township 30 links East of post corner to sections 3 and 4, from which corner I run

South on a true line between sections 3 and 4

Variation 14°25'E.

39.40 Set a charred post for the $\frac{1}{4}$ section corner and made a mound with trench as per instructions.

79.40 The corner to sections 3, 4, 9 and 10.

Land second rate and rolling.

December 14, 1855.

North between sections 32 and 33

Variation 14-12 1/2 M.

40.01 Set a charred post for the 1/2 section corner and made a mound with trench and pits as per instructions.

80.01 Set a charred post for corner to sections 28, 29, 32 and 33, and made a mound with trench and pits as per instructions.

Land rolling and generally second rate.

East on a random line between sections 28 and 33

Variation 14-12 1/2 M.

40.00 Set a post for temporary 1/2 section corner

80.40 Intersect the North and South line 40 links North of post corner to sections 27, 28, 33 and 34, from which corner, I run

West on a true line between sections 28 and 33

Variation 13-55 1/2 M.

40.20 Set a charred post for 1/2 section corner and made a mound with trench and pits as per instructions.

80.40 The corner to sections 28, 29, 33 and 33

Land generally second rate and rolling.

North between sections 28 and 29

Variation 14-12 1/2 M.

40.00 Set a charred post for the 1/2 section corner and made

80.00 Set a charred post for corner to sections 20, 21, 28 and 29 and made a mound with trench and pits as per instructions.

Land rolling and generally second rate.

East on a random line between sections 21 and 28

Chains.

Variation 14°12'E.

- 40.01 Set a post for temporary $\frac{1}{4}$ section corner
- 80.48 Intersect North and South line 35 links North of the corner to sections 21, 22, 27 and 28, from which corner, I run
West on a true line between sections 21 and 28

Variation 13°57'E

- 40.24 Set a charred post for the $\frac{1}{4}$ section corner and made a mound with trench and pits as per instructions.
- 80.48 The corner to sections 20, 21, 28 and 29
Land second rate and rolling.

 North between sections 20 and 21

Variation 14°12'E.

- 40.00 Set a charred post for the $\frac{1}{4}$ section corner and made a mound with trench and pits as per instructions.
- 80.00 Set a charred post for corner to sections 16, 17, 20 and 21 and made a mound with trench and pits as per instructions.
Land level and second rate.

 East on a random line between sections 16 and 21

Variation 14°12'E.

- 40.01 Set a post for temporary $\frac{1}{4}$ section corner
- 80.34 Intersect the North and South line 30 links North of post corner to sections 15, 16, 21 and 22, from which corner, I run
West on a true line between sections 16 and 21

Variation 13°59'E.

- 40.17 Set a charred post for the $\frac{1}{4}$ section corner and made a mound with trench and pits as per instructions.
- 80.34 The corner to sections 16, 17, 20 and 21.
Land second rate and gently rolling.
-

North between sections 16 and 17. Variation 14.12'E.

40.01 Set a charred post for $\frac{1}{4}$ section corner and made a mound with trench and pits as per instructions.

80.01 Set a charred post for corner to sections 8, 9, 16 and 17, and made a mound with trench and pits as per instructions.

Land generally second rate and rolling.

East on a random line between sections 9 and 16. Variation 14.12'E.

East on a random line between sections 9 and 16. Variation 14.12'E.

40.00 Set a post for temporary $\frac{1}{4}$ section corner

80.40 Intersect North and South line 40 links North of post corner to sections 9, 10, 15 and 16, from which corner I run

West on a true line between sections 9 and 16. Variation 13.55'E.

40.20 Set a charred post for $\frac{1}{4}$ section corner and made a mound with trench and pits as per instructions.

80.40 The corner to sections 8, 9, 16 and 17. Land generally second rate and rolling.

North between sections 8 and 9. Variation 14.12'E.

40.00 Set a charred post for the $\frac{1}{4}$ section corner and made a mound with trench and pits as per instructions.

80.00 Set a charred post for the corner to sections 4, 5, 8 and 9, and made a mound with trench and pits as per instructions.

Land level and generally second rate.

East on a random line between sections 4 and 9. Variation 14.12'E.