

FIELD NOTES

OF

SOUTH AND WEST LINES OF SECTION 2,
TOWNSHIP 3 NORTH, RANGE 8 WEST, S. B. M.

Copied from Certified Copy received from
Louis H. Mooser, U. S. Surveyor General
for California, Dated Oct. 8, 1921.

	33	34	35	36	
T. 4 N. T. 3 N.	4	3 ¹ 2	2	1	
	9	10 ¹	11 ¹ 2	12	
					R. 8 W. R. 7 W.

By Wm. Minto, Deputy Surveyor
Book 362-11 Contract of May 28, 1882.

T. 3 N., R. 8 W., S. B. M.

From corner to sections 10, 11, 14 and 15, I run
North between sections 10 and 11.

Var. 15° East.

x x x x x

80.00

Set a granite stone 20x20x4 inches, 12 inches deep in
ground, for corner to sections 2, 3, 10 and 11, marked
with 2 notches on east and 4 notches on south edges,
raised mound of stone, 2 feet high, 4 feet at base along-
side, from which bears

A fir 12 inches diameter north 60½° west, 41 links
distant, marked T 3 N R 8 W S 3 B T.

A yellow pine 60 inches diameter north 27¼° east
94 links distant, marked T 3 N R 8 W S 2 B T.

East on a random line between sections 2 and 11.

Var. 14°45' East.

Ascend brushy spur.

8.50

Top of flat spur slopes north.

20.00

Leave same and descend.

29.00

Ravine, course north 75° east and ascend.

40.00

Set temporary ¼ section corner.

45.00

Descend very steep.

55.00

Deep canon, course north 20° east, and ascend very steep
north west slope, over loose rocks.

66.50

Top of steep ascent and along flat spur.

72.00

Descend moderately.

80.32

Intersect north and south line 22 links north of corner
to sections 1, 2, 11 and 12. Thence

North 89°51' west on a true line between sections 2 and 11.

Var. 15°15' East.

40.10

Marked a yellow pine ¼ section corner on north face for
¼ section corner, from which bears

A yellow pine 60 inches diameter north 87¼° west
66 links distant, marked ¼ S B T.

A yellow pine 36 inches diameter, south 45½° west.
90 links distant, marked ¼ S. B. T.

80.32

The corner to sections 2, 3, 10 and 11.

Land, very steep mountain, rough and broken.

Soil, second and third rate.

Yellow pine, fir and spruce timber.

Undergrowth of chinapin, chaparral and buckbrush.

North on a random line between sections 2 and 3.

Var. 14°45' East.

Descend through brush and scattering timber.

31.50

Ravine, course northeast.

35.00

Low spur slopes north east.

38.50

Ravine, course northeast.

40.00

Set temporary ¼ section corner on low divide, between
waters running into Swearthout canon and rock creek.

North 45° east and south 45° west.

53.00

Cabin bears north 78½° east.

56.50

Cabin bears east.

57.50

Enter grass flat east and west.

T. 3 N., R. 8 W., S. B. M.

- 58.00 Stream 2 links wide, course west.
58.40 Road to Mathis and connects with trail to Rock Creek
bears north 80° west and south 80° east.
60.00 Leave grass flat east and west and ascend.
61.75 Low spur bears north 70° west.
63.40 Ravine, course west and ascend steep.
73.50 Spur slopes west.
76.60 Ravine. Course north west.
79.50 Spur slopes west.
80.18 Intersect north boundary 30 links west of corner to
sections 2, 3, 34 and 35. Thence
South 0° 13' west on a true line between sections 2 and 3.
Var. 15° East.
- 40.18 Set a granite stone 12x13x8 inches, 7 inches deep
in ground for $\frac{1}{4}$ section corner, marked $\frac{1}{4}$ on west face
from which bears
A yellow pine 54 inches diameter, north 14° west,
37 links distant, marked $\frac{1}{4}$ S. B. T.
A yellow pine 12 inches diameter north 62 $\frac{1}{4}$ ° east,
80 links distant, marked $\frac{1}{4}$ S. B. T.
- 80.18 The corner to sections 2, 3, 10 and 11.
Land, mountainous slopes north east and northwest.
Soil, second rate.
Good yellow pine, spruce, fir and oak timber.
Some buck brush and chaparral.

(From the corner to sections 11, 12, 13 and 14,) I run
North between sections 11 and 12.

Var. 15° east.

- x x x x x x x
80.00 Set a granite stone 22x14x7 inches, 12 inches deep in
ground for corner to sections 1, 2, 11 and 12, marked
with 1 notch on east and 5 notches on south edges, from
which bears
A yellow pine 14 inches diameter north 17 $\frac{1}{2}$ ° east,
19 links distant, marked T. 3 N. R. 8 W. S. 1 B. T.
A yellow pine, 14 inches diameter north 61 $\frac{1}{4}$ ° west,
26 links distant, marked T. 3 N. R. 8 W. S. 2 B. T.
A spruce 42 inches diameter, south 13° east, 27
links distant, marked T. 3 N. R. 8 W., S. 12 B. T.
A yellow pine 10 inches diameter, south 23° west,
42 links distant, marked T. 3 N. R. 8 W., S. 11 B. T.
-