

DEPARTMENT OF THE INTERIOR
OFFICE OF U. S. SURVEYOR-GENERAL

San Francisco, California.
October 6, 1921.

I, Louis H. Mooser, U. S. Surveyor-General, for California, do hereby certify that the annexed transcript of field notes of the South and East Boundaries and Sections 1,2,3,4,5,6,7,8, 9,10,11,12,13,14,15,16,17 and 18 of Township 8 North, Range 9 West, San Bernardino Meridian, California, is a true and literal exemplification of the same on file in this office.

IN TESTIMONY WHEREOF I have hereunto subscribed my name and caused the seal of this office to be affixed on the day and year above written.

Louis H. Mooser (Signed)
UNITED STATES SURVEYOR-GENERAL

FOR CALIFORNIA.

	R. 10 W.	R. 9 W.				R. 9 W.	R. 8 W.		
								T. 9 N.	
								T. 8 N.	
1	6	5	4	3	2	1	2	6	
	19	19	16	14	13	11	9		
12	7	8	9	10	11	12	2	7	
	18	18	15	13	13	11	9		
13	18	17	16	15	14	13	12	18	
	17	17	15	14	12	10	8		
24	19	20	21	22	23	24	2	19	
25	30	29	28	27	26	25	1	30	
36	31	32	33	34	35	36	1	31	
								T. 8 N.	
								T. 7 N.	
1	6	5	4	3	2	1	1	6	

Red = R. W. Norris's survey - Contract dated Dec. 23, 1854
Blue = Ralph W. " " " " Oct. 19 1855

T. 7 N., R. 9 W., S. B. M.

North on East Bdy. of Sec. 1

x x x x x

- 50.00 To cor. of Tps. 7 & 8 N., Rs. 8 & 9 W. made mound,
trenches, pits &c. as per instructions.
Growth of Spanish Bayonet, &c.
Land 3d rate
Corner on N. side of small dry ravine.

- - - - -

East Boundary T. 8 N. R. 9 W., S. B. M.

Var. 14° 08' E.

North on East Bdy. of Sec. 36

- 40.00 Set $\frac{1}{4}$ sec. char'd. & chalked post, made mound, trench
pits &c. as per instructions.
Soil 3d rate
58.00 Summit of low ridge
78.00 Dry bed of ravine
80.00 Set char'd. chalked & notched post, made mound, trench
pits &c. as per instructions.
Soil 3d rate. Growth of scrub &c.
Cor. to Secs. 25, 36, 30 & 31.

North on East Bdy. of Sec. 25

- 40.00 Set $\frac{1}{4}$ sec. char'd. chalked post made mound, trench, pits
&c. as per instructions.
Soil 3rd rate
80.00 Set char'd, chalked & notched post cor. to secs. 24, 25,
19 & 30
Made mound, trench &c. as per instructions.
Ground slightly hilly.

North on East Bdy. of Sec. 24

- 40.00 Set $\frac{1}{4}$ sec. char'd. & chalked post, made mound, trench pits
&c. as per instructions.
Soil 3d rate, weeds, scrub &c.

44.00 Summit of ridge
 80.00 Set chard. chalked & notched post cor. to Secs. 13, 24,
 18 & 19
 Made mound, trench, pits &c. as per instructions
 Soil 3d rate. Loose granite boulders.
 Attraction 20'.

North on East Bdy. of Sec. 13
 40.00 Set $\frac{1}{4}$ sec. chard. & chalked post made mound, trench
 pits &c. as per instructions.
 Soil 3d rate. Growth of scrub &c.
 80.00 Set chard. chalked & notched post, cor. to Secs. 12, 13,
 7, 18
 Made mound, trench pits &c. as per instructions.
 Soil & Growth same as before.

North on East Bdy. of Sec. 12
 40.00 Set $\frac{1}{4}$ sec. chard. & chalked post made mound, trench, pits
 &c. as per instructions.
 Scattering grass & scrub
 Detached granite boulders about line
 80.00 Set chard., chalked & notched post cor. to Secs. 1, 12,
 6 & 7
 Made mound, trench, pits &c. as per instructions.
 Soil & growth same as last

North on East Bdy. of Sec. 1
 40.00 Set $\frac{1}{4}$ sec. chard. & chalked post, made mound trench &c.
 as per instructions.
 44.50 Dry bed of creek, 3.00 lks. wide, course W.
 70.00 Summit of low ridge
 80.00 Set chard. chalked & notched post, cor. of Tps. 8 & 9 N.
 Rs. 8 & 9 W.
 Soil 3rd rate.
 Scattering Spanish Bayonet, grass &c.

N. Bdy. T. 7 N., R. 9 W., S.B.M.

Var. 14° 08' E.

East on a random line on the North Boundary of Sections
6, 5, 4, 3, 2, 1

Setting temporary mile & half mile post & instructed

East Bdy. 250 lks. N. of true corner of Tps. 7 & 8 N.

Rs. 8 & 9 W. 5 ms & 78 chs. 50 lks.

Therefore the correction will be 150 lks. W. 41.6 s.
per mile

True North Bdy.

Var. 14°08' E.

West on the North Bdy. of Sec. 1

40.00 Set $\frac{1}{4}$ sec. chard. & chalked, post, made mound, trench
pits &c. as per instructions.

80.00 Set chard. chalked & notched post, cor. to sec. 1, 2,
35, 36

Made mound, trench, pits &c. as per instructions.

Land 3rd rate &c.

ascending.

West on the North Bdy. of Sec. 2

7.00 Summit of slope

40.00 Set $\frac{1}{4}$ sec. chard. & chalked post, made mound, trench
pits &c. as per instruction.

80.00 Set chard. chalked & notched post, made mound, trench
pits &c. as per instructions.

Land 3d rate.

West on North Bdy. of Sec. 3

23.50 Dry bed of ravine, course S. 70° E.

28.00 Leave ravine & ascend to top of Bank

40.00 Set $\frac{1}{4}$ sec. chard. & chalked post, made mound, trench, pits
&c. as per instructions.

80.00 Set chard. chalked & notched post cor. to Secs. 3, 4, 33
34, made mound, trench, pits &c. as per instructions.

Land generally 3rd rate

West on North Bdy. of Sec. 4

40.00 Set $\frac{1}{4}$ sec. chard. & Chalked post made mound, trench, pits
&c. as per instructions.

Soil 3d rate

80.00 Set chard. chalked & notched post cor. to Secs. 4, 5,
32, 33

Made mound, trench, pits &c. as per instructions

Soil generally 3rd rate

West on North Bdy. of Sec. 5.

29.50 Granite stone 10 ft. in dia.

27.00 Foot of round Bute

40.00 Set $\frac{1}{4}$ sec. chard. & chalked post
made mound, trench, pits &c. as per instructions

42.00 Summit of Bute

45.00 Foot of Bute

72.50 Dry bed of creek, course SW

74.00 Leave dry bed of creek.

80.00 Set chard. chalked & notched post. cor. to secs. 5, 6,
31, 32

made mound trench pits &c. as per instructions.

Soil generally 3rd rate

West on the North Bdy. of Sec. 6

40.00 Set $\frac{1}{4}$ sec. chard & chalked post, made mound, trench pits
&c. as per instructions.

78.50 To established cor. of Tps. 7 & 8 N. Rs. 9 & 10 W.

Land generally 3d rate

East Bdy. of T. 8 N., R. 10 W., S. B. M.

Var. 14° 12' E.

North on the East Bdy. of Sec. 24

x x x x x x x x

80.00 Set chard. chalked & notched post. cor. to secs. 13, 24,
18 & 19
made mound, trench, pits &c. as per instructions
Land 3d rate

North on the East bdy. of Sec. 13
40.00 Set chard. $\frac{1}{4}$ sec. & chalked post, made mound, trench, pits
&c. as per instructions.
80.00 Set chard., chalked & notched post cor. to Secs. 12, 13,
7 & 18, made mound, trench, pits &c. as per instructions
Land 3rd rate.

North on East Bdy. of Sec. 12
40.00 Set $\frac{1}{4}$ sec. chard., chalked post,
made mound, trench pits &c. as per
instructions.
80.00 Set chard., chalked & notched post cor. to secs. 12, 1,
6 & 7.
made mound, trench, pits &c. as per instructions
Land 3rd rate.

North on the East Bdy. Sec. 1
40.00 Set $\frac{1}{4}$ sec. chard. & chalked post, made mound, trench pits
&c. as per instructions
Mesquite 18 in. dia. bears S. $15\frac{1}{2}^{\circ}$ E. 150 lks.
80.00 To cor. of Tps. 8 & 9 N. Rs. 9 & 10 W.
Set chard, chalked & notched post, made mound, trench
pits &c. as per instructions.
Land 3d rate.

N. Bdy. T. 8 N., R. 9 W., S.B.M.

Var. $14^{\circ}08'$ E.

East on a random line on the North boundary of Sections

6,5,4,3,2,1, setting temporary mile and half mile post and intersecting East Bdy. of 2.25 lks. N. of true cor. of Tps. 8 & 9 N. Rs. 8 & 9 W. 5 ms. 78 chs. 65 lks. Therefore the correction will be 1.35 lks. W. 37.5 S. per mile.

True North Boundary

Var. $14^{\circ} 08'$ E.

West on the North Bdy. of Sec. 1.

- 40.00 Set $\frac{1}{4}$ sec. chard. & chalked post, made mound, trench, pits &c. as per instructions.
- 80.00 Set chard. chalked & notched post cor. to secs. 1, 2, 35, 36
- Made mound, trench, pits &c. as per instructions
- Land generally 3d rate

West on the North Bdy. of Sec. 2.

- 40.00 Set $\frac{1}{4}$ sec. chard. & chalked post
- Made mound, trench, pits &c. as per instructions
- 43.00 Dry bed of ravine, 50 lks. wide, course N. 70° W.
- 80.00 Set chard. chalked & notched post cor. to Sec. 2, 3, 34, 35, made mound, trench, pits &c. as per instructions
- Land generally 3rd rate.

West on the North Bdy. of Sec. 3.

- 40.00 Set $\frac{1}{4}$ sec. charred & chalked post, made mound, trench, pits &c. as per instructions
- 79.00 Foot of descent
- 80.00 Set chard. & chalked & notched post cor. to Secs. 3, 4, 33, 34
- Made mound, trench, pits &c. as per instructions
- Land 3d rate.
-

West on the North Bdy. of Sec. 4.

- 4.00 Low sand hills
- 40.00 Set $\frac{1}{4}$ sec. char'd. chalked post, made mound, trench, pits &c. as per instructions
- 45.00 Enter dry bed of Lake
- 80.00 Set char'd., chalked & notched post. cor. to Secs. 4, 5, 32, 33, made mound, trench, pits &c. as per instructions, in bed of Lake.

A

West on North Bdy. of Sec. 5.

- 40.00 Set $\frac{1}{4}$ sec. char'd. & chalked post, made mound, trench, pits &c. as per instructions.
- 66.50 Leave dry bed of lake & enter Alkali land
- 80.00 Set char'd., chalked & notched post cor. to Sec. 5, 6, 31, 32, made mound, trench pits &c. as per instructions.

West on North Bdy. of Sec. 6.

- 40.00 Set $\frac{1}{4}$ sec. char'd. & chalked post, made mound, trench pits &c. as per instructions.
- 60.00 Leave Alkali land
- 78.65 To established cor. of Tps. 8 & 9 N. Rs. 9 & 10 W.
Land generally 3rd rate.

Surveyed by R.W. Norris, Deputy Surveyor,
Contract dated December 23, 1854.

Subdivision lines T. 8 N., R. 9 W., S.B.M.

North between sections 23 and 24. Easy ascent

Variation $14^{\circ}10'$ E.

- 40.00 Set a charred post for $\frac{1}{4}$ section corner and raised a mound with trench and pits as per instructions
- 51.00 To summit of ascent and then slightly descending.
- 80.00 Set a charred post for corner to Sections 13, 14, 23, and 24 and raised a mound with trench as per instructions
Land rolling, sandy and third rate. Growth greasewood and sage.

East on a random line between sections 13 and 24

Variation $14^{\circ}10'$ E.

- 40.00 Set a post for temporary $\frac{1}{4}$ section corner
 80.40 Intersect East boundary of township 46 links South of
 corner to sections 13 and 24, from which corner
 I run

West on a true line between sections 13 and 24

Variation $14^{\circ}30'$ E.

- 40.20 Set a charred post for $\frac{1}{4}$ section corner and raised a
 mound with trench as per instructions
 80.40 The corner to sections 13, 14, 23 and 24
 Land sandy, third rate and rolling. Growth greasewood
 and sage.

North between sections 13 and 14. Easy descent.

- 40.00 Set a charred post for the $\frac{1}{4}$ section corner and raised
 a mound with trench as per instructions.
 80.00 Set a charred post for corner to sections 11, 12, 13
 and 14 and raised a mound with trench as per in-
 structions.
 Land rolling and sandy. Greasewood, sage and some
 grass.

East on a random line between Sections 12 and 13

Variation $14^{\circ}10'$ E.

- 40.00 Set a post for temporary $\frac{1}{4}$ section corner
 80.32 Intersect the East boundary of township 28 links South
 of corner to Sections 12 and 13, from which corner
 I run

West on a true line between Sections 12 and 13

Variation $14^{\circ}22'$ E.

- 40.16 Set a charred post for a $\frac{1}{4}$ section corner and raised a
 mound as per instructions.
 80.32 The corner to Sections 11, 12, 13 and 14

Land rolling, third rate and sandy, some palmetto, sage and grass.

North between Sections 11 and 12. Easy descent.

Variation $14^{\circ} 10'$ E.

- 40.00 Set a charred post for $\frac{1}{4}$ section corner and raised a mound with trench as per instructions.
- 80.00 Set a charred post for corner to Sections 1, 2, 11 and 12 and raised a mound with trench as per instructions.
- Land rolling, sandy, third rate. Greasewood and some grass.
-

East on a random line between Sections 1 and 12

Variation $14^{\circ} 10'$ E.

- 40.00 Set a post for temporary $\frac{1}{4}$ section corner
- 80.20 Intersect East boundary of the township 38 links South of a post corner to Sections 1 and 12, from which corner I run

West on a true line between Sections 1 and 12.

Variation $14^{\circ} 26'$ E.

- 40.10 Set a charred post for $\frac{1}{4}$ section corner and raised a mound with trench as per instructions.
- 80.20 The corner to Sections 1, 2, 11 and 12.
- Land rolling, sandy soil. Sage and some grass.
-

North on a random line between Sections 1 and 2

Variation $14^{\circ} 10'$ E.

- 40.00 Set a post for temporary $\frac{1}{4}$ section corner
- 80.46 Intersect North boundary 17 links West of corner to Sections 1 and 2, from which corner, I run
- South on a true line between Sections 1 and 2

Variation $14^{\circ} 03'$ E.

- 40.46 Set a charred post for $\frac{1}{4}$ section corner and raised a mound with trench as per instructions.
- 80.46 The corner to Sections 1, 2, 11 and 12

Land rolling, sandy soil, sage and greasewood.

North between Sections 22 and 23. Over rolling land.

Variation $14^{\circ} 10'$ E.

40.00 Set a charred post for $\frac{1}{4}$ section corner and raised a mound with trench as per instructions.

80.00 Set a charred post for corner to Sections 14, 15, 22 and 23, and raised a mound with trench as per instructions.

Land rolling, sandy soil, second rate. Grass and weeds.

East on a random line between Sections 14 and 23

Variation $14^{\circ} 10'$ E.

40.00 Set a post for temporary $\frac{1}{4}$ section corner

79.98 Intersect North and South line 46 links South of corner to Sections 13, 14, 23 and 24, from which corner I run

West on a true line between Sections 14 and 23

Variation $14^{\circ} 30'$ E.

39.99 Set a post charred for $\frac{1}{4}$ section corner and raised a mound with trench as per instructions.

79.98 The corner to Sections 14, 15, 22 and 23

Land rolling, sandy soil. Grass and scrub.

North between Sections 14 and 15. Easy descent.

Variation $14^{\circ} 10'$ E.

40.00 Set a charred post for $\frac{1}{4}$ Section corner and raised a mound with trench as per instructions.

80.00 Set a charred post for corner to Sections 10, 11, 14 and 15 and raised a mound with trench as per instructions.

Land rolling, sandy. Sage and grass.

East on a random line between Sections 11 and 14

Variation $14^{\circ} 10'$ E.

- 40.00 Set a post for temporary $\frac{1}{4}$ section corner
80.08 Intersect North and South line 50 links South of corner
to Sections 11, 12, 13 and 14, from which corner, I run
West on a true line between Sections 11 and 14

Variation $14^{\circ} 31'$ E.

- 40.00 Set a charred post for $\frac{1}{4}$ section corner and raised a
mound with trench as per instructions.
80.08 The corner to Sections 10, 11, 14 and 15.
Land rolling, sandy soil. Scrub, weeds and grass.
-

North between Sections 10 and 11. Slightly descending.

Variation $14^{\circ} 10'$ E.

- 40.00 Set a charred post for $\frac{1}{4}$ section corner and raised a
mound with trench and pits as per instructions.
80.00 Set a post corner to Sections 2, 3, 10 and 11, and
raised a mound with trench as per instructions.
Land rolling, sandy, third rate. Scrub and grass.
-

East on a random line between Sections 2 and 11

Variation $14^{\circ} 10'$ E.

- 40.00 Set a post for temporary $\frac{1}{4}$ section corner
80.12 Intersect North and South line 52 links south of corner
to Sections 1, 2, 11 and 12, from which corner I run
West on a true line between Sections 2 and 11

Variation $14^{\circ} 32'$ E.

- 40.06 Set a charred post for $\frac{1}{4}$ section corner and raised a
mound with trench as per instructions.
80.12 The corner to Sections 2, 3, 10 and 11.
Land rolling, sandy. Some scrub and grass.
-

North on a random line between Sections 2 and 3

Variation $14^{\circ} 10'$ E.

- 40.00 Set a post for temporary $\frac{1}{4}$ section corner.

80.52 Intersect the North boundary of the township at post corner to sections 2 and 3, from which corner, I run South on a true line between Sections 2 and 3

Variation 14° 10' E.

40.52 Set a charred post for $\frac{1}{4}$ section corner and raised a mound with trench as per instructions.

80.52 The corner to Sections 2, 3, 10 and 11.

Land same. Growth same, palmetto and grass.

North between Sections 21 and 22. Easy descent.

Variation 14° 10' E.

x x x x x x x

80.00 Set a charred post for corner to Sections 15, 16, 21 and 22, and raised a mound with trench as per instructions.

Land rolling, sandy, third rate. Scrub and some grass.

East on a random line between Sections 15 and 22

Variation 14° 10' E.

40.00 Set a post for temporary $\frac{1}{4}$ section corner.

80.14 Intersect North and South line 27 links South of corner to Sections 14, 15, 22 and 23, from which corner, I run

West on a true line between Sections and 22

Variation 14° 22' E.

40.07 Set a charred post for $\frac{1}{4}$ section corner and raised a mound with trench as per instructions.

80.14 The corner to Sections 15, 16, 21 and 22

Land rolling, sandy soil. Scrub, grass and weeds.

North between Sections 15 and 16. Slightly descending.

Variation 14° 10' E.

40.00 Set a charred post for $\frac{1}{4}$ section corner and raised a mound with trench as per instructions.

- 80.00 Set a charred post for corner to Sections 9, 19, 15 and 16 and raised a mound with trench as per instructions. Land rolling, sandy soil third rate. Scrub worthless.
-

East on a random line between Sections 10 and 15

Variation $14^{\circ} 10'$ E.

- 40.00 Set a post for temporary $\frac{1}{4}$ section corner
80.22 Intersect North and South line 22 links South of corner to Sections 10, 11, 14 and 15, from which corner I run

West on a true line between Sections 10 and 15

Variation $14^{\circ} 19'$ E.

- 40.11 Set a charred post for $\frac{1}{4}$ section corner and raised a mound with trench as per instructions.

- 80.22 The corner to Sections 9, 10, 15 and 16.
Land rolling, sandy soil. Scrub and bunch grass.
-

North between Sections 9 and 10.

Variation $14^{\circ} 10'$ E.

- 40.00 Set a charred post for $\frac{1}{4}$ section corner and raised a mound with trench as per instructions.
80.00 Set a charred post for corner to Sections 3, 4, 9 and 10 and raised a mound with trench as per instructions. Land rolling, sandy soil. Scrub.
-

East on a random line between Sections 3 and 10.

Variation $14^{\circ} 10'$ E.

- 40.00 Set a post for temporary $\frac{1}{4}$ section corner.
80.40 Intersect North and South line 31 links South of corner to Sections 2, 3, 10 and 11, from which corner I run
West on a true line between Sections 3 and 10.

Variation $14^{\circ} 23'$ E.

- 40.20 Set a charred post for $\frac{1}{4}$ section corner and raised a mound with trench as per instructions.

80.40 The corner to Sections 3, 4, 9 and 10.

Land undulating, sandy soil. Growth same.

North on a random line between Sections 3 and 4.

Variation 14° 10' E.

40.00 Set a post for temporary $\frac{1}{4}$ section corner

80.50 Intersect North boundary of the township, 32 links East of the corner to Sections 3 and 4, from which corner I run

South on a true line between Sections 3 and 4.

Variation 14° 24' E.

40.50 Set a charred post for $\frac{1}{4}$ section corner, and raised a mound with trench as per instructions.

80.50 The corner to Sections 3, 4, 9 and 10.

Land rolling, sandy soil with palmetto and grass.

North between Sections 20 and 21. Descending.

Variation 14° 10' E.

x x x x x x x x

80.00 Set a charred post for corner to Sections 16, 17, 20, and 21, and raised a mound with trench as per instructions.

Land rolling, sandy soil, sage and grass.

East on a random line between Sections 16 and 21

Variation 14° 10' E.

40.00 Set a post for temporary $\frac{1}{4}$ section corner.

80.16 Intersect North and South line 4 links North of corner to Sections 15, 16, 21 and 22, from which corner, I run

West on a true line between Sections 21 and 16

Variation 14° 08' E.

40.08 Set a charred post for $\frac{1}{4}$ section corner and raised a mound with trench as per instructions.

80.16 The corner to Sections 16, 17, 20 and 21.
Land undulating sandy soil with scrub.

North between Sections 16 and 17. Easy descent.

Variation $14^{\circ} 10'$ E.

40.00 Set a charred post for $\frac{1}{4}$ section corner and raised a mound with trench as per instructions.

80.00 Set a post for corner to Sections 8, 9, 16 and 17, and raised a mound with trench as per instructions.
Land slightly rolling, second rate with palmetto and grass.

East on a random line between Sections 9 and 16

Variation $14^{\circ} 10'$ E.

40.00 Set a post for temporary $\frac{1}{4}$ section corner.

80.24 Intersect North and South line 32 links North of corner to sections 9, 10, 15 and 16, from which corner,
I run

West on a true line between Sections 9 and 16.

Variation $13^{\circ} 56'$ E.

40.12 Set a charred post for $\frac{1}{4}$ section corner and raised a mound with trench as per instructions.

80.24 The corner to Sections 8, 9, 16 and 17.
Land undulating, sandy. Scrub and grass.

North between Sections 8 and 9. Slightly descending.

Variation $14^{\circ} 10'$ E.

40.00 Set a charred post for $\frac{1}{4}$ section corner and raised a mound with trench as per instructions.

80.00 Set a charred post for corner to Sections 4, 5, 8 and 9 and raised a mound with trench as per instructions.
Land rolling, sandy soil with sage and grass.

East on a random line between Sections 4 and 9.

Variation 14° 10' E.

- 40.00 Set a post for temporary $\frac{1}{4}$ section corner
80.20 Intersect North and South line 46 links North of corner
to Sections 3, 4, 9 and 10, from which corner, I run
West on a true line between Sections 4 and 9

Variation 13° 50' E.

- 40.10 Set a charred post for $\frac{1}{4}$ section corner and raised a
mound with trench as per instructions.
80.20 The corner to Sections 4, 5, 8 and 9.
Land undulating, sandy, with some grass.

North on a random line between Sections 4 and 5.

Variation 14° 10' E.

- 40.00 Set a post for temporary $\frac{1}{4}$ section corner.
45.00 To dry bed of lake bears Northeast and Southwest.
80.45 Intersect North boundary of the township 40 links East
of corner to Sections 4 and 5, from which corner
I run
South on a true line between Sections 4 and 5

Variation 14° 27' E.

- 40.45 Set a charred post for $\frac{1}{4}$ section corner and raised a
mound with trench as per instructions
80.45 The corner to Sections 4, 5, 8 and 9
Land level, sandy, some palmetto and grass.

North between Sections 19 and 20. Easy ascent.

Variation 14° 10' E.

x x x x x x x

- 80.00 Set a charred post for corner to Sections 17, 18, 19 and
20 and raised a mound with trench as per instructions.
Land fair, second rate, gently rolling with good growth
of grass.
-

East on a random line between Sections 17 and 20

Variation $14^{\circ} 10'$ E.

- 40.00 Set a post for temporary $\frac{1}{4}$ section corner
80.12 Intersect North and South line 14 links North of corner
to Sections 16, 17, 20 and 21, from which corner,
I run

West on a true line between Sections 17 and 20

Variation $14^{\circ} 04'$ E.

- 40.06 Set a charred post for $\frac{1}{4}$ section corner and raised a
mound with trench and pits as per instructions
80.12 The corner to Sections 17, 18, 19 and 20.
Land slightly broken, sandy with scrub and grass.
-

West on a random line between Sections 18 and 19

Variation $14^{\circ} 10'$ E.

- 40.00 Set a post for temporary $\frac{1}{4}$ section corner
78.42 Intersect the West boundary of the township 38 links
North of corner to Sections 18 and 19, from which
corner, I run

East on a true line between Sections 18 and 19

Variation $14^{\circ} 26'$ E.

- 38.42 Set a charred post for $\frac{1}{4}$ section corner and raised a
mound with trench as per instructions.
78.42 The corner to Sections 17, 18, 19 and 20
Land level, second rate with palmetto, mysquite and
grass.
-

North between Sections 17 and 18. Easy ascent.

Variation $14^{\circ} 10'$ E.

- 20.00 To level land.
40.00 Set charred post for $\frac{1}{4}$ section corner and raised a mound
with trench as per instructions.
80.00 Set a charred post for corner to Sections 7, 8, 17 and
18 and raised mound with trench as per instructions.

Land level, fair second rate with a growth of palmetto and grass.

East on a random line between sections 8 and 17

Variation $14^{\circ}10'$ E.

40.00 Set a post for temporary $\frac{1}{4}$ section corner

80.26 Intersect North and South line 25 links North of corner to Sections 8, 9, 16 and 17, from which corner I run

West on a true line between Sections 8 and 17

Variation $13^{\circ}59'$ E.

40.13 Set a charred post for $\frac{1}{4}$ section corner and raised a mound with trench as per instructions.

80.26 The corner to sections 7, 8, 17 and 18.

Land level, second rate clay soil, with palmetto and grass.

West on a random line between Sections 7 and 18

Variation $14^{\circ}10'$ E.

40.00 Set a post for temporary $\frac{1}{4}$ section corner

78.51 Intersect West boundary 32 links North of corner to Sections 7 and 18, from which corner, I run

East on a true line between Sections 7 and 18

Variation $14^{\circ}24'$ E.

38.51 Set a charred post for $\frac{1}{4}$ section corner and raised a mound with trench as per instructions

78.50 The corner to Sections 7, 8, 17 and 18.

Land level, second rate with palmetto and grass.

North between Sections 7 and 8.

Variation $14^{\circ}10'$ E.

40.00 Set a charred post for $\frac{1}{4}$ section corner and raised a mound with trench and pits as per instructions.

50.00 Set a charred post for corner to Sections 5, 6, 7 and 8,
and raised a mound with trench as per instructions.
Land undulating, second rate. Palmetto and grass.

East on a random line between Sections 5 and 8

Variation $14^{\circ}10'$ E.

40.00 Set a post for temporary $\frac{1}{4}$ section corner.

50.10 Intersect North and South line 14° links North of corner
to Sections 4, 5, 8 and 9, from which corner, I run
West on a true line between Sections 5 and 8

Variation $14^{\circ}04'$ E.

40.05 Set a charred post for $\frac{1}{4}$ section corner and raised a
mound with trench as per instructions.

50.10 The corner to Sections 5, 6, 7 and 8.

Land level, sandy soil with palmetto and scrub.

West on a random line between Sections 6 and 7

Variation $14^{\circ}10'$ E.

40.00 Set a post for temporary $\frac{1}{4}$ section corner.

78.62 Intersect the West boundary of the township 27 links
North of corner to Section 6 and 7, from which corner,
I run

East on a true line between Sections 6 and 7

Variation $14^{\circ}22'$ E.

38.62 Set a charred post for $\frac{1}{4}$ section corner and raised a
mound with trench as per instructions.

78.62 The corner to Sections 5, 6, 7 and 8

Land level, clay soil second rate, palmetto, scrub and
grass.

North on a random line between Sections 5 and 6

Variation $14^{\circ}10'$ E.

40.00 Set a post for temporary $\frac{1}{4}$ section corner

50.62 Intersect the North boundary of the township 7 links

T. 8 N., R. 9 W., S. B. M.

East of the corner to Sections 5 and 6, from which
corner, I run

South on a true line between Sections 5 and 6

Variation $14^{\circ}13'$ E.

- 40.62 Set a charred post for $\frac{1}{4}$ section corner and raised
a mound with trench as per instructions.
- 80.62 The corner to Sections 5, 6, 7 and 8.
Land level, clay soil, second rate with palmetto and grass.

Surveyed by Ralph W. Morris, Deputy Surveyor,
Contract dated October 19, 1855.