

T 5 N, R 13 W, S. B. M.

- East On a random line between Sections 13 & 24
Variation 14°21' E.
- 40.00 Set a post for temporary quarter section corner
Intersect the East boundary of the Township 55 links
North of the corner to Sections 13 & 24 from which corner
I run
-
- West On a true line between Sections 13 & 24
Variation 13°48' E.
- 40.21 Set a post charred and chalked for the quarter section
corner and raised a mound with trench and pits, as per
instructions.
- 80.42 The corner to Sections 13, 14, 23 & 24.
Land level. Sandy Soil. Sage bushes and grass.
-
- North Between Sections 13 & 14.
Variation 14°12' E.
- 40.00 Set a post charred and chalked for the quarter section
corner and raised a mound with trench and pits, as per
instructions.
- 80.00 Set a post charred, chalked and notched for the corner to
Sections 11, 12, 13, 14 and raised a mound with trench
and pits as per instructions.
Land level. Clay soil and 2nd rate.
-
- East On a random line between Sections 12 & 13.
Variation 14°12' E.
- 40.00 Set a post for temporary quarter section corner
- 80.10 Intersect the East boundary of the Township 44 links
North of the corner to Sections 12 & 13, from which
corner I run
-
- West On a true line between Sections 12 & 13
Variation 13°53' E.
- 40.05 Set a post charred and chalked for the quarter section
corner, and raised a mound with trench and pits, as per
instructions.
- 80.10 The corner to Sections 11, 12, 13, 14.
Land level. Sandy soil and 3rd rate.
-
- North Between Sections 11 & 12.
Variation 14°12' E.
- 40.00 Set a post charred and chalked for the quarter section
corner and raised a mound in the trench and pits as per
instructions.
- 80.00 Set a post, charred, chalked and notched for the corner
to Sections 1, 2, 11, 12 and raised a mound with trench
and pits as per instructions.
Land level. Soil sandy and 2nd rate.
-
- East On a random line between Sections 1 & 12.
Variation 14°12' E.

T 8 N, R. 13 W, S. B. M.

40.00 Set a post for temporary quarter section corner
 79.90 Intersect the East boundary of the Township 56 links
 North of the corner to Sections 1 & 12 from which corner
 I run

West On a true line between Sections 1 & 12
 Variation 13°45' E.

39.93 Set a post charred and chalked for the quarter section corner
 and raised a mound with trench and pits, as per instructions.
 79.90 The corner to Sections 1, 2, 11, 12
 Land level and 3rd rate

North On a random line between Sections 1 & 2
 Variation 14°12' E.

40.00 Set a post for temporary quarter section corner
 79.50 Intersect the North boundary of the Township, 9 links
 West of the corner to Sections 1 & 2 from which corner
 I run

South On a true line between Sections 1 & 2
 Variation 11°05' E.

39.50 Set a post charred and chalked for the quarter section
 corner and raised a mound in the trench and pits, as per
 instructions.
 79.50 The corner to Sections 1, 2, 11, 12.
 Land level and generally 3rd rate.

North Between Sections 34 & 35
 Variation 14°12' E.

40.00 Set a post charred and chalked for the quarter section
 corner and raised a mound with trench and pits, as per
 instructions.
 50.00 Set a post charred, chalked and notched for the corner
 to Sections 26, 27, 34, 35, and raised a mound with
 trench and pits, as per instructions.
 Land level. Clay soil. 2nd rate with thick sage.

East On a random line between Sections 26 and 35.
 Variation 14°12' E.

40.00 Set a post for temporary quarter section corner.
 50.00 Intersect North and South line 10 links North of the
 corner to Sections 25, 26, 35, 36, from which corner
 I run

West On a true line between Sections 26 & 35
 Variation 14°05' E.

40.00 Set a post charred and chalked for the quarter section
 corner and raised a mound with trench and pits, as per
 instructions.
 50.00 The corner to Sections 26, 27, 34, 35.
 Land level. Clay soil and 2nd rate.

North Between Sections 26 & 27
 Variation 14°12' E.

40.00 Set a post charred and chalked for the quarter section
 corner and raised a mound with trench and pits, as per
 instructions.
 50.00 Set a post charred, chalked and notched for the corner to
 Sections 22, 23, 26, 27, and raised a mound with trench
 and pits, as per instructions.
 Land level and generally 3rd rate.

T. 8 N., R. 13 W., S. B. M.

East On a random line between Sections 23 & 26
Variation 14°12' E.
40.00 Set a post for temporary quarter section corner.
79.87 Intersect N & S line 17 links North of the corner to
Sections 23, 24, 25, 26 from which corner
I run

West On a true line between Sections 23 & 26
Variation 14°05' E.
39.93 Set a post charred and chalked for the quarter section corner
and raised a mound with trench and pits, as per instructions.
79.87 The corner to Sections 22, 23, 26 and 27
Land level and generally 3rd rate.

North Between Sections 22 & 23
Variation 14°12' E.
40.00 Set a post charred and chalked for the quarter section
corner and raised a mound with trench and pits, as per instructions
80.00 Set a post charred, chalked and notched, for the corner to
Sections 14, 15, 22, 23 and raised a mound with trench and pits
as per instructions.
Land level. Soil sandy, and generally 3rd rate.

East On a random line between Sections 14 & 23
Variation 14°12' E.
40.00 Set a post for temporary quarter section corner
80.14 Intersect N & S lines 6 links South of the corner to
Sections 13, 14, 23, 24 from which corner
I run

West On a true line between Sections 14 & 23
Variation 14°15' E.
40.07 Set a post charred and chalked for the quarter section corner
and raised a mound with trench and pits, as per instructions
80.14 The corner to Sections 14, 15, 22, 23
Land level. Sandy soil and 3rd rate.

North Between Sections 14 & 15
Variation 14°12' E.
40.00 Set a post charred and chalked for the quarter section corner
and raised a mound with trench and pits, as per instructions.
80.00 Set a post charred, chalked and notched for the corner to
Sections 10, 11, 14, 15, and raised a mound with trench
and pits, as per instructions.
Land level and generally 2nd rate.

T. 8 N., R. 13 W., S. B. M.

East On a random line between Sections 11 & 14
Variation 14°12' E.
40.00 Set a post for temporary quarter section corner.
80.50 Intersect N. & S. line 25 links North of the corner to
Sections 11, 12, 13, 14, from which corner
I run

West On a true line between Sections 11 & 14
Variation 14°01' E.
40.25 Set a post charred and chalked for the quarter section
corner and raised a mound with trench and pits, as per
instructions.
80.50 The corner to Sections 10, 11, 14, 15
Land level and generally 3rd rate.

North Between Sections 10 & 11
Variation 14°12' E.
40.00 Set a post charred and chalked for the quarter section
corner and raised a mound with trench and pits as per
instructions.
80.00 Set a post charred, chalked and notched for the corner
to Sections 2, 3, 10, 11, and raised a mound with trench
and pits as per instructions.
Land level and 3rd rate.

East On a random line between Sections 2 & 11
Variation 14°12' E.
40.00 Set a post for temporary quarter section corner.
80.55 Intersect N & S line 40 links North of the Corner to
Sections 1, 2, 11, 12 from which corner
I run

West On a true line between Sections 2 & 11
Variation 13°55' E.
40.27 Set a post charred and chalked for the quarter section
corner and raised a mound with trench and pits, as per
instructions.
80.55 The corner to Sections 2, 3, 10 & 11
Land 3rd rate and level.

North On a random line between Sections 2 & 3
Variation 14°12' E.
40.00 Set a post for temporary quarter section corner.
79.26 Intersect the north boundary of the Township 69 links
west of the corner of Sections 2 & 3, from which corner
I run

South On a true line between Sections 2 & 3
Variation 13°42' E.
39.26 Set a post charred and chalked for the quarter section
corner and raised a mound with trench and pits, as per
instructions.
79.26 The corner to Sections 2, 3, 10, 11
Land level and generally 3rd rate.

T. 8 N., R. 13 W., S. B. M.

40.00
79.74

Set a post for temporary quarter section corner.
Intersect N & S line 30 links South of the corner to
Section 14, 15, 22, 23 from which corner
I run

West

On a true line between Sections 15 & 22.

Variation 14°25' E.

39.87

Set a charred post for the quarter section corner and
raised a mound with trench and pits as per instructions.
The corner to Sections 15, 16, 21, 22.
Land level and sandy and generally 3rd rate.

79.74

North

Between Sections 15 & 16.

Variation 14°12' E.

40.00

Set a charred post for the quarter section corner, and
raised a mound with trench and pits, as per instructions.

80.00

Set a post charred and notched for the corner to Sections
9, 10, 15, 16 and raised a mound with trench and pits,
as per instructions.
Land level and generally 3rd rate.

East

On a random line between Sections 10 & 15.

Variation 14°12' E.

40.00

Set a post for temporary quarter section corner.
Intersect N. & S. line 15 links South of the corner to
Sections 10, 11, 14, 15 from which corner
I run

79.59

West

On a true line between Sections 10 & 15.

Variation 14°15' E.

39.79

Set a charred post for the quarter section corner and
raised a mound with trench and pits as per instructions.
The corner to Sections 9, 10, 15, 16.
Land generally 2nd rate and level.

79.59

North

Between Sections 9 & 10.

Variation 14°12' E.

40.00

Set a charred post for the quarter section corner, and
raised a mound with trench and pits, as per instructions.

80.00

Set a post charred and notched for the corner to Sections
3, 4, 9, 10 and raised a mound with trench and pits, as
per instructions.
Land level. Sandy and generally 3rd rate.

East

On a random line between Sections 3 & 10.

Variation 14°12' E.

40.00

Set a post for temporary quarter section corner.
Intersect N & S line 25 links South of the corner to
Sections 2, 3, 10, 11 from which corner
I run

79.70

West

On a true line between Sections 3 & 10.

Variation 14°23' E.

39.85

Set a charred post for the quarter section corner, and
raised a mound with trench and pits as per instructions.
The corner to Sections 3, 4, 9, 10.
Land 3rd rate and level.

79.70

T. 5 N., R. 13 W., S. B. M.

North On a random line between Sections 3 & 4.
Variation 14°12' E.
40.00 Set a post for temporary quarter section corner.
50.00 Intersect the North boundary of the Township 13 links
West of the corner to Sections 3 and 4 from which corner
I run

South On a true line between Sections 3 & 4.
Variation 14° 18' E.
40.00 Set a charred post for the quarter section corner and
raised a mound with trench and pits, as per instructions.
50.00 The corner to Sections 3, 4, 9, 10.
Land level and generally 3rd rate.

North Between Sections 32 & 33.
Variation 14°12' E.
40.00 Set a post charred and chalked for the quarter section
corner and raised a mound with trench and pits as per
instructions.
50.00 Set a post charred, chalked and notched for the corner
to Sections 28, 29, 32 & 33, and raised a mound with
trench and pits, as per instructions.
Land 2nd rate and level.

East On a random line between Sections 28 & 33
Variation 14°12' E.
40.00 Set a post for temporary quarter section corner
50.60 Intersect N & S line 40 links North of the corner to
Sections 27, 28, 33, 34, from which corner
I run

West On a true line between Sections 28 & 33
Variation 13°55' E.
40.30 Set a post charred and chalked for the quarter section
corner and raised a mound with trench and pits, as per
instructions.
50.60 The corner to Sections 28, 29, 32 & 33.
Land level and 2nd rate.

North Between Sections 28 & 29
Variation 14°12' E.
40.00 Set a post charred and chalked for the quarter section
corner and raised a mound with trench and pits, as per
instructions.
50.00 Set a post charred, chalked and notched for the corner to
Sections 28, 29, 20, 21 and raised a mound with trench and
pits as per instructions.
Land level and 2nd rate.

East On a random line between Sections 21 & 28
Variation 14°12' E.
40.00 Set a post for temporary quarter section corner.
50.54 Intersect N & S line 37 links North of the corner to
Sections 21, 22, 27 & 28 from which corner
I run

West On a true line between Sections 21 & 28
Variation 13°56' E.
40.27 Set a post charred and chalked for the quarter section
corner and raised a mound with trench and pits, as per
instructions.
50.54 The corner to Sections 20, 21, 28 & 29.
Land 2nd rate and level.

T. 8 N., R. 13 W., S. E. M.

North Between Sections 20 & 21 Variation 14*12' E.
40.00 Set a post charred and chalked for the quarter section
corner and raised a mound with trench & pits as per in-
structions.
50.00 Set a post charred and chalked & notched for the corner
to Sections 16, 17, 20 & 21 and raised a mound with trench
and pits as per instructions.
Land level and 2nd rate.

East On a random line between Sections 16 & 21 Variation 14*12' E.
40.00 Set a post for temporary quarter section corner.
50.90 Intersect N & S line 10 links North of the corner to
Sections 15, 16, 21, 22 from which corner
I run

West On a true line between Sections 16 & 21 Variation 14*05' E.
40.45 Set a post charred and chalked for the quarter section
corner and raised a mound with trench and pits, as per
instructions.
50.90 The corner to Sections 16, 17, 20, 21.
Land level and 2nd rate.

North Between Sections 16 & 17. Variation 14*12' E.
40.00 Set a post charred and chalked for the quarter section
corner and raised a mound with trench and pits as per
instructions.
50.00 Set a post charred, chalked and notched for the corner to
Sections 8, 9, 16, 17 and raised a mound with trench and
pits as instructed.
Land 2nd rate and level.

East On a random line between Sections 9 & 16 Variation 14*12' E.
40.00 Set a post for temporary quarter section corner.
50.86 Intersect N & S line 14 links North of the corner to
Sections 9, 10, 15, 16, from which corner
I run

West On a true line between Sections 9 & 16 Variation 14*06' E.
40.43 Set a post charred and chalked for the quarter section
corner and raised a mound with trench and pits, as per
instructions.
50.86 The corner to Sections 8, 9, 16, 17
Land level and 2nd rate.

North Between Sections 8 & 9 Variation 14*12' E.
40.00 Set a post for the quarter section corner, charred and
chalked and raised a mound with trench & pits as instructed
50.00 Set a post charred, chalked and notched for the corner to
Sections 4, 5, 8, 9 and raised a mound with trench and pits
as per instructions.
Land 2nd rate and level.

East On a random line between Sections 4 & 9. Variation 14*12' E.
40.00 Set a post for temporary quarter section corner.
50.92 Intersect N & S line 23 links North of the corner to
Sections 3, 4, 9, 10 from which corner
I run

T. 8 N., R. 13 W., S. B. M.

- West On a true line between Sections 4 & 9
Variation 14°02' E.
40.06 Set a post charred and chalked for the quarter section corner and raised a mound with trench and pits, as per instructions.
80.92 The corner to Sections 4, 5, 8, 9
Land level and 2nd rate.
-
- North On a random line between Sections 4 & 5
Variation 14°12' E.
40.00 Set a post for temporary quarter section corner
80.50 Intersect the North boundary of the Township 70 links West of the corner to Sections 4 & 5, from which corner I run
-
- South On a true line between Sections 4 & 5
Variation 13°42' E.
40.50 Set a post charred and chalked for the quarter section corner and raised a mound with trench and pits, as per instructions.
80.50 The corner to Sections 4, 5, 8, 9.
Land 2nd rate and level.
-
- North Between Sections 31 & 32
Variation 14°12' E.
40.00 Set a post charred and chalked for the quarter section corner and raised a mound with trench and pits, as per instructions.
80.00 Set a post charred and chalked and notched for the corner to Sections 29, 30, 31, 32 and raised a mound with trench and pits as per instructions.
Land level. Soil sandy and 2nd rate, with thick sage.
-
- East On a random line between Sections 29 and 32
Variation 14°12' E.
40.00 Set a post for temporary quarter section corner.
80.19 Intersect N. & S line 25 links North of the corner to Sections 28, 29, 32, 33 from which corner I run
-
- West On a true line between Sections 29 and 32
Variation 14°01' E.
40.09 Set a post charred and chalked for the quarter section corner and raised a mound with trench and pits as per instructions.
80.19 The corner to sections 29, 30, 31, 32.
Land level. Sandy and 2nd rate.
-
- West On a random line between Sections 30 & 31
Variation 14°12' E.
40.00 Set a post for temporary quarter section corner
78.99 Intersect the West boundary of the Township, 25 links South of the corner to Sections 30 & 31 from which corner I run
-
- East On a true line between Sections 30 & 31
Variation 14°01' E.
38.99 Set a post charred and chalked for the quarter section corner and raised a mound with trench and pits, as per instructions.
78.99 The corner to Sections 29, 30, 31, 32
Land level and generally 2nd rate.
-

T. 8 N., R. 13 W., S. B. M.

North Between Sections 29 & 30 Variation 14°12' E.
 40.00 Set a post charred and chalked for the quarter section
 corner and raised a mound with trench and pits as per
 instructions.
 80.00 Set a post charred, chalked and notched for the corner
 to Sections 19, 20, 29, 30 and raised a mound with trench
 and pits as per instructions.
 Land level. Sandy soil and generally 3rd rate.

East On a random line between Sections 20 & 29 Variation 14°12' E.
 40.00 Set a post for temporary quarter section corner.
 80.33 Intersect N & S line 15 links North of the corner to
 sections 20, 21, 28, 29 from which corner
 I run

West On a true line between sections 20 & 29 Variation 14°06' E.
 40.16 Set a post charred and chalked for the quarter section
 corner and raised a mound with trench and pits as per
 instructions.
 80.33 The Corner to Sections 19, 20, 29, 30.
 Land level and generally 3rd rate.

West On a random line between Sections 19 & 30. Variation 14° 12' E.
 40.00 Set a post for temporary quarter section corner
 80.24 Intersect the west boundary of the Township 26 links South
 of the corner to Sections 19 & 30 from which corner I run

East On a true line between Sections 19 & 30. Variation 14°01' E.
 40.24 Set a post charred and chalked for the quarter section
 corner and raised a mound with trench and pits, as per
 instructions.
 80.24 The corner to sections 19, 20, 29 & 30.
 Land level and 2nd rate.

North Between Sections 19 & 20 Variation 14°12' E.
 40.00 Set a post charred and chalked for the quarter section
 corner and raised a mound with trench and pits, as per
 instructions.
 80.00 Set a post charred, chalked and notched for the corner
 to Sections 17, 18, 19, 20 and raised a mound with
 trench and pits as per instructions.
 Land level and 3rd rate.

East On a random line between Sections 17 & 20. Variation 14°12' E.
 40.00 Set a post for temporary quarter section corner
 79.81 Intersect N & S Line 41 links North of the corner to
 sections 16, 17, 20, 21 from which corner I run west

West On a true line between Sections 17 & 20 Variation 13°54' E.
 39.90 Set a post charred and chalked for the quarter section
 corner and raised a mound with trench and pits as per
 instructions.
 79.88 The corner to sections 17, 18, 19, 20
 Land level and 3rd rate.
