

DEPARTMENT OF THE INTERIOR.
Office of U. S. Surveyor-General.

San Francisco, California,
August 17, 1922.

I, John Plover, U. S. Surveyor-General for California, do hereby certify that the annexed transcript of the field notes of Sections 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23 and 24 of Township 7 North, Range 9 West, of the San Bernardino Base and Meridian, California, is a true and literal exemplification of the same on file in this office.

IN TESTIMONY WHEREOF, I have hereunto subscribed my name and caused the seal of this office to be affixed on the day and year above written.

JOHN PLOVER,

(OFFICIAL SEAL)

United States Surveyor-General

for California.

	R. 10 W. R. 9 W.					R. 9 W. R. 8 W.		
	36	31	32	33	34	35	36	31
								<u>T. 8 N.</u> <u>T. 7 N.</u>
1	6	17 5	12 4	9 3	6 2	3 1	6	
	16	16	12	9	6	3		
12	7	16 8	12 9	9 10	6 11	3 12	7	
	15	15	11 11	8 8	5 5	2		
13	18	15 17	11 16	8 15	5 14	2 13	18	
	14	14	10 11	7 8	5	1 2		
24	19	14 20	10 21	7 22	4 23	24	19	
	13	13 13	10	7	4	1		
25	30	13 29	10 28	7 27	4 26	25	30	
				6				
36	31	32	33	34	35	36	31	
								<u>T. 7 N.</u> <u>T. 6 N.</u>

Surveyed by Henry Hancock - ~~1866~~
1856

Chains.

North between sections 25 and 26

Variation 14°08' E.

X X X X X X X X X X

80.00 Set a charred post for the corner to sections 23, 24
25 and 26 and made a mound with trench and pits as per
instructions.

Land rolling first half mile, last hilly.

East on a random line between sections 24 and 25

Variation 14°08'E.

40.00 Set a post for the temporary $\frac{1}{4}$ section corner.

80.40 Intersect the east boundary of the township 40 links
south of the corner to sections 24 and 25, from
which corner I run

West on the true line between sections 24 and 25

Variation 14°25'E.

40.20 Set a charred post for the $\frac{1}{4}$ section corner and made a
mound with trench and pits as per instructions.

80.40 The corner to sections 23, 24, 25 and 26

Land hilly with some grass

North between sections 23 and 24

Variation 14°08'E.

34.00 To summit of mountain and descend.

40.01 Set a charred post for the $\frac{1}{4}$ section corner and made a
mound with trench and pits as per instructions.

53.00 To foot of mountain and to a gentle descent.

80.01 Set a charred post for corner to sections 13, 14, 23
and 24 and made a mound with trench as per
instructions.

Land hilly and rolling with grass and bushes

T. 7 N., R. 9 W., of S.B.M.

Chains. East on a random line between sections 13 and 24

Variation 14°08'E.

40.00 Set a post for temporary $\frac{1}{4}$ section corner.

80.37 Intersect the east boundary of the township 48 links
South of the corner to sections 13 and 24, from
which corner I run

West on the true line between sections 13 and 24

Variation 14°25'E.

40.18 Set a charred post for the $\frac{1}{4}$ section corner and made a
mound with trench and pits as per instructions.

80.37 The corner to sections 13, 14, 23 and 24.

Land rolling with grass, bushes and palmetto.

North between sections 13 and 14

Variation 14°08'E.

40.00 Set a charred post for the $\frac{1}{4}$ section corner and made a
mound with trench and pits as per instructions.

80.00 Set a charred post for the corner to sections 11, 12, 13
and 14 and made a mound with trench as per instruc-
tions.

Land rolling with grass, bushes and palmetto.

East on a random line between sections 12 and 13

Variation 14°08'E.

40.00 Set a post for temporary $\frac{1}{4}$ section corner.

80.47 Intersect the east boundary of the township 50 links
South of the corner to sections 12 and 13, from
which corner I run

West on the true line between sections 12 and 13

Variation 14°29' E.

40.23 Set a charred post for the $\frac{1}{4}$ section corner and made a
mound with trench and pits as per instructions.

80.47 The corner to sections 11, 12, 13 and 14

Land rolling with grass, bushes and palmetto.

T. 7 N., R. 9 W., of the S.B.M.

Chains.

February 11, 1856

North between sections 11 and 12

Variation 14°08'E.

40.00 Set a charred post for the $\frac{1}{4}$ section corner and made a mound with trench as per instructions.

80.00 Set a charred post for the corner to sections 1, 2, 11 and 12, and made a mound with trench and pits as per instructions.

Land rolling and sandy with grass and so forth.

East on a random line between sections 1 and 12

Variation 14°08'E.

40.00 Set a post for temporary $\frac{1}{4}$ section corner.

80.43 Intersect the East boundary of the township 44 links South of corner to sections 1 and 12, from which corner I run

West on the true line between sections 1 and 12

Variation 14°27'E.

40.21 Set a charred post for the $\frac{1}{4}$ section corner and made a mound with trench and pits as per instructions.

80.43 The corner to sections 1, 2, 11 and 12

Land rolling and sandy with grass, bushes and palmetto.

North on a random line between sections 1 and 2

Variation 14°08'E.

40.00 Set a post for temporary $\frac{1}{4}$ section corner.

80.80 Intersect the North boundary of the township 25 links East of corner to sections 1 and 2, from which corner I run.

South on the true line between sections 1 and 2

Variation 14°19'E.

40.80 Set a charred post for the $\frac{1}{4}$ section corner and made a mound with trench as per instructions.

T. 7 N., R. 9 W., of the S.B.M.

Chains.

50.50 The corner to sections 1, 2, 11 and 12
Land rolling and sandy with grass, bushes and palmetto.

North on line between sections 26 and 27

Variation 14°08'E.

x x x x x x x x x

50.00 Set a charred post for corner to sections 22, 23, 26
and 27 and made a mound with trench and pits as per
instructions.

Land rolling and very hilly with some good grass.

East on a random line between sections 23 and 26

Variation 14°08' E.

17.00 To foot of rugged hill 160 feet high

40.00 Set a post for temporary $\frac{1}{4}$ section corner

50.60 Intersect north and south line 25 links south of the
corner to sections 23, 24, 25 and 26, from which
corner I run

West on the true line between sections 23 and 26

Variation 14°19'E.

40.30 The $\frac{1}{4}$ section corner coming at a point so steep and
rugged that I could not make a mound, that would re-
main I set a witness post and made a mound of rock
23 chains west of base of hill.

50.60 The corner to sections 22, 23, 26 and 27

Land very steep and rocky.

North between sections 22 and 23

Variation 14°08' E.

40.00 Set a charred post for the $\frac{1}{4}$ section corner and made a
mound with trench as per instructions.

50.01 Set a charred post for corner to sections 14, 15, 22
and 23 and made a mound with trench and pits as per
instructions.

Land rolling and sandy with bushes and palmetto.

T. 7 N., R. 9 W., of the S.B.M.

Chains.

East on a random line between sections 14 and 23.

Variation 14°05' E.

40.00

Set a post for temporary $\frac{1}{4}$ section corner

80.46

Intersect the north and south line 39 links south of
the corner to sections 13, 14, 23 and 24, from which
corner I run

West on the true line between sections 14 and 23

Variation 14°25' E.

40.23

Set a charred post for the $\frac{1}{4}$ section corner and made a
mound with trench and pits as per instructions.

80.46

The corner to sections 14, 15, 22 and 23.

Land rolling and sandy with bushes and palmetto.

North between sections 14 and 15

Variation 14°05' E.

40.00

Set a charred post for the $\frac{1}{4}$ section corner and made a
mound with trench as per instructions.

80.00

Set a charred post for corner to sections 10, 11, 14 and
15 and made a mound with trench as per instructions.

Land rolling and sandy with bushes and palmetto.

East on a random line between sections 11 and 14

Variation 14°05' E.

40.00

Set a post for temporary $\frac{1}{4}$ section corner

80.40

Intersect the north and south line 34 links south of
corner to sections 11, 12, 13 and 14, from which
corner I run

West on the true line between sections 14 and 11

Variation 14°23' E.

40.20

Set a charred post for the $\frac{1}{4}$ section corner and made a
mound with trench and pits as per instructions.

80.40

The corner to sections 10, 11, 14 and 15

Land rolling and sandy with palmetto and bushes.

North between sections 10 and 11.

T. 7 N. R. 9 W., of the S.B.M.

Chains.

Variation 14°08'E.

- 40.00 Set a charred post for the $\frac{1}{4}$ section corner and made a mound with trench and pits as per instructions.
- 80.00 Set a charred post for corner to sections 2, 3, 10 and 11 and made a mound with trench as per instructions.
Land rolling and sandy with grass, bushes and palmetto.
-

February 12, 1856.

East on a random line between sections 2 and 11

Variation 14°08'E.

- 40.00 Set a post for temporary $\frac{1}{4}$ section corner
- 80.56 Intersect north and south line 40 links south of the corner to sections 1, 2, 11 and 12, from which corner I run

West on a true line between sections 2 and 11

Variation 14°25'E.

- 40.28 Set a charred post for the $\frac{1}{4}$ section corner and made a mound with trench and pits as per instructions.
- 80.56 The corner to sections 2, 3, 10 and 11.
Land rolling and sandy with grass and bushes
-

North on a random line between sections 2 and 3

Variation 14°08'E.

- 40.00 Set a post for temporary $\frac{1}{4}$ section corner
- 80.90 Intersect the north and south line $3\frac{1}{4}$ links east of the corner to sections 2 and 3, from which corner I run south on a true line between sections 2 and 3

Variation 14°23'E.

- 40.90 Set a charred post for the $\frac{1}{4}$ section corner and made a mound with trench and pits as per instructions.
- 80.90 The corner to sections 2, 3, 10 and 11.
Land rolling and sandy with grass and bushes.
-

North between sections 27 and 28.

T. 7 N., R. 9 W., of the S.B.M.

Chains.

Variation 14°05'E.

X X X X X X X X

80.00 Set a charred post for the corner to sections 21, 22, 27 and 28 and made a mound with trench and pits as per instructions.

Land generally level and sandy with grass and bushes.

East on a random line between sections 22 and 27

Variation 14°05'E.

40.00 Set a post for temporary $\frac{1}{4}$ section corner

80.48 Intersect north and south line 43 links south of the corner to sections 22, 23, 26 and 27, from which corner I run

West on the true line between sections 22 and 27

Variation 14°26'E.

40.24 Set a charred post for the $\frac{1}{4}$ section corner and made a mound with trench and pits as per instructions.

80.48 The corner to sections 21, 22, 27 and 28

Land level and sandy with grass and bushes.

North between sections 21 and 22

Variation 14°05'E.

40.00 Set a charred post for the $\frac{1}{4}$ section corner and made a mound with trench and pits as per instructions.

80.00 Set a charred post for corner to sections 15, 16, 21 and 22 and made a mound with trench and pits as per instructions.

Land level with grass and palmetto.

East on a random line between sections 15 and 22

Variation 14°05'E.

40.00 Set a post for temporary $\frac{1}{4}$ section corner

80.50 Intersect the north and south line 46 links south of corner to sections 14, 15, 22 and 23, from

T. 7 N., R. 9 W., of the S.B.M.

Chains.

which corner I run

West on the true line between sections 15 and 22

Variation 14°28'E.

40.25 Set a charred post for the $\frac{1}{4}$ section corner and made a mound with trench and pits as per instructions.

80.50 The corner to sections 15, 16, 21 and 22.

Land generally level with grass and palmetto.

North between sections 15 and 16

Variation 14°06'E.

25.00 To foot of isolated rocky hill and ascend.

40.00 Set a charred post for the $\frac{1}{4}$ section corner and made a mound with trench as per instructions.

51.00 To summit of hill and descend.

80.01 Set a charred post for corner to sections 9, 10, 15 and 16 and made a mound with trench and pits as per instructions.

Land hilly, rocky and thirtrate.

East on a random line between sections 10 and 15

Variation 14°05'E.

25.00 Leave hills.

40.00 Set a post for temporary $\frac{1}{4}$ section corner.

80.00 Intersect north and south line 40 links south of the corner to sections 11, 10, 14 and 15, from which corner I run

West on the true line between sections 10 and 15

Variation 14°25'E.

40.00 Set a charred post for the $\frac{1}{4}$ section corner and made a mound with trench and pits as per instructions.

80.00 The corner to sections 9, 10, 15 and 16.

Land generally level with grass, bushes and palmetto.

North between sections 9 and 10.

Chains.

T. 7 N., R. 9 W., of the S.B.M.

Variation 14°05' E.

26.00 To foot of mountain.

40.00 Set a charred post for the $\frac{1}{4}$ section corner and made a mound with trench as per instructions.

80.00 Set a charred post for corner to sections 3, 4, 9 and 10 and made a mound with trench and pits as per instructions.

Land hilly and rolling with grass and palmetto.

East on a random line between sections 3 and 10

Variation 14°05' E.

40.00 Set a post for temporary $\frac{1}{4}$ section corner

80.40 Intersect north and south line 37 links south of the corner to sections 2, 3, 10 and 11, from which corner I run

West on the true line between sections 3 and 10.

Variation 14°24' E.

40.20 Set a charred post for the $\frac{1}{4}$ section corner and made a mound with trench and pits as per instructions.

80.40 The corner to sections 3, 4, 9 and 10.

Land rolling and sandy with grass and bushes.

North on a random line between sections 3 and 4

Variation 14°05' E.

40.00 Set a post for temporary $\frac{1}{4}$ section corner

80.60 Intersect the north boundary of the township 42 links East of the corner to sections 3 and 4, from which corner I run

South on a true line between sections 3 and 4

Variation 14°26' E.

40.60 Set a charred post for the $\frac{1}{4}$ section corner and made a mound with trench and pits as per instructions.

80.60 The corner to sections 3, 4, 9 and 10

Land rolling and sandy with grass and palmetto.

T. 7 N., R. 9 W., of the S.B.M.

Chains.

North between sections 28 and 29

Variation 14°08'E.

xx x x x x x x x

80.00 Set a charred post for the corner to sections 20, 21
28 and 29, and made a mound with trench and pits as
per instructions.

Land second rate and level with fine grass.

East on a random line between sections 21 and 28

Variation 14°08'E.

40.00 Set a post for temporary $\frac{1}{4}$ section corner.

80.39 Intersect north and south line 41 links north of the
corner to sections 21, 22, 27 and 28, from which
corner I run

West on the true line between sections 21 and 28

Variation 13°51'E.

40.19 Set a charred post for the $\frac{1}{4}$ section corner and made a
mound with trench and pits as per instructions.

80.39 The corner to sections 20, 21, 28 and 29

Land level and second rate.

North between sections 20 and 21

Variations 14°08'E.

40.00 Set a charred post for the $\frac{1}{4}$ section corner and made a
mound with trench and pits as per instructions.

80.40 Set a charred post for the corner to sections 16, 17,
20 and 21, and made a mound with trench and pits as
per instructions.

Land second rate, sandy and level.

East on a random line between sections 16 and 21.

Variation 14°08'E.

40.00 Set a post for temporary $\frac{1}{4}$ section corner

80.45 Intersect north and south line 35 links north of corner

Chains.

to sections 15, 16, 21 and 22, from which corner

I run

West on a true line between sections 16 and 21

Variation 13°53'E.

40.22 Set a charred post for the $\frac{1}{4}$ section corner and made a mound with trench as per instructions.

80.45 The corner to sections 16, 17, 20 and 21

Land second rate, level and sandy

North between sections 16 and 17

Variation 14°05'E.

40.00 Set a charred post for the $\frac{1}{4}$ section corner and made a mound with trench and pits as per instructions.

80.00 Set a charred post for the corner to sections 8, 9, 16 and 17, and made a mound with trench and pits as per instructions.

Land level and sandy with grass, bushes and palmetto.

East on a random line between sections 9 and 16

Variation 14°08' E.

40.00 Set a post for temporary $\frac{1}{4}$ section corner

50.00 To foot of mountain bearing North 30° East

80.40 Intersect north and south line 46 links north of the corner to sections 9, 10, 15 and 16, from which corner

I run

West on a true line between sections 9 and 16

Variation 13°48' E.

40.20 Set a charred post for the $\frac{1}{4}$ section corner and made a mound with trench and pits as per instructions.

80.40 The corner to sections 8, 9, 16 and 17

Soil sandy with grass, bushes and palmetto.

North between sections 8 and 9

Variation 14°08' E.

T. 7 N., R. 9 W., of the S.B.M.

Chains.

- 40.00 Set a charred post for the $\frac{1}{4}$ section corner and made a mound with trench as per instructions.
- 80.00 Set a charred post for the corner to sections 4, 5, 8 and 9 and made a mound with trench and pits as per instructions.

Land generally level and second rate.

East on a random line between sections 4 and 9

Variation 14°08'E.

- 40.00 Set a post for temporary $\frac{1}{4}$ section corner

- 80.33 Intersect the north and south line 36 links north of post corner to sections 3, 4, 9 and 10, from which corner I run

West on the true line between sections 4 and 9

Variation 13°53' E.

- 40.16 Set a charred post for the $\frac{1}{4}$ section corner and made a mound with trench and pits as per instructions.

- 80.33 The corner to sections 4, 5, 8 and 9.

Land level with grass, bushes and palmetto.

North on a random line between sections 4 and 5

Variation 14°08'E.

- 40.00 Set a post for temporary $\frac{1}{4}$ section corner

- 80.78 Intersect the north boundary of the Township 50 links East of the corner to sections 4 and 5, from which corner I run

South on the true line between sections 4 and 5

Variation 14°29'E.

- 40.78 Set a charred post for the $\frac{1}{4}$ section corner and made a mound with trench as per instructions.

- 80.78 The corner to sections 4, 5, 8 and 9

Land level and sandy with grass, bushes and palmetto.

Chains.

T. 7 N., R. 9 W., of the S.B.M.

North between sections 29 and 30

Variation 14°08'E.

x x x x x x x x

80.00 Set a charred post for the corner to sections 19, 20, 29 and 30, and made a mound with trench as per instructions.

Land level, sandy and generally second rate.

East on a random line between sections 20 and 29

Variation 14°08'E.

40.00 Set a post for the temporary $\frac{1}{4}$ section corner

80.56m Intersect the north and south line 44 links north of the corner to sections 20, 21, 28 and 29, from which corner I run

West on the true line between sections 20 and 29

Variation 13°49'E.

40.28 Set a charred post for the $\frac{1}{4}$ section corner and made a mound with trench and pits as per instructions.

80.56 The corner to sections 29, 30, 19 and 20

Land slightly rolling with good grass

West on a random line between sections 19 and 30

Variation 14°08'E.

40.00 Set a post for temporary $\frac{1}{4}$ section corner.

79.63 Intersect the west boundary of the township 46 links south of the corner to sections 19 and 30, from which corner I run

East on the true line between sections 19 and 30

Variation 13° 48' E.

39.63 Set a charred post for the $\frac{1}{4}$ section corner and made a mound with trench as per instructions.

79.63 The corner to sections 19, 20, 29 and 30

Land gently rolling and sandy with good grass

North between sections 19 and 20

T. 7 N., R. 9 W., of the S.B.M.

Chains.

Variation 14°05' E.

- 40.01 Set a charred post for the $\frac{1}{4}$ section corner and made a mound with trench as per instructions.
- 80.00 Set a charred post for the corner to sections 19, 20, 17 and 18, and made a mound with trench as per instructions.

Land level and sandy with grass and bushes.

East on a random line between sections 17 and 20

Variation 14° 06' E.

- 40.00 Set a post for temporary $\frac{1}{4}$ section corner
- 80.61 Intersect the north and south line 43 links north of the corner to sections 16, 17, 20 and 21, from which corner I run

West on the true line between sections 17 and 20

Variation 13°50' E.

- 40.30 Set a charred post for the $\frac{1}{4}$ section corner and made a mound with trench and pits as per instructions.
- 80.60 The corner to sections 17, 18, 19 and 20
- Land level and sandy with grass and bushes.
-

West on a random line between sections 18 and 19

Variation 14°08' E.

- 40.00 Set a post for temporary $\frac{1}{4}$ section corner
- 79.26 Intersect the west boundary of the township 37 links south of the corner to sections 18 and 19, from which corner I run

East on the true line between sections 18 and 19

Variation 13°42' E.

- 39.26 Set a charred post for the $\frac{1}{4}$ section corner and made a mound with trench as per instructions.
- 79.26 The corner to sections 17, 18, 19 and 20
- Land level and sandy with grass and bushes.
-