

DEPARTMENT OF THE INTERIOR  
 Office of U.S. Surveyor - General.  
 San Francisco, California,  
 April 23rd. 1923.

I, John Plover, U.S. Surveyor-General for California, do hereby certify that the annexed transcript of the field notes of sections 19 to 36 inclusive, in Township 6 North, Range 9 West, San Bernardino Meridian, California, is a true and literal exemplification of the same on file in this office.

IN TESTIMONY WHEREOF I have hereunto subscribed my name and caused the seal of this office to be affixed on the day and year above written.

John Plover  
 United States Surveyor-General  
 for California.

		R 9 W							
		6	5	4	3	2	1		
		7	8	9	10	11	12		
T 6 N		18	17	16	15	14	13	T 6 N	
	13	12	9	7	5	3			
	19	20	21	22	23	24			
	12	11	9	7	5	3			
	30	29	28	27	26	25			
		31	32	33	34	35	36		
		R 9 W							

W. Norris 1854 & 1855

T. 6 N., R. 10 W. S.B.M.

40.00 North on the East Bdy. of sec. 36  
in Open Desert

40.00 Set sec. charred & chaked post made mound, trench, pits  
&c as per instructions.  
Land 3rd.rate.

35.50? To dry bed of Creek course N.W. 50 links.

80.00 Set char'd., chalked & notched post cor. of sec. 25, 36, 30 & 31.  
made mound, trench, pits &c. as per instructions  
Land 3rd.rate.

---

North on the East Bdy. of sec. 25.

5.00 To bed of dry Creek, course N.W. 1 ch.wide

40.00 Set  $\frac{1}{4}$  sec chard & chalked post made mound, trench, pits &c.  
as per instructions.  
Land 3rd.rate.

80.00 Set chard. chalked & notched post, cor. to sec. 24, 25, 19 & 30,  
made mound trench, pits &c. as per instructions  
Land 3rd.rate

---

North on the East Bdy. of sec. 24

40.00 Set  $\frac{1}{4}$  sec. chard, & chalked post made mound, trench, pits &c.  
as per instructions.  
Soil 3rd.rate

80.00 Set chard. chalked & notched post cor. to sec. 13, 24, 18, 19,  
made mound, trench, pits &c. as per instructions  
Land generally 3rd.rate

---

North on the East Bdy. of sec. 13

40.00 Set  $\frac{1}{4}$  sec. chard. & chalked post made mound, trench, pits &c.  
as per instructions  
Land 3rd.rate

55.00 Rocky hill 10 chs. W. another 1 mile E.

T.6N.,R.10 W.,S.B.M.

68.50 Ascend.  
80.00 Set chard.chalked & notched post,cor.to sec. 12,13,7 & 18.  
made mound,trench,pits &c.as per instructions  
Land 3rd.rate

---

Surveyed by R.W.Norris,Deputy Surveyor  
Contract dated December 23,1854

---

Chains

T. 6 N.,R. 9 W.,of the S.B.M.

Subdivisions of T.6 N.,R. 9 W.commenced on the 10th.  
January 1856.

---

From the corner to sections 1 and 2, 35 and 36 on the  
South boundary of the township I run

North between sections 35 and 36

Variation 14°08'E.

40.01 Set a charred post for the  $\frac{1}{4}$  section corner and made a  
mound with trench and pits as per instructions.

80.01 Set a charred post for corner to sections 25,26,35 and 36 and  
made a mound with trench and pits as per instructions.  
Level and sandy land with good grass.

---

East on a random line between sections 25 and 36.

Variation 14°08'E.

40.00 Set a post for temporary  $\frac{1}{4}$  section corner

80.16 Intersect the North and South line 12 links South of the  
corner to sections 25 and 36,from which corner I run

West on a true line between section 25 and 36

Variation 14°13'E.

40.08 Set a charred post for the  $\frac{1}{4}$  section corner and made a  
mound with trench and pits as per instructions

Chains.

T.6N.,R.9 W.,Sec.the S.B.M.

80.16 The corner to sections 25, 26, 35 and 36  
Sandy land with good grass

---

North between sections 25 and 26

Variation 14°08'E.

40.00 Set a charred post for the  $\frac{1}{4}$  section corner and made a mound  
with trench and pits as per instructions

80.01 Set a charred post for the corner to sections 23,24,25,and  
26,and made a mound with trench and pits as per  
instructions.

Land level and sandy with good grass

---

East on a random line between sections 24 and 25

Variation 14°08'E

40.00 Set a post for temporary  $\frac{1}{4}$  section corner

80.10 Intersect the East boundary of the township 31 links South  
of corner to sections 24 and 25 from which corner I run  
West on a true line between sections 24 and 25

Variation 14°21'E.

40.05 Set a charred post for the  $\frac{1}{4}$  section corner and made a mound  
with trench and pits as per instructions

80.10 The corner to sections 23, 24,25 and 26  
Sandy land and good grass

---

North between sections 23 and 24.

Variation 14°08'E

40.00 Set a charred post for the  $\frac{1}{4}$  section corner and made a mound  
with trench and pits as per instructions

80.00 Set a charred post for the corner to sections 13,14,23 and 24  
and made a mound with trench and pits as per instructions.  
Sandy land and good grass

---

East on a random line between sections 13 and 24.

Chains.

T.6 N., R.9 W., of S.B.M.

Variation 14°08'E.

40.01 Set a post for temporary  $\frac{1}{4}$  section corner and made a mound  
with trench and pits as per instructions

80.12 Intersect the East boundary of the township 22 links South  
of the corner to sections 13 and 24, from which corner  
I run

West on a true line between sections 13 and 24

Variation 14°17'E

40.06 Set a charred post for the  $\frac{1}{4}$  section corner and made a  
mound with trench and pits as per instructions

80.12 The corner to sections 13, 14, 23 and 24  
Level and sandy land and good grass.

---

North between sections 34 and 35.

Variation 14°08'E.

40.01 Set a charred post for the  $\frac{1}{4}$  section corner and made a mound  
with trench and pits as per instructions

80.01 Set a charred post for the corner to sections 26, 27, 34 and  
35 and made a mound with trench and pits as per  
instructions.

Land rolling and third rate.

---

East on a random line between sections 26 and 35

Variation 14°08'E

40.00 Set a post for temporary  $\frac{1}{4}$  section corner

80.54 Intersect the North and South line 10 links North of corner  
to sections 25, 26, 35 and 36, from which corner I run

West on a true line between sections 26 and 35

Variation 14°04'E

40.27 Set a charred post for the  $\frac{1}{4}$  section corner and made a mound  
with trench and pits as per instructions

80.54 The corner to sections 26, 27, 34 and 35.  
Sandy and rolling land and third rate

Chains

T.6 N.,R.9 W.of S.B.M.

North between sections 26 and 27

Variation 14°08'E.

- 40.00 Set a charred post for the  $\frac{1}{4}$  section corner and made a mound with trench and pits as per instructions
- 80.01 Set a charred post for corner to sections 22,23,26 and 27 and made a mound with trench and pits as per instructions
- Third rate rolling and sandy land

---

East on a random line between sections 23 and 26

Variation 14°08'E.

- 40.00 Set a post for temporary  $\frac{1}{4}$  section corner
- 80.34 Intersect North and South line 40 links North of corner to sections 23,24,25 and 26,from which corner I run West on the true line between sections 23 and 26
- Variation 13°51'E.
- 40.17 Set a charred post for the  $\frac{1}{4}$  section corner and made a mound with trench and pits as per instructions
- 80.34 The corner to sections 22,23,26 and 27
- Land sandy, rolling and open

---

North between sections 22 and 23

Variation 14°08'E

- 40.00 Set a charred post for the  $\frac{1}{4}$  section corner and made a mound with trench and pits as per instructions
- 80.01 Set a charred post for the corner to sections 14,15,22,and 23 and made a mound with trench and pits as per instructions
- Land rolling,sandy and open

---

East on a random line between sections 14 and 23

Variation 14°08'E.

- 40.00 Set a post for temporary  $\frac{1}{4}$  section corner

Chains

T.6 N.,R.9 W.of S.B.M.

80.36 Intersect North and South line 50 links North of post corner to sections 13,14,23 and 24 from which corner I run West on a true line between sections 14 and 23

Variation 13°47'E

40.18 Set a charred post for the  $\frac{1}{4}$  section corner and made a mound with trench and pits as per instructions

80.36 The corner to sections 14,15,22 and 23  
Rolling sandy land with bushes and so forth

---

North between sections 33 and 34

January 12,1856

Variation 14°08'E

40.00 Set a charred post for the  $\frac{1}{4}$  section corner and made a mound with trench and pits as per instructions

80.00 Set a charred post for corner to sections 27,28,33 and 34 and raised a mound with trench and pits as per instructions  
Land third rate and rolling

---

East on a random line between sections 27 and 34

Variation 14°08'E.

40.00 Set a post for temporary  $\frac{1}{4}$  section corner

79.75 Intersect North and South line 48 links North of the corner to sections 26,27,34 and 35 from which corner I run West on a true line between sections 27 and 34

Variation 13°47'E

39.87 Set a charred post for the  $\frac{1}{4}$  section corner and made a mound with trench and pits as per instructions

79.75 The corner to sections 27,28,33 and 34  
Land rolling and third rate

---

North between sections 27 and 28.

Variation 14°08'E

Chains

T.6 N., R.9 W. of S.B.N.

- 40.00 Set a charred post for the  $\frac{1}{4}$  section corner and made a mound with trench and pits as per instructions
- 80.00 Set a charred post for corner to sections 21, 22, 27 and 28 and made a mound with trench and pits as per instructions
- Rolling and third rate land.
- 

East on a random line between sections 22 and 27.

Variation  $14^{\circ}08'E$

- 40.01 Set a post for temporary  $\frac{1}{4}$  section corner
- 79.66 Intersect the North and South line 50 links North of corner to sections 22, 23, 26 and 27, from which corner I run West on the true line between sections 22 and 27

Variation  $13^{\circ}47'E$

- 39.83 Set a charred post for the  $\frac{1}{4}$  section corner and made a mound with trench and pits as per instructions
- 79.66 The corner to sections 21, 22, 27 and 28
- Land rolling and third rate
- 

North between sections 21 and 22

Variation  $14^{\circ}08'E$

- 40.01 Set a charred post for the  $\frac{1}{4}$  section corner and made a mound with trench and pits as per instructions
- 80.01 Set a charred post for corner to sections 15, 16, 21 and 22 and made a mound with trench and pits as per instructions.
- Land rolling and third rate.
- 

East on a random line between sections 15 and 22

Variation  $14^{\circ}08'E$

- 40.00 Set a post for temporary  $\frac{1}{4}$  section corner
- 41.50 Ascend steep hill about 100 feet high and then descend
- 72.00 Leave Leave hill



Chains

T.6 N.,R.9 W.of S.B.M.

79.60 Intersect North and South line 35 links North of corner to sections 14,15,22 and 23,from which corner I run West on the true line between sections 15 and 22

Variation 13°53'E

39.80 Set a charred post for the  $\frac{1}{4}$  section corner and made a mound with trench and pits as per instructions

79.60 The corner to sections 15,16,21 and 22  
Land rolling and third rate

---

North between sections 32 and 33

January 13,1856

40.00 Set a charred post for the  $\frac{1}{4}$  section corner and made a mound with trench and pits as per instructions

Variation 14°08'E

80.00 Set a charred post for the corner to sections 28,29,32 and 33 and made a mound with trench and pits as per instructions  
Land level and sandy with grass and palmette

---

East on a random line between sections 28 and 33

Variation 14°08'E

40.00 Set a post for temporary  $\frac{1}{4}$  section corner

80.54 Intersect North and South line 28 links South of the corner to sections 27,28,33 and 34,from which corner I run West on the true line between sections 28 and 33

Variation 14°20'E.

40.27 Set a charred post for the  $\frac{1}{4}$  section corner and made a mound with trench and pits as per instructions

80.54 The corner to sections 28,29,32 and 33  
Land level and sandy with weeds and bushes

---

North between sections 28 and 29.

Variation 14°08'E.

Chains

T.6 N.,R.9 W.of the S.B.M.

- 40.00 Set a charred post for the  $\frac{1}{4}$  section corner and made a mound with trench and pits as per instructions.
- 80.00 Set a charred post for corner to sections 20,21,28 and 29, and made a mound with trench and pits as per instructions. Land level and sandy with grass and bushes.
- 
- East on a random line between sections 21 and 28  
Variation 14°08'E
- 40.00 Set a post for temporary  $\frac{1}{4}$  section corner
- 80.00 Intersect the North and South line 48 links South of corner to sections 21,22,27 and 28,from which corner I run West on a true line between sections 21 and 28  
Variation 14°29'E.
- 40.00 Set a charred post for the  $\frac{1}{4}$  section corner and made a mound with trench and pits as per instructions.
- 80.01 The corner to sections 20,21,28 and 29  
Land level and sandy with grass and bushes
- 
- North between sections 20 and 21  
Variation 14°08'E
- 40.00 ~~40.00~~ Set a charred post for the  $\frac{1}{4}$  section corner and made a mound with trench and pits as per instructions
- 80.00 Set a charred post for the corner to sections 16,17,20 and 21,and made a mound with trench and pits as per instructions  
Land ascending to the North,with grass and palmetto.
- 
- East on a random line between sections 16 and 21  
Variation 14°08'E
- 33.00 To foot of mountain and ascend
- 35.01 To summit and descend
- 40.00 Set a post for temporary  $\frac{1}{4}$  section corner
- 56.00 To a valley extending 40 chains North and 20 chains

Chains

T. 6 N., R. 9 W. of the S.B.M.

South and about 30 chains North are several fine springs

80.28 Intersect North and South line 50 links South of corner to sections 15, 16, 21 and 22, from which corner I run West on a true line between sections 16 and 21

Variation 14°29'E.

40.14 Set a charred post for the  $\frac{1}{4}$  section corner and made a mound with trench as per instructions

80.28 The corner to sections 16, 17, 20 and 21

Land in valley first rate, the remainder third rate.

---

January 14, 1856

North between sections 31 and 32

Variation 14°08'E

38.00 To dry bed of creek 2 chains wide, course North 45° west

40.00 Set a charred post for the  $\frac{1}{4}$  section corner and made a mound with trench as per instructions, on North bank of Creek

80.00 Set a charred post for corner to sections 29, 30, 31 and 32 and made a mound with trench as per instructions

Third rate land with scattering cottonwood on creek

---

East on a random line between sections 29 and 32

Variation 14°08'E

40.00 Set a post for temporary  $\frac{1}{4}$  section corner

80.10 Intersect North and South line 20 links North of corner to sections 28, 29, 32 and 33, from which corner I run

West on the true line between sections 29 and 32

Variation 13°59'E

40.05 Set a charred post for  $\frac{1}{4}$  section corner and made a mound with trench and pits as per instructions

80.10 The corner to sections 29, 30, 31 and 32

Chains

T.6 N.,R.9 W.,of the S.B.M.

Sandy rolling land with some palmetto .

---

West on a random line between sections 30 and 31.

Variation 14°08'E

15.00 To dry bed of creek, 3 chains wide, course North 40° West

40.00 Set a post for temporary  $\frac{1}{4}$  section corner

65.00 To dry bed of creek 2 chains wide, course North 47° west

80.80 Intersect the West Boundary of the township 60 links South of corner to sections 30 and 31, from which corner I run

East on a true line between sections 30 and 31

Variation 13°42'E

40.80 Set a charred post for the  $\frac{1}{4}$  section corner and made a mound with trench and pits as per instructions

80.80 The corner to sections 29, 30, 31 and 32

Land level and third rate, some cottonwood on the creeks.

---

North between sections 29 and 30

Variation 14°08'E

40.00 Set a charred post for the  $\frac{1}{4}$  section corner and made a mound with trench and pits as per instructions

80.00 Set a charred post for corner to sections 19, 20, 29 and 30 and made a mound with trench and pits as per instructions

Land rolling and third rate.

---

East on a random line between sections 20 and 29.

Variation 14°08'E

38.50 To hills extending about 2 chains south

40.00 Set a post for temporary  $\frac{1}{4}$  section corner

73.00 Leave hills

80.30 Intersect the North and South line 50 links North of corner to sections 20, 21, 28 and 29, from which corner I run

West on a true line between sections 20 and 29

Variation 13°47'E