#### DEPARTMENT OF THE INTERIOR

Office of U.S. Surveyor - General.

San Francisco, California,

April 23rd. 1923.

I, John Plover, U.S.Surveyor-General for California, do hereby certify that the annexed transcript of the field notes of sections 19 to 36 inclusive in Township 6 North, Range 9 West, San Bernardino Meridian, California, is a true and literal exemplification of the same on file in this office.

IN TESTIMONY WHEREOF I have hereunto subscribed my name and caused the seal of this office to be affixed on the day and year above written.

John Plover

United States Surveyor-General for California.

			R	9W			
	6	5	4	3	2	1	
	7	8	9	10	//	12	
TGN	18	17		15	1	13	TGN
1 0 10		1220	1	7 7 2 2	5 523	3 3 2A	1.61/
		3	828	7 627	526	325	
W.Norris 1854& 1855	131	10 10 32	e 33	634	435	236	
			R	9W	-		*

### T. 6 N., R. 10 W. S.B.M.

40.00 North on the East Bdy. of sec. 36

in Open Desert

40.00 Set sec. charred & chaked post made mound, trench, pits &c as per instructions.

Land 3rd.rate.

35.50 To dry bed of Creek course N.W. 50 links.

Set char'd., chalked & notched post cor. of sec. 25, 36,30 & 31.

made mound, trench, pits &c. as per instructions

Land 3rd.rate.

North on the East Bdy. of sec. 25.

5.00 To bed of dry Creek, course N.W. 1 ch.wide

40.00 Set ½ sec chard & chalked post made mound, trench, pits &c. as per instructions.

Land 3rd.rate.

80.00 Set chard.chalked & notched post, cor. to sec. 24, 25,19 & 30, made mound trench, pits &c.as per instructions

Land 3rd.rate

North on the East Bdy. of sec. 24

40.00 Set \(\frac{1}{4}\) sec.chard, & chalked post made mound, trench, pits &c.
as per instructions.

Soil 3rd.rate

Set chard. chalked & notched post cor.to sec. 13,24,18,19,
made mound, trench, pits &c. as per instructions

Land generally 3rd.rate

North on the East Bdy. of sec. 13

40.00 Set \(\frac{1}{2}\) sec.chard.& chalked post made mound, trench, pits &c. as per instructions

Land 3rd.rate

55.00 Rocky hill 10 chs.W.another 1 mile E.

#### T.6N.,R.10 W.,S.B.M.

· mc\*

68.50 Ascend. Set chard.chalked & notched post, cor. to sec. 12,13,7 & 18. 80.00 made mound, trench, pits &c.as per instructions Land 3rd.rate Surveyed by R.W. Norris, Deputy Surveyor Contract dated December 23,1854 T. 6 N. R. 9 W. of the S.B.M. Chains Subdivisions of T.6 N. R. 9 W. commenced on the 10th. January 1856. From the corner to sections 1 and 2, 35 and 36 on the South boundary of the township I run North between sections 35 and 36 Variation 14°08'E. Set a charred post for the & section corner and made a 40.01 mound with trench and pits as per instructions. Set a charred post for corner to sections 25,26,35 and 36 and 80.01 made a mound with trench and pits as per instructions. Level and sandy land with good grass. East on a random line between sections 25 and 36. Variation 14°08'E. Set a post for temporary 1 section corner 40.00 Intersect the North and South line 12 links South of the 80.16 corner to sections 25 and 36 from which corner I run West on a true line between section 25 and 36 Variation 14°13'E.

Set a charred post for the 1 section corner and made a 40.08 mound with trench and pits as per instructions

Chains.	T.6N.,R.9 W.,Sof.the S.B.M.
80.16	The corner to sections 25, 26, 35 and 36
	Sandy land with good grass
	North between sections 25 and 26  Variation 14°08'E.
40.00	Set a charred post for the \( \frac{1}{2} \) section corner and made a mound with trench and pits as per instructions
80.01	Set a charred post for the corner to sections 23,24,25, and 26, and made a mound with trench and pits as per instructions.
	Land level and sandy with good grass
	East on a random line between sections 24 and 25  Variation 14°08'E
40.00	Set a post for temporary & section corner
* · · · **	Intersect the East boundary of the township 31 links South
80.10	of corner to sections 24 and 25 from which corner I run
	West on a true line between sections 24 and 25  Variation 14°21'E.
40.05	Set a charred post for the & section corner and made a mound
	with trench and pits as per instructions
80.10	The corner to sections 23, 24,25 and 26
	Sandy land and good grass
	North between sections 23 and 24.  Variation 14°08'E
40.00	Set a charred post for the $\frac{1}{4}$ section corner and made a mound with trench and pits as per instructions
80.00	Set a charred post for the corner to sections 13,14,23 and 24 and made a mound with trench and pits as per instructions.
	Sandy land and good grass

East on a random line between sections 13 and 24.

Chains.	T.6 N.,R.9 W., of S.B.M. Variation 14°08'E
40.01	Set a post for temporary & section corner and made a mound
	with trench and pits as per instructions
80.12	Intersect the East boundary of the township 22 links South
	of the corner to sections 13 and 24, from which corner
	I run
	West on a true line between sections 13 and 24
	Variation 14°17'E
40,06	Set a charred post for the 2 section corner and made a
	mound with trench and pits as per instructions
80,12	The corner to sections 13,14,23 and 24
	Level and sandy land and good grass.
	North between sections 34 and 35.  Variation 14°08'E.
40.01	Set a charred post for the 2 section corner and made a mound
	with trench and pits as per instructions
80,01	Set a charred post for the corner to sections 26,27,34 and
	35 and made a mound with trench and pits as per
	instructions.
	Land rolling and third rate.
	East on a random line between sections 26 and 35
	Variation 14°08'E
40.00	Set a post for temporary 1 section corner
80.54	Intersect the North and South line 10 links North of corner
	to sections 25,26,35 and 36, from which corner I run
	West on a true line between sections 26 and 35
	Variation 14°04'E
40.27	Set a charred post for the \(\frac{1}{2}\) section corner and made a mound with trench and pits as per instructions
80.54	The corner to sections 26,27,34 and 35. Sandy and rolling land and third mate

i sakih

Chains	T.6 N., R.9 W. of S.B.M.
	North between sections 26 and 27  Variation 14°08'E.
40,00	Set a charred post for the $\frac{1}{4}$ section corner and made a mound
	with trench and pits as per instructions
80.01	Set a charred post for corner to sections 22,23,26 and 27 and
	made a mound with trench and pits as per instructions
	Third rate rolling and sandy land
	East on a random line between sections 23 and 26
	Variation 14°08'E.
40.00	Set a post for temporary 🛊 section corner
80.34	Intersect North and South line 40 links North of corner to
	sections 23,24,25 and 26, from which corner I run
	West on the true line between sections 23 and 26
	Variation 13°51.E.
40.17	Set a charred post for the $\frac{1}{4}$ section corner and made a mound
	with trench and pits as per instructions
80.34	The corner to sections 22,23,26 and 27
	Land sandy, rolling and open
	North between sections 22 and 23  Variation 14°08'E
40.00	Set a charred post for the $\frac{1}{4}$ section corner and made a mound
	with trench and pits as per instructions
80.01	Set a charred post for the corner to sections 14,15,22, and 23
	and made a mound with trench and pits as per instructions
	Land rolling, sandy and open
	East on a random line between sections 14 and 23
	Variation 14°08'E.
40.00	Set a post for temporary } section corner

Chains	T.6 N., R. 9 W. of S. B. M.
80.36	Intersect North and South line 50 links North of post
4	corner to sections 13,14,23 and 24 from which corner I run
	West on a true line between sections 14 and 23
	Variation 13°47'E
40.18	Set a charred post for the 2 section corner and made a mound with trench and pits as per instructions
80.36	The corner to sections 14,15,22 and 23
	Rolling sandy land with bushes and so forth
	North between sections 33 and 34  Variation 14°08'E
40.00	Set a charred post for the 2 section corner and made a
	mound with trench and pits as per instructions
80.00	Set a charred post for corner to sections 27,28,33 and 34
•	and raised a mound with trench and pits as per instructions
	Land third rate and rolling
	East on a random line between sections 27 and 34
	Variation 14°08'E.
40.00	Set a post for temporary 1 section corner
79+75	Intersect North and South line 48 links North of the corner
	to sections 26,27,34 and 35 from which corner I run
	West on a true line between sections 27 and 34
	Variation 13°47'E
39.87	Set a charred post for the 1 section corner and made a
	mound with trench and pits as per instructions
79.75	The corner to sections 27,28,33 and 34
• • • • •	Land rolling and third rate
	North between sections 27 and 28. Variation 14°08'E

Chains	T.6 H., R. 9 W. of S.B. H.
40.00	Set a charred post for the & section corner and made a mound
	with trench and pits as per instructions
80,00	set a charred post for corner to sections 21,22,27 and 28 and made a mound with trench and pits as per instructions
	Rolling and third rate land.
	East on a random line between sections 22 and 27.
	Variation 14*08*E
40.01	Set a post for temporary & section corner
79-66	Intersect the North and South line 50 links North of corner
	to sections 22,23,26 and 27, from which corner I run
	West on the true line between sections 22 and 27
	Variation 13°47'E
39-83	Set a charred post for the & section corner and made a
	mound with trench and pits as per instructions
79.66	The corner to sections 21,22,27 and 28
a ,	Land relling and third rate
	Worth between sections 21 and 22  Variation 14*08'E
40.01	Set a sharred post for the & section corner and made a
	mound with trench and pits as per instructions
80,01	Set a charred post for serner to sections 15,16,21 and 22
	and made a mound with trench and pits as per instructions.
	Land rolling and third rate.
	East on a random line between sections 15 and 22
	Variation 14°08'E
40.00	Set a post for temporary & section corner
41.50	Ascend steep hill about 100 feet high and then descend
72.00 laar	Leave hill

Chains	T.6 N., R.9 W. of S.B.M.
79.60	Intersect North and South line 35 links North of corner to
	sections 14,15,22 and 23, from which corner I run
	West on the true line between sections 15 and 22
	Variation 13°53'E
39.80	Set a charred post for the 2 section corner and made a
	mound with trench and pits as per instructions
79-60	The corner to sections 15,16,21 and 22
	Land rolling and third rate
	North between sections 32 and 33
40,00	Set a charred post for the ‡ section corner and made a
	mound with trench and pits as per instructions
80.00	Set a charred post for the corner to sections 28,29,32 and 33
	and made a mound with trench and pits as per instructions
	Land level and sandy with grass and palmetto
	East on a random line between sections 28 and 33
	Variation 14°08'E
40.00	Set a post for temporary & section corner
80.54	Intersect North and South line 28 links South of the corner
	to sections 27,28,33 and 34, from which corner I run
	West on the true line between sections 28 and 33
	Variation 14°20'E.
40.27	Set a charred post for the 1 section corner and made a
•	mound with trench and pits as per instructions
80.54	The corner to sections 28,29,32 and 33
	Land level and sandy with weeds and bushes
	North between sections 28 and 29. Variation 14°08'E.

Chains	T.6 N., R.9 W. of the S.B.M.
40.00	Set a charred post for the & section corner and made a
	mound with trench and pits as per instructions.
80.00	Set a charred post for corner to sections 20,21,28 and 29,
	and made a mound with trench and pits as per instructions.
·	Land level and sandy with grass and bushes.
	East on a random line between sections 21 and 28
	Variation 14°08'E
40.00	Set a post for temporary & section corner
80.00	Intersect the North and South line 48 links South of corner
	to sections 21,22,27 and 28, from which corner I run
	West on a true line between sections 21 and 28
	Variation 14°29'E.
40.00	, Set a charred post for the & section corner and made a
	nound with trench and pits as per instructions.
80.01	The corner to sections 20,21,28 and 29
	Land level and sandy with grass and bushes
	North between sections 20 and 21 Variation 14°08'E
40.00	Set a charred post for the $\frac{1}{4}$ section corner and made a mound
	with trench and pits as per instructions
80.00	Set a charred post for the corner to sections 16,17,20 and
	21, and made a mound with trench andpits as per instructions
%	Land ascending to the North, with grass and palmetto.
, ,	East on a random line between sections 16 and 21
	Variation 14°08'E
33.00	To foot of mountain and ascend
35.01	To summit and descend
40.00	Set a post for temporary & section corner
56.00	To a valley extending 40 chains North and 20 chains
	9.

Chains	T. 6 N., R. 9 W. of the S.B. M.
	South and about 30 chains North are several fine springs
80.28	Intersect Worth and South line 50 links South of corner to sections 15,16,21 and 22, from which corner I run
	West on a true line between sections 16 and 21
	Variation 14*29'E.
40.14	Set a charred post for the 2 section corner and made a mound with trench as per instructions
80,28	The corner to sections 16,17,20 and 21
	Land in valley first rate, the remainder third rate.
	January 14,185  Worth between sections 31 and 32  Variation 14°08'E
38.00	To dry bed of creek 2 shains wide, course North 45° west
40.00	Set a charred post for the 2 section corner and made a mound with trench as per instructions, on North bank of Creek
80,00	Set a charred post for corner to sections 29,30,31 and 32 and made a mound with trench as per instructions
	Third rate land with scattering cottonwood on creek
	East on a random line between sections 29 and 32
	Variation 14°08'E
40.00	Set a post for temporary & section corner
80,10	Intersect North and South line 20 links North of corner to contions 28,29,32 and 33, from which corner I rum
	West on the true line between sections 29 and 32  Variation 13*59'B
40,05	Set a charred post for & section corner and made a mound with transh and pits as per instructions

The corner to sections 29,30,31 and 32

80.10

## T.6 N., R.9 W., of the S.B.M.

# Sandy rolling land with some palmetto .

	Sandy tolling rain with some bermenon .
•	West on a random line between sections 30 and 31.  Variation 14°08°E
15.00	To dry bed of creek, 3 chains wide, course North 40° West
40.00	Set a post for temporary 2 section corner
65.00	To dry bed of creek 2 chains wide, course North 47°west
80.80	Intersect the West Boundary of the township 60 links South of corner to sections 30 and 31, from which corner I run
	East on a true line between sections 30 and 31
	Variation 13°42'E
40.80	Set a charred post for the 2 section corner and made a mound with trench and pits as per instructions
80.80	The corner to sections 29,30,31 and 32
	Land level and third rate, some cottonwood on the creeks.
	North between sections 29 and 30 Variation 14°08'E
40.00	Set a charred post for the & section corner and made a mound with trench and pits as per instructions
80.00	Set a charred post for corner to sections 19,20,29 and 30 and made a mound with trench and pits as per instructions
	Land rolling and third rate.
	East on a random line between sections 20 and 29.
	Variation 14°08'E
38.50	To hills extending about 2 chains south
40.00	Set a post for temporary & section corner
73.00	Leave hills
80.30	Intersect the North and South line 50 links North of corner
	to sections 20,21,28 and 29, from which corner I run
	West on a true line between sections 20 and 29

Variation 13°47'E

Chains	T.6 N., R.9 W. of S.B. M.
40.15	Set a charred post for the 2 section corner and made a mound
	with trench and pits as per instructions
80.30	The corner to sections 19,20,29 and 30
	Rolling third rate land with grass and palemtto
٠.	West on a random line between sections 19 and 30
·	Variation 14°08°E
40.00	Set a post for temporary & section corner
72.00	To dry bed of creek 250 links wide, course North 56°West
80.60	Intersect the West boundary of the township 36 links South of corner to sections 19 and 30, from which corner I run
	East on the true line between sections 19 and 30
	Variation 13°53'E
40.60	Set a charred post for the & section corner and made a mound
	with trench and pits as per instructions
80.60	The corner to sections 19,20,29 and 30
	Rolling and sandy land with cottonwood on the creek
	North between sections 19 and 20 Variation 14°08'E
36.00	To rocky hills
40.00	Set a charred post for the 2 section corner and made a mound with trench and pits as per instructions
80.00	Set a charred post for corner to sections 17,18,19 and 20 and made a mound with trench and pits as per instructions
	Land very rocky and third rate.
	East on a random line between sections 17 and 20
	Variation 14°08'E
40.00	Set a post for temporary & section corner
80.40	Intersect North and South line 40 links North of corner to

sections 16,17,20 and 21, from which corner I run

Chains	T.6 N.,R.9 W.of the S.B.M.
	West on a true line between sections 17 and 20
	Variation 13°51'E
40.20	Set a stone 14 in.long,6 in.wide, for the 2 section corner and
	made a mound of rocks as per instructions
80.40	The corner to sections 17,18,19 and 20
	Very rough and precipitous rocky hills
,	West on a random line between sections 18 and 19
30.00	Variation 14°08'E
12,00	Leave hills
40.00	Set a post for temporary } section corner
80,70	Intersect the West boundary of the township 20 links North
	of the corner to sections 18 and 19, from which corner
	I run
	East on the true line between sections 18 and 19
	Variation 14°17'E
40.70	Set a charred post for the 2 section corner and made a mound
	with trench and pits as per instructions
80.70	The corner to sections 17, 18, 19 and 20
	Land generally third rate.

Surveyed by R.W.Norris, Deputy Surveyor Contract dated October 19th. 1855.