

	R.18W.	R.17W.	
	25	30	
T.8N.	36	31	T.8N.
T.7N.	1	6	T.7N.
	12	7	
	13	18	
	24	19	
	25	30	

							R.17W.	R.16W.	
T.7N.	36	31	32	33	34	35	36	31	T.7N.
T.6N.	1	6	5	4	3	2	1	6	T.6N.
	R.18W.	R.17W.					R.17W.	R.16W.	

N.E. T.6 N., R.17 W., S.B.M.

East on random line on North Boundary of Sections 6-5-4-3-2-1
I set temporary $\frac{1}{2}$ mile and mile posts at every 40 and 80 chains,
and at 476.76 chains to a point from which the corner to Town-
ships 6 and 7 North, Ranges 16 and 17 West bears South 2.33
chains distant which would give an error of 3.24 chains in Westing
and 37 links in Southing per mile
N. 89° 43' W. on true line on North Boundary of section 1.

Variation 14° 25' East

Descend.

40.00 Set stone 16x12x6, in Stone mound 4 feet in diameter at base,
by 2 feet in height for $\frac{1}{4}$ section corner.

80.00 The point for corner to sections falling in deep gulch, I run
100 links West, and set stone 12x10x6, in Stone mound $4\frac{1}{2}$ feet
in diameter at base, by 2 feet in height for Witness to corner
to Sections 1-2-35-36.

Land mountainous. Soil 2nd rate.

Timber and undergrowth of Oak and Chaparral.

N. 89° 43' W. on true line on North Boundary of Section 2.

Variation 14° 25' East

1.00 Witness Post thence ascend.

40.00 Set Stone 16x12x6, in Stone mound 4 feet in diameter at base,
by 2 feet in height for $\frac{1}{4}$ section corner.

70.50 Summit of high Spur bears North East and South West and descend.

80.00 Set Post 4 inches square, 1 foot in earth, 1 foot above Stone
mound, $4\frac{1}{2}$ feet in diameter at base by 2 feet in height for corner
to sections 2-3-34-35.

Land mountainous. Soil 2nd rate.

Timber and undergrowth of Oak and Chaparral.

N. 89° 43' W. on true line on North Boundary of Section 3.

Variation 14° 25' East.

Descend.

39.50 Cross Creek Arroyo de la Cienage 10 links wide course S. 10° E.
and ascend.

40.00 The place for $\frac{1}{4}$ Section corner falling on steep side hill a
place suitable to build mound. I run East 1.45 chains and
set Post 4 inches diameter, 1 foot in earth, 1 foot above Stone
mound $4\frac{1}{2}$ inches diameter at base by 2 feet in height for witness
to $\frac{1}{4}$ section corner.

from which bears a
Cottonwood 10 in. dia. S. $2\frac{3}{4}^{\circ}$ E. 78 lks. dist.
Sycamore 6 in. diam. N. $35\frac{1}{2}^{\circ}$ W. 60 lks. dist.

- 47.00 Summit of spur, bears North and South and descend.
60.25 Cross Gulch, 10 links wide course Southwest and ascend.
80.00 Set Stone 16x10x8, in Stone mound $4\frac{1}{2}$ feet in diameter at base, by 2 feet in height for corner to sections 3-4-33-34.
Land mountainous. Soil 2nd rate.
Timber and undergrowth of Oak, Sycamore, Cottonwood and Chaparral.

N. $89^{\circ} 43'$ W. on true line on North Boundary of Section 4.
Variation $14^{\circ} 25'$ East

Ascend.

- 11.50 Summit of Spur bears North West and South East and descend.
40.00 Set Post 4 inches diameter, 1 foot in earth, 1 foot above Stone mound, 4 feet in diameter at base by 2 feet in height for $\frac{1}{4}$ section corner.
48.50 Enter Canada Castaque, bears South East and North West.
50.00 Cross Creek 20 links wide course South East.
53.70 Leave Canada bears South East and North West and ascend.
80.00 Set Stone, 20x16x10, in Stone mound $4\frac{1}{2}$ feet in diameter at base by 2 feet in height for corner to sections 4-5-32-33.
Land mountainous. Soil 2nd rate.
Timber and undergrowth of Oak, Sycamore and Chaparral.

N. $89^{\circ} 43'$ W. on true line on North Boundary of Section 5.
Variation $14^{\circ} 25'$ East.

Ascend.

- 35.00 Top of high Ridge bears North West and South East and descend.
40.00 Set Post, 4 inches diameter, 1 foot in earth, 1 foot above Stone mound, 4 feet in diameter at base, by 2 feet in height for $\frac{1}{4}$ section corner.
71.00 Cross Gulch 25 links wide course South West and ascend.
80.00 Set Stone, 14x10x6, in Stone mound $4\frac{1}{2}$ feet in diameter at base, by 2 feet in height for corner to sections 5-6-31-32.
Land mountainous. Soil 2nd and 3rd rate.
Timber and undergrowth of Oak and Chaparral.

N. B. T. 6 N., R. 17 W., S. B. M.

N. 89° 43' W. on true line on North Boundary of Section 6.

Variation 14° 25' East

Ascend.

40.00 Set Post 4 inches diameter, 1 foot in earth, 1 foot above Stone mound, 4 feet in diameter at base, by 2 feet in height, for $\frac{1}{4}$ section corner.

60.50 Summit of spur bears North East and South West and descend.

76.76 The corner to Townships 6 and 7 North, Ranges 17 and 18 West.

Land mountainous. Soil 3rd rate.

Timber and undergrowth of Oak and Chaparral.

April 15th, 1880.

=====

As the Range line between Ranges 17 and 18 West in Township 8 North, has been run in a former survey to within 40.00 chains of South Boundary of Township 8 North, I run the line between Ranges 17 and 18 West (Township 7 North, a random line). From the corner to Townships 6 and 7 North, Ranges 17 and 18 West, I run North on a random line between Ranges 17 and 18 West on West Boundary of Sections 31-30-19-18-7-6 of Township 7 North.

W. B. T. 7 N., R. 17 W., S. B. M.

Variation 14° 25' East

I set temporary $\frac{1}{2}$ mile and mile posts at every 40 and 80 chains, and at 488.56 chains, I arrive at a point 5.16 chains East of the $\frac{1}{4}$ section corner, between sections 31-36 Township 8 North, as established in former survey which would make an error of 31.44 chains in Northing and 86 links in Easting per mile. To correct this, I throw the error on the North Boundary of Township 7 and from the $\frac{1}{4}$ section corner between sections 31-36 in Township 8, which I find standing and agreeing with field notes, I run South, on true line between sections 31-36.

Variation 14° 30' East

40.00 Set Post 4 inches square, 1 foot in earth, 1 foot above earth mound 4 feet in diameter at base, by 2 feet in height and dug pits 24x18x12, 8 links distant at 4 angles for corner to Townships 7 and 8 North, Ranges 17 and 18 West, San Bernardino Meridian.

Land mountainous. Soil 2nd rate.

Timber and undergrowth of Oak and Chaparral.
