

Copied from Photographic Copies

Furnished by

U. S. General Land Office

Washington, D.C.

R. 11 W.

	36	31	32	33	34	35	36	31	
	1	⁵ 2 6	⁵ 5	⁴ 4	⁴ 3	³ 2	³ 1	6	
	12	² 7	8	9	10	11	12	7	
T. 3 N.	13	² 18	17	16	15	14	13	18	T. 3 N.
	24	¹ 19	20	21	22	23	24	19	
	25	¹ 30	29	28	27	26	25	30	
	36	¹ 31	32	33	34	35	36	31	
	1	6	5	4	3	2	1	6	

R. 11 W.

T. 3 N., R. 11 W., S. B. M.

From the cor. to Tps. 2 & 3 Rgs. 11 & 12 W.
I run
North bet. Ranges 11 & 12.

1 Mile North

North on West Boundary of Sec. 31. Var. $14\frac{1}{4}^{\circ}$ E.
Descending
40.00 Set a Redwood post 3 ft. long 3x3 in. in Md. of rocks with pits
as per inst. for $\frac{1}{4}$ sec. cor.
67.00 Cross branch of Tujunga Creek 100 lks. wide
Course west and ascend
80.00 Set a Redwood post $3\frac{1}{2}$ ft. long 4x4 ins. in a mound of rocks, as
per inst. on steep hill side, facing south, for Cor. to Secs. 25,
30, 31 & 36.
Land rough, mostly good grazing.
Pine timber in Canadas.
Mountainous mostly barren with 3rd rate soil.

2nd Mile North

North on west boundary of Sec. 30. Var. $14\frac{1}{4}^{\circ}$ E.
16.50 Summit of high spur bearing N.E. and S.W.
and descend.
40.00 The point for $\frac{1}{4}$ sec. cor. falling in deep canada not a suitable
place to build a mound - I continue North - and at
43.50 Set an Oak post 3 ft. long, 3x3 ins. in mound of rocks as in-
structed on North side of gulch for witness to $\frac{1}{4}$ sec. cor. -
thence ascending
80.00 Set a Pine Post $3\frac{1}{2}$ ft. long 4x4 ins. in a md. of rocks for cor.
to Secs. 19-24-25 & 30.
Land rough Pine & Fir Timber, scattering 2nd rate.

3rd Mile North

North on west boundary of Sec. 19. Var. $14\frac{1}{4}^{\circ}$ E.
20.00 Summit of spur bearing N.E. & S.W. descend.
40.00 Set a Pine post 3 ft. long 3x3 ins. in Md. of rocks for $\frac{1}{4}$ Sec. Cor.
From which bears
A pitch Pine 20 ins. dia. N. 17° W. 22 lks. dist.
71.50 Cross a gulch 100 lks. wide, course S.W. & ascend.
80.00 Set a Pine post $3\frac{1}{2}$ ft. long 4x4 ins. in a Md. of rocks on steep
side hill sloping south for cor. to Secs. 13-18-19 & 24.
Land rough - good grazing in places.
Timber scattering Pine & Oak in Canadas.

T. 3 N., R. 11 W., S. B. M.

4th Mile North

North on West Bdy. of Sec. 18.

Var. $14\frac{1}{2}^{\circ}$ E.

35.00
40.00

Summit of ridge bears N.E. & S.W., ascend.
Set an Oak Post 3 ft. long, 3x3 ins. in Md. of rocks, as per
inst. on steep hill side facing North, for $\frac{1}{4}$ Sec. cor.
From which bears

A Pitch Pine 2 ft. dia. S. 29° W. 30 lks. dist.
A Yellow Pine 3 ft. dia. N. 21° E. 72 lks. dist.

76.00
80.00

Cross a deep gulch in Pine Canada brs. S.W.
Set a Pine Post $3\frac{1}{2}$ ft. long 4x4 ins. in a mound of rocks at
foot of high hills for Cor. to Secs. 7-12-13 & 18.
From which bears

A Norway Pine 3 ft. dia. S. 21° W. 80 lks. dist.
" " " 5 ft. " S. 60° E. 1.09 chs. dist.

Land rough - South $\frac{1}{2}$ 2nd rate Pine.
North $\frac{1}{2}$ 1st rate Pine & Fir.

5th Mile North

North on West Boundary of Sec. 7.

Var. $14\frac{1}{2}^{\circ}$ E.

40.00

Ascending.
Set a pine post 3 ft. long 3x3 ins. in a mound of rocks as per
inst. for $\frac{1}{4}$ Sec. Cor.
From which bears

A Norway Pine 3 ft. in dia. N. 20° W. 90 lks. dist.
A Pitch Pine 12 ins. dia. S. 61° E. 40 lks. dist.

71.00
80.00

Summit of high spur bearing N.E. & S.W. & descend.
Set a pine post $3\frac{1}{2}$ ft. long 4x4 ins. in a large mound of rocks
as per inst. on the side of a hill facing N.W. for cor. to
Secs. 1-6-7 & 12.
From which bears

A Norway Pine 2 ft. dia. N. 60° W. 40 lks. dist.
" " " 1 ft. dia. S. 42° E. 20 lks. "

Land rolling open hills. 1st rate Pine Timber.

6th Mile North

North on West Bdy. of Sec. 6.

Var. $14\frac{1}{2}^{\circ}$ E.

The line being too rough to measure, and to obtain the distance-
I cause a Flag to be sent North on the western boundary of Sec. 6
and run a base East of 5.00 chs. to a point where my flag bears
N. $6^{\circ}40'$ W. which must give my calculation 42.77 chs. the distance
to the flag-being unable to return to set the $\frac{1}{4}$ Sec. Cor. I set a
redwood post 3 ft. long, 3x3 ins. in a mound of rocks in the place
of the Flag as instructed for Witness to $\frac{1}{4}$ Sec. Cor. on summit of
spur bearing N.E. & S.W.; thence descending along steep hill side.

T. 3 N., R. 11 W., S. B. M.

- 60.00 To the edge of an abrupt bank covered with dense brush, being unable to measure further on this line I set an Old Oak Post 3 ft. long 3x3 ins. in a mound of rocks as per inst. for Witness to Cor. to Townships 3 & 4 N., Ranges 11 & 12 W. and run East on an Offset line.
- 20.00 Set a post for temp. 1/8 Sec. cor. thence North
- 20.00 To Northern boundary of the Tp. being unable to run west to establish the Tp. cor. I set a post for Temp. Witness Cor. to Tps. 3 & 4 N., Rgs. 11 & 12 W.
Standing on the summit of a high ridge dividing the waters of the Tujunga and Santa Clara River, or Soledad Pass. Course of Ridge N.W. & S.E.
Land very rough - Timber scattering 3rd rate, very brushy.

Oct. 4th, 1875.

From the cor. of Tps. 3 & 4 N., Ranges 11 & 12 W. I run East on a random line on N. Bdy. of Sects. 6-5-4-3-2 & 1.

Var. $14\frac{1}{2}^{\circ}$ E.

I set temp. $\frac{1}{2}$ mile & mile posts at every 40 & 80 chs., and at 5 miles, 62.40 chs. to a point 48 lks. north of the cor. to Tps. 3 & 4 N., Rgs. 10 & 11 W.
Therefore the correction will be 2.40 chs. East and 08 lks. South per mile.
From this cor. I run

NORTH $59^{\circ}37'$ W. on a true line on W. B. of Sect. 1.

Var. $14\frac{1}{2}^{\circ}$ E.

- 40.00 Along on North slope of high ridge.
Set a pine post 3 ft. long 3x3 ins. in a Md. of rocks as per inst. on N.E. slope of ridge for $\frac{1}{4}$ sec. cor.
- 52.50 Summit of ridge bearing N.W. & S.E.
Thence along on same.
- 57.00 Descend.
- 76.50 Cross near head of gulch, course S.E.
- 80.00 Set a pine post $3\frac{1}{2}$ ft. long 4x4 ins. large mound of rocks for cor. to secs. 1-2-35 & 36.
Land extremely rough.
Timber scattering Pine - some underbrush.

2nd Mile West

N. $59^{\circ}57'$ W. on a true line on N. Bdy. of Sec. 2

Var. $14\frac{1}{2}^{\circ}$ E.

- 18.00 Summit of ridge bearing N.E. & S.W. Thence along same "
- 22.00 Descending from ridge bearing S.W. & N.E.
- 40.00 Set a Spruce post 3 ft. long 3x3 ins. in mound of rocks for $\frac{1}{4}$ Sec. Cor.
From which bears
- A Spruce 24 in. dia. N. 60° W. 27 lks. dist.
A Pitch Pine 12 ins. dia. S. 21° E. 70 lks. dist.
- 76.00 Thence along on North slope of same ridge.
Summit of a ridge of Mts. - thence along same.

T. 3 N., R. 14 W., S. B. M.

80.00 Set a Pine post $3\frac{1}{2}$ ft. long 4x4 ins. in a mound of rocks on summit of high ridge as per inst. for cor. to secs. 2-3-34 & 35.
Land along high ridge with scattering Pine & Fir timber.
Oct. 5th, 1875.

3rd Mile West

N. $89^{\circ}37'$ W. on a true line on N. Bdy. of Sec. 3.
Var. $14\frac{1}{2}^{\circ}$ E.

39.50 Leave ridge, bearing N.E. & S.W. & descend
40.00 Set a sand rock 10x14x20 ins. in a mound of rocks on W. slope of high ridge for $\frac{1}{4}$ Sec. cor.
60.00 Set a Pine post $3\frac{1}{2}$ ft. long 4x4 ins. in a large mound of rocks as per inst. on side hill facing East for Cor. to Secs. 3-4-33 & 34.
From which bears

A Pitch Pine 14 ins. dia. S. $48\frac{1}{2}^{\circ}$ E. 58 lks. dist.
A White Cedar 2 ft. dia. S. 46° W. 98 lks. dist.
A Norway Pine 4 ft. dia. N. 3° W. 92 lks. dist.

Land rough over high Mts.
Timber scattering Pine & White Cedar.
Altitude 6575 ft.
Some grazing.

4th Mile West

N. $89^{\circ}57'$ W. on a true line on N. ridge of Sec. 4
Var. $14\frac{1}{2}^{\circ}$ E.

13.25 Cross gulch, course S.E. and ascend.
26.50 Summit of spur bearing N. & S.
Altitude 6925 ft.
And descend.
28.42 Set a pine post 3 ft. long 3x3 ins. in mound of rocks on west edge of a steep rocky ridge at the foot of a fallen pine tree for Witness to $\frac{1}{4}$ Sec. cor.
From which bears

A Norway Pine 2 ft. S. $74\frac{1}{2}^{\circ}$ E. 89 lks. dist.
A Fir tree 14 ins. dia. N. $6\frac{1}{2}^{\circ}$ W. 35 lks. dist.

The line here crosses a steep canada with 1st rate pine timber, too rough to measure on account of the rocky bluff- and to obtain the distance I leave a flag at this point and proceed to the west side of the Canada, and in the North boundary of Sec. 4 and run a base North 6.00 chs. to a point where my flag bears S. $82^{\circ}15'$ E. which would give by calculation a distance of 44.08 ch. to the flag, to which add 28.42 chs. the distance to the W.P., or Flag gives a distance of

72.50 End of triangulation point on summit of high timbered ridge between the waters of Tujunga and Desert
Altitude 6700 ft.
Thence descend along South slope of ridge
79.50 Cross a gulch 50 lks. wide, course S.W.

T. 3 N., R. 14 W., S. B. M.

50.00 Set a Pine post $3\frac{1}{2}$ ft. long 4x4 ins. in Md. of rocks for cor.
to Secs. 4-5-32 & 33.
From which bears

A Norway Pine 3 ft. dia. N. $32\frac{1}{2}^{\circ}$ W. 26 lks. dist.
" " " $2\frac{1}{2}$ " " S. 14° E. 53 lks. dist.

A Norway Pine 16 ins. dia. bears N. 52° E. 32 lks. dist.
Land along high mountain range timber 1st rate. Pine, White
Cedar & Fir.

5th Mile West

N. $89^{\circ}57'$ W. on a true line on N. bdy. of Sec. 5.
Var. $14\frac{1}{4}^{\circ}$ E.

12.00 Cross head of gulch, course S.E.
40.00 Set a Pine post 3 ft. long 3x3 ins. in Md. of rocks on side
of hill facing west for $\frac{1}{4}$ Sec. Cor.
From which bears

A Norway Pine 3 ft. dia. N. 13° W. 81 lks. dist.
" " " 4 " " S. $47\frac{1}{2}^{\circ}$ E. 64 lks. dist.

66.00 Cross head of gulch course S.E.
72.00 Summit of divide bet. waters of Tujunga & Santa Clara River
N.W. & S.E.
50.00 To a Fir Tree 2 ft. dia. on a line mkd. as per inst. for cor.
to Secs. 5-6-31 & 32.
Land rough & rocky - Timber 1st rate. Pine

6th Mile West

N. $89^{\circ}57'$ W. on a true line on N. bdy. of Sec. 6.
Var. $14\frac{1}{4}^{\circ}$ E.

10.00 Cross an old trail course N. & S.
40.00 Set an Oak Post 3 ft. long 3x3 in. Md. of rocks for $\frac{1}{4}$ Sec. Cor.
From which bears

A Fir tree 2 ft. dia. N. 50° W. 44 lks. dist.

40.56 Cross near head of a gulch, course N.W.
60.00 Set an Oak Post $3\frac{1}{2}$ ft. long 4x4 in a Md. of rocks as per inst.
for Witness to cor. to Tps. 3 & 4 N., R. 11 & 12 W.
Land along North slope of Mts.
Timber 1st rate. Pine Fir & Cedar.

South on $1/8$ line. Var. $14\frac{1}{4}^{\circ}$ E.

20.00 Set an Oak Post 3 ft. long 3x3 ins. in Md. of rocks marked as
Witness for $1/8$ Sec. Cor.
Thence

N. $89^{\circ}57'$ W. on a true line on $1/8$ line thereof

N.W. $\frac{1}{4}$ of Sec. 6. Var. $14\frac{1}{4}^{\circ}$ E.

22.40 To Witness Cor. to Tps. 3 & 4 N., R. 11 & 12 W.
Land rough - Timber scattering Pine, Cedar & Fir.

Oct. 6th, 1875