

Copied from Photographic Copies

furnished by

U. S. General Land Office

Washington, D. C.

R 9 W					
6	5	4	3	2	1
7	8	9	10	11	12
18	17	16	15	14	13
19	20	21	22	23	24
30	29	28	27	26	25
31	32	33	34	35	36

T8N

T8N

R 9 W

Detailed description: A 6x6 grid of numbered sections. The grid is labeled 'R 9 W' at the top and bottom, and 'T 8 N' on the left and right sides. The sections are numbered 1 through 36 in a boustrophedon pattern. Section 1 is top-right, 2 is top-right-adjacent, 3 is top-middle, 4 is top-middle-adjacent, 5 is top-left, 6 is top-left-adjacent. Section 7 is middle-left, 8 is middle-left-adjacent, 9 is middle-middle, 10 is middle-middle-adjacent, 11 is middle-right, 12 is middle-right-adjacent. Section 13 is bottom-right, 14 is bottom-right-adjacent, 15 is bottom-middle, 16 is bottom-middle-adjacent, 17 is bottom-left, 18 is bottom-left-adjacent. Section 19 is middle-left, 20 is middle-left-adjacent, 21 is middle-middle, 22 is middle-middle-adjacent, 23 is middle-right, 24 is middle-right-adjacent. Section 25 is top-right, 26 is top-right-adjacent, 27 is top-middle, 28 is top-middle-adjacent, 29 is top-left, 30 is top-left-adjacent. Section 31 is bottom-right, 32 is bottom-right-adjacent, 33 is bottom-middle, 34 is bottom-middle-adjacent, 35 is bottom-left, 36 is bottom-left-adjacent. Small numbers are written above and below each section, likely representing acreage or survey data.

Subdivision lines Township 8 N., R. 9 W., San Bernardino Meridian

May 3d, 1856.

North  
40.00 Between Sections 35 & 36. Variation 14° 10' E.  
Set a charred post for the qr. Sec. corner and raise a mound with  
trench as per instructions.  
80.00 Set a charred post for center to Secs. 25, 26, 35 & 36 and raised a  
mound with trench as per instructions.  
Land rolling and sandy and third rate.

---

East  
40.00 On a random line between Sections 25 & 36. Var. 14° 10' E.  
Set a post for temporary qr. Sec. cor.  
80.50 Intersect East boundary 46 lks. south of corner to Sections 25 & 36  
from which corner I run  
West  
40.25 on a true line between Sections 25 & 36 Var. 14° 30' E.  
Set a charred post for qr. Sec. corner, and raised a mound with  
trench as per instructions.  
80.50 The corner to Sections 25, 26, 35 & 36.  
Land third rate with greasewood and some palmetto.

---

North  
40.00 between Sections 25 & 26 easy ascent. Var. 14° 10' E.  
Set a charred post for qr. Sec. corner, and raise a mound with  
trench as per instructions.  
80.00 Set a charred post for corner to Secs. 23, 24, 25 & 26 and raised  
a mound with trench and pits as per instructions.  
Land gently rolling, third rate. Greasewood and sage.

---

East  
40.00 on a random line between Sections 24 & 25. Var. 14° 10' E.  
Set a post for temporary qr. Sec. corner.  
80.43 Intersect east boundary of the Township 38 lks. south of corner  
to Sections 24 & 25 from which corner I run  
West  
40.21½ on a true line between Sections 24 & 25. Var. 14° 26' E.  
Set a charred post for qr. Sec. cor. and raised a mound with trench  
as per instructions.  
80.43 The corner to Sections 23, 24, 25 & 26.  
Land third rate, growth greasewood and sage.

---

North  
40.00 between Sections 23 & 24 easy ascent. Var. 14° 10' E.  
Set a charred post for qr. Sec. corner and raised a mound with  
trench and pits as per instructions.  
51.00 To summit of ascent, and then slightly descending.  
80.00 Set a charred post for center to Sections 13, 14, 23 & 24 and  
raised a mound with trench as per instructions.  
Land rolling sandy and third rate growth greasewood and sage.

---

T. 8 N., R. 9 W., San Bernardino Meridian

East on a random line between Sections 13 & 24. Var. 14° 10' E.  
40.00 Set a post for temporary qr. Sec. corner.  
80.40 Intersect East boundary of Township 46 lks. south of corner to Sections 13 & 24, from which corner I run

West on a true line between Sections 13 & 24. Var. 14° 30' E.  
40.20 Set a charred post for qr. Sec. corner, and raised a mound with trench as per instructions.  
80.40 The corner to Sections 13, 14, 23 & 24. Land sandy, third rate and rolling. Growth greasewood and sage.

---

North between Sections 13 & 14. Easy descent.  
40.00 Set a charred post for the qr. Sec. corner, and raised a mound with trench as per instructions.  
80.00 Set a charred post for corner to Sections 11, 12, 13 & 14 and raised a mound with trench as per instructions. Land rolling and sandy. Greasewood, sage and some grass.

---

East on a random line between Sections 12 & 13. Var. 14° 10' E.  
40.00 Set a post for temporary qr. Sec. corner.  
80.32 Intersect the East boundary of Township 28 lks. South of corner to Secs. 12 & 13 from which corner I run

West on a true line between Sections 12 & 13. Var. 14° 22' E.  
40.16 Set a charred post for qr. Sec. corner, and raised a mound as per instructions.  
80.32 The center to Sections 11, 12, 13 & 14. Land rolling, third rate and sandy. Some palmetto, sage and grass.

---

North between Sections 11 & 12. Easy descent. Var. 14° 10' E.  
40.00 Set a charred post for qr. Sec. cor. and raised a mound with trench as per instructions.  
80.00 Set a charred post for corner to Sections 1, 2, 11 & 12 and raised a mound with trench as per instructions. Land rolling sandy third rate greasewood and some grass.

---

East on a random line between Sections 1 & 12. Var. 14° 10' E.  
40.00 Set a post for temporary qr. Sec. cor.  
80.20 Intersect East boundary of the Township 38 lks. south of a post corner to Sections 1 & 12, from which corner I run

West on a true line between Sections 1 & 12. Var. 14° 26' E.  
40.10 Set a charred post for qr. Sec. cor. and raised a mound with trench as per instructions.  
80.20 The corner to Sections 1, 2, 11 & 12. Land rolling, sandy soil; Sage and some grass.

---

T. 8 N., R. 9 W., San Bernardino Meridian

North on a random line between Sections 1 & 2. Var. 14° 10' E.  
40.00 Set a post for temporary qr. Sec. corner.  
80.46 Intersect the North boundary 17 lks. west of corner to Sections  
1 & 2, from which corner I run  
South on a true line between Sections 1 & 2. Var. 14° 03' E.  
40.46 Set a charred post for qr. Sec. corner and raised a mound with  
trench as per instructions.  
80.46 The corner to Sections 1, 2, 11 & 12.  
Land rolling, sandy soil, sage and greasewood.

---

North between Sections 34 & 35. Var. 14° 10' E. May 3rd, 1856  
40.00 Set a charred post for qr. Sec. corner and raised a mound with  
trench as per instructions.  
80.00 Set a post for corner to Sections 26, 27, 34 & 35 and raised a  
mound with trench as per instructions.  
Land rolling, poor, sandy soil. Sage and some grass.

---

East on a random line between Sections 26 & 35. Var. 14° 10' E. May 4, 1856  
40.00 Set a post for temporary qr. Sec. corner  
79.88 Intersect N. & S. line 36 lks. south of corner to Sections 25, 26, 35  
& 36, from which corner I run  
West on a true line between Sections 26 & 35. Var. 14° 25' E.  
39.94 Set a charred post for qr. Sec. corner and raised a mound with  
trench as per instructions.  
79.88 The corner to Sections 26, 27, 34 & 35.  
Land rolling sandy; sage, some weeds and grass.

---

North between Sections 26 & 27. Easy ascent. Var. 14° 10' E.  
Over rolling land.  
40.00 Set a charred post for qr. Sec. corner, and raised a mound with  
trench as per instructions.  
80.00 Set a charred post for corner to Sections 22, 23, 26 & 27 and  
raised a mound with trench as per instructions.  
Land rolling sandy third rate, sage, grass and weeds.

---

East on a random line between Sections 23 & 26. Var. 14° 10' E.  
40.00 Set a post for temporary qr. Sec. corner.  
79.96 Intersect North & South line 24 lks. South of corner to Sections 23,  
24, 25 & 26, from which corner I run  
West on a true line between Sections 23 & 26. Var. 14° 20' E.  
39.98 Set a charred post for qr. Sec. corner, and raised a mound with  
trench as per instructions.  
79.96 The corner to Sections 22, 23, 26 & 27.  
Land rolling sandy soil second rate scrub, weeds and grass.

---

T. 8 N., R. 9 W., San Bernardino Meridian

North between Sections 22 & 23 over rolling land. Var.  $14^{\circ} 10'$  E.  
40.00 Set a charred post for qr. Sec. corner and raised a mound with  
trench as per instructions.  
80.00 Set a charred post for corner to Sections 14, 15, 22 & 23, and  
raised a mound with trench as per instructions.  
Land rolling. Sandy Soil, second rate with grass and weeds.

---

East on a random line between Sections 14 & 23. Var.  $14^{\circ} 10'$  E.  
40.00 Set a post for temporary qr. Sec. corner.  
79.98 Intersect N. & S. line, 46 lks. south of Cor. to Secs. 13, 14, 23  
& 24, from which corner I run

West on a true line between Sections 14 & 23. Var.  $14^{\circ} 30'$  E.  
39.99 Set a post charred for qr. Sec. corner, & raised mound with trench as  
79.98 The corner to Sections 14, 15, 22 & 23. (per instructions.  
Land rolling, sandy soil, grass and scrub.

---

North between Sections 14 & 15. Easy descent. Var.  $14^{\circ} 10'$  E.  
40.00 Set a charred post for qr. Sec. corner, and raised a mound with  
trench as per instructions.  
80.00 Set a charred post for corner to Secs. 10, 11, 14 & 15 and raised  
a mound with trench as per instructions.  
Land rolling, sandy. Sage and grass.

---

East on a random line between Sections 11 & 14. Var.  $14^{\circ} 10'$  E.  
40.00 Set a post for temporary qr. Sec. corner.  
80.08 Intersect N. & S. line 50 lks. south of corner to Sections 11, 12,  
13 & 14, from which corner I run

West on a true line between Sections 11 & 14. Var.  $14^{\circ} 31'$  E.  
40.04 Set a charred post for qr. Sec. corner, and raised a mound, with  
trench as per instructions.  
80.08 The corner to Sections 10, 11, 14 & 15.  
Land rolling, sandy soil, scrub, weeds and grass.

---

North between Sections 10 & 11. Slightly descending. Var.  $14^{\circ} 10'$  E.  
40.00 Set a charred post for qr. Sec. corner, and raised a mound with  
trench and pits as per instructions.  
80.00 Set a post for corner to sections 2, 3, 10 & 11 and raised a mound  
with trench as per instructions.  
Land rolling. Sandy, third rate. Soil & grass.

---

East on a random line between Sections 2 & 11. Var.  $14^{\circ} 10'$  E.  
40.00 Set a post for temporary qr. Sec. corner.  
80.12 Intersect N. & S. line 52 lks. south of corner to sections 1, 2, 11  
& 12, from which corner I run

T. 8 N., R. 9 W., San Bernardino Meridian

West on a true line between Sections 2 & 11. Var. 14° 32' W.  
40.06 Set a charred post for qr. Sec. corner, and raised a mound with  
trench as per instructions.  
80.12 The corner to Sections 2, 3, 10 & 11.  
Land rolling. Sandy some scrub and grass.

---

North on a random line between Sections 2 & 3. Var. 14° 10' E.  
40.00 Set a post for temporary qr. Sec. corner.  
80.52 Intersect the North boundary of the Township at post corner to  
Sections 2 & 3, from which corner I run

South on a true line between Sections 2 & 3. Var. 14° 10' E.  
40.52 Set a charred post for qr. Sec. corner and raised a mound with  
trench as per instructions.  
80.52 The corner to Sections 2, 3, 10 & 11.  
Land same, growth same. Palmetto & grass.

---

North between Sections 33 & 34. Var. 14° 10' E.  
40.00 Set a charred post for qr. Sec. corner and raised a mound with  
trench as per instructions.  
80.00 Set a charred post for corner to Sections 27, 28, 33 & 34, and  
raised a mound with trench as per instructions.  
Land rolling, sandy growth scrub and some grass.

---

East on a random line between Sections 27 & 34. Var. 14° 10' E.  
40.00 Set a post for temporary qr. Sec. corner.  
80.06 Intersect N. & S. line 40 lks. south of corner to Sections 26, 27,  
34 & 35, from which corner I run

West on a true line between Sections 27 & 34. Var. 14° 28' E.  
40.03 Set a charred post for qr. Sec. corner, and raised a mound with  
trench and pits as per instructions.  
80.06 The cor. to Secs. 27, 28, 33 & 34. Land rolling, sandy soil &  
scattering scrub.

---

North between Sections 27 & 28. Easy ascent. May 5th, 1856  
Var. 14° 10' E.  
40.00 Set a charred post for qr. Sec. corner, and raised a mound with  
trench as per instructions.  
75.00 To summit of ascent and descend.  
80.00 Set a charred post for corner to Sections 21, 22, 27 & 28 and  
raised a mound with trench as per instructions.  
Land rolling, sandy, third rate. Some scrub and grass.

---

East on a random line between Sections 22 & 27. Var. 14° 10' E.  
40.00 Set a post for temporary qr. Sec. corner.  
80.00 Intersect N. & S. line 34 lks. south of cor. to Sections 22, 23, 26  
& 27, from which corner I run

West on a true line between Sections 22 & 27. Var. 14° 25' E.



T. 8 N., R. 9 W., San Bernardino Meridian

40.00 Set a charred post for qr. Sec. corner, and raised a mound with  
trench as per instructions.  
80.00 To corner to Sections 21, 22, 27 & 28.  
Land broken sandy soil third rate. Scrub and grass.

---

North between Sections 21 & 22. Easy descent. Var. 14° 10' E.

40.00 Set a charred post for qr. Section corner, and raised a mound with  
trench and pits as per instructions.  
80.00 Set a charred post for corner to Sections 15, 16, 21 & 22, and  
raised a mound with trench as per instructions.  
Land rolling. Sandy, third rate. Scrub and some grass.

---

East on a random line between Sections 15 & 22. Var. 14° 10' E.

40.00 Set a post for temporary qr. Sec. corner.  
80.14 Intersect N. & S. line 27 lks. south of corner to Sections 14, 15,  
22 & 23 from which corner I run

West on a true line between Sections 15 & 22. Var. 14° 22' E.

40.07 Set a charred post for qr. Sec. corner, and raised a mound with  
trench as per instructions.  
80.14 The corner to Sections 15, 16, 21 & 22.  
Land rolling sandy soil, scrub, grass and weeds.

---

North between Sections 15 & 16. Slightly descending. Var. 14° 10' E.

40.00 Set a charred post for qr. Sec. corner, and raised a mound with  
trench as per instructions.  
80.00 Set a charred post for corner to Sections 9, 10, 15 & 16 and raised  
a mound with trench as per instructions.  
Land rolling. Sandy soil third rate. Scrub and weeds.

---

East on a random line between Sections 10 & 15. Var. 14° 10' E.

40.00 Intersect N. & S. line 22 lks. south of cor. to Secs. 10, 11, 14 & 15,  
from which corner I run

West on a true line between Sections 10 & 15. Var. 14° 19' E.

40.11 Set a charred post for qr. Sec. corner and raised a mound with trench  
as per instructions.  
80.22 The corner to Sections 9, 10, 15 & 16.  
Land rolling. Sandy. Soil. Scrub and bunch grass.

---

North between Sections 9 & 10. Var. 14° 10' E.

40.00 Set a charred post for qr. Sec. corner and raised a mound with  
trench as per instructions.  
80.00 Set a charred post for corner to Sections 3, 4, 9 & 10, and raised  
a mound with trench as per instructions.  
Land rolling. Sandy soil. Scrub.

---

East on a random line between Sections 3 & 10. Var. 14° 10' E.

40.00 Set a post for temporary qr. Sec. corner.

T. 8 N., R. 9 W., San Bernardino Meridian

80.40 Intersect N. & S. line 31 lks. south of corner to Secs. 2, 3, 10 & 11, from which corner I run

West on a true line between Sections 3 & 10. Var. 14° 23' E.

40.20 Set a charred post for qr. Sec. corner and raised a mound with trench as per instructions.

80.40 The corner to Sections 3, 4, 9 & 10.  
Land undulating. Sandy soil. Growth same.

---

North on a random line between Sections 3 & 4. Var. 14° 10' E.

40.00 Set a post for temporary qr. Sec. corner.

80.50 Intersect North boundary of the Township 32 lks. East of the corner to Secs. 3 & 4, from which corner I run

South on a true line between Sections 3 & 4. Var. 14° 24' E.

40.50 Set a charred post for qr. Sec. corner, and raised a mound with trench as per instructions.

80.50 The corner to Sections 3, 4, 9 & 10.  
Land rolling. Sandy soil with Palmetto and grass.

---

North between Sections 32 & 33. Easy ascent. May 5th, 1856  
Var. 14° 10' E.

40.00 Set charred post for qr. Sec. cor. and raised a mound with trench as per instructions.

80.00 Set a charred post for corner to Sections 28, 29, 32 & 33 and raised a mound with trench as per instructions.  
Land rolling, third rate. Growth scrub.

---

East on a random line between Sections 28 & 33. Var. 14° 10' E.

40.00 Set temporary qr. sec. post.

80.00 Intersect N. & S. line 16 lks. North of corner to Sections 27, 28, 33 & 34, from which corner I run

West on a true line between Sections 28 & 33. Var. 14° 03' E.

40.00 Set a charred post for qr. Sec. corner and raised mound with trench as per instructions.

80.00 The corner to Sections 28, 29, 32 & 33.  
Land undulating. Sandy soil. Growth scrub.

---

North between Sections 28 & 29. Ascending. May 6th, 1856. Var. 14° 10' E.

40.00 Set a charred post for qr. Sec. corner and raised a mound with trench as per instructions.

80.00 Set charred post for corner to Sections 20, 21, 28 & 29, and raised a mound with trench as per instructions.

Land rolling hills, third rate, scrub and weed.

---

\* 70.00 To summit of ascent and begin descending.



T. 8 N., R. 9 W., San Bernardino Meridian

East on a random line between Sections 21 & 28. Var. 14° 10' E.  
40.00 Set a post for temporary qr. Sec. cor.  
80.28 Intersect N. & S. line 21 lks. north of corner to Sections 21, 22,  
27 & 28, from which corner I run

West on a true line between Sections 21 & 28. Var. 14° 01' E.  
40.14 Set a charred post for qr. Sec. corner and raised a mound with  
trench as per instructions.  
80.28 The corner to Sections 20, 21, 28 & 29.  
Land rolling hills. Sandy with scrub and some grass.

---

North between Sections 20 & 21. Descending. Var. 14° 10' E.  
40.00 Set a charred post for qr. Sec. corner and raised a mound with  
trench as per instructions.  
80.00 Set a charred post for corner to Sections 16, 17, 20 & 21 and  
raised a mound with trench as per instructions.  
Land rolling. Sandy soil, sage and grass.

---

East on a random line between Sections 16 & 21. Var. 14° 10' E.  
40.00 Set a post for temporary qr. Sec. corner.  
80.16 Intersect N. & S. line 4 lks. north of corner to Sections 15, 16,  
21 & 22, from which corner I run

West on a true line between Sections 21 & 16. Var. 14° 08' E.  
40.08 Set a charred post for qr. Sec. corner and raised a mound with  
trench as per instructions.  
80.16 The corner to Sections 16, 17, 20 & 21.  
Land undulating. Sandy soil with scrub.

---

North between Sections 16 & 17, easy descent. Var. 14° 10' E.  
40.00 Set a charred post for qr. Sec. corner, and raised a mound with  
trench as per instructions.  
80.00 Set a post for corner to Sections 8, 9, 16 & 17, and raised a mound  
with trench as per instructions.  
Land slightly rolling. Second rate, with palmetto and grass.

---

East on a random line between Sections 9 & 16. Var. 14° 10' E.  
40.00 Set a post for temporary qr. Sec. corner.  
80.24 Intersect N. & S. line 32 lks. N. of corner to Secs. 9, 10, 15 &  
16, from which corner I run

West on a true line between Sections 9 & 16. Var. 13° 56' E.  
40.12 Set a charred post for qr. Sec. corner, and raised a mound with  
trench as per instructions.  
80.24 The corner to Sections 8, 9, 16 & 17.  
Land undulating, sandy, scrub and grass.

---

North between Sections 8 & 9. Slightly descending. Var. 14° 10' E.  
40.00 Set a charred post for qr. Sec. corner, and raised a mound with  
trench as per instructions.

T. 8 N., R. 9 W., San Bernardino Meridian

80.00 Set a charred post for corner to Sections 4, 5, 8 & 9, and raised a mound with trench as per instructions. Land rolling. Sandy soil with sage and grass.

---

East on a random line between Sections 4 & 9. Var. 14° 10' E.

40.00 Set a post for temporary qr. Sec. corner.  
80.20 Intersect N. & S. line 46 lks. north of cor. to Secs. 3, 4, 9 & 10, from which corner I run

West on a true line between Sections 4 & 9. Var. 13° 50' E.

40.10 Set a charred post for qr. Sec. corner and raised a mound with trench as per instructions.  
80.20 The corner to Sections 4, 5, 8 & 9. Land undulating sandy with some grass.

---

North on a random line between Sections 4 & 5. Var. 14° 10' E.

40.00 Set a post for temporary qr. Sec. corner.  
45.00 To dry bed of Lake bears N.E. & S.W.  
80.45 Intersect north boundary of the Township 40 lks. east of cor. to Secs. 4 & 5, from which corner I run

South on a true line between Sections 4 & 5. Var. 14° 27' E.

40.45 Set a charred post for qr. Sec. corner and raised a mound with trench as per instructions.  
80.45 The corner to Sections 4, 5, 8 & 9. Land level, sandy. Some palmetto and grass.

---

North between Sections 31 & 32. Ascending. Var. 10° 10' E. May 6th, 1856.

40.00 Set a charred post for qr. Sec. corner and raised a mound with trench as per instructions.  
80.00 Set a charred post for corner to Sections 29, 30, 31 & 32 and raised a mound with trench as per instructions. Land rolling. Sandy soil and third rate.

---

East on a random line between Sections 29 & 32. Var. 14° 10' E.

40.00 Set a post for temporary qr. Sec. corner.  
80.26 Intersect N. & S. line 26 lks. north of corner to Sections 28, 29, 32 & 33, from which corner I run

West on a true line between Sections 29 & 32. Var. 13° 59' E.

40.13 Set a charred post for qr. Sec. corner and raised a mound with trench as per instructions.  
80.26 The corner to Sections 29, 30, 31 & 32. Land rolling. Sandy with scrub and grass.

---

West on a random line between Sections 30 & 31. Var. 14° 10' E.

40.00 Set a post for temporary qr. Sec. corner.

T. 8 N., R. 9 W., San Bernardino Meridian

78.40 Intersect west boundary of the Township 16 lks. north of Cor. to Sections 30 & 31, from which corner I run

East on a true line between Sections 30 & 31. May 7th, 1856  
Var. 14° 17' E.

38.40 Set a charred post for qr. Sec. corner and raised a mound with trench as per instructions.

78.40 The corner to Sections 29, 30, 31 & 32.  
Land undulating. Sandy soil, second rate with grass.

---

North between Sections 29 & 30. Easy ascent. Var. 14° 10' E.

40.00 Set a charred post for qr. Sec. corner and raised a mound with trench as per instructions.

80.00 Set a charred post for corner to Sections 19, 20, 29 & 30 and raised a mound with trench as per instructions.  
Land rolling and rather sandy, some scrub.

---

East on a random line between Sections 20 & 29. Var. 14° 10' E.

40.00 Set a post for temporary qr. Sec. corner.

80.18 Intersect N. & S. line 13 lks. north of corner to Sections 20, 21, 28 & 29, from which corner I run

West in a true line between Sections 20 & 29. Var. 14° 04' E.

40.09 Set a charred post for qr. Sec. corner and raised a mound with trench as per instructions.

80.18 The corner to Sections 19, 20, 29 & 30.  
Land rolling and somewhat sandy with scrub.

---

West on a random line between Sections 19 & 30. Var. 14° 10' E.

40.00 Set a post for temporary qr. Sec. corner.

78.33 Intersect the west boundary 29 lks. north of corner to Sections 19 & 30, from which corner I run

East on a true line between Sections 19 & 30. Var. 14° 22' E.

38.33 Set a charred post for qr. Sec. corner, and raised a mound with trench as per instructions.

78.33 The corner to Sections 19, 20, 29 & 30.  
Land undulating. Soil second rate, growth of grass.

---

North between Sections 19 & 20. Easy ascent. Var. 14° 10' E.

06.00 To summit of ascent, and then descend.

40.00 Set a charred post for qr. Sec. corner, and raised a mound with trench as per instructions.

80.00 Set a charred post for corner to Sections 17, 18, 19 & 20, and raised a mound with trench as per instructions. Land fair, second rate, gently rolling, with good growth of grass.

T. 8 N., R. 9 W., San Bernardino Meridian

East on a random line between Sections 17 & 20. Var. 14° 10' E.  
40.00 Set a post for temporary qr. Sec. corner.  
80.12 Intersect N. & S. line 14 lks. North of corner to Sections 16, 17,  
20 & 21, from which corner I run

West on a true line between Sections 17 & 20. Var. 14° 04' E.  
40.06 Set a charred post for qr. Sec. corner, and raised a mound with  
trench and pits as per instructions.  
80.12 The corner to Sections 17, 18, 19 & 20.  
Land slightly broken, sandy, with scrub and grass.

---

West on a random line between Sections 18 & 19. Var. 14° 10' E.  
40.00 Set a post for temporary qr. Sec. corner.  
78.42 Intersect the west boundary of the Township 38 lks. North of corner  
to Secs. 18 & 19, from which corner I run

East on a true line between Sections 18 & 19. Var. 14° 26' E.  
38.42 Set a charred post for qr. Sec. corner, and raised a mound with  
trench as per instructions.  
78.42 The corner to Sections 17, 18, 19 & 20.  
Land level, second rate with palmetto, musquite and grass.

---

North between Sections 17 and 18. Easy ascent. Var. 14° 10' E.  
20.00 To level land.  
40.00 Set charred post for qr. sec. corner and raised a mound with trench  
as per instructions.  
80.00 Set a charred post for corner to Sections 7, 8, 17 & 18 and raised  
mound with trench as per instructions.  
Land level, fair second rate with growth of palmetto and grass.

---

East on a random line between Sections 8 & 17. Var. 14° 10' E.  
40.00 Set a post for temporary qr. Sec. corner.  
80.26 Intersect N. & S. line 25 lks. North of corner to Sections 8, 9, 16  
& 17, from which corner I run

West on a true line between Sections 8 & 17. Var. 13° 59' E.  
40.13 Set a charred post for qr. Sec. corner and raised a mound with  
trench as per instructions.  
80.26 The cor. to Secs. 7, ~~8~~ 8, 17 & 18. Land level, second rate clay  
soil, with palmetto and grass.

---

West on a random line between Sections 7 & 18. Var. 14° 10' E.  
40.00 Set a post for temporary qr. Sec. corner.  
78.51 Intersect west boundary 32 lks. north of Cor. to Sections 7 & 18,  
from which corner I run

East on a true line between Sections 7 & 18. Var. 14° 24' E.  
38.57 Set a charred post for qr. Sec. corner and raised a mound with  
trench as per instructions.  
78.50 The corner to Sections 7, 8, 17 & 18.  
Land level, second rate with palmetto and grass.

---

North between Sections 7 & 8. Var. 14° 10' E.

T. 8 N., R. 9 W., San Bernardino Meridian

40.00 Set a charred post for qr. Sec. corner and raised a mound with trench and pits as per instructions.  
80.00 Set a charred post for corner to Secs. 5, 6, 7 & 8 and raised a mound with trench as per instructions.  
Land undulating second rate, palmetto and grass.

---

East on a random line between Sections 5 & 8. Var. 14° 10' E.  
40.00 Set a post for temporary qr. Sec. corner.  
80.10 Intersect N. & S. line 14 lks. north of Cor. to Secs. 4, 5, 8 & 9 from which corner I run

West on a true line between Sections 5 & 8. Var. 14° 04' E.  
40.05 Set a charred post for qr. Sec. corner, and raised a mound with trench as per instructions.  
80.10 The corner to Sections 5, 6, 7 & 8.  
Land level. Sandy soil with palmetto and scrub.

---

West on a random line between sections 6 & 7. Var. 14° 10' E.  
40.00 Set a post for temporary qr. Sec. corner.  
78.62 Intersect the west boundary of the Township 27 lks. north of corner to Secs. 6 & 7, from which corner I run

East on a true line between Sections 6 & 7. Var. 14° 22' E.  
38.62 Set a charred post for qr. Sec. corner and raised a mound with trench as per instructions.  
78.62 The corner to Sections 5, 6, 7 & 8.  
Land level. Clay soil, second rate, palmetto, scrub and grass.

---

North on a random line between Sections 5 & 6. Var. 14° 10' E.  
40.00 Set a post for temporary qr. Sec. corner.  
80.62 Intersect the north boundary of the Township 7 lks. East of the cor. to Secs. 5 & 6, from which corner I run

South on a true line between Sections 5 & 6. Var. 14° 13' E.  
40.62 Set a charred post for qr. Sec. corner and raised a mound with trench as per instructions.  
80.62 The corner to Sections 5, 6, 7 & 8.  
Land level. Clay soil, second rate with palmetto and grass.

---

General Description

The quality of the land in this Township is not so good as the common average. There is a small portion of land situate in the North East corner of the Township, that will answer for cultivation, and is fair second rate land and mostly level. The remaining portion of the Township is high rolling land, with a growth of weeds and grass, and is better adapted for grazing purposes. There can be water obtained easily by digging in most places. I dug in Section Four and found water in abundance at the depth of four feet. Timber is scarce, though there is some musquite.

---