

Copied from Photographic Copies

furnished by

U. S. General Land Office

Washington, D. C.

R 9 W					
6	5	4	3	2	1
7	8	9	10	11	12
18	17	16	15	14	13
19	20	21	22	23	24
30	29	28	27	26	25
31	32	33	34	35	36

T8N

T8N

R 9 W

Detailed description: A 6x6 grid of numbered sections. The grid is labeled 'R 9 W' at the top and bottom, and 'T 8 N' on the left and right sides. The sections are numbered 1 through 36 in a boustrophedon pattern. Section 1 is top-right, 2 is top-right-adjacent, 3 is top-middle, 4 is top-middle-adjacent, 5 is top-left, 6 is top-left-adjacent. Section 7 is middle-left, 8 is middle-left-adjacent, 9 is middle-middle, 10 is middle-middle-adjacent, 11 is middle-right, 12 is middle-right-adjacent. Section 13 is middle-right-adjacent, 14 is middle-right, 15 is middle-middle, 16 is middle-middle-adjacent, 17 is middle-left, 18 is middle-left-adjacent. Section 19 is middle-left-adjacent, 20 is middle-left, 21 is middle-middle, 22 is middle-middle-adjacent, 23 is middle-right, 24 is middle-right-adjacent. Section 25 is middle-right-adjacent, 26 is middle-right, 27 is middle-middle, 28 is middle-middle-adjacent, 29 is middle-left, 30 is middle-left-adjacent. Section 31 is middle-left-adjacent, 32 is middle-left, 33 is middle-middle, 34 is middle-middle-adjacent, 35 is middle-right, 36 is middle-right-adjacent. Small numbers (1-12) are written above and below the grid lines, indicating the row and column indices for each section.

Subdivision lines Township 8 N., R. 9 W., San Bernardino Meridian

May 3d, 1856.

North
40.00 Between Sections 35 & 36. Variation 14° 10' E.
Set a charred post for the qr. Sec. corner and raise a mound with
trench as per instructions.
80.00 Set a charred post for center to Secs. 25, 26, 35 & 36 and raised a
mound with trench as per instructions.
Land rolling and sandy and third rate.

East
40.00 On a random line between Sections 25 & 36. Var. 14° 10' E.
Set a post for temporary qr. Sec. cor.
80.50 Intersect East boundary 46 lks. south of corner to Sections 25 & 36
from which corner I run
West
40.25 on a true line between Sections 25 & 36 Var. 14° 30' E.
Set a charred post for qr. Sec. corner, and raised a mound with
trench as per instructions.
80.50 The corner to Sections 25, 26, 35 & 36.
Land third rate with greasewood and some palmetto.

North
40.00 between Sections 25 & 26 easy ascent. Var. 14° 10' E.
Set a charred post for qr. Sec. corner, and raise a mound with
trench as per instructions.
80.00 Set a charred post for corner to Secs. 23, 24, 25 & 26 and raised
a mound with trench and pits as per instructions.
Land gently rolling, third rate. Greasewood and sage.

East
40.00 on a random line between Sections 24 & 25. Var. 14° 10' E.
Set a post for temporary qr. Sec. corner.
80.43 Intersect east boundary of the Township 38 lks. south of corner
to Sections 24 & 25 from which corner I run
West
40.21½ on a true line between Sections 24 & 25. Var. 14° 26' E.
Set a charred post for qr. Sec. cor. and raised a mound with trench
as per instructions.
80.43 The corner to Sections 23, 24, 25 & 26.
Land third rate, growth greasewood and sage.

North
40.00 between Sections 23 & 24 easy ascent. Var. 14° 10' E.
Set a charred post for qr. Sec. corner and raised a mound with
trench and pits as per instructions.
51.00 To summit of ascent, and then slightly descending.
80.00 Set a charred post for center to Sections 13, 14, 23 & 24 and
raised a mound with trench as per instructions.
Land rolling sandy and third rate growth greasewood and sage.

T. 8 N., R. 9 W., San Bernardino Meridian

East on a random line between Sections 13 & 24. Var. 14° 10' E.
40.00 Set a post for temporary qr. Sec. corner.
80.40 Intersect East boundary of Township 46 lks. south of corner to Sections 13 & 24, from which corner I run

West on a true line between Sections 13 & 24. Var. 14° 30' E.
40.20 Set a charred post for qr. Sec. corner, and raised a mound with trench as per instructions.
80.40 The corner to Sections 13, 14, 23 & 24. Land sandy, third rate and rolling. Growth greasewood and sage.

North between Sections 13 & 14. Easy descent.
40.00 Set a charred post for the qr. Sec. corner, and raised a mound with trench as per instructions.
80.00 Set a charred post for corner to Sections 11, 12, 13 & 14 and raised a mound with trench as per instructions. Land rolling and sandy. Greasewood, sage and some grass.

East on a random line between Sections 12 & 13. Var. 14° 10' E.
40.00 Set a post for temporary qr. Sec. corner.
80.32 Intersect the East boundary of Township 28 lks. South of corner to Secs. 12 & 13 from which corner I run

West on a true line between Sections 12 & 13. Var. 14° 22' E.
40.16 Set a charred post for qr. Sec. corner, and raised a mound as per instructions.
80.32 The center to Sections 11, 12, 13 & 14. Land rolling, third rate and sandy. Some palmetto, sage and grass.

North between Sections 11 & 12. Easy descent. Var. 14° 10' E.
40.00 Set a charred post for qr. Sec. cor. and raised a mound with trench as per instructions.
80.00 Set a charred post for corner to Sections 1, 2, 11 & 12 and raised a mound with trench as per instructions. Land rolling sandy third rate greasewood and some grass.

East on a random line between Sections 1 & 12. Var. 14° 10' E.
40.00 Set a post for temporary qr. Sec. cor.
80.20 Intersect East boundary of the Township 38 lks. south of a post corner to Sections 1 & 12, from which corner I run

West on a true line between Sections 1 & 12. Var. 14° 26' E.
40.10 Set a charred post for qr. Sec. cor. and raised a mound with trench as per instructions.
80.20 The corner to Sections 1, 2, 11 & 12. Land rolling, sandy soil; Sage and some grass.

T. 8 N., R. 9 W., San Bernardino Meridian

North on a random line between Sections 1 & 2. Var. 14° 10' E.
40.00 Set a post for temporary qr. Sec. corner.
80.46 Intersect the North boundary 17 lks. west of corner to Sections
1 & 2, from which corner I run
South on a true line between Sections 1 & 2. Var. 14° 03' E.
40.46 Set a charred post for qr. Sec. corner and raised a mound with
trench as per instructions.
80.46 The corner to Sections 1, 2, 11 & 12.
Land rolling, sandy soil, sage and greasewood.

North between Sections 34 & 35. Var. 14° 10' E. May 3rd, 1856
40.00 Set a charred post for qr. Sec. corner and raised a mound with
trench as per instructions.
80.00 Set a post for corner to Sections 26, 27, 34 & 35 and raised a
mound with trench as per instructions.
Land rolling, poor, sandy soil. Sage and some grass.

East on a random line between Sections 26 & 35. Var. 14° 10' E. May 4, 1856
40.00 Set a post for temporary qr. Sec. corner
79.88 Intersect N. & S. line 36 lks. south of corner to Sections 25, 26, 35
& 36, from which corner I run
West on a true line between Sections 26 & 35. Var. 14° 25' E.
39.94 Set a charred post for qr. Sec. corner and raised a mound with
trench as per instructions.
79.88 The corner to Sections 26, 27, 34 & 35.
Land rolling sandy; sage, some weeds and grass.

North between Sections 26 & 27. Easy ascent. Var. 14° 10' E.
Over rolling land.
40.00 Set a charred post for qr. Sec. corner, and raised a mound with
trench as per instructions.
80.00 Set a charred post for corner to Sections 22, 23, 26 & 27 and
raised a mound with trench as per instructions.
Land rolling sandy third rate, sage, grass and weeds.

East on a random line between Sections 23 & 26. Var. 14° 10' E.
40.00 Set a post for temporary qr. Sec. corner.
79.96 Intersect North & South line 24 lks. South of corner to Sections 23,
24, 25 & 26, from which corner I run
West on a true line between Sections 23 & 26. Var. 14° 20' E.
39.98 Set a charred post for qr. Sec. corner, and raised a mound with
trench as per instructions.
79.96 The corner to Sections 22, 23, 26 & 27.
Land rolling sandy soil second rate scrub, weeds and grass.

T. 8 N., R. 9 W., San Bernardino Meridian

North between Sections 22 & 23 over rolling land. Var. $14^{\circ} 10'$ E.
40.00 Set a charred post for qr. Sec. corner and raised a mound with
trench as per instructions.
80.00 Set a charred post for corner to Sections 14, 15, 22 & 23, and
raised a mound with trench as per instructions.
Land rolling. Sandy Soil, second rate with grass and weeds.

East on a random line between Sections 14 & 23. Var. $14^{\circ} 10'$ E.
40.00 Set a post for temporary qr. Sec. corner.
79.98 Intersect N. & S. line, 46 lks. south of Cor. to Secs. 13, 14, 23
& 24, from which corner I run

West on a true line between Sections 14 & 23. Var. $14^{\circ} 30'$ E.
39.99 Set a post charred for qr. Sec. corner, & raised mound with trench as
79.98 The corner to Sections 14, 15, 22 & 23. (per instructions.
Land rolling, sandy soil, grass and scrub.

North between Sections 14 & 15. Easy descent. Var. $14^{\circ} 10'$ E.
40.00 Set a charred post for qr. Sec. corner, and raised a mound with
trench as per instructions.
80.00 Set a charred post for corner to Secs. 10, 11, 14 & 15 and raised
a mound with trench as per instructions.
Land rolling, sandy. Sage and grass.

East on a random line between Sections 11 & 14. Var. $14^{\circ} 10'$ E.
40.00 Set a post for temporary qr. Sec. corner.
80.08 Intersect N. & S. line 50 lks. south of corner to Sections 11, 12,
13 & 14, from which corner I run

West on a true line between Sections 11 & 14. Var. $14^{\circ} 31'$ E.
40.04 Set a charred post for qr. Sec. corner, and raised a mound, with
trench as per instructions.
80.08 The corner to Sections 10, 11, 14 & 15.
Land rolling, sandy soil, scrub, weeds and grass.

North between Sections 10 & 11. Slightly descending. Var. $14^{\circ} 10'$ E.
40.00 Set a charred post for qr. Sec. corner, and raised a mound with
trench and pits as per instructions.
80.00 Set a post for corner to sections 2, 3, 10 & 11 and raised a mound
with trench as per instructions.
Land rolling. Sandy, third rate. Soil & grass.

East on a random line between Sections 2 & 11. Var. $14^{\circ} 10'$ E.
40.00 Set a post for temporary qr. Sec. corner.
80.12 Intersect N. & S. line 52 lks. south of corner to sections 1, 2, 11
& 12, from which corner I run

T. 8 N., R. 9 W., San Bernardino Meridian

West on a true line between Sections 2 & 11. Var. 14° 32' W.
40.06 Set a charred post for qr. Sec. corner, and raised a mound with
trench as per instructions.
80.12 The corner to Sections 2, 3, 10 & 11.
Land rolling. Sandy some scrub and grass.

North on a random line between Sections 2 & 3. Var. 14° 10' E.
40.00 Set a post for temporary qr. Sec. corner.
80.52 Intersect the North boundary of the Township at post corner to
Sections 2 & 3, from which corner I run

South on a true line between Sections 2 & 3. Var. 14° 10' E.
40.52 Set a charred post for qr. Sec. corner and raised a mound with
trench as per instructions.
80.52 The corner to Sections 2, 3, 10 & 11.
Land same, growth same. Palmetto & grass.

North between Sections 33 & 34. Var. 14° 10' E.
40.00 Set a charred post for qr. Sec. corner and raised a mound with
trench as per instructions.
80.00 Set a charred post for corner to Sections 27, 28, 33 & 34, and
raised a mound with trench as per instructions.
Land rolling, sandy growth scrub and some grass.

East on a random line between Sections 27 & 34. Var. 14° 10' E.
40.00 Set a post for temporary qr. Sec. corner.
80.06 Intersect N. & S. line 40 lks. south of corner to Sections 26, 27,
34 & 35, from which corner I run

West on a true line between Sections 27 & 34. Var. 14° 28' E.
40.03 Set a charred post for qr. Sec. corner, and raised a mound with
trench and pits as per instructions.
80.06 The cor. to Secs. 27, 28, 33 & 34. Land rolling, sandy soil &
scattering scrub.

North between Sections 27 & 28. Easy ascent. May 5th, 1856
Var. 14° 10' E.
40.00 Set a charred post for qr. Sec. corner, and raised a mound with
trench as per instructions.
75.00 To summit of ascent and descend.
80.00 Set a charred post for corner to Sections 21, 22, 27 & 28 and
raised a mound with trench as per instructions.
Land rolling, sandy, third rate. Some scrub and grass.

East on a random line between Sections 22 & 27. Var. 14° 10' E.
40.00 Set a post for temporary qr. Sec. corner.
80.00 Intersect N. & S. line 34 lks. south of cor. to Sections 22, 23, 26
& 27, from which corner I run

West on a true line between Sections 22 & 27. Var. 14° 25' E.

T. 8 N., R. 9 W., San Bernardino Meridian

40.00 Set a charred post for qr. Sec. corner, and raised a mound with
trench as per instructions.
80.00 To corner to Sections 21, 22, 27 & 28.
Land broken sandy soil third rate. Scrub and grass.

North between Sections 21 & 22. Easy descent. Var. 14° 10' E.

40.00 Set a charred post for qr. Section corner, and raised a mound with
trench and pits as per instructions.
80.00 Set a charred post for corner to Sections 15, 16, 21 & 22, and
raised a mound with trench as per instructions.
Land rolling. Sandy, third rate. Scrub and some grass.

East on a random line between Sections 15 & 22. Var. 14° 10' E.

40.00 Set a post for temporary qr. Sec. corner.
80.14 Intersect N. & S. line 27 lks. south of corner to Sections 14, 15,
22 & 23 from which corner I run

West on a true line between Sections 15 & 22. Var. 14° 22' E.

40.07 Set a charred post for qr. Sec. corner, and raised a mound with
trench as per instructions.
80.14 The corner to Sections 15, 16, 21 & 22.
Land rolling sandy soil, scrub, grass and weeds.

North between Sections 15 & 16. Slightly descending. Var. 14° 10' E.

40.00 Set a charred post for qr. Sec. corner, and raised a mound with
trench as per instructions.
80.00 Set a charred post for corner to Sections 9, 10, 15 & 16 and raised
a mound with trench as per instructions.
Land rolling. Sandy soil third rate. Scrub and weeds.

East on a random line between Sections 10 & 15. Var. 14° 10' E.

40.00 Intersect N. & S. line 22 lks. south of cor. to Secs. 10, 11, 14 & 15,
from which corner I run

West on a true line between Sections 10 & 15. Var. 14° 19' E.

40.11 Set a charred post for qr. Sec. corner and raised a mound with trench
as per instructions.
80.22 The corner to Sections 9, 10, 15 & 16.
Land rolling. Sandy. Soil. Scrub and bunch grass.

North between Sections 9 & 10. Var. 14° 10' E.

40.00 Set a charred post for qr. Sec. corner and raised a mound with
trench as per instructions.
80.00 Set a charred post for corner to Sections 3, 4, 9 & 10, and raised
a mound with trench as per instructions.
Land rolling. Sandy soil. Scrub.

East on a random line between Sections 3 & 10. Var. 14° 10' E.

40.00 Set a post for temporary qr. Sec. corner.