

Copied from Photographic Copies
furnished by
U.S. General Land Office
Washington, D.C.

			R. 14W						R. 13W					
36	31	32	33	34	35	36	31	32	33	34	35	36	31	
	⁵ 6	¹⁷ ⁵ 5	¹⁴ ⁵ 4	¹¹ ⁴ 3	⁹ ⁴ 2	⁷ ⁴ 1	² ³ 6	³ 5	³ 4	³ 3	³ 2	³ 1	6	
	₁₇	₁₇	₁₃	₁₁	₉	₇								
	7	¹⁶ 8	¹³ 9	¹¹ 10	⁹ 11	⁷ 12	²							
	₁₆	₁₆	₁₃	₁₁	₉	₆								
T. 8N.	18	¹⁶ 17	¹³ 16	¹¹ 15	⁸ 14	⁶ 13	²						T. 8N.	
	₁₆	₁₄	₁₃	₁₆	₈	₆								
	19	¹⁵ 20	¹² 21	¹⁰ 22	⁸ 23	⁶ 24	²							
	₁₅	₁₅	₁₂	₁₀	₈	₆								
	30	¹⁴ 29	¹² 28	⁹ 27	⁸ 26	⁵ 25	²							
	₁₄	₁₄	₁₂	₁₀	₇	₅								
	31	¹⁴ 32	¹² 33	⁹ 34	⁷ 35	⁵ 36	¹							
			R. 14W.				R. 13W.							

Exterior lines N. & W. of San Bernardino Meridian.

80.00	Set a post charred, chalked & notched for the corner to Sec. 25, 36, 30 & 31 & raised a mound with trench & pits as per instructions Land level sandy & 3rd. rate	
North	on the east boundary of Sec. 25.	Var. 14° 12' East
40.00	Set a post charred & chalked for the $\frac{1}{4}$ sec. corner and raised a mound with trench & pits as per instructions	
80.00	Set a post charred, chalked & notched for the corner to Sec. 24, 25, 19 & 30 & raised a mound with trench & pits as per instructions Land level sandy & generally 3rd. rate.	
North	on the east boundary of Secs. 24.	Var. 14° 12' East
40.00	Set a post charred & chalked for the $\frac{1}{4}$ sec. cor. and raised a mound with trench & pits as per instructions.	
80.00	Set a post charred, chalked & notched for the corner to Sec. 13, 24, 18 & 19 & raised a mound with trench & pits as per instructions. Land level & generally 3rd. rate.	
North	on the east boundary of Secs. 13.	Var. 14° 12' East
40.00	Set a post charred & chalked for the $\frac{1}{4}$ Sec. cor. and raised mound with trench & pits as per instructions.	
80.00	Set a post charred, chalked & notched for the corner to Sec. 12, 13, 7 & 18 and raised a mound with trench & pits as per instructions. Land level and generally 2nd. rate.	
North	On the east boundary of Sec. 12	Var. 14° 12' East
40.00	Set a post charred & chalked for the $\frac{1}{4}$ sec. cor. and raised a mound with trench & pits per instructions.	
80.00	Set a post charred, chalked & notched for the corner to Sec. 1, 12, 6 & 7 and raised a mound with ___ & pits as per instructions. Land part hilly 3rd. rate.	
North	On the east boundary of Sec. 1	Var. 14° 12' East
10.00	To foot of isolated mountain and ascend.	
40.00	Set a post charred & chalked for the $\frac{1}{4}$ sec. cor. and raised a mound with trench & pits as per instructions.	
80.00	To a point for corner to Townships 9 & 10 North, Ranges 12 & 13 West, set a post charred, chalked and notched in mound with trench & pits as per instructions. Land hilly & 3rd. rate.	
	Between Ranges 13 & 14 West, Township 13 8 North From the corner to Townships 7 & 8 North, Ranges 13 and 14 West, I run	
North	along the east boundary of Sec. 36.	Var. 14° 12' East

Exterior lines N. & W. of the San Bernardino Meridian.

40.00 Set a post charred & chalked for the $\frac{1}{4}$ Sec. corner and raised a mound with trench & pits per instructions.

80.00 Set a post charred, chalked & notched for the corner to Sec. 25, 36, 30 & 31 and raised a mound with trench & pits as per instructions. Land level open & 1st. rate.

North on the east boundary of Sec. 25. Var. $14^{\circ}12'$ East

40.00 Set a post charred & chalked for the $\frac{1}{4}$ Sec. corner and raised a mound with trench & pits as per instructions.

80.00 Set a post charred, chalked & notched for the corner to Sec. 24, 25, 30 & 19 & raised a mound with trench & pits as per instructions. Land open level & 1st. rate.

North on the boundary of Sec. 24 Var. $14^{\circ}12'$ East

40.00 Set a charred post & chalked for the $\frac{1}{4}$ Sec. corner and raised a mound with trench & pits per instructions.

80.00 Set a post charred & chalked & notched for the corner to Sec. 13, 24, 18 & 19, & raised a mound with trench & pits as per instructions. Land good 2nd. rate & level with some scattering Palmetto.

North on the east boundary of Sec. 13 Var. $14^{\circ}12'$ East

40.00 Set a post charred & chalked for the $\frac{1}{4}$ Sec. corner and raised a mound with trench & pits per instructions.

80.00 Set a post charred chalked & notched for the corner to Sec. 12, 13, 7 & 18 and raised a mound with trench & pits as per instructions. Land open level & 2nd. rate.

North on east boundary of Sec. 12. Var. $14^{\circ}12'$ East

31.00 To west point of isolated hill

35.00 Pass to North side

40.00 Set a post charred & chalked for the $\frac{1}{4}$ sec. corner and raised mound with trench & pits per instructions.

80.00 Set a post charred, chalked & notched for the corner to Sec. 1, 12, 6 & 7 and raised a mound with trench & pits per instructions. Land 2nd. rate & level & open.

North on the east boundary of Sec. 1 Var. $14^{\circ}12'$ East

40.00 Set a post charred & chalked for the $\frac{1}{4}$ Sec. Corner and raised a mound with trench & pits per instructions.

80.00 To a point for corner to Townships 8 & 9 North Ranges 13 & 14 West Set a charred stake & made a mound with trench as per instructions. Land 2nd. rate level & open

Between Townships 8 & 9 North R 13 W.
From the corner to Townships 8 & 9 North Ranges 13 & 14 West
I run

Exterior lines N. & W. of San Bernardino Meridian.

East on a random line between said Townships the variation of my compass being Var. $14^{\circ}12'$ East
 I set temporary half mile and mile posts ~~at~~ at 40.00 & 80.00 chains. I find the Townships line to be 6 miles 2 chains & 50 lks. and the falling to be 2 chs. & 50 lks. North of the Township corner
 The correction of the true line will therefore be 2 chs. & 50 lks. East and 41.6 lks. South per mile.
 From the corner to Tps. 8 & 9 North Ranges 12 & 13 West, I run

West on a true line between Secs. 1 & 36 East Var. $13^{\circ}54'$ East
 40.00 Set a post charred & chalked for the $\frac{1}{4}$ sec. corner and raised a mound with trench & pit per instructions.
 80.00 Set a post charred, chalked & notched for the corner to Sec. 1, 2, 35 & 36 and raised a mound with trench & pits as per instructions.
 Land level & generally 2nd. rate.

West on a true line between Sec. 2 & 35 Var. $13^{\circ}54'$ East
 40.00 Set a post charred & chalked for the $\frac{1}{4}$ Sec. corner and raised a mound with trench & pits per instructions
 80.00 Set a post charred, chalked & notched ~~post~~ for the corner to Sec. 2, 3, 34 & 35 and raised a mound with trench & pits as per instructions.
 Land level & generally 3rd. rate.

West on a true line between Sec. 3 & 34 Var. $13^{\circ}54'$ East
 40.00 Set a post charred & chalked for the $\frac{1}{4}$ Sec. corner and raised a mound with trench & pits per instructions
 80.00 Set a post charred, chalked & notched for the corner to Sec. 3, 4, 33 & 34 & raised a mound with trench & pits per instructions.
 Land level and generally 3rd. rate.

West on a true line between Sec. 4 & 33 Var. $13^{\circ}54'$ East
 40.00 Set a post charred & chalked for the $\frac{1}{4}$ sec. corner, and raised a mound with trench & pits per instructions
 80.00 Set a post charred, chalked & notched for the corner to Sec. 4, 5, 32 & 33 and raised a mound with trench & pits as per instructions.
 Land level & generally 3rd. rate.

West on a true line between Sec. 5 & 32 Var. $13^{\circ}54'$ East
 40.00 Set a post charred & chalked for the $\frac{1}{4}$ Sec. corner and raised a mound with trench & pits per instructions
 80.00 Set a post charred chalked & notched for the corner to Sec. 5, 6, 31 & 32 and raised a mound with trench & pit as per instructions.
 Land level & 3rd. rate.

West on a true line between Sec. 6 & 31 Var. $13^{\circ}54'$ East
 40.00 Set a post charred & chalked for the $\frac{1}{4}$ sec. cor. & raised a mound with trench & pits per instructions.
 82.50 To the established corner to Tps. 8 & 9 North, Ranges 13 & 14 West

North On the east boundary of Sec. 12. Var. $14^{\circ}12'$ East

Exterior lines N. & W. of San Bernardino Meridian.

40.00 Set a post charred & chalked for the $\frac{1}{4}$ sec. corner and raised a mound with trench & pit - per instructions

80.00 Set a post charred, chalked & notched for the corner to Sec. 1, 12, 6 & 7 and raised a mound with trench & pits as per instructions. Land level & 2nd. rate with some Palmetto.

North on the east boundary of Sec. 1 Var. $14^{\circ}12'$ East

40.00 Set a post charred & chalked for the $\frac{1}{4}$ sec. corner and raised a mound with trench & pits per instructions

80.00 To a point for corner to Townships 8 & 9 North Ranges 14 & 15 West Set a post charred & chalked & notched & raised a mound with trench & pits per instructions. Land 2nd. rate level & open.

Between Townships 8 & 9 N. R. 14 W.

From the corner to Townships 8 & 9 N. R. 14 & 15 West, I run on a random line between said Townships the variation of my compass being $14^{\circ}12'$ East

I set temporary half mile and mile posts at 40.00 & 80.00 chains. I find the Township line to be 5 miles 78 chs. & 50 lks. and the falling to be 1 chain 50 lks. south of the Township corner. The correction for the true line will therefore be 1 chn. 50 lks. west and 25 lks. North per mile

From the corner to Townships 8 & 9 North, Ranges 13 & 14 West, I run on a true line between Sec. 1 & 36 Var. $14^{\circ}23'$ East

West 40.00 Set a post charred & chalked for the $\frac{1}{4}$ sec. corner and raised a mound with trench & pit as per instructions.

80.00 Set a post charred, chalked & notched for the corner to Sec. 1, 2, 35 & 36 & raised a mound with trench & pits as per instructions. Land level & generally 3rd. rate.

West on a true line between Sec. 2 & 35 Var. $14^{\circ}23'$ East

40.00 Set a post charred & chalked for the $\frac{1}{4}$ Sec. corner and raised a mound with trench & pits per instructions.

80.00 Set a post charred, chalked & notched for the corner to Sec. 2, 3, 34 & 35 & raised a mound with trench & pits as per instructions. Land level and mostly 2nd. rate.

West on a true line between Sec. 3 & 34. Var. $14^{\circ}23'$ East

40.00 Set a post charred & chalked for the $\frac{1}{4}$ Sec. corner and raised a mound with trench & pits as per instructions

80.00 Set a post charred, chalked & notched for the corner to Sec. 3, 4, 33 & 34 & raised a mound with trench & pits as per instructions. Land level and generally 2nd. rate.

Exterior lines N. & W. of San Bernardino Meridian

West	on a true line between Sec. 4 & 33	Var. 14°23' East
40.00	Set a post charred & chalked for the $\frac{1}{4}$ Sec. corner and raised a mound with trench & pits per instructions.	
80.00	Set a post charred, chalked & notched for the corner to Sec. 4, 5, 32 & 33 and raised a mound with trench & pits per instructions.	
	Land level and generally 2nd. rate.	
<hr/>		
West	on a true line between Sec. 5 & 32.	Var. 14°23' East
40.00	Set a post charred and chalked for the corner to quarter section and raised a mound with trench & pits as instructions.	
80.00	Set a post charred, chalked & notched for the corner to Sec. 5, 6, 31 & 32 & raised a mound with trench & pits as per instructions.	
	Land level & 2nd. rate.	
<hr/>		
West	on a true line between Sec. 6 & 31.	Var. 14°23' East
40.00	Set a post charred & chalked for the $\frac{1}{4}$ sec. cor. and raised a mound with trench & pits as per instructions.	
78.50	To the established corner to Townships 8 & 9 N., Rs. 14 & 15 West	

T. 8 N., R. 14 W. San Bernardino Meridian

Field notes of the Subdivision of Township 8 North Range 14 West of the San Bernardino Meridian.

From the corner to Sections 1, 2, 35, 36 on the south boundary of the Township I run

North	Between Sections 35 & 36.	Var. 14°12' E.
40.00	Set a post charred and chalked for the Qr. Sec. corner and raised a mound with trench and pits as per instructions.	
80.00	Set a post charred, chalked & notched for the corner to Sec. 25, 26, 35, 36, and raised a mound with trench and pits, as per instructions.	
	Land 2nd. rate and gently rolling.	
<hr/>		
East	on a random line between Sec. 25 & 36.	Var. 14°12' E
40.00	Set a post for temporary Qr. Sec. corner	
80.40	Intersect the east boundary of the Township 10 lks. South of the corner to sections 25 & 36 from which corner I run	
<hr/>		
West	on a true line between Sec. 25 & 36	Var. 14°16' E
40.20	Set a post charred and chalked for the Qr. Sec. corner and raised a mound with trench and pits as per instructions	
80.40	The corner to Sec. 25, 26, 35, 36 Land 2nd. rate and gently rolling	
<hr/>		
North	Between Sec. 25 & 26.	Var. 14°12' E
40.00	Set a post charred and chalked for the Qr. Sec. corner and raised a mound with trench and pits as per instructions	
80.00	Set a post charred, chalked and notched for the corner to Sections 23, 24, 25, 26 and raised a mound with trench as per instructions.	
	Land level and 2nd. rate.	

T.8 N.,R.14 W.San Bernardino Meridian

East	on a random line between Section 24 & 25.	Var.14°12'E.
40.00	Set a post for temporary Qr.Sec.corner	
80.10	Intersected the east boundary of the Township 30 lks.south of the corner to Sections 24 & 25 from which corner I run	
West	on a true line between Sections 24 & 25	Var.14°25'E
40.05	Set a post charred and chalked for the Qr.Sec.corner and raised a mound with trench and pits as per instructions.	
80.10	The corner to Sections 23 & 24,25 & 26 Land 2nd.rate and gently rolling .	
North	Between Sections 23 & 24	Var.14°12'E.
40.00	Set a post charred and chalked for the Qr.Sec.corner and raised a mound with trench and pits,as per instructions	
80.00	Set a post,charred,chalked and notched for the corner to Sections 13,14,23,24,and raised a mound with trench and pits as instructed. Land level and 2nd.rate.	
East	on a random line between Sections 13 & 24	Var.14°12'E.
40.00	Set a post for temporary Qr.Sec.corner	
80.42	Intersect the east boundary of the Township 50 lks.south of the corner to Sections 13 & 24,from which corner I run	
West	on true line between Sections 13 & 24.	Var.14°34'E.
40.21	Set a post charred and chalked for the Qr.Sec.corner and raised a mound with trench and pits as per instructions.	
80.42	The corner to Sections 13,14,23,24 Land level and 2nd.rate.	
North	Between Sections 13 & 14.	Var.14°12'E
2.00	To scattering Palmetto	
40.00	Set a post charred and chalked for the Qr.Sec.corner and raised a mound with trench and pits,as per instructions.	
80.00	Set a post charred,chalked and notched for the corner to Sections 11,12,13,14 and raised a mound,with trench and pits as instructed. Land level and 2nd.rate.	
East	on a random line between Sections 12 & 13.	Var.14°12'E.
40.00	Set a post for temporary Qr.Sec.corner	
80.50	Intersect the east boundary of the Township 10 lks.north of the corner to Sections 12 & 13 from which corner I run	
West	on true line between Sections 12 & 13	Var.14°08'E.
40.25	Set a post charred and chalked for the Qr.sec.corner and raised a mound with trench and pits as per instructions.	
80.50	The corner to Sections 11,12,13,14. Land level and 2nd.rate.	

T.8 N., R. 14 W. San Bernardino Meridian.

North	Between Sections 11 & 12.	Var. 14°12'E.
40.00	Set a post charred and chalked for the Qr. Sec. corner and raised a mound with trench and pits as per instructions	
80.00	Set a post charred, chalked and notched for the corner to Sections 1, 2, 11 & 12 and raised a mound with trench and pits as per instructions. Land level and 2nd. rate. Scattering Palmetto.	
East	on a random line between Sec. 1 & 12	Var. 14°12'E
40.00	Set a post for temporary Qr. Sec. corner	
80.00	Intersect the east boundary of the Township 40 lks. south of the corner to Sections 1 & 12, from which corner I run	
West	on a true line between Sections 1 & 12.	Var. 14°29'E
40.00	Set a post charred and chalked for the Qr. Sec. corner and raised a mound with trench and pits as per instructions.	
80.00	The corner to Sections 1, 2, 11, 12. Land level and 2nd. rate.	
North	on a random line between Sec. 1 & 2	Var. 14°12'E
40.00	Set a post for temporary Qr. Sec. corner	
79.60	Intersect the north boundary of the Township 32 lks. west of the corner to Sections 1 & 2, from which corner II run	
South	on a true line between Sec. 1 & 2.	Var. 13°58'E
39.60	Set a post charred and chalked for the Qr. Sec. corner and raised a mound with trench and pits as per instructions	
79.60	The corner to Sections 1, 2, 11, 12. Land level and 2nd. rate.	
North	Between Sections 34 & 35.	Var. 14°12'E
38.00	Cross road to Tehichipe course N 16°E	
40.00	Set a post charred and chalked for the Qr. Sec. corner and raised a mound with trench and pits as per instructions	
80.00	Set a post charred, chalked and notched for the corner to Sec. 26, 27, 34, 35, and raised a mound with trench and pits as per instructions. Land 2nd. rate and gently rolling.	
East	on a random line between Sec. 26 & 35	Var. 14°12'E
9.50	To road to Tehichipe course N. 20°E.	
40.00	Set a post for temporary Qr. Sec. corner	
79.82	Intersect N. & S. line 14 lks. north of the corner to Sec. 25, 26, 35, 36 from which corner I run	
West	on a true line between Sections 26 & 35	Var. 14°06'E
39.91	Set a post charred & chalked for the Qr. Sec. corner and raised a mound with trench and pits as per instructions.	
79.82	The corner to Sections 26, 27, 34, 35 Land 2nd. rate and gently rolling.	

T.8 N., R.14 W., San Bernardino Meridian.

North	Between Sections 26 & 27.	Var. 14°12'E
40.00	Set a post charred and chalked for the Qr. sec. corner, and raised a mound with trench and pits, as per instructions.	
80.00	Set a post charred, chalked and notched for the corner to Sections 22, 23, 26, 27 and raised a mound with trench and pits as per instructions.	
	Land level and 2nd. rate.	
<hr/>		
East	On a random line between Sections 23 & 26	Var. 14°12'E
22.00	To road to Tehichipe course N. & S.	
40.00	Set a post for temporary Qr. Sec. corner	
80.10	Intersected N. & S. line 30 lks. north of the corner to Sections 23, 24, 25, 26 from which corner I run	
<hr/>		
West	on a true line between Sections 23 & 26	Var. 13°59'E
40.05	Set a post charred and chalked for the Qr. Sec. corner and raised a mound with trench and pits as per instructions	
80.10	The corner to Sections 22, 23, 26, 27 Land 2nd. rate and level.	
<hr/>		
North	Between Sections 22 & 23	Var. 14°12'E
40.00	Set a post charred and chalked for the Qr. Sec. corner and raised a mound with trench and pits as per instructions	
80.00	Set a post charred, chalked and notched for the corner to Sections 14, 15, 22, 23 and raised a mound with trench and pits as per instructions.	
	Land level and 2nd. rate.	
<hr/>		
East	on a random line between Sections 14 & 23	Var. 14°12'E
37.70	To road to Tehichipe, course north	
40.00	Set a post for temporary Qr. Sec. corner	
80.00	Intersect N. & S. line 30 lks. south of the corner to Sections 13, 14, 23, 24 from which corner I run	
<hr/>		
West	on a true line between Sections 14 & 23.	Var. 14°25'E
40.00	Set a post charred and chalked for the Qr. Sec. corner and raised a mound with trench and pits, as per instructions	
80.00	The corner to Sections 14, 15, 22, 23 Land level and 2nd. rate.	
<hr/>		
North	Between Sections 14 & 15.	Var. 14°12'E.
40.00	Set a post charred and chalked for the Qr. Sec. corner and raised a mound with trench and pits as per instructions.	
80.00	Set a post charred, chalked and notched for the corner to Sections 10, 11, 14, 15 and raised a mound with trench and pits as per instructions.	
	Land level and 2nd. rate.	

T.8 N.,R.14 W.,San Bernardino Meridian.

East	on a random line between Sections 11 & 14.	Var.14°12'E.
40.00	Set a post for temporary Qr.Section corner	
70.00	To road to Tehichipe course N.26°E.	
79.90	Intersect N.& S.line 16 lks.south of the corner to Sections 11,12,13,14 from which corner I run	
West	on a true line between Sections 11 & 14	Var.14°19'E
39.95	Set a post charred,and chalked for the Qr.Sec.corner and raised a mound with trench and pits,as per instructions.	
79.90	The corner to Sections 10,11,14,15 Land level and 2nd.rate.	
North	Between Sections 10 & 11	Var.14°12'E
40.00	Set a post charred and chalked for the Qr.Sec.corner,and raised a mound with trench and pits as per instructions.	
80.00	Set a post charred,chalked and notched for the corner to Sections 2,3,10,11 and raised a mound with trench and pits,as per instructions. Land level and 2nd.rate.	
East	on a random line between Sections 2 & 11	Var.14°12'E
40.00	Set a post for temporary Qr.Section corner	
79.00	To Tehichipe Road course N 26°E	
79.96	Intersect N.& S.line 30 lks.south of the corner to Sections 1,2,11,12 from which corner I run	
West	on a true line bet. Secs. 2 & 11	Var.14°25'E
39.98	Set a post charred and chalked for the Qr.Sec.corner and raised a mound with trench and pits as per instructions.	
79.96	The corner to Sections 2,3,10,11 Land level and 2nd.rate.	
North	on a random line between Sec.: 2 & 3	Var.14°12'E
40.00	Set a post for temporary Qr.Section corner	
79.96	Intersect the North boundary of the Township 5 lks.west of the corner to Sections 2 & 3,from which corner I run	
South	on the true line between Sections 2 & 3	Var.14°10'E
39.96	Set a post charred and chalked for the Qr.Section corner and raised a mound with trench and pits,as per instructions	
79.96	The corner to Sections 2,3,10,11 Land level and 2nd.rate.	
North	Between Sections 33 & 34	Var.14°12'E
25.00	To isolated hill W.side bearing S 70°W 30 chains long.	
33.50	Leave hill	
40.00	Set a post charred and chalked for the Qr.Sec.corner,and raised a mound with trench and pits as per instructions.	
80.00	Set a post charred chalked and notched for the corner to Sections 27,28,33,34 and raised a mound with trench and pits as per instructions. Land gently rolling and 2nd.rate.	

T.8 N.,R.14 W.,San Bernardino Meridian.

East	on a random line between Secs. 27 & 34.	Var.14°12'E
40.00	Set a post for temporary Qr. Sec. corner	
80.50	Intersect N. & S. line 40 lks. south of the corner to Sections 26,27,34, 35 from which corner I run	
<hr/>		
West	On a true line between Sections 27 & 34	Var.14°29'E
40.25	Set a post charred and chalked for the Qr. Sec. corner and raised a mound with trench and pits as per instructions	
80.50	The corner to Sections 27,28,33,34 Land gently rolling and 2nd. rate.	
<hr/>		
North	Between Sections 27 & 28	Var.14°12'E
28.00	To isolated hill 30 ft. high running E. & W.	
38.00	To summit and descend	
40.00	Set a post charred and chalked for the Qr. Sec. corner and raised a mound with trench and pits as per instructions.	
75.00	Leave hill	
80.00	Set a post charred, chalked and notched for the corner to Sections 21, 22,27,28 and raised a mound with trench and pits as per instructions. Land rolling and 2nd rate generally.	
<hr/>		
East	on a random line between Sections 22 & 27	Var.14°12'E
40.00	Set a post for temporary Qr. Sec. corner	
80.42	Intersect N. and S. line 20 lks. south of the corner to Sections 22,23, 26,27 from which corner I run	
<hr/>		
West	on a true line between Sections 22 & 27	Var.14°21'E
40.21	Set a post charred and chalked for the Qr. Sec. corner and raised a mound with trench and pits, as per instructions	
80.42	The corner to Sections 21,22,27,28 Land rolling generally level and 2nd. rate.	
<hr/>		
North	Between Sections 21 & 22	Var.14°12'E
40.00	Set a post charred, chalked for the Qr. Sec. corner and raised a mound with trench and pits as per instructions.	
80.00	Set a post charred and chalked & notched for the corner to Sections 15, 16,21,22 and raised a mound with trench and pits as per instructions. Land level and 2nd. rate.	
<hr/>		
East	on a random line between Sections 15 & 22	Var.14°12'E
40.00	Set a post for temporary Qr. Sec. corner	
80.30	Intersect N. & S. line 18 lks. north of the corner to Sections 14,15, 22,23 from which corner I run	

T.8 N., R.14 W. San Bernardino Meridian.

West	on a true line between Sections 15 & 22	Var. 14°04'E.
40.15	Set a post charred and chalked for the Qr. Sec. corner and raised a mound with trench and pits as per instructions.	
80.30	The corner to Sections 15, 16, 21, 22 Land level and 2nd. rate.	
North	Between Sections 15 & 16.	Var. 14°12'E.
22.00	To scattering Palmetto	
40.00	Set a post charred and chalked for the Qr. Sec. corner and raised a mound with trench and pits as per instructions.	
80.00	Set a post charred chalked and notched for the corner to Sections 9, 10, 15, 16 and raised a mound with trench and pits as per instructions. Land level and 2nd. rate.	
East	on a random line between Sections 10 & 13.	Var. 14°12'E.
40.00	Set a post for temporary Qr. Sec. corner	
80.50	Intersect N. & S. line 38 links south of the corner to Sections 10, 11, 14, 15 from which corner I run	
West	on a true line between Sections 10 & 15.	Var. 14°28'E.
40.25	Set a post charred and chalked for the Qr. Section corner and raised a mound with trench and pits as per instructions.	
80.50	The corner to Sections 9, 10, 15, 16 Land level and 2nd. rate.	
North	Between Sections 9 & 10	Var. 14°12'E.
40.00	Set a post charred and chalked for the Qr. Section corner, and raised a mound with trench and pits as per instructions.	
80.00	Set a post charred, chalked and notched for the corner to Sections 3, 4, 9, 10 and raised a mound with trench and pits as per instructions. Land level and 2nd. rate.	
East	on a random line between Sections 3 & 10	Var. 14°12'E.
40.00	Set a post for temporary Qr. Sec. corner	
80.30	Intersect N. & S. line 16 lks. south of the corner to Sections 2, 3, 10, 11 from which corner I run	
West	on a true line between Sections 3 & 10.	Var. 14°14'E.
40.15	Set a post charred and chalked for the Qr. Sec. corner and raised a mound with trench and pits as per instructions.	
80.30	The corner to Sections 3, 4, 9 & 10. Land level and 2nd. rate.	
North	on a random line between Sections 3 & 4.	Var. 14°12'E.
40.00	Set a post for temporary Qr. Sec. corner	
79.90	Intersect the north boundary of the Township 22 links west of the corner to Sections 3 and 4, from which corner I run	

T.8 N.,R.14 W. San Bernardino Meridian.

South	on a true line between Sections 3 & 4	Var.14°03'E
39.90	Set a post charred and chalked for the Qr.Sec.corner, and raised a mound with trench and pits as per instructions.	
79.90	The corner to Sections 3,4,9,10 Land level and 2nd.rate.	
North	Between Sections 32 & 33.	Var .14°12'E
28.00	To isolated hill bearing E.& W.	
40.00	Set a post charred and chalked for the Qr.Sec.corner and raised a mound with trench and pits as per instructions.	
68.00	To summit of hill 120 ft.high and descend	
80.00	Set a post charred chalked and notched for the corner to Sections 28,29,32,33 and raised a mound with trench and pits as per instructions. Land hilly generally and 2nd.rate.	
East	on a random line between Secs. 28 & 33	Var.14°12'E
40.00	Set a post for temporary Qr.Sec.corner	
80.00	Intersected N.& S.line at post corner to Sec.27,28,33,34 from which corner I run	
West	on a true line between Sections 28 & 33	Var.14°12'E
40.00	Set a post charred and chalked for the Qr. Qr.Section corner and raised a mound with trench and pits as per instructions.	
80.00	The corner to Sections 28,29,32 & 33 Land rolling and 2nd.rate.	
North	Between Sections 28 & 29	Var.14°12'E.
40.00	Set a post charred and chalked for the Qr.Section corner and raised a mound with trench and pits as per instructions.	
80.00	Set a post charred, chalked and notched for the corner to Sections 20,21,28,29, and raised a mound with trench & pits as per instructions. Land hilly and 2nd.rate.	
East	On a random line between Sections 21 & 28.	Var.14°12'E.
40.00	Set a post for temporary Qr.Section corner	
80.00	Intersect N.& S.line 16 lks.north of the corner to Sections 21,22, 27,28, from which corner I run	
West	on a true line between Sections 21 & 28	Var.14°05'E
40.00	Set a post charred and chalked for the Qr.Section corner and raised a mound with trench and pits as per instructions.	
80.00	The corner to Sections 20,21,28,29 Land rolling and 2nd.rate.	

T.8 N.,R.11 W.,San Bernardino Meridian.

North	Between Sections 20 & 21.	Var.14°12'E
35.00	Leave isolated hill	
40.00	Set a post charred and chalked for the Qr.Sec.corner and raised a mound with trench and pits as per instructions.	
80.00	Set a post charred chalked and notched for the corner to Sections 16,17,20,21 and raised a mound with trench and pits as per instructions.	
	Land mostly level and 2nd.rate.	
East	on a random line between Sections 16 & 21	Var.14°12'E
40.00	Set a post for temporary Qr.Sec.corner	
79.96	Intersect N.& S.line 26 lks.north of the corner to Sections 15,16,21, 22 from which corner I run	
West	on a true line between Sec. 16 & 21.	Var.14°07'E.
39.98	Set a post charred and chalked for the Qr.Sec.corner and raised a mound with trench and pits as per instructions.	
79.96	The corner to Sections 16,17,20,21 Land 2nd.rate and level.	
North	Between Sections 16 & 17	Var.14°12'E
40.00	Set a post charred and chalked for the Qr.Sec.corner ,and raised a mound with trench and pits,as per instructions.	
80.00	Set a post charred and chalked and notched,for the corner to Sections 8,9,16,17 and raised a mound,with trench and pits as per instructions.	
	Land level and 2nd.rate.	
East	On a random line between Sections 9 & 16	Var.14°12'E
40.00	Set a post for temporary Qr.Sec.corner	
79.98	Intersect N.& S.line 18 lks.south of the corner to Sec.9,10,15,16, from which corner I run	
West	on a true line between Sections 9 & 16	Var.14°20'E
39.99	Set a post charred and chalked for the Qr.Sec.corner,and raised a mound with trench and pits,as per instructions.	
79.98	The corner to Sections 8,9,16,17 Land 2nd.rate and level.	
North	Between Sections 8 & 9	Var.14°12'E
40.00	Set a post charred and chalked for the Qr.Sec.corner and raised a mound with trench and pits as per instructions.	
80.00	Set a post charred,chalked and notched for the corner to Sections 4,5, 8,9,and raised a mound with trench and pits,as per instructions.	
	Land level and 2nd.rate.	
East	on a random line between Sections 4 & 9	Var.14°12'E.
40.00	Set a post for temporary Qr.Sec.corner	
80.20	Intersect N.& S.line 46 lks.south of the corner to Sections 3,4,9,10, from which corner I Run	

T.8 N.,R.14 W.San Bernardino Meridian.

West	on a true line between Sections 4 & 9	Var.14°32'E
40.10	Set a post charred and chalked for the Qr.Sec.corner and raised a mound with trench and pits,as per instructions.	
80.20	The corner to Sections 4,5,8,9 <u>Land level and 2nd.rate.</u>	
North	on a random line between Sections 4 & 5	Var.14°12'E
40.00	Set a post for temporary Qr.Sec.corner	
80.10	Intersect the north boundary of the Township 60 lks.wide of the corner to Sections 4 & 5 from which corner I run	
South	on a true line between Sec. 4 & 5	Var.13°46'E
40.10	Set a post charred and chalked for the Qr.Section corner,and raised a mound with trench and pits as per instructions.	
80.10	The corner to Sections 4,5,8,9 <u>Land level and 2nd.rate.</u>	
North	Between Sections 31 & 32	Var.14°12'E
15.00	Enter broken hills	
40.00	Set a post charred and chalked for the Qr.Section corner and raised a mound with trench and pits as per instructions.	
80.00	Set a post charred chalked and notched for the corner to Sections 29,30,31,32 and raised a mound with trench and pits as per instructions. <u>Land hilly and 2nd.rate.</u>	
East	on a random line between Sections 29 & 32.	Var.14°12'E
40.00	Set a post for temporary Qr.Sec.corner.	
79.48	Intersect N.& S.line 20 lks.north of the corner to Sections 28,29,32,33,from which corner I run	
West	On a true line between 29 & 32 Sections	Var.14°03'E
39.74	Set a post charred and chalked for the Qr.Sec.corner and raised a mound,with trench and pits,as per instructions	
79.48	The corner to Sections 29,30,31,32 <u>Land hilly and 2nd.rate.</u>	
West	on a random line between Sections 30 & 31	Var.14°12'E
40.00	Set a post for temporary Qr.Section corner	
79.40	Intersect the west boundary of the township 20 lks.south of the corner to Sections 30 and 31,from which corner I run	
East	on a true line between Sections 30 & 31.	Var.14°03'E
39.40	Set a post charred and chalked for the Qr.Section corner and construct a mound of stone,as instructed,trench,pits &c.	
79.40	The corner to Sections 29,30,31,32 <u>Land very hilly and generally 3rd.rate.</u>	
North	Between Sections 29 & 30.	Var.14°12'E.
40.00	Set a post charred and chalked for the Qr.Section corner and raised a mound with trench and pits,as per instructions.	

T.8 N.,R.14 W.,San Bernardino Meridian.

80.00	Set a post charred, chalked and notched for the corner to Sections 19,20,29,30 and raised a mound with trench and pits as per instructions.	
	<u>Land very hilly and generally 2nd, rate.</u>	
East	on a random line between Sections 20 & 29.	Var.14°12'E.
40.00	Set a post for temporary Qr. Sec. corner	
79.55	Intersect N. & S. line 35 lks. north of the corner to Sections 20,21,28,29, from which corner I run	
West	on a true line between Sections 20 & 29	Var.13°57'E
39.77	Set a post charred and chalked for the Qr. Sec. corner and raised a mound with trench and pits, as per instructions.	
79.55	The corner to Sections 19,20,29,30. <u>Land hilly and 2nd, rate.</u>	
West	on a random line between Sections 19 & 30	Var.14°12'E
35.00	Leave abrupt hills	
40.00	Set a post for temporary Qr. Section corner	
79.26	Intersect the west boundary of the Township 30 lks. south of the corner to Sections 19 & 30, from which corner I run	
East	on a true line between Sections 19 & 30	Var.13°59'E
39.26	Set a post charred and chalked for the Qr. Sec. corner and raised a mound with trench and pits, as per instructions.	
79.26	The corner to Sections 19,20,29,30 <u>Land eastern portion very hilly. The western portion gently rolling and 2nd, rate.</u>	
North	Between Sections 19 & 20.	Var.14°12'E.
37.00	To level plain.	
40.00	Set a post charred and chalked for the Qr. Sec. corner, and raised a mound with trench and pits as per instructions.	
80.00	Set a post charred, chalked and notched for the corner to Sections 17, 18,19,20 and raised a mound with trench and pits as per instructions. <u>Land very hilly on the Southern portion.</u> <u>The remainder level and 2nd, rate.</u>	
East	on a random line between Sections 17 & 20.	Var.14°12'E.
40.00	Set a post for temporary Qr. Sec. corner	
79.50	Intersect N. & S. line 24 lks. north of the corner to Sections 16,17,20,21, from which corner I run	
West	on a true line between Sections 17 & 20.	Var.14°02'E
39.75	Set a post charred and chalked for the Qr. Section corner, and raised a mound with trench and pits as per instructions.	
79.50	The corner to Sections 17,18,19,20 <u>Land 2nd, rate and level.</u>	

T.8 N., R.14 W., San Bernardino Meridian.

West	on a random line between Sections 18 & 19.	Var. 14°12'E
40.00	Set a post for temporary Qr. Sec. corner	
79.10	Intersect the west boundary of the Township 10 lks. north of the corner to Sections 18 & 19, from which corner I run	
East	on a true line between Sections 18 & 19	Var. 14°16'E
39.10	Set a post charred and chalked for the Qr. Section corner and raised a mound with trench and pits as per instructions.	
79.10	The corner to Sections 17, 18, 19, 20. <u>Land level and 2nd. rate.</u>	
North	Between Sections 17 & 18	Var. 14°12'E
40.00	Set a post for the Qr. Section corner, and raised a mound with trench and pits, as per instructions, post charred and chalked	
80.00	Set a post charred, chalked and notched for the corner to Sections 7, 8, 17, 18, and raised a mound with trench and pits as per instructed. Land level and 2nd. rate. Some Palmetto.	
East	on a random line between Sections 8 & 17.	Var. 14°12'E
40.00	Set a post for temporary Qr. Section corner	
79.45	Intersected N. & S. line 35 links north of the corner to Sections 8, 9, 16, 17 from which corner I run	
West	on a true line between Sections 8 & 17	Var. 13°57'E
39.72	Set a post charred and chalked for the Qr. Sec. corner and raised a mound with trench and pits, as per instructions.	
79.45	The corner to Sections 7, 8, 17, 18 <u>Land level and 2nd. rate.</u>	
West	on a random line between Sections 7 & 18.	Var. 14°12'E
40.00	Set a post for temporary Qr. Sec. corner	
78.75	Intersect the west boundary of the Township 20 lks. north of the corner to Sections 7 & 18, from which corner I run	
East	on a true line between Sections 7 & 18.	Var. 14°21'E
38.75	Set a post charred and chalked for the Qr. Section corner and raised a mound with trench and pits, as per instructions.	
78.75	The corner to Sections 7, 8, 17, 18. <u>Land level and 2nd. rate.</u>	
North	Between Sections 7 & 8.	Var. 14°12'E
40.00	Set a post charred and chalked for the Qr. Sec. corner and raised a mound with trench and pits as per instructions.	
80.00	Set a post charred, chalked and notched for the corner to Sections 5, 6, 7, 8, and raised a mound with trench and pits as per instructions. Land level and 2nd. rate. Some Palmetto.	

T.8 N.,R.14 W.,San Bernardino Meridian.

East	on a random line between Sections 5 & 8.	Var.14°12'E.
40.00	Set a post for temporary Qr.Section corner	
79.65	Intersected N.& S.line 35 lks.north of the corner to Sections 4,5,8,9 from which corner I run	
West	on a true line between Sections 5 & 8.	Var.13°57'E
39.82	Set a post charred and chalked for the Qr.Sec.corner and raised a mound with trench and pits as per instructions.	
79.65	The corner to Sections 5,6,7,8. <u>Land level and 2nd.rate. Some Palmetto.</u>	
West	on a random line between Sections 6 & 7.	Var.14°12'E.
40.00	Set a post for temporary Qr.Section corner	
78.52	Intersect the west boundary of the Township 40 lks.north of the corner to Sections 6 & 7 from which corner I run	
East	on a random line between Sections 6 & 7.	Var.14°29'E
38.52	Set a post charred and chalked for the Qr.Section corner and raised a mound with trench and pits as per instructions.	
78.52	The corner to Sections 5,6,7,8 <u>Land level and 2nd.rate.</u>	
North	on a random line between Sections 5 & 6.	Var.14°12'E
40.00	Set a post for temporary Qr.Section corner.	
80.26	Intersect the north boundary of the Township 43 lks.west of the corner to Sections 5 & 6,from which corner I run	
South	on a true line between Sections 5 & 6.	Var.13°53'E
40.26	Set a post charred and chalked for the Qr.Sec.corner and raised a mound with trench and pits as per instructions.	
80.26	The corner to Sections 5,6,7,8 <u>Land level and 2nd.rate with some scattering Palmetto.</u>	

General Description.

The land in this Township produces fine grass and is well adapted to grazing. The only timber is Palmetto.

W.W.Dodd,Chairman
Charles E.Hutton,Chainman
Solomon Bratton,~~Chainman~~
John Tyler, ~~Chainman~~
William Holliday,Compassman.

We hereby certify that we assisted Ralph W.Norris,Deputy Surveyor in Surveying the Section lines in Township 8 North of the Base line of Range number 14 West of the San Bernardino Meridian,and that said Township has been in all respects to the best of our knowledge and belief,well and faithfully surveyed,and the boundary monuments planted according to the instructions furnished by the Surveyor General.