

COPIED FROM PHOTOGRAPHIC COPIES

FURNISHED BY

U. S. GENERAL LAND OFFICE

WASHINGTON, D. C.

Surveyed 1879.

		R. 12 W.					
	6	125	94	73	2	1	
	11	11	9	6			
	7	118	89	10	11	12	
	10	10	8	6			
	18	1017	816	515	14	13	
		9	7	5			T. 5 N.
	19	20	721	522	23	324	
					3	3	
		29	28	27	26	225	
					4	2	
				34	135	136	
		R. 12 W.					

300±

E. B. T. 5 N., R. 12 W., S. B. M.

North on a rand. line on E. B. of sec. 36, 25 & 24.
Var. 14°25' E.

240.60

I set temp 1-4 & sections post, at every
40 & 80 chs. & at
Enter 34 lks. West of established cor to secs. 13 &
24 which I find standing and agreeing with field notes
the correction therefore is 20 lks. per mile in South-
ing and 11 lks per miles in Westing.

From this cor. I run-
S. 0°5' W. on a true line on E. B. of sec. 24.
Var. 14°25' E.

40.10

At 19.50 chs. I find no trace of corner called for
in former survey.
Set post 4 in. dia. 1 ft. in earth 1 ft. above stone
md. 4 ft. in dia. at base by 2 ft. in height for 1-4 sec.
cor.

50.20

Set post 4 in. sq. 1 ft in earth 1 ft. above stone md.
4 1/2 ft. in dia. at base by 2 ft. in height for cor. to
secs. 24 & 25.
Land, mountainous.
Soil, 2nd. rate.
Timber & undergrowth of oak and cedar.

S. 0°5' W. on E. B. of sec. 25.
Var. 14°25' E.

10.00
40.10

Ascend.
Summit of spur brs. N. E. & S.W. and descend.
Set post 4 in. dia. 1 ft. in earth 1 ft. above stone
md. 4 ft. in dia. at base by 2 ft. in height for 1-4
sec. cor.
Set post 4 in. sq. 1 ft. in earth 1 ft. above stone
md. 4 1/2 ft. in dia. at base by 2 ft. in height for cor.
to secs. 25 & 36.
Land mountainous.
Soil 2nd. rate.
Timber & undergrowth of Oak and Cedar.

50.20

S. 0°5' W. on a true line on E. B. of sec. 36.
Var. 14°25' E.

7.00
12.50
30.00
40.10

Descend.
Enter valley at head of Canada, brs. E. & W.
Leave same and ascend.
Top of spur brs. E. & W. and descend.
Set post 4 in. dia. 1 ft. in earth 1 ft. above stone
md. 4 ft. in dia. at base by 2 ft. in height for 1-4
sec. cor.
The cor. to Twps. 4 & 5 N. Rs. 11 & 12, W. S. B. M.
Land mountainous.
Soil 2nd & 3rd rate.
Timber & undergrowth of Oak & Cedar.

50.20

T. 5 N. R. 12 W. S. B. M.

From the corner of Sections 35, 36, 1 & 2 on South Boundary; I run-North, between Sections 35 & 36.

Var. 14°25' E.

Ascend.
20.00 Summit of spur, bears E. & W. & descend.
40.00 Set post 4 in. dia. 1 ft. in earth, 1 ft. above stone mound 4 ft. in dia. at base by 2 ft. in height for 1-4 sec. Cor. from which bears a Cedar 12 in dia. N. 6½° E. 100 lks. dist.
47.00 Cross near head of dry gulch.
Course W. & ascend.
59.50 Summit of spur, bears N.W. & S.E. and descend.
80.00 The point for Cor. to Secs. 25, 26, 35 & 36, falling in deep gulch, a place not suitable to build mound, I set post 4 in. dia. 1 ft. in earth, 1 ft. above stone mound, 4 ft. in dia. at base, by 2 ft. in height, 100 lks. West, for Witness Post to Cor. to Secs. 25, 26, 35 & 36.
Land mountainous. Soil 2nd rate.
Timber & undergrowth of Pine, Oak & Cedar.

East on a random line bet. Secs. 25 & 36
Var. 14°25' E.

Descend.
50.00 A Ravine, 14 lks. wide, course N. & ascend.
18.00 Enter Canada, bears N. & S.
25.00 Leave Canada, bears N. & S. & ascend.
40.00 Set temporary 1-4 sec. cor.
58.00 Summit of spur bears N. & S. & descend.
80.30 Intersect E. Boundary of Tp. 14 lks. S. of cor. to Secs. 25 & 36 from which corner I run S. 89°54' W. on a true line bet. Secs. 25 & 36.
Var. 14°25' E.

40.15 The point for 1-4 sec. cor. falling in deep Ravine, a place not suitable to build mound, I set post, 4 in. dia. 1 ft. in earth, 1 ft. above stone mound 4 ft. in dia. at base by 2 ft. in height 8.00 chs. W. for witness post to 1-4 sec. cor.
80.30 The cor. to secs. 25, 26, 35 & 36.
Land mountainous. Soil 2nd rate.
Timber & undergrowth of Pine, Oak & Cedar.

North, bet. Sections 25 & 26.
Var. 14°25' E.

Ascend.
20.00 Top of Spur, bears N.W. & S.E. & descend.
40.00 Set post 4 in. dia. 1 ft. in earth, 1 ft. above stone mound, 4 ft. in dia. at base by 2 ft. in dia. at base, by 2 ft. in height, for 1-4 Sec. Cor.
42.00 Enter Valley, bears N.E. & S.W.
50.50 Leave Valley, bears N.E. & S.W. & ascend.
69.00 Top of spur & descend.
74.50 Cross Ravine, 12 lks. wide, course S.E. and ascend.

T. 5 N. R. 12 W., S. E. M.

80.00 Set post, 4 in. square, 1 ft. in earth, 1 ft. above stone mound, 4 $\frac{1}{2}$ ft. at base, by 2 ft. in height for Cor. to Secs. 23, 24, 25 & 26.
Land mountainous.
Soil 2nd rate.
Timber and undergrowth of Pine, Oak & Cedar.

East on a random line bet. Secs. 24 & 25.
Var. 14°25' E.

Along South slope.

18.00 Cross Gulch 25 lks. wide, course S. & ascend.
40.00 Set temporary 1-4 sec. cor.
72.50 Top of spur, bears N.W. & S.E. and descend.
79.90 Intersect E. Bdy. of Tp.; 30 lks. S. of cor. to Secs. 24 & 25; from which corner, I run--
S. 89°47' W. on a true line, bet. sections 24 & 25.
Var. 14°25' E.

39.95 Set post 4 in. dia. 1 ft. in earth, 1 ft. above stone mound 4 ft. in dia. at base, by 2 ft. in height for 1-4 sec. cor.
Land mountainous.
Soil 2nd rate.
Timber and undergrowth of Oak & Cedar.

North, on a random line, bet. Secs. 23 & 24.
Var. 14°25' E.

Ascend.

35.00 Summit of Spur bears N.W. & S.E. & descend.
40.00 Set temporary 1-4 sec. cor.
80.90 Intersect E. & W. lines, 30 lks. W. of cor. to Secs. 13, 14, 23 & 24, which I find standing & agreeing with field notes from which cor. I run--
S. 0°13' W. on a true line, bet. Secs. 23 & 24.
Var. 14°25' E.

40.90 Set post 4 in. dia. 1 ft. in earth, 1 ft. above stone mound 4 ft. in dia. at base, by 2 ft. in height, for 1-4 sec. cor.

80.90 The cor. to sec. 23, 24, 25 & 26.
Land mountainous.
Soil 2nd and 3rd rate.
Timber & undergrowth of Oak & Cedar.

West on a random line, bet. sec. 23 & 26.
Var. 14°25' E.

Ascend.

10.00 Top of ridge, bears N.W. & S.E. & descend.
21.00 Cross Gulch 20 lks. wide, course S. & ascend.

T. 5 N., R. 12 W., S. B. M.

31.00 Top of Ridge, bears N. & S. & descend.
40.00 Set temporary 1-4 Sec. Cor.
54.00 Cross deep gulch, 30 lks. wide, course S. & ascend.
62.00 Summit of spur, bears N. & S. & descend.
80.20 Intersect N. & S. line, at Cor. to Secs. 22, 23, 26 & 27.
(which I find standing & agreeing with filed notes)
from which corner I run--

East on a true line, bet. Secs. 23 & 26.
Var. $14^{\circ} 25'$ E.

40.10 The point for 1-4 sec. cor. falling in deep gulch
a place not suitable to build mound, I
Set post 4 in. dia., 1 ft. in earth, 1 ft. above
stone mound, 4 ft. in dia. at base, by 2 ft. in
height, 9.00 chs. E. for witness post to 1-4 Sec. Cor.
80.20 The Cor. to Secs. 23, 24, 25 & 26.
Land mountainous.
Soil 3rd rate.
Timber & undergrowth of Oak & Cedar.

Dec. 12th, 1879.

From the true corner to Secs. 25, 26, 35 & 36, I run--
West on a random line bet. Secs. 26 & 35.
Var. $14^{\circ} 25'$ E.

Ascend.

1.00 Witness Post.
26.50 Top of spur, bears N.W. & S.E. & descend.
40.00 Set temporary 1-4 Sec. Cor.
50.00 A valley bears N.E. & S.E.
70.00 Cross Wash--course N.
80.00 After diligent search, being unable to find old cor.
to Secs. 26, 27, 34 & 35, I set temporary post to re-
establish the corner and proceed to S. boundary of tp.
& from the Cor. to Secs. 34 & 35, I run--
North, on a true line, bet. Secs. 34 & 35.
Var. $14^{\circ} 25'$ E.

40.00 After diligent search, being unable to find old cor. I
set post 4 in. dia. 1 ft. in earth, 1 ft. above stone
mound, 4 ft. in dia. at base, by 2 ft. in height
for 1-4 sec. cor.

42.50 Enter level valley, bears S.W. & S.E.
80.00 Set post 4 in. square 1 ft. in earth, 1 ft. above
stone mound, $4\frac{1}{2}$ ft. in dia. at base, by 2 ft. in
height, 40 lks. W. & 35 lks. S. of temporary cor. set
in running West on random line, bet. Secs. 26 & 35
for cor. to Secs. 26, 27, 34 & 35.

From true cor. to Secs. 26, 27, 34 & 35, I run--
N. $89^{\circ} 45'$ E. on a true line bet. Secs. 26 & 35.
Var. $14^{\circ} 25'$ E.

40.20 Set post 4 in. dia. 1 ft. in earth, 1 ft. above stone
mound, 4 ft. in dia. at base by 2 ft. in height for
1-4 sec. cor.

T. 5 N. R. 12 W., S. B. M.

80.40 The cor. to Secs. 25, 26, 35 & 36.
Land mountainous.
Soil 3rd rate.
Timber & undergrowth of Oak & Cedar.

From the corner of Secs. 21, 22, 27 & 28.
Which I find standing and agreeing with field notes,
I run--

North bet. Secs. 21 & 22.

Var. 14° 25' E.

Ascend.

40.00 After diligent search, being unable to find old
corner, I
Set post 4 in. dia. 1 ft. in earth, 1 ft. above
stone mound, 4 ft. in dia. at base by 2 ft. height,
for 1-4 sec. cor.

52.50 Top of Ridge, bears E. & W. & descend.

60.00 A valley, bears N. & E.

80.00 Set post, 4 in. square, 1 ft. in earth, 1 ft.
above stone mound 4½ ft. in dia. at base by 2 ft. in
height, for cor. to secs. 15, 16, 21 & 22.

Land mountainous.

Soil 3rd rate.

Timber & undergrowth of Pine, Oak & Cedar.

East on a random line bet. Secs. 15 & 22.

Var. 14° 25' E.

1.50 Leave Valley & ascend.

19.50 Top or ridge, bears N.W. & S.E. & descend.

22.50 Enter Valley, bears N.W. & S.E.

31.50 Leave Valley, bears N.W. & S.E. & ascend.

40.00 After diligent search being unable to find old
cor. I set temporary one.

80.20 Intersect N. & S. line, 65 lks. S. of Cor. to
Secs. 14, 15, 22 & 23.

Which I find standing & agreeing with field notes
& from which cor. I run--

S. 89° 32' W. on a true line bet. Secs. 15 & 22.

Var. 14° 25' E.

40.10 Set post 4 in. dia. 1 ft. in earth, 1 ft. above
stone mound, 4 ft. in dia. at base by 2 ft. in
height for 1-4 Sec. Cor.

80.20 The cor. to secs. 15, 16, 21 & 22.

Land mountainous, except in Valley.

Soil 2nd rate.

Timber & undergrowth of Pine, Oak & Cedar.

North, bet. Secs. 15 & 16.

Var. 14° 25' E.

Descend.

32.50 Enter Valley, bears N.E. & S.W.

35.00 Cross Gulch 18 lks. wide, course S.W.

40.00 Set post 4 in. dia. 1 ft. in earth, 1 ft. above Stone
mound, 4 ft. in dia. at base, by 2 ft. in height for
1-4 Sec. Cor.

T. 5 N., R. 12 W., S. B. M.

- 41.50 Leave valley & ascend.
80.00 Set Post 4 in. square 1 ft. in earth, 1 ft. above
stone mound 4 $\frac{1}{2}$ ft. in dia. at base by 2 ft. in
height for cor. to secs. 9-10-15 & 16.
Land mountainous.
Soil 1st and 2nd rate.
Timber and undergrowth of Pine, Oak & Cedar.
- December 13th, 1879.
-
- East on a random line bet. Secs. 10 & 15.
Var. 14° 25' E.
- Descend.
- 40.00 Set temporary 1-4 sec. cor.
79.86 Intersect N. & S. line, 21 lks. S. of Cor. to Secs.
10-11-14 & 15, (which I find standing & agreeing
with field notes) from which cor. I run--
S. 89°51' W. on a true line bet. Secs. 10 & 15.
Var. 14° 25' E.
- 39.93 Set post 4 in. dia. 1 ft. in earth, 1 ft. above
stone mound, 4 ft. in dia. at base by 2 ft. in height
for 1-4 sec. cor.
- 79.86 The cor. to secs. 9-10-15 & 16.
Land mountainous.
Soil 1st & 2nd rate.
Timber & undergrowth of Oak & Cedar.
-
- North on a random line bet. Secs. 9 & 10
Var. 14° 25' East.
- Descend.
- 18.00 Enter small valley, bears N.W. & S.E.
22.50 Leave same, bears N.E. & S.W. & ascend.
40.00 Set temporary 1-4 sec. cor.
45.00 Top of spur, bears E. & W. of main Divide, bet.
waters of Santa Clara River & desert & descend.
- 80.00 After diligent search, being unable to find old
cor. I set temporary post to establish same and run
East on a random line bet. Secs. 3 & 10.
Var. 14° 25' E.
- Ascend.
- 5.00 Top of Spur, bears N. & S. & descend.
29.50 Cross Gulch, 30 lks. wide, course N. & ascend.
40.00 After diligent search, being unable to find old
cor. I set temporary one.
- 48.00 Top of Spur, bears N. & S. & descend.
80.00 The cor. to secs. 2, 3, 10 & 11, which I find standing
& agreeing with field notes, & from which corner, I
run
West on a true line bet. Secs. 3 & 10.
Var. 14° 25' E.
- 40.00 Set post 4 in. dia. 1 ft. in earth, 1 ft. above stone
mound, 4 ft. in dia. at base, by 2 ft. in height for
1-4 Sec. Cor.

T. 5 N., R. 12 W., S. B. M.

80.00 The post set temporarily in running N. bet. Secs.
9 & 10.
Set post, 4 in. square, 1 ft. in earth
1 ft. above stone mound, $4\frac{1}{2}$ ft. in dia. at base,
by 2 ft. in height, for cor. to Secs. 3, 4, 9 and 10
and make the line bet. Secs. 9 & 10, a true line
south, on a true line bet. Secs. 9 & 10.

Var. $14^{\circ} 25'$ E.

40.00 Set post, 4 in. dia. 1 ft. in earth, 1 ft.
above stone mound, 4 ft. in dia. at base by
2 ft. in height for $\frac{1}{4}$ sec. cor.