
COPIED FROM PHOTOGRAPHIC COPIES

FURNISHED BY

U. S. GENERAL LAND OFFICE WASHINGTON, D.C.

Surveyed 1879.



E. B. T. 5 E., R. 12 W., S. B. M.

North on a rand. line on E. B. of sec. 36, 25 & 24. Var. 14+25' E. I set temp 1-4 & sections post, at every
40 & ohs. A at
Enter 34 lks. West of established cor to secs. 13 &

240.60 24 which I find standing and agreeing with field notes the correction therefore is 20 lks. per mile in Southing and 11 lks per miles in Westing. From this cor. I run-8.0-5' W. on a true line on E. B. of sec. 24

Var. 14025' E.

At 19.50 chs. I find no trace of corner called for in former survey. Set post 4 in. dia. 1 ft. in earth 1 ft. above stone 40.10 ft. in dia. at base by 2 ft. in height forl-4 sec. COT. 60.20

Set post 4 in. sq. 1 ft in earth 1 ft. above stone ad. 47 ft. in dis. at base by 2 ft. in height for cor. to Land, mountainous. Soil, 2nd. rate.

Timber & undergrowth of oak and cedar.

8. 0°5' W. on E. B. of sec. 25.

Var. 14-25' E. Ascend. Summit of spur brs. N. E. & S.W. and descend.
Set post 4 in. dia. 1 ft. in earth 1 ft. above stone
ad. 4 ft. in dia. at base by 2 ft. in height for 1-4 10.00 40.10

Set post 4 in. eq. 1 ft. in earth 1 ft. above stone md. 4t ft. in dia. at base by 2 ft. in height for cor. Land mountainous. 80.20 Soil 2nd. Pate. Timber & undergrowth of Oak and Oedar.

S. 0.5: W. on a true line on E. B. of sec. 36.

Descend. Var. 144 25' E. 7.00 12.50 30.00 Enter valley at head of Canada, brs. E. & W. Leave same and ascend. 4ō.10

Top of spur brs. E. & F. and descend.

Set post 4 in. dis. I ft. in earth 1 ft. above stone
ad. 4 ft. in dis. at base by 2 ft. in height for 1-4

sec. cox. The cox. to Twps. 4 & 5 M. Rs. 11 & 12, W. S. B. M. 60.20 Land sountainous. Soil 2nd & 3rd Pate. Timber & undergrowth of Oak & Cedar.

From the corner of Sections 35, 36, 1 & 2 on South Boundary; I run-North, between Sections 35 & 36. Var. 14°25' E.

Summit of spur, bears E. & W. &descend.
Set post 4 in. dia. 1 ft. in earth, 1 ft. above
stone mound 4 ft. in dia. at base by 2 ft. in
height for 1-4 sec. Cor. from which bears a
Cedar 12 in dia. N. 65° E. 100 lks. dist.
Cross near head of dry gulch. 20.00 40.00 47.00 Course W. & ascend.
Summit of spur, bears N.W. & S.E. and descend.
The point for Cor. to Secs. 25,26,35 & 36, falling in deep gulch, a place not suitable to build mound, 59.50 80.00 I set post 4 in. dia. 1 ft. in earth, 1 ft. above stone mound, 4 ft. in dia. at base, by 2 ft. in height, 100 lks. West, for Witness Post to Cor. to Secs. 25, 26, 35 & 36. Land mountainous. Soil 2nd rate.

> East on a random line bet. Secs. 25 & 36 Var. 14°25' E.

Timber & undergrowth of Pine, Cak & Cedar.

Descend. Descend.

A Ravine, 14 lks. wide, course N. & ascend.

Enter Canada, bears N. & S.

Leave Canada, bears N. & S. & ascend.

Set temporary 1-4 sec. cor.

Summit of spur bears N. & S. & descend.

Intersect E. Boundary of Tp. 14 lks. S. of cor.

to Secs. 25 & 36 from which corner I run

S. 89°54' W. on a true line bet. Secs. 25 & 36.

Var. 14°25' E. 50.00 18.00 25.00 40.00 58.00 80.30

The point for 1-4 sec. cor. falling in deep 40.15 The point for 1-4 sec. cor. Talling in deep Ravine, a place not suitable to build mound, I set post, 4 in. dia. 1 ft. in earth, 1 ft. above stone mound 4 ft. in dia. at base by 2 ft. in height 8.00 chs. W. for witness post to 1-4 sec. cor. The cor. to secs. 25,26,35 & 36.
Land mountainous. Soil 2nd rate.
Timber & undergrowth of Pine, Oak & Cedar.

80.30

North, bet. Sections 25 & 26.

Ascend. Ascend.
Top of Spur, bears N.W. & S.E. & descend.
Set post 4 in. dia. 1 ft. in earth, 1 ft. above
stone mound, 4 ft. in dia. at base by 2 ft. in
dia. at base, by 2 ft. in height, for 1-4 Sec.Cor.
Enter Valley, bears N.E. & S.W.
Leave Valley, bears N.E. & S.W. & ascend.
Top of spur & descend.
Cross Raying 12 lks. wide. course S.E. and ascend 20.00 40.00

42.00

50.50 69.00

74.50 Cross Ravine, 12 lks. wide, course S.E. and ascend.

Set post, 4 in. square, 1 ft. in earth, 1 ft. above stone mound, 4 ft. at base, by 2 ft. in height for Cor. to Secs. 23, 24, 25 & 26. 80.00 Land mountainous. Soil 2nd rate. Timber and undergrowth of Pine, Oak & Cedar. East on a random line bet. Secs. 24 & 25. Var. 14°25' E. Along South slope. 18.00 Cross Gulch 25 lks. wide, course S. & ascend. Set temporary 1-4 sec. cor.
Top of spur, bears N.W. & S.E. and descend.
Intersect E. Bdy. of Tp.; 30 lks. S. of cor. to Secs.
24 & 25; from which corner, I run—
S. 89°47' W. on a true line, bet. sections 24 & 25. 40.00 72.50 79.90 Var. 14°25' E. Set post 4 in. dia. 1 ft. in earth, 1 ft. above stone mound 4 ft. in dia. at base, by 2 ft. in height for 39.95 1-4 sec. cor. Land mountainous. Soil 2nd rate. Timber and undergrowth of Oak & Cedar. North, on a random line, bet. Secs. 23 & 24. Var. 14°25' E. Ascend. Summit of Spur bears N. T. T. Set temporary 1-4 sec. cor.

Intersect E. & W. lines, 30 lks. W. of cor. to Secs.

13, 14, 23 & 24, which I find standing & agreeing with field notes from which cor. I run
S. 0°13' W. on a true line, bet. Secs. 23 & 24.

Var. 14°25' E. 35.00 40.00 Summit of Spur bears N.W. & S.E. & descend. 80.90 Set post 4 in. dia. 1 ft. in earth, 1 ft. above stone mound 4 ft. in dia. at base, by 2 ft. in height, for 40.90 1-4 sec. cor. The cor. to sec. 23, 24, 25 & 26. 80.90 Land mountainous. Soil 2nd and 3rd rate. Timber & undergrowth of Oak & Cedar. West on a random line, bet. sec. 23 & 26. Var. 14°25' E. Top of ridge, bears N.W. & S.E. & descend. 10.00 21,00 Cross Gulch 20 lks. wide, course S. & ascend.

31.00 40.00 54.00 62.00 80.20	Top of Ridge, bears N. & S.& descend. Set temporary 1-4 Sec. Cor. Cross deep gulch, 30 lks. wide, course S. & ascend. Summit of spur, bears N. & S. & descend. Intersect N. & S. line, at Cor. to Secs. 22, 23, 26 & 27. (which I find standing & agreeing with filed notes) from which corner I run
40.10	East on a true line, bet. Secs. 23 & 26. Var. 14° 25' E. The point for 1-4 sec. cor. falling in deep gulch
	a place not suitable to build mound, I Set post 4 in. dia., 1 ft. in earth, 1 ft. above stone mound, 4 ft. in dia. at base, by 2 ft. in height, 9.00 chs. E. for witness post to 1-4 Sec. Cor.
80.20	The Cor. to Secs. 23,24,25 & 26. Land mountainous. Soil 3rd rate. Timber & undergrowth of Oak & Cedar.
	Dec. 12th, 1879.
	From the true corner to Secs. 25,26,35 & 36, I run- West on a random line bet. Secs. 26 & 35. Var. 14° 25' E.
1.00 26.50 40.00 50.00	Witness Post. Top of spur, bears N.W. & S.E. & descend. Set temporary 1-4 Sec. Cor. A valley bears N.E. & S.E.
70.00	Cross Wash-course N. After diligent search, being unable to find old cor. to Secs. 26,27,34 & 35, I set temporary post to re- establish the corner and proceed to S. boundary of tp.
	& from the Cor. to Secs. 34 & 35, I run- North, on a true line, bet. Secs. 34 & 35. Var. 14° 25' E.
40.00	After diligent search, being unable to find old cor. I set post 4 in. dia. 1 ft. in earth, 1 ft. above stone mound, 4 ft. in dia. at base, by 2 ft. in height for 1-4 sec. cor.
42.50 80.00	Enter level valley, bears 3.W. & S.E. Set post 4 in. square 1 ft. in earth, 1 ft. above stone mound, 4½ ft. in dia. at base, by 2 ft. in height, 40 lks. W. & 35 lks. S. of temporary cor. set in running West on random line, bet. Secs. 26 & 35 for cor. to Secs. 26,27,34 & 35.
	From true cor. to Secs. 26,27,34 & 35, I runa- N. 89° 45' E. on a true line bet. Secs. 26 & 35. Var. 14° 25' E.

40.20 Set post 4 in. dia. 1 ft. in earth, 1 ft. above stone mound, 4 ft. in dia. at base by 2 ft. in height for 1-4 sec. cor.

80.40 The cor. to Secs. 25, 26, 35 & 36. Land mountainous. Soil 3rd rate. Timber & undergrowth of Oak & Cedar.

> From the corner of Secs. 21, 22, 27 & 28. Which I find standing and agreeing with field notes, I run--

North bet. Secs. 21 & 22.

Var. 14° 25' E.

Ascend.

40.00 After diligent search, being unable to find old corner, I Set post 4 in. dia. 1 ft. in earth, 1 ft. above stone mound, 4 ft. in dia. at base by 2 ft. height, for 1-4 sec. cor.

52.50 60.00 Top of Ridge, bears E. & W. & descend.

A valley, bears N. & E. Set post, 4 in. square, 1 ft. in earth, 1 ft. above stone mound 4 ft. in dia. at base by 2 ft. in 80.00 height, for oor. to secs. 15,16,21 & 22. Land mountainous. \$011 3rd rate. Timber & undergrowth of Pine, Oak & Cedar.

East on a random line bet. Secs. 15 & 22. Var. 14° 25' E.

1.50 Leave Valley & ascend.

19.50 22.50 31.50

Top or ridge, bears N.W & S.E. & descend. Enter Valley, bears N.W. & S.E. Leave Valley, bears N.W.& S.E. & ascend. After diligent search being unable to find old 40.00 cor. I set temporary one.

Intersect N. & S. line, 65 lks. S. of Cor. to Secs. 14, 15, 22 & 23. Which I find standing & agreeing with field notes 80.20 & from which cor. I run-8. 89° 32' W. on a true line bet. Secs. 15 & 22.

Var. 14° 25' E.

Set post 4 in. dia. 1 ft. in earth, 1 ft. above stone mound, 4 ft. in dia. at base by 2 ft. in height for 1-4 Sec. Cor.

The cor. to see: 15

The cor. to secs. 15, 16, 21 & 22. Land mountainous, except in Valley. 80.20 Soil 2nd rate.

Timber & undergrowth of Pine, Oak & Cedar.

North, bet. Secs. 15 & 16.

Var. 14º 25' E.

Descend.

40.10

32.50

35.00

Enter Valley, bears N.E. & S.W. Cross Gulch 18 lks. wide, course S.W. Set post 4 in. dia. 1 ft. in earth, left above Stone mound, 4 ft. in dia. at base, by 2 ft. in height for 1-4 Sec. Cor.

41.50 Leave valley & ascend. Set Post 4 in. square 1 ft. in earth, 1 ft. above stone mound 42 ft. in dia. at base by 2 ft. in height for cor. to secs. 9-10-15 & 16. 80.00 Land mountainous. Soil 1st and 2nd rate. Timber and undergrowth of Pine, Oak & Cedar.

December 13th, 1879.

East on a random line bet. Secs. 10 & 15. Var. 14° 25' E.

Descend.

Set temporary 1-4 sec. cor.
Intersect N. & S. line, 21 lks. S. of Cor. to Secs.
10-11-14 & 15, (which I find standing & agreeing 40.00 79.86 with field notes) from which cor. I fun--

S. 89°51' W. on a true line bet. Secs. 10 & 15.

Var. 14° 25' E.

Set post 4 in. dia. 1 ft. in earth, 1 ft. above stone mound, 4 ft. in dia. at base by 2 ft. in height for k-4 sec. cor.

79.86 The cor. to secs. 9-10-15 & 16. Land mountainous. Soil 1st & 2nd rate. Timber & undergrowth of Cak & Cedar.

North on a random line bet. Secs. 9 & 10 Var. 14° 25' East.

Descend.

39.93

Enter small valley, bears N.W. & S.E. Leave same, bears N.E. & S.W. & ascend. Set temporary 1-4 sec. cor. Top of spur, bears E. & W. of main Divide, bet. 18.00 22.50 40.00

45.00 waters of Santa Clara River & desert & descend. After diligent search, being unable to find old 80.00 cor. I set temporary post to establish same and run East on a random line bet. Secs. 3 & 10.

Var. 14° 25' E.

Ascend.

Top of Spur, bears N. & S. & descend. Cross Gulch, 30 lks. wide, course N. & ascend. After diligent search, being unable to find old 5.00 29.50

48.00

cor. I set temporary one.
Top of Spur, bears N. & S. & descend.
The cor. to secs. 2, 3, 10 & 11, which I find standing & agreeing with field notes, & from which corner, I 80.00 run West on a true line bet. Secs. 3 & 10. Var. 14° 25' E.

Set post 4 in. dia. 1 ft. in earth, 1 ft. above stone 40.00 mound, 4 ft. in dia. at base, by 2 ft. in height for 1-4 Sec. Cor.

50.00 The post set temporarily in running N. bet. Secs. 9 & 10.

Set post, 4 in. square, 1 ft. in earth 1 ft. above stone mound, 4½ ft. in dia. at base, by 2 ft. in height, for cor. to Secs. 3, 4, 9 and 10 and make the line bet. Secs. 9 & 10, a true line south, on a true line bet. Secs. 9 & 10.

Var. 14° 25' E.

40.00 Set post, 4 in. dia. 1 ft. in earth, 1 ft. above stone mound, 4 ft. in dia. at base by 2 ft. in height for \$\frac{1}{4}\$ sec. cor.

80.00 The cor. to Sec. 9-10-15 & 16. Land mountainous. Soil 2nd rate. Timber & undergrowth of Pine, Oak & Cedar. From the corner to sections 3,4,9 & 10, I North, on a random line bet. Secs. 3 & 4. Var. 14° 25' I run--15.00 Cross gulch, 24 lks. wide, course N.E.& continue descent. 40.00 After diligent search, being unable to find old corner, I set temporary one. Intersect 1st. Standard N. 58 lks. W. of closing cor. to Secs. 3 & 4, as established in former survey, from which corner, I run-106.80 survey, from which corner, 1 run-S. 0° 19' W. on a true line bet. Secs. 3 & 4. Var. 14° 25' E. Set post 4 in. dia. 1 ft. in earth, 1 ft. above stone mound, 4 ft. in dia. at base by 2 ft. in height, for 1-4 sec. cor.
The cor. to Secs. 3,4,9 & 10. 66.80 106.80 Land mostly level. Soil 2nd rate. Timber & undergrowth of Oak & Cedar. From the cor. to sections 20-21-28 & 29, which I find standing & agreeing with field notes, I run-North, bet. secs. 20 & 21. Var. 14° 25' E. Ascend.
Top of ridge, bears N.E. & S.W. & descend.
Enter valley bears N.E. & S.W.
Set post 4 in. dia. 1 ft. in earth, 1 ft. above stone mound, 4 ft. in dia. at base by 2 ft. in height for 1-4 sec. cor. 20.50 30.00 40.00 Leave valley, bears N.E. & S.W. & ascend.
Set post 4 in square, 1 ft. in earth 1 ft. above stone mound, 4½ ft. in dia. at base, by 2 ft. in height, for cor. to Secs. 16,17, 20 & 21.
Land mountainous, except in Valley. 72.50 80.00 Soil 1st & 2nd rate. Timber & undergrowth of Oak & Cedar. East on a random line bet. secs. 16 & 21. Var. 140 25' E. Descend. A valley bears N. & S.W.

Cross dry gulch, 40 lks. wide, course S.E. & ascend.

Set temporary 1-4 sec. cor.

Gross gulch 25 lks., wide, course S.E.

Intersect N. & S. line, 45 lks. S. of cor. to 25.00 32.00 40.00 58.30 80.00 Secs. 15-16-21 & 22, from which corner I run S. 89° 41' W. on a true line bet. Secs. 16 & 21. Var. 14° 25' E. Set post 4 in. dia. 1 ft. in earth, 1 ft. above stone mound 4 ft. in dia. at base, by 2 ft. in 40.00 height, for 1-4 sec. cor.

The corner to Secs. 16-17-20 & 21. 80.00 Land mountainous. Soil 2nd rate. Timber & undergrowth of Pine, Oak & Cedar. Dec. 15th, 1879. North bet. Secs. 16 & 17. Var. 14° 25' E. Ascend. 9.00 Top of spur, bears N.W. & S.E. & descend. Cross gulch, 35 lks. wide, course S.W. thence 33.00 over valley. Set post 4 in. dia. l ft. in earth, l ft. above stone mound, 4 ft. in dia. at base, by 2 ft. in height, for 1-4 Sec. Cor.
Cross gulch, 12 lks. wide course S.E.
Cross same gulch 10 lks. wide, course S.E.
Set post 4 in. square l ft. in earth, l ft. above stone mound 4½ ft. in dia. at base by 2 ft. in earth for cor. to secs. 8, 9, 16 & 17.
Land mountainous, except in valley.
Soil lst & 2nd rate. 40.00 65.00 77.00 80.00 Soil 1st & 2nd rate. Timber & undergrowth of Oak & Cedar. East on a random line bet. Secs. 9 & 16. Var. 14° 25' E. Descend. Cross gulch 14 lks. wide, course S.W. 3.25 Leave valley & ascend.

Set temporary 1-4 sec. cor.

Intersect N. & S. line, 10 lks. N. of cor. to secs. 9-10-15 & 16,--from which corner I runN. 89° 56' W. on a true line, bet. Secs. 9 & 16.

Var. 14° 26' E. 40.00 79.78 Set post 4 in. dia. 1 ft. in earth 1 ft. above stone mound, 4 ft. in dia. at base by 2 ft. in height for 1-4 sec. cor. 39.89 The cor. to Secs. 8,9, 16 & 17. 79.78 Land mountainous. Soil 2nd rate. Timber & undergrowth of Oak & Cedar. North bet. secs. 8 & 9. Var. 14° 25' E. Descend. A valley, bears N.E. & S.W. & ascend. Cross gulch, near its head, course S.W. & ascend. Summit of high ridge of Main Divide bet. waters of Santa Clara River & desert and descend. 4.50 20.50 The point for 1-4 sec. cor. falling on steep side hill, a place not suitable to build mound, I Set post 4 in. dia. 1 ft. in earth, 1 ft. above stone mound, 4 ft. in dia. at base by 2 ft. in height, 3.25 chs. S. for witness post to 1-4 40.00 sec. cor.

Set post 4 in, square 1 ft. in earth, 1 ft. above stone mound 42 ft. in dia. at base by 2 ft. En height for cor. to Secs. 4, 5, 8 & 9. 80.00 Land mountainous. Soil 3rd. rate. Timber & undergrowth of Oak & Cedar.

East on a random line, bet. Secs. 4 & 9. Var. 14° 25' E.

Descend.

2.50 7.00

25.50 40.00

Cross gulch 10 lks. wide, course N.E. & ascend.
Top of spur bears N.E. & S.W. & descend.
Cross Gulch 15 lks. wide, course N. & ascend.
Set temporary 1-4 sec. cor.
Top of spur, bears N.W. & S.E. & descend.
Intersect N. & S. line, 23 lks. N. of cor. to Secs.
3,4,9 & 10 from which corner I runN. 59°51' W. on a true line bet. Secs. 4 & 9 Var. 14° 25' E.

Set post 4 in. dia. 1 ft. in earth, 1 ft. above stone mound, 4 ft. in dia. at base by 2 ft. in height for 1-4 sec. cor. 39.35

The cor. to secs. 4, 5, 8 & 9. 79.70 Land mountainous. Soil 2nd rate. Timber & undergrowth of Pine, Oak & Cedar.

Worth on a true line, bet. Secs. 4 & 5. Var. 14° 25' E.

Descend.

A Second

A valley bears N.E. & W.
Set post 4 in. dia. 1 ft. in earth 1 ft. above
stone mound 4 ft. in dia. at base by 2 ft. in
height, for 1-4 sec. oor. 3.00 46.00

Intersect 1st Standard N. 13.30 chs. W. of cor. to sees. 33 & 34, and set post 4 ip. square 1 ft. in earth 1 ft. above stone sound 4; ft. in dia.at base by 2 ft. in height for closing cor. to sees. 4 & 5. 106.58 Land mountainous. Soil 2nd & 3rd rate. Timber & undergrowth of Oak & Oedar.

From the sor. to Secs. 17,18, 19 & 20, which I find standing & agreeing with field notes I run-East on a random line bet. Secs. 17 & 20.

Var. 14° 25' E.

Set temporary 1-4 sec. cor. 40.00

48.50 Ascend. Ascend.
Intersect N. & S. line, 31 lks. N. of Cor. to Secs.
16,17,20 & 21, from which corner, I run N. 89°47' W.
on true line, bet. secs. 17 & 20. 79.82 Var. 14° 25' E.

Set post 4 in. dia. 1 ft. in earth, 1 ft. above stone mound, 4 ft. in dia. at base by 2 ft. in height for 1-4 sec. cor. 39.91

79.82 The cor. to secs. 17, 18, 19 & 20. Land mountainous. Soil 1st & 2nd rate. Timber & undergrowth of Oak & Cedar.

North bet. secs. 17 & 18.

Var. 14° 25' E. Set post 4 in. dia. 1 ft. in earth, 1 ft. above stone mound, 4 ft. in dia. at base by 2 ft. in height, for 1-4 sec. cor. 40.00

48.00

Cross dry Wash, course S.E. & ascend. Set post 4 in. square, 1 ft. in earth 1 ft. above stone mound, 45 ft. in dia. at base by 2 ft. in height for oor. to secs. 7, 5, 17 & 15. 50.00 Land mountainous. Soil 2nd. rate. Timber & undergrowth of Oak & Cedar.

Dec. 16th, 1879.

Kast on a random line bet. Secs. 5 & 17. Var. 14° 25' E.

10.00

Ascend.
Summit of high spur, bears N. & S. & descend.
Set temporary 1-4 sec. cor.
Cross gulch 12 lks. wide, course S. E.
Cross gulch 15 lks. wide, course S. & ascend.
Interest N. & S. line 25 lks. N. of cor. to secs.
8-9-16 & 17 from which corner I run—
N. 89*45' W. on a true line bet, secs. S & 17.
Var. 14° 25' E. 40.00 43.00 65.25 80.00

Set post 4 in. dis. 1 ft. in earth 1 ft. above stone sound 4 ft. in dis. at base by 2 ft. in height for 1-4 sec. cor.
The cor. to secs. 7, 8, 17 & 18.
Land mountainous, except in Valley. 40.00

50.00 Soil 2nd. rate. Timber & undergrowth of Oak & Cedar.

> West on a random line bet. secs. 7 & 15. Var. 14° 25' E.

Descend. 18.50

35.00 40.00

Cross dry wash, course S.E. & second.
Summit of spur, bears N.V. & S.E. & descend.
Set temporary 1-4 sec. cor.
Intersect W. Bdy. of Tp. 15 lks. S. of cor. to secs.
7 & 15, from which corner I runS. 69°54' E. on a true line bot. secs. 7 & 15. 79.62 . secs. 7 A 18. Var. 14° 25' E.

Set post 4 in. dia. 1 ft. in earth, 1 ft. above stone mound 4 ft. in dia. at base, by 2 ft. in height, for 1-4 sec. cor. 39.62

The oor. to sees. 7-8-17 a 18. 79.62 Land mountainous. Soil 3rd rate. Timber & undergrowth of Oak & Cedar.

North bet. secs. 7 & S.

Var. 140 25' E.

Ascend. Set post 4 in. dia. 1 ft. in earth, 1 ft. above stone mound 4 ft. in dia. at base, by 2 ft. in 40.00 height for 1-4 sec. cor. Summit of ridge, of Main divide, bet. waters of 64.50

Santa Clara River & desert, & descend.

Set post 4 in. square, l ft. in earth, l ft. above stone mound, 4 ft. in dia. at base, by 2 ft. in height, for cor. to secs. 5, 6, 7 & 8.

Land mountainous. 80.00 Soil 2nd. rate.

Timber & undergrowth of Oak & Cedar.

Fast on a random line bet. secs. 5 & 5.
Var. 14° 25' E. Along north slope.

Along north slope.
Cross head of gulch, course N.
Set temporary 1-4 sec. cor.
Intersect N. 48. line, 45 lks. N. of cor. to
Secs. 4 5, 8 4 .99 from which corner I runN. 89 41 V. on a true line bet. Secs. 5 & 8.
Var. 14 25' E.
Set post 4 in. dia. 1 ft. in earth, 1 ft. above
stone mound 4 ft. in dia. at base by 2 ft. in
height, for 1-4 sec. cor.
The cor. to secs. 5, 6, 7 & 8. 10.00 40.00 79.62

39.81

79.62 The cor. to secs. 5, 6, 7 & 8. Land mountainous. Soil 2nd & 3rd rate. Timber & undergrowth of Oak & Cedar.

> West on a random line bet. Secs. 6 & 7. Var. 14° 25' E. Ascend.

Summit of ridge of Main Divide, bet. waters of 10.00 40.00

60.00

Summit of ridge of Main Divide, Det. wavers of Santa Clara River & descend.

Set temporary 1-4 sec. cor.

Top of spur, bears N.E. & S.W. & descend.

Cross gulch 12 lks. wide, course S.W. & ascend.

Intersect W. Bdy. of Tp. 70 lks. 3. of cor. to Secs.

6 & 7. from which corner, I run—

S. 89° 30' E. on a true line bet. Secs. 6 & 7.

Var. 14° 25' E.

Set post 4 in. dis. 1 ft. in earth 1 ft. above stone sound, 4 ft. in dis. at base, by 2 ft. in height for 1-4 Sec. Cor. 39.30

79.30 The cor. to sees. 5,6,7 & S. Land mountainous. Boll 2nd. rate. Timber & undergrowth of Oak & Cedar.

North on a true line bet. secs.

Descend. 40.00

Set post 4 in. die. 1 ft. in earth 1 ft. above stone mound 4 ft. in dia. at base by 2 ft. in height for 1-4 sec. cor.

100.00 106.10

Cross ravine, 15 lks. wide course E. & ascend. Intersect 1st Standard N. 13.00 chs. W. of cor. to Secs. 32 & 33, and Set post 4 in. square 1 ft. in earth 1 ft. above stone mound 42 ft. in dia. at base, by 2 ft. in height for closing cor. to secs. 5 & 6.

from which bears a

from which bears a Cedar, 6 in. dis. E. 60 lks. dist. Land mountainous.

Soil 2nd. rate.

Timber & undergrowth of Oak & Cedar.

Dec. 17th, 1879.