

Copied from Photographic Copies
 furnished by
 U. S. General Land Office
 Washington, D. C.

	34	R. 18 W. 35	36	R. 17 W. 31	32
	4	10 3	6 2	4 1	6
		10	6	3	
	9	3 10	6 11	3 12	7
		9	5	3	
	16	8 15	5 14	2 13	18 T. 5 N.
		8	4½	2	
	21	8 22	4½ 23	2 24	19
		7	4½		
	28	7 27	4½ 26	25	
	10 33	34	35	36	
		R. 18 W.			

PRELIMINARY OATH OF ASSISTANTS.

We, Henry R. Hinderson and John G. Elwell, do solemnly swear that we will faithfully execute the duties of Chain Carriers; that we will level the chain upon uneven ground, and plumb the tally pins, whether by sticking or dropping the same; that we will report the true distance to all notable objects, and the true length of all lines; that we will assist in measuring, to the best of our skill and ability,

Henry R. Hinderson.

John G. Elwell.

Subscribed and sworn to before me, this 11th day of November, 1879.

W. H. Norway,
Comm. of the U. S. Circuit Court of Cal.

I, W. L. Hopkins, do solemnly swear that I will well and truly perform the duties of Axeman & Mound-builder, according to instructions given me, and to the best of my skill and ability.

W. L. Hopkins.

Subscribed and sworn to before me, this 11th day of November 1879.

W. H. Norway,
Comm. of the U. S. Circuit Court
for Cal.

T. 5 N., R. 18 W., S. B. M.

From the corner to Sections 18, 19, 13, 24 on East Boundary of Township, I run West on a true line between Sections 13 and 24.

Variation 14° 25' East.

Ascend.
37.76 Intersect West Boundary of Rancho Temescal 47.13 chains S. 53° 12' W. of corner to fractional sections 13 and 18. And set post, 4 inches square, 1 foot in earth, 1 foot above earth mound, $4\frac{1}{2}$ feet in diameter at base, by 2 feet in height, and dug pits 24 x 18 x 12, 8 links distant at 4 angles, for corner to fractional sections 13 and 24.
40.00 Set Post 4 inches diameter, 1 foot in earth 1 foot above Stone mound, 4 feet in diameter at base, by 2 feet in height for 1-4 section corner on top of Ridge, bears Northwest and Southeast and descend.
68.50 Cross Ravine 10 links wide, course South and ascend.
80.00 Set Post 4 inches square, 1 foot in earth, 1 foot above earth mound $4\frac{1}{2}$ feet in diameter at base, by 2 feet by 2 feet in height and dug pits 24 x 18 x 12, 8 links distant at 4 angles, for corner to sections 13, 14, 23, 24.

Land mountainous. Soil 2nd rate.
Timber and undergrowth of Live Oak and Chaparral.

As the line between sections 23 and 24 will intersect Rancho Temescal in less than 80.00 chains, I therefore, run it South, South between sections 23 and 24.

Variation 14° 25' East.

Descend.
24.00 Cross Ravine, 15 links wide, course South east and ascend.
31.45 Intersect West Boundary Rancho Temescal 52.57 chains S. 53° 12' W. of corner to fractional 13 and 24, and set post 4 inches square, 1 foot in earth, 1 foot above Earth mound $4\frac{1}{2}$ feet in diameter, at base, by 2 feet in height and dug pits 24 x 18 x 12, 8 links distant at 4 angles for corner to fractional sections 23 and 24. Thence continuing South through Rancho Temescal.
75.50 Top of Ridge bears Northwest and Southeast and descend.
80.00 Set post 4 inches square, 1 foot in earth, 1 foot above stone mound, $4\frac{1}{2}$ feet in diameter at base, by 2 feet in height for corner to sections 23, 24, 25, 26.
Land mountainous. Soil 1st and 2nd rate.
Timber and undergrowth of Live Oak and Chaparral.

North between sections 13 and 14.

Variation 14° 25' East.

T. 5 N., R. 18 W., S. B. M.

Ascend.
21.50 Summit of Ridge bears Southwest and east thence
along same.
23.00 Leave same, bearing Northwest and East and descend.
40.00 Set Post 4 inches diameter 1 foot in earth, 1 foot
above stone mound 4 feet in diameter at base by 2
feet in height for 1-4 section corner.
54.50 Cross Ravine, course Northwest and ascend.
80.00 Set Post 4 inches square, 1 foot in earth 1 foot
above stone mound 4½ feet in diameter at base, by
2 feet in height for corner to sections 11, 12, 13, 14.
Land Mountainous. Soil 2nd rate.
Timber and undergrowth of Live Oak and Chaparral.

January 21st, 1850.

East on a random line between sections 12 and 13.

Variation 14° 25' East.

Ascend.
40.00 Set temporary 1-4 section corner.
42.50 Summit of Ridge bears Northwest and Southeast and
descend.
50.00 Cross near head of Ravine, course North and ascend.
53.50 Summit of Ridge bears Northeast and Southwest.
70.50 Summit of Ridge bears Northwest and Southeast and
descend.
79.92 Intersect East Boundary of Township 10, links North
of corner to sections 12 and 13 from which corner I run
N. 89° 56' W. on a true line between sections 12 and 13.

Variation 14° 25' East.

39.96 Set post 4 inches diameter, 1 foot in earth 1 foot
above stone mound 4 feet in diameter at base by
2 feet in height for 14 sections corner.
79.92 The corner to sections 11, 12, 13, 14.
Land mountainous. Soil 2nd rate.
Timber and undergrowth of Live Oak and Chaparral.

North between sections 11 and 12.

Variation 14° 25' East.

.50 Descend.
24.00 Cross Gulch course West and ascend.
31.50 Summit of Ridge bears Northeast and Southwest and
descend.
40.00 Set Post 4 inches diameter 1 foot in earth, 1 foot
above stone mound 4 feet in diameter at base by
2 feet in height for 1-4 section corner.
43.50 Enter Canada, bears Northeast and Southwest.
49.00 Enter Wash bearing east and west.
50.25 Leave Wash and Creek, bears East and West.
51.00 Leave Canada, bears Northeast and Southwest and ascend.
80.00 Set stone 16 x 12 x 10 in stone mound 4½ feet in
diameter at base by 2 feet in height for corner to
sections 1, 2, 11, 12.
Land, mountainous, except in Canada.

T. 5 N., R. 18 W., S. B. M.

Soil, 1st and 2nd rate.
Timber and undergrowth of Live Oak and Chaparral.
East on a random line between sections 1 and 12.

Variation 14° 25' East.

Descend.

- 20.00 Cross creek 20 links wide, course southwest and ascend over point of low hill.
34.50 Cross Ravine 10 links wide, course northwest and continue ascend.
40.00 Set temporary $\frac{1}{4}$ section corner.
77.25 Summit of Ridge, bears northwest and east, thence along on same.
79.86 Intersect East boundary of Township 18 links south of corner to sections 1 and 12 from which corner I run
S. 89° 52' W. on a true line between sections 1 and 12,

Variation 14° 25' East.

- 39.93 Set post 4 inches diameter 1 foot in earth, 1 foot above stone mound, $\frac{1}{4}$ feet in diameter at base, by 2 feet in height for $\frac{1}{4}$ section corner.
79.86 The corner to sections 1, 2, 11, 12.
Land mountainous. Soil 2nd and 3rd rate.
Timber and undergrowth of Live Oak, Sycamore, Willow and Chaparral.

North on a true line between sections 1 and 2.

Variation 14° 25' East.

Ascend.

- 8.50 Summit of Ridge, bears northeast and southwest.
Thence along west slope of same.
37.50 Summit of same bears northwest and southeast and descend.
40.00 Set post 4 inches diameter 1 foot in earth 1 foot above stone mound $\frac{1}{4}$ feet in diameter at base by 2 feet in height for $\frac{1}{4}$ section corner in low sag and ascend.
89.00 Summit of ridge bears northeast and southwest and descend.
104.70 Intersect 1st Standard line north 30 links east of corner to township 6 north, Ranges 17 and 18 west and set post 4 inches square 1 foot in earth 1 foot above stone mound $\frac{1}{4}$ feet in diameter at base by 2 feet in height for closing corner to sections 1 and 2.
Land mountainous. Soil 2nd rate.
Timber and undergrowth of Live Oak and Chaparral.

From the corner to sections 23, 24, 25, 26

I run

West on a true line between sections 23 and 26

Variation 14° 25' East

Through Rancho Temescal.

- 25.00 Cross Ravine, 10 links wide, course south and ascend.
40.00 Set Post 4 inches diameter 1 foot in earth, 1 foot above stone mound $\frac{1}{4}$ feet in diameter at base by 2 feet in height for $\frac{1}{4}$ section corner.
65.03 Intersect west boundary of Rancho Temescal 81.16 chains S. 53° 12' W. of corner to fractional sections 23 and 24, and set post 4 inches square, 1 foot in earth, 1 foot above stone mound, $\frac{1}{4}$ feet in diameter

T. 5 N., R. 18 W., S. B. M.

80.00 at base by 2 feet in height for corner to fractional sections 23 and 26.
Set post 4 inches square, 1 foot in earth, 1 foot above stone mound, $4\frac{1}{2}$ feet in diameter at base by 2 feet in height for corner to sections 22, 23, 26, 27.

Land mountainous. Soil 1st and 2nd rate.
Timber and undergrowth of Live Oak and Chaparral.
January 22nd, 1880.

As the line between sections 26 and 27 will intersect Rancho line in less than 80.00 chains. I therefore run it south, south between sections 26 and 27.

Variation $14^{\circ} 25'$ East.

11.18 Intersect West Boundary of Rancho Temescal 1869 chains S. $53^{\circ} 12'$ W. of corner to fractional Sections 23 and 26, and Set Post 4 inches square, 1 foot in earth, 1 foot above stone mound, $4\frac{1}{2}$ feet in diameter at base by 2 feet in height for corner to fractional sections 26 and 27.

Land mountainous. Soil 2nd rate.
Timber and undergrowth of Live Oak, and chaparral.

North between sections 22 and 23.
Variation $14^{\circ} 25'$ East.

12.50 Ascend.
Summit of Ridge bears North and South West; thence along same.

24.00 Leave same bearing south and northeast.

30.25 Cross near head of Ravine, course southwest and ascend.

40.00 Set Post 4 inches diameter 1 foot in earth 1 foot above stone mound, 4 feet in diameter at base by 2 feet in height for $\frac{1}{4}$ section corner.

43.50 Summit of Ridge bears northwest and southeast and descend.

80.00 Set post 4 inches square 1 foot in earth 1 foot above stone mound $4\frac{1}{2}$ feet in diameter at base by 2 feet in height for corner to sections 14, 15, 22, 23.

Land mountainous. Soil 2nd rate.
Timber and undergrowth of Live Oak and Chaparral.

East on a random line between Sections 14 and 23.
Variation $14^{\circ} 25'$ East.

Descend.

13.00 Cross Ravine course northwest and ascend.

40.00 Set temporary $\frac{1}{4}$ section corner.

68.50 Summit of Ridge, bears northeast and southwest and descend.

80.10 Intersect north and south line 16 links south of corner to sections 13, 14, 23, 24, from which corner I run

T. 5 N., R. 18 W., S. B. M.

S. 89° 53' W. on a true line between sections 14 and 23.
Variation 14° 25' East.

40.05 Set Post 4 inches diameter 1 foot in earth 1 foot
above stone mound 4 feet in diameter at base by
2 feet in height for 1-4 section corner.

80.10 The corner to sections 14, 15, 22, 23.

Land, Mountainous. Soil 2nd rate.
Timber and undergrowth of Live Oak and Chaparral.

January 23rd, 1880

North between sections 14 and 15.
Variation 14° 25' East.

Descend.

5.50 Enter Canada, bears East and West.
8.00 Enter Wash, bears East and West.
8.50 Cross Creek 15 links wide, course West.
8.75 Leave Wash, bears East and West.
10.00 Leave Canada, bears Northwest and East and ascend.
27.50 Summit of Ridge, bears West and Southeast and descend.
40.00 Set post 4 inches diameter 1 foot in earth 1 foot
above stone mound 4 feet in diameter at base by
2 feet in height for 1-4 section corner.
51.00 Cross Gulch course Southeast and ascend.
80.00 Set post 4 inches square 1 foot in earth 1 foot
above stone mound $4\frac{1}{2}$ feet in diameter at base by 2
feet in height for corner to sections 10, 11, 14, 15.


Land, Mountainous, except in Canada.
Soil 1st and 2nd rate.
Timber and undergrowth of Live Oak, Sycamore, Poplar
and Willow.

East on a random line between sections 11 and 14.
Variation 14° 25' East.

Descend.

30.50 Cross Ravine, course Southeast and ascend.
40.00 Set temporary 1-4 section corner.
48.50 Summit of Ridge, bears Northwest and Southeast
and descend.
54.00 Enter Canada, bears Northeast and South.
58.00 Enter Wash bears Northeast and Southwest.
59.50 Leave Wash and Creek, bears Northeast and Southwest.
61.75 Leave Canada, bears Northeast and southwest and ascend.
80.00 Intersect North and South line at corner to sections
11, 12, 13 and 14 from which corner I run
West on a true line between sections 11 and 14.
Variation 14° 25' East.

40.00 The point for 1-4 section corner falling on steep
side hill, a place not suitable to build mound, I
run East 8.50 chains and set Post 4 inches diameter
1 foot in earth 1 foot above stone mound 4 feet in
diameter at base by 2 feet in height for 1-4 section
corner.



T. 5 N., R. 18 W., S. B. M.

- 80.00 The corner to sections 10, 11, 14, 15.
Land, mountainous except in Canada.
Soil 1st and 2nd rate.
Timber and undergrowth of Live Oak, Sycamore, Poplar,
Willow and Chaparral.
- North between sections 10 and 11.
Variation 14° 25' East.
- 1.00 Descend.
9.00 Cross near head of Ravine, course East and Ascend.
11.50 Summit of Ridge, bears Northeast and southwest and
descend.
- 19.50 Cross head of Ravine, course West and ascend.
40.00 Set Post 4 inches diameter 1 foot in earth 1 foot
above stone mound 4 feet in diameter at base by
2 feet in height for 1-4 section corner on summit ridge
bearing Northeast and Southwest and descend.
- 50.50 Cross head of Ravine course Southwest and ascend.
60.00 Summit of Ridge bears Northeast and Southwest and
descend.
- 80.00 Set post 4 inches square 1 foot in earth 1 foot
above Stone mound 4½ feet in diameter at base by
2 feet in height for corner to sections 2, 3, 10, 11.
Land, mountainous. Soil 2nd rate.
Timber and undergrowth Live Oak and Chaparral.
- East, on a random line between sections 2 and 11.
Variation 14° 25' East.
- Ascend.
9.50 Summit of high Ridge bears Northeast and Southwest
and descend.
- 40.00 Set temporary 1-4 section corner.
54.50 Cross deep Ravine course South and ascend.
77.50 Summit of Ridge bears Northeast and Southwest and descend.
80.20 Intersect North and South line 18 links North of corner
to sections 1, 2, 11, 12 from which corner I run
N. 89° 52' W. on a true line between section 2 and 11.
Variation 14° 25' East.
- 40.10 Set Post 4 inches diameter, 1 foot in earth, 1 foot
above stone mound, 4 feet in diameter at base, by
2 feet in height for 1-4 section corner.
- 80.20 The corner to sections 2, 3, 10, 11.
Land Mountainous. Soil 2nd rate.
Timber and undergrowth of Live Oak and Chaparral.
- North on a true line between sections 2 and 3.
Variation 14° 25' East.
- Ascend.
29.50 Summit of Ridge, bears Northwest and southeast and
descend.
- 40.00 Set post 4 inches diameter 1 foot in earth 1 foot
above stone mound 4 feet in diameter at base by 2
feet in height for 1-4 section corner.
- 104.78 Intersect 1st Standard line North 50 links East of
corner to sections 35 and 36 and set post 4 inches

T. 5 N., R. 18 W., S. B. M.

square 1 foot in earth 1 foot above stone mound
 $4\frac{1}{2}$ feet in diameter at base by 2 feet in height
for closing corner to sections 2 and 3.

Land mountainous. Soil 2nd rate.
Timber and undergrowth of Live Oak and Chaparral.

January 24th, 1880.

North between sections 27 and 28.
Variation $14^{\circ} 25'$ East.

Descend.

5.00 Cross Ravine 10 links wide course Southeast.
8.82 Intersect West boundary of Rancho Temescal 13.72
chains N. $53^{\circ} 12'$ East of corner No. 6 of said Rancho
and set post 4 inches square 1 foot in earth 1 foot
above stone mound $4\frac{1}{2}$ feet in diameter at base, by 2
feet in height for corner to fractional sections 27
and 28, thence descending.
37.00 Cross Ravine 15 links wide course Southeast and
continue ascent.
40.00 Set post, 4 inches diameter 1 foot above Stone mound
4 feet in diameter at base by 2 feet in height for
1-4 section corner.
70.00 Top of Ridge bears Northwest and Southeast and descend.
80.00 Set Post 4 inches square 1 foot in earth 1 foot above
stone mound $4\frac{1}{2}$ feet in diameter at base by 2 feet in
height for corner to Sections 21, 22, 27, 28.

Land mountainous. Soil 2nd rate.
Timber and undergrowth of Live Oak and Chaparral.

East on a random line between Sections 22 and 27.
Variation $14^{\circ} 25'$ East.

Ascend.

9.50 Top of Ridge bears Northeast and Southwest and descend.
40.00 Set temporary 1-4 section corner.
41.50 Cross Creek 100 links wide course South and ascend.
76.50 Top of Ridge bears North and South and descend.
80.20 Intersect North and South line 18 links South of
Corner to sections 22, 23, 26 and 27, from which corner
I run -
S. $89^{\circ} 52'$ W. on a true line between sections 22 and 27.
Variation $14^{\circ} 25'$ East.

40.10 Set Post 4 inches diameter 1 foot in earth 1 foot
above stone mound 4 feet in diameter at base by 2
feet in height for 1-4 section corner, from which
bears a Cottonwood 24 in. dia. N. $56\frac{1}{2}^{\circ}$ W. 16 lks. dist.
80.20 The corner to sections 21, 22, 27, 28.

Land, mountainous. Soil 2nd rate.
Timber and undergrowth of Live Oak, Sycamore, Cottonwood
and Chaparral.

January 26th, 1880.

T. 5 N., R. 18 W., S. B. M.

North between Sections 21 and 22.

Variation 14° 25' East.

Descend.

36.00

Cross Ravine course East and ascend.

40.00

Set post 4 inches diameter 1 foot in earth 1 foot above stone mound 4 feet in diameter at base, by 2 feet in height for 1-4 section corner.

80.00

Set post 4 inches square 1 foot in earth 1 foot above stone mound 4½ feet in diameter at base by 2 feet in height for corner to sections 15, 16, 21, 22.

Land mountainous. Soil 2nd rate.

Timber and undergrowth of Live Oak and Chaparral.

January 27th, 1880.

East on a random line between sections 15 and 22.

Variation 14° 25' East.

Descend.

15.00

Enter Canada, bears Northwest and Southwest.

18.00

Cross Creek, 10 links wide, course Southeast and fence bears southeast and northwest.

23.00

A house bears south about 10 chains distant.

30.00

Cross road bears north and south.

31.00

Enter Wash of Peru River, course North and South.

34.50

Cross water course 30 links wide, course southwest.

36.50

Cross water course 50 links wide course southwest.

38.25

Leave wash bears northwest and southeast.

40.00

Set temporary 1-4 section corner.

42.50

Leave Canada bears Northeast and southwest and ascend.

79.90

Intersect North and south line 14 links north of corner, to sections 14, 15, 22, 23 from which corner I run-

N. 89° 54' W. on a true line between sections 15 and 22.
Variation 14° 25' East.

39.95

Set post 4 inches diameter 1 foot in earth 1 foot above stone mound 4 feet in diameter at base, by 2 feet in height for 1-4 section corner, from which bears an Elder 5 in. dia. N. 34½° W. 50 lks. dist.

79.90

The corner to sections 15, 16, 21, 22.

Land, mountainous except in Canada.

Soil 1st and 2nd rate.

Timber and undergrowth of Live Oak, Sycamore, Willow, Elder and Chaparral.

North between sections 15 and 16.

Variation 14° 25' East.

Descend.

10.50

Cross Ravine course East.

15.00

Cross Ravine course Southeast and ascend.

30.00

Summit of low ridge bears east and west and descend.

T. 5 N., R. 18 W., S. B. M.

40.00 Set post 4 inches diameter 1 foot in earth 1 foot above
stone mound 4 feet in diameter, at base by 2 feet in
height for 1-4 section corner.
40.25 Cross near head of Ravine, course southeast and ascend.
46.00 Summit of ridge bears northwest and southeast and descend.
72.50 Cross deep Ravine course southeast and ascend.
80.00 Set post 4 inches square 1 foot in earth 1 foot above
stone mound $4\frac{1}{2}$ feet in diameter at base by 2 feet in
height for corner to sections 9, 10, 15, 16.
Land mountainous. Soil 2nd rate.
Timber and undergrowth of Live Oak and Chaparral.

East on a random line between sections 10 and 15.
Variation $14^{\circ} 25'$ East.

Ascend.
13.50 Summit of high Peak and Ridge, bearing northwest and
southeast and descend.
24.50 Enter Canada, bears north and south.
26.00 Enter Peru Creek, course south.
27.50 Leave Peru Creek, course south.
31.00 Leave Canada bears North and south and ascend.
40.00 Set temporary 1-4 section corner.
50.00 Summit of ridge bears northwest and southeast and descend.
61.50 Cross near head of gulch, course north and ascend.
67.00 Summit of ridge bears northeast and south and descend.
80.10 Intersect North and south line 16 links south of corner,
to sections 10, 11, 14, 15, from which corner I run-
S. $89^{\circ} 53'$ W. on a true line between sections 10 and 15.
Variation $14^{\circ} 25'$ East.

40.05 The point for 1-4 section corner falling on Bluff,
a place not suitable to build mound, I proceed West
9.00 chains and set post 4 inches diameter 1 foot in
earth 1 foot above stone mound 4 feet in diameter at
base by 2 feet in height for Witness to 1-4 section
corner, from which bears a Live Oak 48 in. dia. N.
 $34\frac{3}{4}$ W. 68 lks. dist.

80.00 The corner to sections 9, 10, 15, 16.
Land, mountainous except in Canada.
Soil 2nd and 1st rate.
Timber and undergrowth of Live Oak and Chaparral.

North between sections 9 and 10.
Variation $14^{\circ} 25'$ East.

Ascend.
11.00 Cross Ridge bears Northwest and Southeast and descend.
37.00 Cross small ravine course east and ascend.
40.00 Set post 4 inches diameter 1 foot in earth 1 foot
above stone mound 4 feet in diameter at base by 2
feet in height for 1-4 section corner.
80.00 Set post 4 inches square 1 foot in earth 1 foot above
stone mound $4\frac{1}{2}$ feet in diameter at base by 2 feet
in height for corner to sections 3, 4, 9, 10, from which
bears a Live Oak 24 in. dia. S. $1\frac{1}{2}^{\circ}$ E. 384 lks. dist.

Land, mountainous, Soil 1st and 2nd rate.
Timber and undergrowth of Live Oak and Chaparral.

T. 5 N., R. 18 W., S. B. M.

East on random line between sections 3 and 10.
Variation 14° 25' East.

7.00 Enter Canada bears Northwest and Southwest.
7.50 Cross fence bears Northwest and southeast.
14.00 Enter Peru Creek course southeast.
16.00 Leave same.
25.50 Leave Canada bears Northwest and Southeast.
38.00 Cross Ravine, course Southwest and ascend.
40.00 Set temporary 1-4 section corner.
51.75 Summit of ridge bears Northeast and southwest,
and descend.
79.90 Intersect North and South line at corner to
sections 2, 3, 10, 11.
From which corner I run -
West on a true line between sections 3 and 10.
Variation 14° 25' East.

39.95 Set post 4 inches diameter 1 foot in earth 1 foot
above stone mound 4 feet in diameter at base by
2 feet in height for 1-4 section corner.

79.90 The corner to sections 3, 4, 9, 10.
Land, mountainous, except in Canada.
Soil 1st and 2nd rate.
Timber and undergrowth of Live Oak and Chaparral.

North on a true line between sections 3 and 4.
Variation 14° 25' East.

Ascend.
2.50 Top of spur bears northeast and southwest.
7.00 Enter Canada bears East and west.
11.50 Cross Fish Creek, 50 links wide course east.
19.00 Cross Peru Creek, 150 links wide, course southeast
leave Canada and ascend.
40.00 Set post 4 inches diameter 1 foot in earth 1 foot
above stone mound 4 feet in diameter at base, by 2
feet in height for 1-4 section corner.
85.00 Summit of high ridge, bears Northeast and Southwest
86.50 Leave same.
104.66 Intersect 1st Standard line, North 60 links East
of corner to sections 34 and 35, and set Post 4 inches
square 1 foot in earth 1 foot above Stone mound 4½ feet
in diameter at base by 2 feet in height for closing
corner to sections 3 and 4.
Land, mountains except in Canada.
Soil 1st and 2nd rate.
Timber and undergrowth of Live Oak, Sycamore, Poplar,
Willow and Chaparral.

January 28th, 1850.

North between sections 32 and 33.
Variation 14° 25' East.

Descend.
16.00 Cross creek 10 links wide course Northeast and ascend.
23.50 Summit of ridge bears east and west and descend.
40.00 Cross Creek 20 links wide course Northeast. The
point for 1-4 section corner falling in Creek a place

T. 5 N., R. 18 W., S. B. M.

not suitable to build mound, I continue North 50
links and set post 4 inches diameter 1 foot in earth
1 foot above stone mound, 4 feet in diameter at base
by 2 feet in height for witness to 1-4 section corner.
40.50 Witness Post and ascend.
67.00 Summit of Ridge bears Northwest and Southeast and
descend.
80.00 Set post 4 inches square, 1 foot in earth 1 foot
above stone mound $4\frac{1}{2}$ feet in diameter at base by 2
feet in height for corner to sections 28, 29, 32, 33.
Land, mountainous. Soil 1st and 2nd rate.
Timber and undergrowth of Live Oak, Sycamore, Poplar,
Willow and Chaparral.

As the line between section 28 and 33 will intersect
Rancho Temescal in less than 80.00 chains, I run it
a true line east.