

Copied from Photographic Copies
 furnished by
 U. S. General Land Office
 Washington, D. C.

					14	13		
						¹⁵ 13		
					23	24		T. 9N.
					26	25		
						¹⁴ 36		
					35	36		KERN CO.
R. 15W.								L.A. CO.
6	¹⁴ 5	¹⁰ 4	⁸ 3	⁶ 2	³ 1			
₁₃	₁₃	₁₀	₈	₅	₃			
7	¹³ 8	¹⁰ 9	⁸ 10	⁵ 11	³ 12			
₁₃	₁₃	₁₀	₇	₅	₃			
18	¹² 17	¹⁰ 16	⁷ 15	⁵ 14	³ 13			T. 8N.
₁₂	₁₂	₁₀	₇	₅	₂			
19	¹² 20	⁹ 21	⁷ 22	⁴ 23	² 24			
₁₂	₁₁	₉	₇	₄	₂			
30	¹¹ 29	⁹ 28	⁶ 27	⁴ 26	² 25			
₁₁	₁₁	₉	₆	₄	₂			
31	¹¹ 32	⁸ 33	⁶ 34	⁴ 35	¹ 36			
₁₁	₁₁	₈	₆	₄	₁			
6	¹ 5							
₁₁	₁₁							
R. 15W.								T. 7N.

T. 7 N., R. 15 W., San Bernardino Meridian.

From the Corner to Sec. 5, 6, 31, 32, I run

South

Between Sec. 5 & 6.

Var. 14° 12' E.

20.00
22.00
40.00

Enter scattering pine & cottonwood.
To ravine or deep depression. Course E & W.
Set a post charred & chalked, at foot of steep mountain
and raised a mound with trench and pits as instructed.

Land 2nd rate.

I can proceed no further on account of the steepness and
ruggedness of the hills.

The land in this Township is adapted to agriculture or
grazing. There are springs of water on the hills, as well
as timber.

We hereby certify that we assisted Ralph W. Norris, Deputy
Surveyor in subdividing Township 7 North, of the Base Line of
Ranges No. 14 and 15 West of the San Bernardino Meridian, and
that said Townships have been in all respects to the best of
our knowledge and belief well and faithfully surveyed, and the
boundary monuments planted according to the instructions furn-
ished by the Surveyor General.

Wm. Holladay
W. W. Dodd
Charles E. Hutton
Solomon Bratton
John Tyler

Subscribed and sworn to by the above named persons, before
me, in Los Angeles County, California, December 3rd, 1855.

Ralph W. Norris
Deputy Surveyor

Field Notes of the subdivision of
Township 8 North, Range 15 West
San Bernardino Meridian, Cal.

From a post corner to Sec. 1, 2, 35, 36 on the south
boundary of sd. township, I run

North

Between Sec. 35 & 36.

Var. 14° 23' E.

3.00
40.00

To ridge or rolling ground. Course N. 70° W.
Set a post charred and chalked for the $\frac{1}{4}$ Sec. corner and
raised a mound with trench and pits as per instructions.

Land rolling and 2nd rate.

80.00

Set a post charred, chalked and notched for the corner to
Sec. 25, 26, 35, 36 and raised a mound with trench and pits,
as per instructions. Land rolling, 2nd rate.

T. 5 N., R. 15 W., San Bernardino Meridian.

Chains.
East

On a random line between Sec. 25 & 36.

Var. 14°13' E.

40.00
80.30

Set a post for temporary $\frac{1}{4}$ sec. corner.
Intersect the East boundary of the Township 30 links south
of the corner to Sec. 25 & 36, from which corner I run

West

On a true line between Sec. 25 & 36.

Var. 14° 26' E.

40.15
80.30

Set a post charred and chalked for the $\frac{1}{4}$ sec. corner and
raised a mound with trench and pits, as per instructions.
The corner to Sec. 25, 26, 35 & 36.
Land 2nd rate and rolling.

North

Between Sec. 25 & 26.

Var. 14°13' E.

40.00
80.00

Set a post charred and chalked for the $\frac{1}{4}$ sec. cor. and raised
a mound with trench and pits as per instructions.
Set a post charred, chalked and notched for the corner to Sec.
23, 24, 25, 26 and raised a mound with trench and pits, as
per instructions.
Land 2nd rate and gently rolling.

East

On a random line between Sec. 24 & 25.

Var. 14°13' E.

40.00
80.34

Set a post for temporary $\frac{1}{4}$ sec. cor.
Intersect the East boundary of the Township 36 links South of
the corner to Sec. 24 & 25, from which corner I run

West

On a true line between Sec. 24 & 25.

Var. 14°25' E.

40.17
80.34

Set a post charred and chalked for the $\frac{1}{4}$ sec. corner and
raised a mound with trench and pits as per instructions.
The corner to Sec. 23, 24, 25 & 26.
Land 2nd rate and gently rolling.

North

Between Sec. 23 & 24.

Var. 14°13' E.

40.00
80.00

Set a post for the $\frac{1}{4}$ sec. corner and raised a mound in the
trench and pits as per instructions, post charred and chalked.
Set a post, charred, chalked and notched for the corner to
Sections 13, 14, 23 & 24 and raised a mound with trench and
pits, as per instructions.
Land 2nd rate and rolling.

East

On a random line between Sec. 13 & 24.

Var. 14°13' E.

40.00
80.30

Set a post for temporary $\frac{1}{4}$ sec. corner.
Intersected the East boundary of the Township 41 links south
of the corner to Sec. 13 & 24, from which corner I run

West

On a true line between Sec. 13 & 24.

Var. 14°30' E.

40.15
80.30

Set a post charred and chalked for the $\frac{1}{4}$ sec. corner and raised
a mound with trench and pits as per instructions.
The corner to Sections 13, 14, 23, 24.
Land 2nd rate, and rolling.

T. 6 N., R. 15 W., San Bernardino Meridian.

North Between Sec. 13 & 14. Var. 14°13' E.
1.00 Enter Palm Grove.
40.00 Set a post charred and chalked for the $\frac{1}{4}$ Sec. corner, and raised a mound with trench and pits as per instructions.
50.00 Set a post charred, chalked and notched for the corner to Sections 11, 12, 13, 14 and raised a mound with trench and pits, as instructed.
Land 2nd rate and generally level.

East On a random line between Sec. 12 & 13. Var. 14°13' E.
40.00 Set a post for temporary $\frac{1}{4}$ sec. corner.
50.36 Intersected the East boundary of the Township 38 lks. South of the corner to Secs. 12 & 13, from which corner I run.

West On a true line between Sec. 12 & 13. Var. 14°29' E.
40.15 Set a post charred and chalked for the $\frac{1}{4}$ sec. corner, and raised a mound with trench and pits as per instructions.
50.36 The corner to Sec. 11, 12, 13, 14.
Land 2nd rate and level.

North Between Sections 11 & 12. Var. 14°13' E.
40.00 Set a post charred and chalked for the $\frac{1}{4}$ Sec. corner and raised a mound with trench and pits, as per instructions.
50.00 Set a post charred & chalked and notched for the corner to Sections 1, 2, 11 & 12, and raised a mound with trench and pits as per instructions.
Land 2nd rate and level.

East On a random line between Sec. 1 & 12. Var. 14° 13' E.
40.00 Set a post for temporary $\frac{1}{4}$ sec. corner.
50.25 Intersect the East boundary of the Township 35 links south of the corner to Sec. 1 & 12 from which corner I run

West On a true line between Sec. 1 & 12. Var. 14° 25' E.
40.12 Set a post charred and chalked for the $\frac{1}{4}$ Sec. corner, and raised a mound with trench and pits, as per instructions.
50.25 The corner to Sec. 1, 2, 11 & 12.
Land level, 2nd rate.

North On random line between Sec. 1 & 2. Var. 14°13' E.
40.00 Set a post for temporary $\frac{1}{4}$ Sec. corner.
50.00 Intersected the north boundary of the Township 35 links West of the corner to Sections 1 & 2, from which corner I run

South On a true line between Sec. 1 & 2. Var. 13°58' E.
40.00 Set a post charred and chalked for the $\frac{1}{4}$ sec. corner and raised a mound with trench and pits, as per instructions.
50.00 The corner to Sec. 1, 2, 11 & 12.
Land level, 2nd rate.

T. 8 N., R. 15 W., San Bernardino Meridian.

- North Between Sec. 34 & 35. Var. 14°13' E.
- 3.50 Cross road to Fort Tejon. Course N. 60° W.
- 40.00 Set a post charred and chalked for the Qr. Sec. corner and raised a mound with trench and pits as per instructions.
- 50.00 Set a post charred, chalked and notched for the corner to Sec. 26, 27, 34, 35 and raised a mound with trench & pits, as per instructions.
Land 2nd rate and gently rolling.
-
- East On random line between Sec. 26 & 35. Var. 14°13' E.
- 40.00 Set a post for temporary Qr. Sec. corner.
- 79.78 Intersect N. & S. line 37 links south of the corner to Sec. 25, 26, 35 & 36, from which corner I run
- West On a true line between Sec. 26 & 35. Var. 14°29' E.
- 39.89 Set a post charred and chalked for the Qr. Sec. corner, and raised a mound with trench and pits, as per instructions.
- 79.78 The corner to Sec. 26, 27, 34 & 35.
Land 2nd rate and gently rolling.
- North Between Sec. 26 & 27 Var. 14°13' E.
- 40.00 Set a post charred and chalked for the Qr. Sec. corner, and raised a mound with trench and pits, as per instructions.
- 50.00 Set a post charred and chalked and notched for the corner to Sec. 22, 23, 26, 27 and raised a mound with trench and pits, as per instructions.
Land 2nd rate and generally level.
- East On a random line between Sec. 23 & 26. Var. 14°13' E.
- 40.00 Set a post for temporary Qr. Sec. corner.
- 79.70 Intersected N. & S. line 40 links South of the corner to Sec. 23, 24, 25, 26, from which corner I run
- West On true line between Sec. 23 & 26. Var. 14°30' E.
- 39.55 Set a post charred and chalked for the Qr. Sec. corner, and raised a mound with trench and pits as per instructions.
- 79.70 The corner to Sec. 22, 23, 26, 27.
Land 2nd rate and slightly rolling.
- North Between Sec. 22 & 23. Var. 14°13' E.
- 20.00 To scattering Cedars.

T. 5 N., R. 15 W., San Bernardino Meridian

- 40.00 Set a post charred and chalked for the Qr. Sec. corner in a mound from which a Cedar 12 in. dia. bears S. $74^{\circ}45'$ E. 157 links distant.
- 50.00 Set a post charred, chalked and notched for the corner to Sec. 14, 15, 22, 23 in a mound, from which a Cedar 7 in. dia. bears S. $11^{\circ}30'$ E. 160 links distant. Land 2nd rate and generally level. Timber cedar.
-
- East On a random line between Sec. 14 & 23. Var. $14^{\circ}13'$ E.
- 40.00 Set a post for temporary Qr. Sec. corner.
79.78 Intersect N. & S. line 46 lks. South of the corner to Sec. 13, 14, 23, 24, from which corner I run
- West On a true line between Sec. 14 & 23. Var. $14^{\circ}33'$ E.
- 39.89 Set a post charred and chalked for the Qr. Sec. corner and raised a mound with trench and pits as per instructions.
79.78 The corner to Sec. 14, 15, 22, 23. Land 2nd rate and level. Timber Cedar.
- North Between Sec. 14 & 15 Var. $14^{\circ}13'$ E.
- 40.00 Set a post charred and chalked for the Qr. Sec. corner and raised a mound with trench and pits as per instructions.
50.00 Set a post charred and chalked and notched for the corner to Sec. 10, 11, 14, 15 and raised a mound with trench and pits as instructed. Land 2nd rate and level, with some cedar.
-
- East On a random line between Sec. 11 & 14. Var. $14^{\circ}13'$ E.
- 40.00 Set a post for temporary Qr. Sec. corner
79.50 Intersect the N. & S. line 40 links South of the corner to Sec. 11, 12, 13, 14 from which corner I run
-
- West On a true line between Sec. 11 & 14. Var. $14^{\circ}30'$ E.
- 39.90 Set a post charred and chalked for the Qr. Sec. corner and raised a mound with trench and pits as per instructions.
79.56 The corner to Sec. 10, 11, 14, 15. Land 2nd rate, Level and Open.
-
- North Between Sec. 10 & 11. Var. $14^{\circ}13'$ E.
- 40.00 Set a post charred and chalked for the Qr. Sec. corner and raised a mound with trench and pits, as per instructions.
50.00 Set a post charred, chalked and notched for the corner to Sec. 2, 3, 10 & 11, and raised a mound with trench pits as instructed. Land level, 2nd rate.
-
- East East on a random line between Sec. 2 & 11. Var. $14^{\circ}13'$ E.
- 40.00 Set a post for temporary Qr. Sec. corner.

T. 5 N., R. 15 W., San Bernardino Meridian

- 79.78 Intersect N. & S. line 38 links South of the corner to Sec. 1, 2, 11 & 12, from which corner I run
- West On a true line between Sec. 2 & 11. Var. 14°29' E.
- 39.89 Set a post charred and chalked for the Qr. Sec. corner, and raised a mound with trench and pits as per instructions.
- 79.78 The corner to Sec. 2, 3, 10 & 11. Land 2nd rate and level.
- North On a random line between Sec. 2 & 3. Var. 14°13' E.
- 40.00 Set a post for temporary Qr. Sec. corner.
- 79.75 Intersect the north boundary of the Township, 19 links West of the corner to Sec. 2 & 3, from which corner I run
- South On a true line between Sec. 2 & 3. Var. 14°05' E.
- 39.75 Set a post charred and chalked for the Qr. Sec. corner and raised a mound, with trench and pits as instructed.
- 79.75 The corner to Sec. 2, 3, 10, 11. Land 2nd rate and level.
- North Between Sections 33 & 34. Var. 14°13' E.
- 32.00 Cross road to Fort Tejon. Course N. 65° W.
- 40.00 Set a post charred and chalked for the Qr. Sec. corner and raised a mound with trench and pits, as instructed. Land 2nd rate and Level.
- 80.00 Set a post charred, chalked and notched for the corner to Sec. 27, 28, 33, 34 and raised a mound with trench and pits as instructed. Land 2nd rate and level.
-
- East On a random line between Sec. 27 & 34. Var. 14°13' E.
- 40.00 Set a post for temporary Qr. Sec. corner.
- 80.20 Intersect N. & S. line 20 lks. South of the corner to Sec. 26, 27, 34 & 35, from which I run
- West On a true line between Sec. 27 & 34. Var. 14°22' E.
- 40.10 Set a post charred and chalked for the Qr. Sec. corner and raised a mound with trench and pits as per instructions.
- 80.20 The corner to Sec. 27, 28, 33, 34. Land 2nd rate and level.
- North Between Sec. 27 & 28. Var. 14°13' E.
- 40.00 Set a post charred and chalked for the Qr. Sec. corner and raised a mound with trench and pits as per instructions.

T. 8 N., R. 15 W., San Bernardino Meridian

75.00 To scattering cedars.
80.00 Set a post charred, chalked and notched for the corner to Sections 21, 22, 27 & 28, in mound as instructed, from which a cedar 4 in. dia. bears North 96 links distant. Land 2nd rate and level.

East On a random line between Sec. 22 & 27. Var. 14°13' E.

40.00 Set a post for temporary Qr. Sec. corner.
59.00 Leave cedars.
80.16 Intersect N. & S. line 30 lks. South of the corner to Sec. 22, 23, 26, 27 from which corner I run

West On a true line between Sec. 22 & 27. Var. 14°26' E.

40.08 Set a post charred and chalked for the Qr. Sec. corner and raised a mound with trench and pits as per instructions.
80.16 The corner to Sec. 21, 22, 27, 28. Land 2nd rate and level.

North Between Sec. 21 & 22. Var. 14°13' E.

40.00 Set a post charred and chalked for the Qr. Sec. corner and raised a mound with trench and pits as per instructions.
80.00 Set a post charred, chalked and notched for the corner to Sec. 15, 16, 21, 22, in a mound as instructed, from which a Cedar 7 in. dia. bears S. 74½° W. 71 lks. distant. Land 2nd rate, Level, with some scattering cedars.

East On a random line between Sec. 15 & 22. Var. 14°13' E.

40.00 Set a post for temporary Qr. Sec. corner.
80.12 Intersect N. & S. line 36 links South of the corner to Sections 14, 15, 22, 23, from which corner I run

West On a true line between Sec. 15 & 22. Var. 14°28' E.

40.06 Set a post charred and chalked for the Qr. Sec. corner, and raised a mound with trench and pits as per instructions.
80.12 The corner to Sec. 15, 16, 21, 22. Land 2nd rate and level.

North Between Sec. 15 & 16. Var. 14°13' E.

40.00 Set a post charred and chalked for the Qr. Sec. corner and raised a mound with trench and pits as per instructions.
79.00 Leave cedars for open country.
80.00 Set a post, charred, chalked and notched for the corner to Sec. 9, 10, 15, 16 and raised a mound with trench and pits as per instructions. Land level and 2nd rate.

East On a random line between Sec. 10 & 15. Var. 14°13' E.

40.00 Set a post for temporary Qr. Sec. corner.
80.18 Intersect N. & S. line 45 links south of the corner to Sec. 10, 11, 14, 15, from which corner I run

West On a true line between Sec. 10 & 15. Var. 14°32' E.

T. 8 N. R. 15 W., San Bernardino Meridian

- 40.09 Set a post charred and chalked for the Qr. Sec. corner and raised a mound with trench and pits as per instructions.
- 80.15 The corner to Sec. 9, 10, 15, 16.
Land 2nd rate and level.
-
- North Between Sec. 9 & 10. Var. 14°13' E.
- 40.00 Set a post charred and chalked for the Qr. Sec. corner and raised a mound with trench and pits as per instructions.
- 80.00 Set a post charred, chalked and notched for the corner to Sec. 3, 4, 9, 10 and raised a mound with trench and pits, as per instructions.
Land 2nd rate and level.
-
- East On a random line between Sec. 3 & 10. Var. 14°13' E.
- 40.00 Set a post for temporary Qr. Sec. corner.
- 80.30 Intersect N. & S. line 54 lks. south of the corner to Sec. 2, 3, 10 & 11, from which corner, I run
- West On a true line between Sec. 3 & 10. Var. 14°36' E.
- 40.15 Set a post charred and chalked for the Qr. Sec. corner and raised a mound with trench and pits as per instructions.
- 80.30 The corner to Sec. 3, 4, 9 & 10.
Land 2nd rate and level.
- North On a random line between Sec. 3 & 4. Var. 14°13' E.
- 40.00 Set a post for temporary Qr. Sec. corner.
- 80.36 Intersect the north boundary of the Township 20 links West of the corner to Sec. 3 and 4, from which corner, I run
- South On a true line between Sec. 3 and 4. Var. 14°04' E.
- 40.36 Set a post charred and chalked for the Qr. Sec. corner and raised a mound with trench and pits as per instructions.
- 80.36 The corner to Sec. 3, 4, 9, 10. Land 2nd rate and level.
- North Between Sec. 32 & 33. Var. 14°13' E.
- 40.00 Set a post charred and chalked for the Qr. Sec. corner and raised a mound with trench and pits as per instructions.
- 64.00 Cross road to Fort Tejon. Course N. 10° W.
- 80.00 Set a post charred and chalked and notched for the corner to Sec. 28, 29, 32 & 33, raised a mound with trench and pits as instructed.
Land 2nd rate, level.
- East On a random line between Sec. 28 & 33. Var. 14°13' E.
- 40.00 Set a post for temporary Qr. Sec. corner.
- 80.70 Intersect N. & S. line 10 lks. south of the corner to Sec. 27, 28, 33 and 34, from which corner I run

T. 8 N., R. 15 W., San Bernardino Meridian

- West On a true line between Sec. 28 and 33. Var. 14°17' E.
40.35 Set a post charred and chalked for the Qr. Sec. corner and
raised a mound with trench and pits as per instructions.
80.70 The corner to Sec. 28, 29, 32 & 33.
Land 2nd rate and level.
- North Between Sec. 28 & 29. Var. 14°13' E.
37.00 To scattering cedars.
40.00 Set a post charred and chalked for the Qr. Sec. corner and
raised a mound with trench and pits as per instructions.
- 80.00 Set a post charred, chalked and notched for, the corner to
Sec. 20, 21, 28, 29, and raised a mound with trench and pits
as instructed, from which
A cedar 9 in. dia. bears N. 28°15' W. 125 links distant.
Land 2nd rate and level.
- East On a random line between Sec. 21 & 28. Var. 14°13' E.
40.00 Set post for temporary Qr. Sec. corner.
80.80 Intersect N. & S. line 20 lks. south of the corner to Secs.
21, 22, 27 & 28, from which corner I run
- West On a true line between Sec. 21 & 28. Var. 14°22' E.
40.40 Set a post charred and chalked for the Qr. Sec. corner and
raised a mound with trench and pits as per instructions.
80.80 The corner to Sec. 20, 21, 28 & 29.
Land 2nd rate and level.
- North Between Sec. 20 & 21. Var. 14°13' E.
40.00 Set a post charred and chalked for the Qr. Sec. corner, and
raised a mound with trench and pits as instructed.
80.00 Set a post charred and chalked and notched for the corner to
Sec. 16, 17, 20, 21 and raised a mound with trench and pits
as instructed.
Land level, and 2nd rate.
- East On a random line between Secs. 16 & 21. Var. 14°13' E.
40.00 Set a post for temporary Qr. Sec. corner.
80.90 Intersect the N. & S. line 25 links south of the corner to
Secs. 15, 16, 21, 22, from which corner I run
- West On a true line between Sec. 16 & 21. Var. 14°24' E.

T. 8 N., R. 15 W., San Bernardino Meridian

- 40.43 Set a post charred and chalked for the Qr. sec. corner and raised a mound with trench and pits as instructed.
50.90 The corner to Sec. 16, 17, 20 & 21.
Land 2nd rate and level.
- North Between Sec. 16 & 17. Var. 14°13' E.
- 40.00 Set a post charred and chalked for the Qr. Sec. corner and raised a mound with trench and pits as per instructions.
50.00 Set a post charred, chalked and notched for the corner to Sec. 8, 9, 16, 17 and raised a mound with trench & pits, as per instructions, from which
A Cedar 10 in. dia. bears No. 50° W. 262 lks. distant.
Land 2nd rate and level.
- East On a random line between Sec. 9 & 16. Var. 14°13' E.
- 40.00 Set a post for temporary Qr. Sec. corner.
50.70 Intersect the N. & S. line 50 links South of the corner to Sec. 9, 10, 15, 16, from which corner I run
- West On a true line between Sec. 9 & 16. Var. 14°34' E.
- 40.35 Set a post charred and chalked for the Qr. Sec. corner and raised a mound with trench and pits, as per instructions.
50.70 The corner to Sec. 8, 9, 16, 17. Land level, 2nd rate.
- North Between Sec. 8 & 9.
40.00 Set a post charred and chalked for the Qr. Sec. corner and raised a mound with trench and pits, as per instructions.
Land level and 2nd rate.
- 41.00 Leave scattering cedars.
50.00 Set a post charred, chalked and notched for the corner to Secs. 4, 5, 8, 9, and raised a mound with trench and pits, as per instructions.
Land level and 2nd rate.
- East On a random line between Sec. 4 & 9. Var. 14°13' E.
- 40.00 Set a post charred and chalked for the temporary Qr. Sec. corner
50.56 Intersect N. & S. line 45 links south of the corner to Sections 3, 4, 9, 10, from which corner, I run
- West On a true line between Sec. 4 & 9. Var. 14°34' E.
- 40.43 Set a post charred and chalked for the Qr. Sec. corner, raised a mound with pits as per instructions.
50.56 The corner to Sec. 4, 5, 8, 9.
Land 2nd rate and level.
- North On a random line between Sec. 4 & 5.
40.00 Set a post for temporary Qr. Sec. cor. (Var. 14°13' E.)
50.00 Intersect the North boundary of the township 10 links west of post corner to Sec. 4 & 5, from which corner, I run
- South On a true line between Sec. 4 & 5. Var. 14°09' E.

T. 5 N., R. 15 W., San Bernardino Meridian

- 40.00 Set a post charred and chalked for the Qr. Sec. corner and raised a mound with trench and pits, as per instructions.
- 50.00 The corner to Sec. 4, 5, 8, 9.
Land 2nd rate and level.
- North Between Sec. 31 & 32. Var. 14°13' E.
- 40.00 Set a post charred and chalked for the Qr. Sec. corner and raised a mound with trench and pits as instructed.
- 41.00 To grove of palm trees.
- 50.00 Set a post charred, chalked and notched for the corner to Sec. 29, 30, 31, 32, and raised a mound with trench and pits, as instructed.
Land 2nd rate and rolling.
- East On a random line between Sec. 29 & 32. Var. 14°13' E.
- 30.00 Cross road to Fort Tejon. Course N. 70° W.
- 40.00 Set a post for temporary Qr. Sec. corner.
- 79.40 Intersect N. & S. line at post corner to Sec. 28, 29, 32, 33, from which corner I run
- West On a true line between Sec. 29 & 32. Var. 14°13' E.
- 39.70 Set a post charred and chalked for the Qr. Sec. corner and raised a mound with trench and pits as instructed.
- 79.40 The corner to Secs. 29, 30, 31, 32.
Land 2nd rate and level.
- West On a random line between Sec. 30 & 31. Var. 14° 13' E.
- 40.00 Set a post for temporary Qr. Sec. corner.
- 79.15 Intersect the west boundary of the township, at post corner to Secs. 30 & 31, from which corner I run
- East On a true line between Sec. 30 & 31. Var. 14°13' E.
- 39.15 Set a post charred and chalked for the Qr. Sec. corner and raised a mound with trench and pits, as instructed.
- 79.15 The corner to Sec. 29, 30, 31, 32.
Land 2nd rate and level generally.
- North Between Sec. 29 & 30. Var. 14°13' E.
- 10.70 To road to Fort Tejon. Course N. 50°W.
- 40.00 Set a post charred and chalked for the Qr. Sec. corner and raised a mound with trench and pits, as per instructions.
- 50.00 Set a post charred, chalked and notched for the corner to Sec. 19, 20, 29, 30 and raised a mound with trench and pits, from which
A Cedar 7 in. dia. bears S. 65½° W. 47 links distant.
Land level and 2nd rate.
- East On a random line between Sec. 20 & 29. Var. 14°13' E.
- 40.00 Set a post for temporary Qr. Sec. corner.
- 79.50 Intersect N. & S. line 10 links south of the corner to Sec. 20, 21, 28, 29, from which corner I run
- West On a true line between Sec. 20 & 29. Var. 14°17' E.
- 39.75 Set a post charred and chalked for the Qr. Sec. corner, and raised a mound with trench and pits, as per instructions.

T. 8 N., R. 15 W., San Bernardino Meridian.

- 79.50 The corner to Sec. 19, 20, 29, 30.
Land 2nd rate and level.
- West On a random line between Sec. 19 & 30. Var. $14^{\circ}13'$ E.
- 40.00 Set a post for temporary Qr. Sec. corner.
43.00 Leave scattering cedars.
79.00 Intersect the west boundary of the Township 32 links south
of the corner to Sec. 19 & 30, from which corner I run
- East On a true line between Sec. 19 & 30. Var. $13^{\circ}59'$ E.
- 39.00 Set a post charred and chalked for the Qr. Sec. corner and
raised a mound with trench and pits as per instructions.
79.00 The corner to Sec. 19, 20, 29, 30.
Land 2nd rate and level.
- North Between Sec. 19 & 20. Var. $14^{\circ}13'$ E.
- 40.00 Set a post charred and chalked for the Qr. Sec. corner and
raised a mound with trench and pits, as per instructions.
50.00 Set a post charred and chalked and notched for the corner to
Secs. 17, 18, 19 & 20, and raised a mound with trench and
pits, as instructed, from which post,
A Cedar 12 in. dia. bears S. $16^{\circ}30'$ E. 74 lks. distant.
Land 2nd rate and level.
- East On a random line between Sec. 17 & 20. Var. $14^{\circ}13'$ E.
- 40.00 Set a post for temporary Qr. Sec. corner.
79.46 Intersect N. & S. line 8 links south of the corner to Secs.
16, 17, 20 & 21, from which corner I run
- West On a true line between Sec. 17 & 20. Var. $14^{\circ}16'$ E.
- 39.73 Set a post charred and chalked for the Qr. Sec. corner and
raised a mound with trench and pits, as per instructions.
79.46 The corner to Sec. 17, 18, 19, 20.
Land 2nd rate and level.
- West On a random line between Secs. 18 & 19. Var. $14^{\circ}13'$ E.
- 40.00 Set a post for temporary Qr. Sec. corner.
78.86 Intersect the west boundary of the Township 40 links south
of the corner to Secs. 18 & 19, from which corner I run
- East On a true line between Sec. 18 & 19. Var. $13^{\circ}56'$ E.
- 38.86 Set a post charred and chalked for the Qr. Sec. corner and
raised a mound with trench and pits as instructed.
78.86 The corner to Secs. 17, 18, 19, 20.
Land 2nd rate and level.
- North Between Secs. 17 & 18. Var. $14^{\circ}13'$ E.
- 40.00 Set a post charred and chalked for the Qr. Sec. corner and
raised a mound with trench and pits as per instructions.
50.00 Set a post charred, chalked and notched for the corner to
Secs. 7, 8, 17 & 18, and raised a mound with trench and pits
as per instructions.

T. 8 N., R. 15 W., San Bernardino Meridian.

Land 2nd rate and level.

- East On a random line between Sec. 8 & 17. Var. 14°13' E.
40.00 Set a post for temporary Qr. Sec. corner
79.48 Intersect N. & S. line 50 lks. north of the corner to Sec. 8,
9, 16, 17, from which corner I run
- West On a true line between Sec. 8 & 17. Var. 13°52' E.
39.74 Set a post charred and chalked for the Qr. Sec. corner and
79.48 raised a mound with trench and pits, as per instructions.
The corner to Sec. 7, 8, 17 & 18.
Land level and 2nd rate.
- West On a random line between Sec. 7 & 18. Var. 14°13' E.
40.00 Set a post, for temporary Qr. Sec. corner.
78.88 Intersect the west boundary of the Township, at post corner to
Sec. 7 & 18, from which corner, I run
- East On a true line between Sec. 7 & 18. Var. 14°13' E.
38.88 Set a post charred and chalked for the Qr. Sec. corner and
78.88 raised a mound with trench and pits, as per instructions.
The corner to Sec. 7, 8, 17, 18.
Land level and 2nd rate.
- North Between Sec. 7 & 8. Var. 14°13' E.
2.00 Leave Cedars and Palmetto.
40.00 Set a post charred and chalked for the Qr. Sec. corner and
80.00 raised a mound with trench and pits as per instructions.
Set a post, charred, chalked and notched for the corner to
Secs. 5, 6, 7, 8 and raised a mound with trench and pits as
instructed.
Land level and 2nd rate.
- East On a random line between Sec. 5 & 8. Var. 14°13' E.
40.00 Set a post for temporary Qr. Sec. corner.
79.40 Intersect N. & S. line 60 links north of the corner to Secs.
4, 5, 8, 9, from which corner I run
- West On a true line between Sec. 5 & 8. Var. 13°47' E.
39.70 Set a post charred and chalked for the Qr. Sec. corner and
79.40 raised a mound in the trench and pits as instructed.
The corner to Sec. 5, 6, 7, 8.
Land 2nd rate and level.
- West On a random line between Sec. 6 & 7. Var. 14°13' E.
40.00 Set a post for temporary Qr. Sec. corner.
78.16 Intersect the west boundary of the Township 70 lks. South of
the corner to Sec. 6 & 7, from which corner I run
- East On a true line between Sec. 6 & 7. Var. 13°43' E.
38.16 Set a post charred and chalked for the Qr. Sec. corner and
78.16 raised a mound with trench and pits as per instructions.
The corner to Sec. 5, 6, 7, 8.
Land 2nd rate and level.

T. 8 N., R. 15 W., San Bernardino Meridian.

North On a random line between Sec. 5 & 6. Var. 14°13' E.
40.00 Set a post for temporary Qr. Sec. corner.
80.00 Intersect the north boundary of the Township 42 links west of
the corner to Sec. 5 & 6, from which corner I run

South On a true line between Sec. 5 & 6. Var. 13°55' E.
40.00 Set a post charred & chalked for the Qr. Sec. corner and raised
a mound with trench & pits as per instructions.
80.00 The corner to Sec. 5, 6, 7, 8.
Land as above mentioned.

General Description.

This Township is particularly adapted to grazing, though the soil would produce good wheat & barley. There is sufficient timber for farming purposes.

Township 9 North, Range 15 West.

Field notes of the Subdivision lines in Township 9 North, Range 15 West, San Bernardino Meridian, commenced Sept. 1st, 1855, finished Sept. 7th, 1855.

From the corner to Sec. 1, 2, 35, 36 on the South Boundary of the Township, I run

North Between Sec. 35 & 36. Var. 14°13' E.
40.00 Set a post charred and chalked for the Qr. Sec. corner and
raised a mound with trench and pits as per instructions.
80.00 Set a post charred, chalked and notched for the corner to
Sec. 25, 26, 35, 36 and raised a mound with trench and pits,
as instructed.
Land 2nd rate, and level. Soil sandy.

East On a random line between Sec. 25 & 36. Var. 14°13' E.
1.00 To scrub and chaparral.
40.00 Set a post for temporary Qr. Sec. corner.
80.00 Intersect the East boundary of the Township 10 lks. South of
the corner to Sec. 25 & 36, from which corner I run

West On a true line between Sec. 25 & 36. Var. 14°17' E.
40.00 Set a post charred and chalked for the Qr. Sec. corner and
raised a mound with trench & pits, as per instructions.
80.00 The corner to Sec. 25, 26, 35 & 36.
Land 2nd rate and level.

Sub. Township 9 North, Range 15 W. San Bernardino Meridian.

- 40.00 Set a post charred and chalked for the Qr. Sec. corner and raised a mound with trench and pits, as per instructions.
- 80.00 Set a post charred and chalked and notched for the Qr. Sec. corner to Sec. 13, 14, 23, 24, and raised a mound, with trench and pits, as per instructions.
Land level and 2nd rate.
- East On a random line between Sec. 13 & 24. Var. 14°13' E.
- 40.00 Set a post for temporary Qr. Sec. corner.
- 80.26 Intersect the East boundary of the Township 12 lks. South of the corner to Sec. 13 & 24, from which I run
- West On a true line between Sec. 13 & 24. Var. 14°16' E.
- 40.13 Set a post charred and chalked for the Qr. Sec. corner and raised a mound with trench and pits, as per instructions.
- 80.26 Intersect the East boundary of the Township 12 lks. South of the corner to Sec. 13 & 24, from which corner I run
- West On a true line between Sec. 13 & 24. Var. 14°16' E.
- 40.13 Set a post charred and chalked for the Qr. Sec. corner and raised a mound with trench and pits, as per instructions.
- 80.26 The corner to Sec. 13, 14, 23, 24.
Land as above mentioned.