

Copied from Photographic Copies
 furnished by
 U.S. General Land Office
 Washington, D.C.

	31		R. 9 W.			36	
	6	²³ 5	¹⁸ 4	¹⁵ 3	¹¹ 2	⁸ 1	²
	₂₂	₂₂	₁₈	₁₅	₁₁	₈	
	7	²² 8	¹⁸ 9	¹⁴ 10	¹¹ 11	⁸ 12	²
	₂₂	₂₁	₁₇	₁₃	₁₀	₈	
	18	²¹ 17	¹⁷ 16	¹³ 15	¹⁰ 14	⁷ 13	²
	₂₁	₂₁	₁₇	₁₄	₁₀	₇	
	19	²⁰ 20	¹⁶ 21	¹² 22	¹⁰ 23	⁷ 24	²
	₂₀	₂₀	₁₆	₁₂	₉	₆	
	30	¹⁹ 29	¹⁶ 28	¹² 27	⁹ 26	⁶ 25	¹
₅	₁₉	₁₉	₁₅	₁₂	₉	₆	
₅	31	¹⁸ 32	¹⁵ 33	¹² 34	⁹ 35	⁶ 36	¹
	₄	₄	₄	₃	₃	₃	
1	6	5	4	3	2	1	16
₄							
12	7	8	9	10	11	12	17
₅							
13	18	17	16	15	14	13	18

T. 5 N.

ON WEST BOUNDARY OF T 4 N., R. 8 W. & 5 N. 9.

Var. 14°5' E.

From cor. of Townships 4 & 5 N. Rs. 8 & 9 W.

14.50 South on West boundary of Sec. 6.
20.00 Into dry bed of Arroyo 15 links wide.
40.00 Leave same, course N.
Drive Qr. Sec. post and charred stake from which
bears a Cedar 5 in. diam. S. 50 W. dist. 41 links.
a Cedar 6 in. diam. N. 13 E. dist. 86 links.
80.00 Set sec. post and charred stake in mound with trench
and pits as per instructions cor. of Secs. 1, 6, 7 & 12.
Land sloping North. Soil third rate.

40.00 South on West boundary of Sec. 7.
Set Qr. Sec. post and charred stake in mound with
trench and pits as per instructions.
80.00 Set sec. posts and charred stake in mound with trench
and pits as per instructions. Cor. of Secs. 7, 12, 13 & 18,
near the East side of a Canada, about 15 chs. wide,
course N. Third rate soil.

7.00 South on West boundary of Sec. 18.
14.00 To top of Conical mound of about 15 chs. base.
17.00 To N. base of same, and to base of the mountain.
To pitch pine (Pinian) 30 in. diam. on N. face of a
Granite Ledge and N. face of the Sierra Madre Mountain,
beyond which it is impracticable to measure.

On west boundary T. 5 N. R. 8 W.

Var. 14°5' E.

From cor. of Townships 4 & 5, Rs. 8 & 9 W.

25.00 North on West boundary of Sec. 31.
25.50 Across dry bed of arroyo 50 lks. wide, course Northwardly
27.50 Across wagonroad for the "Cajon de las Uvas" and Tijan.
36.00 Into arroyo again.
40.00 Leave same 1 chain wide, course N.E.
Drive Qr. Sec. post and charred stake from which a Spanish
Bayonet 11 in. diam. bears S. 57½° W. dist. 415 lks. a
Spanish Bayonet 11 in. diam. bears N. 63° E. dist. 62 links
67.50 Enter dry arroyo 30 lks. wide.
71.00 Leave same, course N.E.
80.00 Set sec. post and charred stake in mound with trench
and pits as per instructions cor. of Secs. 25, 30, 31 & 36.
Uniform slope to the North. Soil third rate.

North on West boundary of Sec. 30.

10.00 Across dry arroyo 50 lks. wide, course N.E.
40.00 Set qr. sec. post and charred stake in mound with
trench and pits as per instructions.
45.00 Across dry bed of arroyo 13 lks. wide banks 3 feet high
course N.E.
80.00 Set sec. post and charred stake in mound with trench and
pits as per instructions, cor. Secs. 19, 24, 25 & 30.
Same as last mile.

T. 5 N., R. 8 W.

North on West boundary of Sec. 19

40.00 Set qr. sec. post and charred stake in mound with trench and pits as per instructions.
48.50 Across dry arroyo 50 lks. wide, course N.E.
55.00 Across dry arroyo 15 lks. wide, course N.W.
56.00 Across same again, course N.E.
80.00 Set sec. post and charred stake in mound with trench and pits as per instructions cor. of Secs. 13, 18, 19 & 24. First 15 chs., course pebbles and remainder same as last mile.

North on West boundary of Sec. 18.

40.00 Set qr. sec. post and charred stake in mound with trench and pits as per instructions.
80.00 Set sec. post and charred stake in mound with trench and pits as per instructions. cor. of Secs. 7, 12, 13 & 18. Undulating and sloping to the North. Soil third rate, a light colored sand mould.

North on west boundary of Sec. 7.

37.50 Across dry arroyo 15 lks. wide, course N.W.
40.00 Set qr. sec. post and charred stake in mound with trench and pits as per instructions.
61.00 Across Indian trail to W.
80.00 Set sec. post and charred stake in mound with trench and pits as per instructions. cor. of Secs. 1, 6, 7 & 12. Same as last mile.

North on West boundary of Sec. 6.

40.00 Set qr. sec. post and charred stake in mound with trench and pits as per instructions.
80.00 Intersect First Standard North, 35.60 chs. East of the 45th Mile S.C. as established by Col. R. Norris and set C.C. Township post and charred stake in mound with trench and pits as per instructions. cor. of Townships No. 5 N. Rs. 8 & 9 W. from which highest peak of mountains on the S. (a) S. 22° E. next peak (b) South. Next peak (c) S. 16½° W. Next peak (d) S. 21½° W. Next peak (e) S. 30½° W. Low peak on the W. terminus of ridge S. 52° W. Peaks A & B making the line of a very high range E. of the Canon of the Rio del Llano on the North. There is another lower range parallel with it. The peaks (d) (c) & (e) with (f) make the line of the range on the West of the Rio del Llano, also having a spur making out some 3 miles on the N.W. from the Canon of said river.

On South boundary of T. 5 N., R. 9 W.

Var. 14° 5' E.

From cor. of Townships 4 & 5, Rs. 8 & 9 W.
West on south boundary of Sec. 36.
6.00 Across dry bed of an arroyo 150 lks. wide, course N.
13.50 Across another dry bed of an arroyo 15 lks. wide, course N.
40.00 Drive qr. sec. post and dig trench as per instruction from which bears a Cedar 5 in. diam. N. 67° E. dist. 125 lks.

T. 5 N. R. 9 W.

51.00 East bank of Ravine.
54.00 To centre of same and across dry arroyo 12 lks. wide to N.
56.00 Across dry arroyo 1 chain wide to N.
66.00 Across dry arroyo 1 chain wide and 15 feet deep, course N.
79.00 To E. bank of a ravine.
80.00 Set sec. post and charred stake in mound of rock and earth with trench and pits on W. face of ravine, course N.

Broken land on N. base of a range E. & W. of high foot hills of the mountain. dist from 1/4 to 3/4 of a mile. Soil third rate and rocky.

West on South boundary of Sec. 35.
2.00 Across same ravine.
4.50 To centre of another ravine, course N.
6.00 To west bluff of same.
29.50 To E. bank of ravine.
30.00 Cross dry arroyo 20 lks. wide in same course N.
31.00 To top of W. bank.
40.00 Set qr. sec. post and charred stake in mound with trench and pits as per instructions.
45.00 To E. bank of dry arroyo.
46.00 Across same, course North.
47.00 To top of West bank of same.
62.00 Across dry arroyo, 15 lks. wide, course N.
77.00 Across dry arroyo, 12 lks. wide, course N.
79.00 To W. bank of arroyo.
80.00 Set sec. post and charred stake in mound with trench and pits as per instructions. cor. of Secs. 34, 35, 2 & 3 on W. side of dry arroyo, course N. from which a Cedar 8 in. diam. bears N. 65 W. dist. 54 lks. Same as last mile.

West on South boundary of Sec. 34.
6.50 Across dry bed of arroyo 15 lks. wide, course N.
16.00 Across another dry bed of arroyo 50 lks. wide, course N. Banks 4 feet high.
40.00 Drive qr. sec. post and charred stake from which a Spanish Bayonet 8 in. diam. bears S. 19° W. 147 lks. A Cedar 5 in. diam. N. 52° W. dist. 130 lks.
60.50 Across dry arroyo 12 lks. wide, course N. banks 3 feet high
80.00 Set sec. post and charred stakes in mound with trench and pits as per instructions. cor. of Secs. 33, 34, 3 & 4. Same as last mile, save that it is less broken and for last half mile no Cedar.

West on South boundary of Sec. 33.
32.40 To East bank of a Canada, course N.W. from this point a point on the East side of the pass of the Canada through the foot hills of the mountain bears S. 38° E. Pass distant about one mile.
33.50 Into Canada.
40.00 Set qr. sec. post and charred stake in a mound of rock and earth 5 ft. base, from which bears the point (a bush) on E. side of pass of the Canada before taken S. 42° E.

T. 5 N. R. 9 W.

41.50 Across dry bed of an arroyo 1 chain wide, course N.W.
 44.00 Across Canada and to top of West bank of same.
 80.00 Set sec. post and charred stake in mound with trench and pits as per instructions. Cor. of Secs. 32, 33, 4 & 5. Undulating land, sloping North. Soil of first half mile third rate, of last half mile second rate.

40.00 West on South boundary of Sec. 32.
 Drive qr. sec. post and charred stake from which bears a Cedar 7 in. diam. S. $53\frac{1}{2}^{\circ}$ E. dist. 108 links. A Spanish Bayonet 10 in. diam. N. 60° E. dist. 177 links. A small bush on top of conical hill in N. face of range of foot hills, having a base of about 20 chs. and dist. about 40 chs. S. $31\frac{1}{2}^{\circ}$ E.
 78.50 To E. bluff of the river of the plain. (Rio del Llano).
 80.00 Drive sec. post and charred stake and dig trench as per instructions. cor. of Secs. 31, 32, 5 & 6, at head of ravine making a river bottom from which bears a Cedar 6 in. diam. S. 29° E. dist. 69 links. A cedar 5 in. diam. S. 76° W. dist. 83 links. Undulating land, sloping North. Soil second rate.

July 5th.

West on South boundary of Sec. 31.
 2.00 Top of bank.
 3.00 To E. bank of ravine.
 7.00 Into same, course N.W.
 8.00 To top of N.W. Slope of spur.
 10.00 Into ravine. 10 lks. wide, course North.
 12.50 To top of N.W. end of ridge.
 16.00 To bottom land of river.
 21.50 Across bottom and Rio del Llano (skirted with Alder) 16 lks. wide, 8 in. deep and rapid, course N.
 40.00 Set qr. sec. post and charred stake in mound with trench and pits as per instructions.
 80.00 Set township post and charred stake in mound with trench and pits as per instructions cor. of Townships 4 & 5, N. Rs. 9 & 10 W.
 On East slope of high hill. Broken land. Soil generally third rate.

On West boundary of T. 4 N. R. 9 W. Var. $14^{\circ}8'$ E.
 From corner of Townships 4 & 5 N. Rs. 9 & 10 W.
 South on West boundary of Sec. 6.
 12.00 To top of Ridge, course E. & W.
 37.00 To top of another ridge, course S.E. & N.W. on S. face of high hill.
 40.00 Set qr. sec. post and charred stake in mound with trench and pits as per instructions.
 52.50 Across ravine taking Easterly towards the river and across trail leading to swamp about a mile west and south, being about a mile long from E. to W. and 20 or ~~30~~ from N. to S. and across wagon trail, course N.W. So

T. 4 N. R. 9 W.

- 57.50 To E. slope of spur (near E. point)
63.50 To S. base of high hill and across dry bed of Arroyo, 50
lks. wide, course E. The outlet of the swamp aforementioned
during the rainy season.
80.00 Set sec. post and charred stake in mound with trench and
pits as per instructions, cor. of Secs. 1, 6, 7 & 12. Hilly
soil, second and third rate.
-

South on West boundary of Sec. 7.

- 1.00 To N. base of mountain spur to the N.W.
3.50 Across gully 50 lks. wide, course N.W.
40.00 Set qr. sec. post and charred stake in mound with trench and
pits as per instructions on N. face of Spur from which bears
a bush on point of hill at the East head and near the S.
side of a valley some 2 miles long and one wide traversed by
the river from S.E. to N.W. S. 69° E. and a high lobe on
ridge of hills (course E. & W.) on the south side of valley.
N. 80½° E.
69.00 Across gully 5 lks. wide, course N.W.
80.00 Set sec. post and charred stake in mound with shallow trench
and pits for nearness of ledge to surface on N.E. slope of
spur cor. of Secs. 7, 12, 13 & 18, from which bears the bush
on point of hill before taken, S. 79° E. and lobe on Ridge of
hills, south of valley, N. 69° E. and finding it insuperably
rough and mountainous on the south we return to cor. of town-
ships 4 & 5 N. Rs. 9 & 10 W.
-

On West boundary of T. 5 N. R. 9 W.

Var. 14°08' E.

North on West boundary of Sec. 31.

- 15.00 To top of ridge sloping E. with indications of a vein of
copper ore.
40.00 Set qr. sec. post and charred stake in mound with trench
and pits as per instructions (deposits only 8 in for rock.)
80.00 Set sec. post and charred stake in mound with trench and
pits as per instructions. cor. of Secs. 25, 30, 31 & 36, on
N. base of range of high hills from E. to W.
Hilly, soil third rate. Timber, scattering Cedar.
-

North on West boundary of Sec. 30.

- 33.00 To bank, course N.W.
40.00 Set qr. sec. post and charred stake in mound with trench
and pits as per instructions.
51.00 Across dry bed of Arroyo 20 lks. wide, course N.W.
-

SUBDIVISION LINES OF TOWNSHIP 5 N. R. 9 W.
SAN BERNARDINO MERIDIAN.

Having determined the proper adjustment of my compass for the
subdivisions of this Township in the recent survey of its

SUBDIVISION LINES OF TOWNSHIP 5 N. R. 9 W. S. B. M.

exterior lines, I commence at the corner of Sections 35, 36, 1 & 2, on the south boundary and run.

North on true line between Sections 35 & 36.
Var. 14° 8' E.

30.50 Cross wagon road, course W.
40.00 Drove qr. sec. post and charred stake from which bears
A Spanish Bayonet 8 in. diam. S. 54° E. dist. 53 links.
A Spanish Bayonet 10 in. diam. N. 64° E. dist. 168 links.
80.00 Drove sec. post and charred stake and dig trench as per
instructions. cor. of Secs. 25, 26, 35 & 36, from which
A Spanish Bayonet 10 in. diam. bears S. 59° E. dist. 194 lks.
A Spanish Bayonet 10 in. diam. bears S. 3° E. dist. 121 lks.
Timber scattering Cedar. Land sloping North. Soil second rate.

East on random between Sections 25 & 36.
Var. 14° 8' E.

14.50 Across dry arroyo 20 lks. wide, course N.
37.00 Across dry arroyo 15 lks. wide, course N.
40.00 Set temporary qr. sec. post.
58.00 Across dry arroyo 12 lks. wide, course N.
77.50 Across dry arroyo 30 lks. wide, course N.
79.70 Intersect East boundary 24 lks. N. of cor. to Secs. 25 & 36,
from which I run--

West on a true line between Sections 25 & 36.
Var. 13° 58' E.
39.85 Set qr. sec. post and charred stake in mound with trench
and pits as per instructions.
79.70 To cor. of Secs. 25, 26, 35 & 36. Land undulating. Soil
second rate, vegetation principally chinese and bunch grass.

North between Sections 25 & 26.
Var. 14° 8' E.

26.00 Across dry arroyo 20 lks. wide, course N.W.
40.00 Set qr. sec. post and charred stake in mound with trench
and pits as per instructions.
80.00 Set sec. post and charred stake in mound with trench and
pits as per instructions. cor. of Secs. 23, 24, 25 & 26.
Land gently rolling and sloping to the North.
Soil second rate.

East on random between Sections 24 & 25.
Var. 14° 8' E.

21.25 Across dry arroyo 20 lks. wide, course N.
34.00 Across dry arroyo 30 lks. wide, course N.W.
40.00 Set temporary qr. sec. post.
63.50 Across dry arroyo 40 lks. wide, course North.
75.00 Across dry arroyo 30 lks. wide, course North.

T. 5 N. R. 9 W.

79.72 Intersected East boundary 8 lks. South of cor. of Secs. 24 & 25, from which I run--

West on true line between Sections 24 & 25,
Var. 14°11' E.

39.86 Drove qr. sec. post and charred stake and dig trench as per instructions, from which a Spanish Bayonet 6 in. diam. bears N. 80° W. dist. 170 chs.

79.72 To cor. of Secs. 23, 24, 25 & 26. Land gently undulating and sloping to the North. Soil second rate.

North between Sections 23 & 24.
Var. 14°8' E.

16.50 Across gulley 10 lks. wide, course N.E.

30.00 To West bluff of Ravine.

31.50 Into ravine and dry arroyo 20 lks. wide, course North descent 40 feet.

35.00 Leave arroyo, course N.W.

40.00 Set qr. sec. post and charred stake in mound with trench and pits as per instructions on W. face of ravine ascent 30 feet.

47.00 To top of E. bank of ravine.

55.00 Into Valley.

80.00 Set sec. post and charred stake in mound with trench and pits as per instructions cor. of Secs. 13, 14, 23 & 24. Land broken. Soil second rate.

East in random between Sections 13 & 24.
Var. 14°08' E.

16.00 Across dry arroyo 20 lks. wide, course N.

40.00 Set temporary qr. sec. post.

60.00 Across dry arroyo 20 lks. wide, course N.

62.50 Across dry arroyo 20 lks. wide, course N.

75.00 Across dry arroyo 30 lks. wide, course N.

79.75 Intersect East boundary 50 lks. south of corner of Sections 13 and 24, from which corner I run--

West on a true line between Sections 13 & 24.
Var. 14°30' E.

39.87½ Set qr. sec. post and charred stake in mound with trench and pits as per instructions.

79.75 To cor. of Secs. 13, 14, 23 & 24. Land undulating and sloping to the North. Soil second rate.

North between Sections 13 & 14.
Var. 14°8' E.

40.00 Set qr. sec. post and charred stake in mound with trench and pits as per instructions.

T. 5 N. R. 9 W.

50.00 Set sec. post and charred stake in mound with trench and pits as per instructions. cor. of Sections 11, 12, 13 & 14. Land level. Soil second rate.

East on random between Sections 12 & 13.
Var. 14°8' E.

40.00 Set temporary qr. sec. post.
50.02 Intersect East boundary 74 lks. South of corner of Secs. 12 & 13, from which corner I run--

West on a true line between Sections 12 & 13.
Var. 14°40' E.

40.01 Set qr. sec. post and charred stake in mound with trench and pits as per instructions.
50.02 To cor. of Secs. 11, 12, 13 & 14. Land level. Soil alternating with first and second rate.

October 31st.

North between Sections 11 & 12.
Var. 14°8' E.

40.00 Set qr. sec. post and charred stake in mound with trench and pits as per instructions.
50.00 Set sec. post and charred stake in mound with trench and pits as per instructions. cor. of Secs. 1, 2, 11 & 12. Land level. Soil generally first rate.

East on random between Secs. 1 & 12.
Var. 14°8' E.

40.00 Set temporary qr. sec. post.
75.00 Across dry arroyo 25 lks. wide, course North.
50.05 Intersected East boundary 113 lks. South of cor. of Secs. 1 & 12 from which I run--

West on true line between Sections 1 & 12.
Var. 14°56' E.

40.02½ Set qr. sec. post and charred stake in mound with trench and pits as per instructions.
50.05 To cor. of Secs. 1, 2, 11 & 12. Land level. Soil second rate sandy loam.

North between Sections 1 & 2.
Var. 14°08' E.

40.00 Set qr. sec. post and charred stake in mound with trench and pits as per instructions.
86.46 Intersected the First Standard North 3.53 chs. West of the qr. sec. corner on the South boundary of Sec. 36. Set sec. post and charred stake in mound with trench and pits as per instructions at point of intersection C.C. of Secs. 1 & 2

T. 5 N. R. 9 W.

The stake in this instance being only $2\frac{1}{2}$ inches square.
Land level. Soil second rate and sandy, covered with
excellent bunch grass.

North between Sections 34 & 35.

Var. $14^{\circ}8'$ E.

9.00 Leave dry arroyo 30 lks. wide, course N.W.
32.00 Cross wagonroad, course West.
40.00 Drove qr. sec. post and charred stake from which a
Spanish Bayonet 8 in. diam. bears N. 77° W. dist. 94 lks.
A Spanish Bayonet 10 in. diam. bears N. $55\frac{1}{2}^{\circ}$ E. dist. 70 lks.
50.00 Set sec. post and charred stake in mound with trench and
pits as per instructions. cor. of Secs. 26, 27, 34 & 35.
Land sloping to the North. Soil mostly second rate.

East on random between Secs. 26 & 35.

Var. $14^{\circ}8'$ E.

40.00 Set temporary qr. sec. post.
47.00 Across dry arroyo 25 lks. wide course N.
50.23 Intersected N. & S. line 50 lks. N. of cor. of Secs. 25,
26, 35 & 36 from which cor. I run--

West on true line between Secs. 26 & 35.

Var. $13^{\circ}47'$ E.

40.11 $\frac{1}{2}$ Set qr. sec. post and charred stake in mound with trench
and pits as per instructions.
50.23 To corner of Sections 26, 27, 34 & 35.

Land sloping to the N.W. Soil for the most part second
rate.

North between Sections 26 & 27.

Var. $14^{\circ}8'$ E.

39.00 Across a dry arroyo 25 lks. wide, course N.W.
40.00 Drove qr. sec. post and charred stake and dug trench as
per instructions from which a Spanish Bayonet 10 in. diam.
bears N. 50° E. dist. 139 lks.
50.00 Set sec. post and charred stake in mound with trench and
pits as per instructions cor. of Sec. 22, 23, 26 & 27.
Land sloping to N.W. Soil second rate.

East on a random line between Secs. 23 & 26.

Var. $14^{\circ}8'$ E.

40.00 Set temporary qr. sec. post.
50.02 Intersected N. & S. line 40 lks. north of Secs. 23, 24,
25 & 26, from which corner I run.

West on a true line between Sections 23 & 26.

Var. $13^{\circ}51'$ E.

T. 5 N. R. 9 W.

- 40.01 Set qr. sec. post and charred stake in mound with trench and pits as per instructions.
80.02 To corner of Secs. 22, 23, 26 & 27. Land gradually sloping West. Soil first rate for most part.

November 1st.

North between Sections 22 & 23.

Var. $14^{\circ}8'$ E.

- 40.00 Set qr. sec. post and charred stake in mound with trench and pits as per instructions.
65.00 Local attraction diminishes the variation 1° at this point.
72.50 Across dry arroyo, 1 chain wide, course N.W.
80.00 Set sec. post and charred stake in mound with trench and pits as per instructions. cor. of Secs. 14, 15, 22 & 23. First half mile level land. Soil second rate, last half mile a broken bench of low tableland. Soil red and pebbly.

East on random between Secs. 14 & 23.

Var. $14^{\circ}8'$ E.

- 21.00 To top of bluff of table land at which the variation is diminished by local attraction nearly a degree.
30.00 The variation is diminished by local attraction nearly two degrees.
40.00 Set temporary qr. sec. post.
45.00 To base of bluff of table land, ranging nearly N.W. & S.E.
70.00 Across dry arroyo or wash, one chain wide, course N.
79.95 Intersected N. & S. line 52 lks. North of cor. of Secs. 13, 14, 23 & 24, from which I run--

West on a true line between Sections 14 & 23.

Var. $13^{\circ}46'$ E.

- 39.97 $\frac{1}{2}$ Drove qr. sec. post and charred stake from which bears a Spanish Bayonet 8 in. diam. N. $15\frac{1}{4}^{\circ}$ W. dist. 100 links. A Spanish Bayonet 10 in. diam. S. $17\frac{1}{4}^{\circ}$ E. dist. 255 links.
79.95 To cor. of Secs. 14, 15, 22 & 23. Soil second rate and auriferous. Land broken.

North between Sections 14 & 15.

Var. $14^{\circ}8'$ E.

- 33.50 To bluff of broken table land.
40.00 Set qr. sec. post and charred stake in mound at base of table land with trench and pits as per instructions.
80.00 Set sec. post and charred stake in mound with trench and pits as per instructions. cor. of Secs. 10, 11, 14 & 15. First half mile broken land, last half mile gently undulating. Soil second rate.

East on random between Sections 11 & 14.

Var. $14^{\circ}8'$ E.

T. 5 N. R. 9 W.

- 40.00 Set temporary qr. sec. post.
79.57 Intersected N. & S. line 38 lks. North of cor. of
Secs. 11, 12, 13 & 14, from which I run--
West on true line between Sections 11 & 14.
Var. 13°52' E.
- 39.78½ Set qr. sec. post and charred stake in mound with trench
and pits as per instructions.
- 79.57 To cor. of Secs. 10, 11, 14 & 15. Land gently undulating.
Soil second rate.
-
- North between Sections 10 & 11.
Var. 14°8' E.
- 36.50 Across dry arroyo 25 lks. wide, course N.W.
40.00 Set qr. sec. post and charred stake in mound with trench
and pits as per instructions.
- 80.00 Set sec. post and charred stake in mound with trench and
pits as per instructions cor. of Secs. 2, 3, 10 & 11.
Land level. Soil second rate sand loam with good pasture
of bunch and pin grass.
East on a random line between Sections 2 & 11.
Var. 14°8' E.
- 40.00 Set temporary qr. sec. post.
79.48 Intersected N. & S. line 67 lks. N. of corner of Sections
1, 2, 11 & 12.--from which corner I run
West on true line between Sections 2 & 11.
Var. 13°39' E.
- 39.74 Set qr. sec. post and charred stake in mound with trench
and pits as per instructions.
- 79.48 To cor. of Secs. 2, 3, 10 & 11. Land level. Soil second
rate. Sand loam.
North between Sections 2 & 3.
Var. 14°8' E.
- 40.00 Set qr. sec. post and charred stake in mound with trench
and pits as per instructions.
- 86.54 Intersected first Standard North 197 lks. West of the half
mile cor. on the 50th Mile and set sec. post (2½ in. square)
and charred stake in mound with trench and pits as per
instructions. C.C. of secs. 2 & 3 at point of intersection.
Soil & c. same as last mile.
-
- North between Sections 33 & 34.
Var. 14°8' E.
- 34.00 Across road, course West.
40.00 Drove qr. sec. post and charred stake and dug trench as per
instructions, from which bears a Spanish Bayonet 8 in. diam.
N. 15° E. dist. 70 lks.,