

Copied from Photographic Copies  
 furnished by  
 U.S. General Land Office  
 Washington D.C.

R.10W.

4							
6	5	4	3	2	1	3	
26	26	21	17	14	11		
7	8	9	10	11	12	4	
25	15	21	11	14	1		
18	17	16	15	14	13	2	
21	4	19	16	13	10	T.2N.	
19	20	21	22	23	24	2	
23	23	19	16	12	9		
30	29	28	27	26	25	1	
23	22	18	15	12	9	1	
31	32	33	34	35	36	1	
	7	7	6	6	6		

## PRELIMINARY OATHS OF ASSISTANTS.

I, Gus Williams, do solemnly swear that I will well and truly perform the duties of compassman according to instructions given me, and to the best of my skill and ability in the survey of the Exterior Boundary lines of T. 2 N., R. 10 W., S.B.M.

Guss Williams, Compassman.

Subscribed and sworn to before me this 11th day of February 1884

(Seal)

L. Musselman, J. P.  
in and for San Bernardino County  
California.

We, Theo. F. Wyman, Fred Albrecht and Geo. McFarlan & David Stokes do solemnly swear that we will well and faithfully execute the duties of chain carriers; that we will level the chain upon even and uneven ground and plumb the tally-pins, either by sticking or dropping the same; that we will report the true distance to all notable objects, and the true length of all lines that we

assist in measuring, to the best of our skill and ability and in accordance with instructions given us, in the survey of the Exterior Boundary lines of T. 2 N. R. 10 W. S. B. M.

Theo. F. Wyman, Chainman  
Fred Albrecht, Chainman  
Geo. McFarlan Chainman  
Davis Stokes, Chainman

Subscribed and sworn to before me this 11th day of February 9 1884.

(Seal)

L. Musselman,, J. P.  
in and for San Bernardino County, California

We, Jeff C. Henderson and H. E. Mason, do solemnly swear that we will well and truly perform the duties of axemen, in the establishment of corners and other duties according to instructions given us, and to the best of our skill and ability in the survey of Exterior Boundary lines of T. 2 N., R. 10 W., S. B. M.

Jeff E. Henderson, Axeman  
H. E. Mason, Axeman

Subscribed and sworn to before me this 11th day of February, 1884.

L. Musselman, J. P.

(Seal)

in and for San Bernardino County, California.

T. 2 N. R. 10 W., S. B. M.

From the corner to Tps. 1 and 2 N. Rgs 9 and 10 W. I run  
North between Secs. 31 and 36.

- 40.00 Ascending. Var. 14°27' East.  
Set granite stone 16 x 11 x 9 ins. 11 ins. in the ground for  
1/4 sec. corner marked 1/4 on West face and raised mound of  
stone along side.  
42.50 Pits impracticable.  
Summit of divide between West fork of San Gabriel River and  
San Gabrile River bears N. 60° E. and S. W. and descend.  
80.00 Set granite stone 20 x 10 x 6 ins. 15 ins. in the ground for  
cor. to secs. 25, 30, 31 and 36, Tp. 2 N. Rgs. 9 and 10 W.,  
marked with 1 notch on S. and 5 notches on N. edges and raised  
mound of stone along side. Pits impracticable.  
Land mountainous.  
Soil 3rd rate. Timber None.  
Dense undergrowth of chaparral.

-----  
North between Secs. 25 and 30.

- 40.00 Descend. Var. 14°27' East.  
Set post 4 x 4 ins with marked stone 12 ins. in ground for 1/4  
sec. cor. marked 1/4 on W. face.  
From which bears-- 20  
Pine 18 ins. dia. N. 31° E. 1.30 chs. dist. marked 1/4 S.B. T.  
40.60 Fir 14 ins. dia. N. 22° W. 77 lks. dist. marked 1/4 S.B.T.  
67.40 Timbered ravine 1.60 chs. wide, course N. 40° E. and ascend. .  
80.00 Top of Spur bears N. 55° E. and descend.  
Set granite stone 19 x 11 x 8 ins. 14 ins. in the ground for corner  
to Secs. 19, 24, 25 and 30, marked with 2 notches on S. and  
4 notches on N. edges and raised mound of stone alongside.  
Pits impracticable.  
Land mountainous. Soil 3rd rate.  
Timber, Pine and Fir in ravine. Dense undergrowth of Chaparral.

-----  
North between Secs. 19 and 24.

- 40.00 Descend along East slope of spur. Var. 14°27' East.  
Set granite stone 17 x 11 x 8 ins. 12 ins. in the ground for  
1/4 sec. cor. marked 1/4 on W. face and raised mount of stone  
80.00 alongside. Pits impracticable.  
Set granite stone 16 x 10 x 7 ins. 11 ins. in the ground for  
corner to secs. 13, 18, 19 and 24, marked with 3 notches on N.  
and S. edges and raised mound of stone along side.  
Pits impracticable.  
Land mountainous. Soil 3rd rate. Timber None.  
Dense undergrowth of Chaparral.

-----  
North between Secs. 13 and 18.

- 40.00 Descending. Var. 14°27' East.  
Set granite stone 16 x 11 x 5 ins. 11 ins. in the ground for  
1/4 sec. cor. marked 1/4 on West fact and raised mound of stone  
60.00 alongside. Pits impracticable.  
West fork of San Gabriel River 70 lks. wide, course S. 40° E. in  
canon 3.10 chs. wide, course S. 40° E. and ascend.

## T. 2 N. R. 10 W., S. B. M.

80.00 Set granite stone 14 x 11 x 9 ins. 9 ins. in the ground for Cor. to Secs. 7, 12, 13, and 18, marked with 4 notches on S. and 2 notches on N. edges and raised mound of stone alongside. Pits impracticable.  
 Land mountainous.  
 Soil 3rd rate.  
 Timber Pine, Fir and Oak in Canon.

---

North between Secs. 7 and 12. Var. 14°27' East.

Ascend.  
 25.70 Top of Spur bears S. 85° E. and descend.  
 40.00 Set granite stone 12 x 11 x 4 ins. 7 ins. in the ground for 1/4 sec. cor. marked 1/4 on W. face, raised mound of stone alongside. Pits impracticable.  
 71.15 North Fork of San Gabriel 40 lks. wide, course S.E. in canon 2.30 chs. wide, course S. E. Ascend.  
 80.00 Set granite stone 15 x 11 x 9 ins. 10 ins. in the ground for cor. to secs. 1, 6, 7 and 12, marked with 5 notches on S. and 1 notch on N. edges and raised mound of stone alongside. Pits impracticable. Land Mountains.  
 Soil 3d rate.  
 Timber Pine, Fir and Oak in Canons. Dense Undergrowth of chaparral.

---

North between Secs. 7 and 12. Var. 14°27' East.

Ascend.  
 25.70 Top of Spur bears S. 85° E. and descend.  
 40.00 Set granite stone 12 x 11 x 4 ins. 7 ins. in the ground for 1/4 sec. cor. marked 1/4 on W. face raised mound of stone alongside. Pits impracticable.  
 71.15 North Fork of San Gabriel 40 lks. wide, course S. E. in canon. 2.30 chs. wide, course S. E. and ascend.  
 80.00 Set granite stone 15 x 11 x 9 ins. 10 ins. in the ground for cor. to secs. 1, 6, 7 and 12 marked with 5 notches on S. and 1 notch on N. edges and raised mound of stone alongside. Pits impracticable. Land mountains.  
 Soil 3d rate. Timber Pine, Fir and Oak in canons.  
 Dense undergrowth of Chaparral.

---

North between Secs. 1 and 6. Var. 14°27' East.

Ascending.  
 40.00 Set granite stone 16 x 9 x 8 ins. 11 ins. in the ground for 1/4 sec. cor. marked 1/4 on W. face and raised mound of stone alongside.  
 82.10 To a point 2.51 chs. West of corner to Tps. 2 and 3 N. Rgs. 9 and 10 West. which is a post 4 x 4 ins. ~~found~~ formerly set on large mound of rocks marked  
 T. 3 N. R. 9 W. Sec. 31 on N.E.  
 9 T. 2 N. R. 9 W. Sec. 6 on S. E.  
 T. 2 N. R. 10 W. Sec. 1 on S. W. and  
 T. 3 N. R. 10 W. Sec. 36 on N. W. faces  
 and at point of intersection set granite stone 21 x 18 x 11 ins 16 ins. in the ground for closing corner to Secs. 1 and 6.  
 T. 2 N. R. 9 and 10 W. marked

T. 2 N. R. 10 W. S. B. M.,

C.C. with 6 notches on S. E. and W. edges and raised mound of rocks alongside. Pits impracticable.  
Land mountains. Soil 3d rate. Timber none.  
Dense undergrowth of Chaparral.

April 25th, 1884.

In subdividing this Township I find misclosure of 1.65 chs. in running North between Secs. 5 and 6.

I therefore retrace the North boundary of Sec. 6.

From the corner to Secs. 5, 6, 31 and 32 I run

West between Secs. 6 and 31. retracing

Var. 14°27' East.

Descend.

Cross ravine 60 lks wide., course S.E. and ascend.

Ridge bears N. and S. and descend.

To witness corner to 1/4 sec. cor. which is a post 3 x 3 ins. formerly set in mound of rocks marked 1/4 S. W. C. on N. face. It being impracticable to chain line farther West I cause flag to be set at the corner to Tps. 2 and 3 N. Rgs. 10 and 11 W. which is a post 6 x 6 ins. formerly set in mound of rocks marked

T. 3 N. R. 10 W. Sec. 31 on N. E.

T. 2 N. R. 10 W. Sec. 6 on S. E.

T. 2 N. R. 11 W. Sec. 1 on S. W. and

T. 3 N. R. 11 W. Sec. 36 on N. W. faces with 6 notches

on N. S. E. and W. edges and measured base

N. 6.00 chs. from which point a flag bears

S. 82°38' West.

which gives by calculation a distance of 46.40 chs. making total length of line from the corner to Secs. 5, 6, 31 and 32--81.40.

May 1st, 1884.

Land mountains.

Soil 3rd rate.

Timber None.

Dense undergroth of Chaparral.

8.75  
34.05  
35.00

## PRELIMINARY OATHS OF ASSISTANTS.

I, Gus Williams do solemnly swear that I will well and truly perform the duties of compassman, according to instructions given me, and to the best of my skill and ability, in the survey of the Exterior Boundary Lines of Township 1 North, Range 10 West, San Bernardino Meridian.

Gus Williams, Compassman

Subscribed and sworn to before me this 11th day of February 1884.

S. Musselman, J. P. in and for  
San Bernardino County.

-----

We, Theo. F. Wyman, Fred Albrecht, George McFarlane and David Stokes, do solemnly swear that we will well and faithfully execute the duties of chain carriers; that we will level the chain upon even and uneven ground and plumb the tally-pins either by sticking or dropping the same; that we will report the true distance to all notable objects, and the true length of all lines that we assist in measuring, to the best of our skill and ability, and in accordance with instructions given us, in the survey of the Exterior Boundary Lines of Township 1 North, Range 10 West, San Bernardino Mer.

Theo. F. Wyman,	Chainman
Fred Albrecht,	"
Geo. W. McFarlane	"
David Stokes,	"

Subscribed and sworn to before me this 11th day of February, 1884.

S. Musselman, J. P. in and for  
San Bernardino County, Cal.

-----

We, Jeff E. Henderson and H. E. Mason do solemnly swear that we will well and truly perform the duties of axemen, in the establishment of corners and other duties, according to instructions given us, and to the best of our skill and ability in the survey of the Exterior Boundary of Township 1 North, Range 10 West, San Bernardino Mer.

Jeff E. Henderson	Axeman
H. E. Mason	"

Subscribed and sworn to before me this 11th day of February 1884.

S. Musselman, J. P. in and  
for San Bernardino County, Cal.

## N. B. T. 1 N. R. 10 W. S. B. M.

From the established corner to Sections 5, 6, 31 and 32 on the North Boundary of Township, which is a granite rock 24x16x9 ins. firmly set in the ground marked with 5 notches on the East, and 1 notch on the W. edges and in mound of rocks, I run

East on a random line between ~~Township~~ 1 and 2 N. Range 10 W. setting temporary half mile and mile corners at each 40 and 80 chs. The Variation of my compass being 14°29'E. and find the Township line to be 5 miles, 1.33 chs. long, and the falling to be 97 lks. South of corner to Townships 1 and 2 North Ranges 9 and 10 West.

The correction for the true line will therefore be 19½ lks. N. and 1.33 chs. East per mile, and the true course will be South 89°52' West.

From the corner to Townships 1 and 2 N. Ranges 9 and 10 West, I run S. 89°52' W. on a true line between Sections 1 and 36. Var. 14°29' East.

Ascend.

26.00 Summit of Divide bears N. 10° E. and South 10° W. and descend.  
40.00 Set granite stone 19 x 11 x 10 ins. 12 ins. in the ground for 1/4 Section corner marked 1/4 on N. face and raised mound of stone alongside. Pits impracticable.  
66.00 Gulch 10 lks. wide, course N. 30° E. and ascend.  
80.00 Set Sandstone 14 x 9 x 6 ins. 9 ins. in the ground for corner to Sections, 1, 2, 35 and 36, marked with 1 notch on the E., 5 notches on the West edges, and raised mound of stone alongside. Pits impracticable. Land mountainous. Soil 3rd rate. Timber None. Dense undergrowth of Chaparral.

Mar. 31st, 1884.

South 89° 52' W. on a true line between Sections 2 and 35. Var. 14°29' East.

Ascend.

15.00 Summit of ridge bears N. and S. and descend.  
40.00 Set Sandstone 15 x 11 x 4 ins. 10 ins. in the ground for 1/4 section corner, marked 1/4 on the N. face, and raised mound of stone alongside. Pits impracticable.  
43.20 Gulch 20 lks. wide, course N. and ascend.  
80.00 Set Sandstone 22 x 13 x 9 ins. 17 ins. in the ground for corner to Sections 2, 3, 34 and 35, marked with 2 notches on the E. and 4 notches on the W. edges, and raised mound of stone alongside. Pits impracticable. Land mountainous. Soil 3rd rate. Timber none. Dense undergrowth of Chaparral.

South 89°52' W. on a true line between Sections 3 and 34. Var. 14°29' E.

Ascending.

40.00 Set granite stone 17 x 11 x 4 ins. 12 ins. in the ground for 1/4 Section corner marked 1/4 on N. face and raised mound of stone alongside. Pits impracticable.  
41.00 Summit of ridge bears N. W. and S. E. and descend.  
62.00 Gulch 20 lks. wide, course N. W. and ascend.  
80.00 Set granite stone 18 x 11 x 5 ins. 13 ins. in the ground for corner to Sections 3, 4, 33 and 34, marked with 3 notches on the east and W. edges and raised mound of stone alongside. Pits impracticable. Land mountainous. Soil 3rd rate. Timber None. Dense undergrowth of Chaparral.

N. B. T. 1 N. R. 10 W. S. B. M.

S. 89°52' W. on a true line between Sections 4 and 33.  
Var. 14°29' East.

Ascending.

10.00 Summit of ridge bears N. W. and S. E. and descend.  
40.00 Set Sandstone 15 x 9 x 6 ins. 10 ins. in the ground for  
1/4 section corner, marked 1/4 on N. face and raised  
mound of stone alongside. Pits impracticable.  
50.60 Ravine 50 lks. wide, course N. W. and ascend.  
80.00 Set granite stone 14 x 11 x 5 ins. 9 ins. in the ground  
for corner to Sections 4, 5, 32 and 33, marked with 4 notches  
on E. and 2 notches on the W. edges, and raised mound of  
stone alongside. Pits impracticable.  
Land mountainous Soil 3rd rate. Timber None.  
Dense undergrowth of Chaparral.

S. 89°52' W. on a true line between Sections 5 and 32.  
Var. 14°29' East.

13.00 Summit of Divide bears N. and S. and descend along side of  
ridge sloping West and South.  
41.33 After diligent search, being unable to find old corner  
I set Sandstone 14 x 9 x 8 ins. 9 ins. in the ground  
for 1/4 section corner marked 1/4 on the N. face, and  
raised mound of stone alongside. Pits impracticable.  
81.33 The corner to Sections 5, 6, 31 and 32.  
Land mountainous.  
Soil 3rd rate.  
Timber none.  
Dense Undergrowth of Chaparral.

April 2nd, 1884.



## PRELIMINARY OATH OF ASSISTANTS.

I, Gus Williams, do solemnly swear that I will well and truly perform the duties of compassman according to instructions given me, and to the best of my skill and ability, in the survey of the Subdivision Lines of Township 2 North, Range 10 West, San Bernardino Mer.

Gus Williams, Compassman.

Subscribed and sworn to before  
me this 11th day of February, 1884.

S. Musselman, J. P. in and for  
San Bernardino County, Calif.

-----

We, Theo. F. Wyman, Fred Albrecht, Geo. W. McFarlane & David Stokes, do solemnly swear that we will well and faithfully execute the duties of chain carriers; that we will level the chain upon even and uneven ground and plumb the tally-pins, either by sticking or dropping the same; that we will report the true distance to all notable objects, and the true length of all lines that we assist in measuring, to the best of our skill and ability, and in accordance with instructions given us, in the survey of the Subdivision Lines of Township 2 North, Range 10 West, San Bernardino Mer.

Theo. F. Wyman	Chainman
Fred Albrecht	"
Geo. W. McFarlane	"
David Stokes	"

Subscribed and sworn to before  
me this 11th day of February, 1884.

S. Musselman, J. P. in and  
for San Bernardino County, Cal.

-----p

We, Jeff E. Henderson and H. E. Mason, do solemnly swear that we will well and truly perform the duties of axemen, in the establishment of corners and other duties, according to instructions given us, and to the best of our skill and ability, in the survey of the subdivision lines of Township 2 North, Range 10 West, San Bernardino Mer.

Jeff E. Henderson	Axeman.
H. E. Mason	"

Subscribed and sworn to before  
me this 11th day of February 1884.

S. Musselman, J. P. in and  
for San Bernardino County, Cal.

-----

## T. 2 N., R. 10 W., S. B. M.

From the corner to sections 35, 36, 1 & 2 on the South boundary-- I run

North, between Sections 35 and 36.

Variation  $14^{\circ}27'$  East.

Ascending.

40.00

Set granite stone 16 x 12 x 9 ins. 11 ins. in the ground for 1/4 sec. cor. marked 1/4 on W. face & raised mound of stone alongside. Pits impracticable.

58.00

Top of ridge bears N.  $10^{\circ}$  E & S  $10^{\circ}$  W and descend.

80.00

Set a granite stone 16 x 10 x 5 ins. 11 ins in the ground for cor. to secs. 25, 26, 35 and 36 marked with 1 notch on the S. & E. edges & raised mound of stone alongside. Pits impracticable. Land mountainous. Soil 3rd rate. Timber None. Dense undergrowth of chaparral.

-----  
East on a random line between sections 25 and 36.

Variation  $14^{\circ}27'$  E.

40.00

Set temporary 1/4 sec. cor.

80.21

Intersect E. boundary of Township 16 lks South of cor. to secs. 25, 30, 31 & 36.

Thence I run--

S.  $89^{\circ}53'$  W. on a true line bet. secs. 25 and 36 with same variation.

Descend

13.00

Gulch 30 lks. wide, course N.  $5^{\circ}$  E. and ascend.

40.11

Set granite stone 20 x 12 x 8 ins. 15 ins. in the ground for 1/4 sec. cor. marked 1/4 on N. face and raised mound of stone alongside. Pits impracticable.

70.00

Summit of ridge bears N.  $10^{\circ}$  E. & S.  $10^{\circ}$  W. and descend.

80.21

The cor. to secs. 25, 26, 35 & 36.

Land mountainous. Soil 3rd rate. Timber, none.

Dense undergrowth of Chaparral.

-----  
North between sections 25 & 26.

Variation  $14^{\circ}27'$  East.

Descend.

40.00

Set sand stone 14 x 12 x 9 ins. 9 ins. in the ground for 1/4 sec. cor. marked 1/4 on W. face & raised mound of stone alongside. Pits impracticable.

72.20

Gulch 20 lks. wide, course N. W. & ascend.

80.00

Set granite rock 15, x 10 x 6 ins. 10 ins. in the ground for cor. to secs. 23, 24, 25 & 26, marked with 2 notches on the S. & 1 notch on the East edges and raised mound of stone alongside. Pits impracticable.

Land mountainous. Soil 3rd rate. Timber none.

Dense undergrowth of chaparral.

-----  
East on a random line between sections <sup>24</sup>24 and 25.

Variation  $14^{\circ}27'$  East.

40.00

Set temporary 1/4 sec. cor.

80.14

Intersect E. boundary of Tp. 13 lks. North of cor. to secs. 19, 24, 25, & 30, Thence I run--

N.  $89^{\circ}54'$  W. on a true line between sections 24 & 25 with same variation.

Ascend.

Top of Ridge bears N. & S. & Descend.

Head of gulch, course N. & Ascend.

Set granite stone 19 x 10 x 4 ins. 14 ins. in the ground for 1/4 sec cor. marked 1/4 on N. face and raised mound of stone alongside. Pits impracticable.

180680  
2376  
26441

27.30

36.00

40.07