

Copied from Photographic Copies
 furnished by
 U.S. General Land Office
 Washington D.C.

R.10W.

4							
6	5	4	3	2	1	3	
26	26	21	17	14	11		
7	8	9	10	11	12	4	
25	15	21	11	14	1		
18	17	16	15	14	13	2	
21	4	19	16	13	10	T.2N.	
19	20	21	22	23	24	2	
23	23	19	16	12	9		
30	29	28	27	26	25	1	
23	22	18	15	12	9	T.2E.	
31	32	33	34	35	36	1	
	7	7	6	6	6		

PRELIMINARY OATHS OF ASSISTANTS.

I, Gus Williams, do solemnly swear that I will well and truly perform the duties of compassman according to instructions given me, and to the best of my skill and ability in the survey of the Exterior Boundary lines of T. 2 N., R. 10 W., S.B.M.

Guss Williams, Compassman.

Subscribed and sworn to before me this 11th day of February 1884

(Seal)

L. Musselman, J. P.
in and for San Bernardino County
California.

We, Theo. F. Wyman, Fred Albrecht and Geo. McFarlan & David Stokes do solemnly swear that we will well and faithfully execute the duties of chain carriers; that we will level the chain upon even and uneven ground and plumb the tally-pins, either by sticking or dropping the same; that we will report the true distance to all notable objects, and the true length of all lines that we

assist in measuring, to the best of our skill and ability and in accordance with instructions given us, in the survey of the Exterior Boundary lines of T. 2 N. R. 10 W. S. B. M.

Theo. F. Wyman, Chainman
Fred Albrecht, Chainman
Geo. McFarlan Chainman
Davis Stokes, Chainman

Subscribed and sworn to before me this 11th day of February 9 1884.

(Seal)

L. Musselman, J. P.
in and for San Bernardino County, California

We, Jeff C. Henderson and H. E. Mason, do solemnly swear that we will well and truly perform the duties of axemen, in the establishment of corners and other duties according to instructions given us, and to the best of our skill and ability in the survey of Exterior Boundary lines of T. 2 N., R. 10 W., S. B. M.

Jeff E. Henderson, Axeman
H. E. Mason, Axeman

Subscribed and sworn to before me this 11th day of February, 1884.

L. Musselman, J. P.

(Seal)

in and for San Bernardino County, California.

T. 2 N. R. 10 W., S. B. M.

From the corner to Tps. 1 and 2 N. Rgs 9 and 10 W. I run
North between Secs. 31 and 36.

- 40.00 Ascending. Var. $14^{\circ}27'$ East.
Set granite stone 16 x 11 x 9 ins. 11 ins. in the ground for
1/4 sec. corner marked 1/4 on West face and raised mound of
stone along side.
42.50 Pits impracticable.
Summit of divide between West fork of San Gabriel River and
San Gabrile River bears N. 60° E. and S. W. and descend.
80.00 Set granite stone 20 x 10 x 6 ins. 15 ins. in the ground for
cor. to secs. 25, 30, 31 and 36, Tp. 2 N. Rgs. 9 and 10 W.,
marked with 1 notch on S. and 5 notches on N. edges and raised
mound of stone along side. Pits impracticable.
Land mountainous.
Soil 3rd rate. Timber None.
Dense undergrowth of chaparral.

North between Secs. 25 and 30.

- 40.00 Descend. Var. $14^{\circ}27'$ East.
Set post 4 x 4 ins with marked stone 12 ins. in ground for 1/4
sec. cor. marked 1/4 on W. face.
From which bears-- 20
Pine 18 ins. dia. N. 31° E. 1.30 chs. dist. marked 1/4 S.B. T.
40.60 Fir 14 ins. dia. N. 22° W. 77 lks. dist. marked 1/4 S.B.T.
67.40 Timbered ravine 1.60 chs. wide, course N. 40° E. and ascend. .
80.00 Top of Spur bears N. 55° E. and descend.
Set granite stone ~~19 x 11 x 8~~ 14 ins. 14 ins. in the ground for corner
to Secs. 19, 24, 25 and 30, marked with 2 notches on S. and
4 notches on N. edges and raised mound of stone alongside.
Pits impracticable.
Land mountainous. Soil 3rd rate.
Timber, Pine and Fir in ravine. Dense undergrowth of Chaparral.

North between Secs. 19 and 24.

- 40.00 Descend along East slope of spur. Var. $14^{\circ}27'$ East.
Set granite stone 17 x 11 x 8 ins. 12 ins. in the ground for
1/4 sec. cor. marked 1/4 on W. face and raised mount of stone
80.00 alongside. Pits impracticable.
Set granite stone 16 x 10 x 7 ins. 11 ins. in the ground for
corner to secs. 13, 18, 19 and 24, marked with 3 notches on N.
and S. edges and raised mound of stone along side.
Pits impracticable.
Land mountainous. Soil 3rd rate. Timber None.
Dense undergrowth of Chaparral.

North between Secs. 13 and 18.

- 40.00 Descending. Var. $14^{\circ}27'$ East.
Set granite stone 16 x 11 x 5 ins. 11 ins. in the ground for
1/4 sec. cor. marked 1/4 on West fact and raised mound of stone
60.00 alongside. Pits impracticable.
West fork of San Gabriel River 70 lks. wide, course S. 40° E. in
canon 3.10 chs. wide, course S. 40° E. and ascend.

T. 2 N. R. 10 W., S. B. M.

80.00 Set granite stone 14 x 11 x 9 ins. 9 ins. in the ground for Cor. to Secs. 7, 12, 13, and 18, marked with 4 notches on S. and 2 notches on N. edges and raised mound of stone alongside. Pits impracticable.
 Land mountainous.
 Soil 3rd rate.
 Timber Pine, Fir and Oak in Canon.

North between Secs. 7 and 12. Var. 14°27' East.

Ascend.
 25.70 Top of Spur bears S. 85° E. and descend.
 40.00 Set granite stone 12 x 11 x 4 ins. 7 ins. in the ground for 1/4 sec. cor. marked 1/4 on W. face, raised mound of stone alongside. Pits impracticable.
 71.15 North Fork of San Gabriel 40 lks. wide, course S.E. in canon 2.30 chs. wide, course S. E. Ascend.
 80.00 Set granite stone 15 x 11 x 9 ins. 10 ins. in the ground for cor. to secs. 1, 6, 7 and 12, marked with 5 notches on S. and 1 notch on N. edges and raised mound of stone alongside. Pits impracticable. Land Mountains.
 Soil 3d rate.
 Timber Pine, Fir and Oak in Canons. Dense Undergrowth of chaparral.

North between Secs. 7 and 12. Var. 14°27' East.

Ascend.
 25.70 Top of Spur bears S. 85° E. and descend.
 40.00 Set granite stone 12 x 11 x 4 ins. 7 ins. in the ground for 1/4 sec. cor. marked 1/4 on W. face raised mound of stone alongside. Pits impracticable.
 71.15 North Fork of San Gabriel 40 lks. wide, course S. E. in canon. 2.30 chs. wide, course S. E. and ascend.
 80.00 Set granite stone 15 x 11 x 9 ins. 10 ins. in the ground for cor. to secs. 1, 6, 7 and 12 marked with 5 notches on S. and 1 notch on N. edges and raised mound of stone alongside. Pits impracticable. Land mountains.
 Soil 3d rate. Timber Pine, Fir and Oak in canons.
 Dense undergrowth of Chaparral.

North between Secs. 1 and 6. Var. 14°27' East.

Ascending.
 40.00 Set granite stone 16 x 9 x 8 ins. 11 ins. in the ground for 1/4 sec. cor. marked 1/4 on W. face and raised mound of stone alongside.
 82.10 To a point 2.51 chs. West of corner to Tps. 2 and 3 N. Rgs. 9 and 10 West. which is a post 4 x 4 ins. ~~found~~ formerly set on large mound of rocks marked
 T. 3 N. R. 9 W. Sec. 31 on N.E.
 9 T. 2 N. R. 9 W. Sec. 6 on S. E.
 T. 2 N. R. 10 W. Sec. 1 on S. W. and
 T. 3 N. R. 10 W. Sec. 36 on N. W. faces
 and at point of intersection set granite stone 21 x 18 x 11 ins 16 ins. in the ground for closing corner to Secs. 1 and 6.
 T. 2 N. R. 9 and 10 W. marked

T. 2 N. R. 10 W. S. B. M.,

C.C. with 6 notches on S. E. and W. edges and raised mound of rocks alongside. Pits impracticable.
Land mountains. Soil 3d rate. Timber none.
Dense undergrowth of Chaparral.

April 25th, 1884.

In subdividing this Township I find misclosure of 1.65 chs. in running North between Secs. 5 and 6. I therefore retrace the North boundary of Sec. 6. From the corner to Secs. 5, 6, 31 and 32 I run

West between Secs. 6 and 31. retracing Var. 14°27' East.

Descend.

Cross ravine 60 lks wide., course S.E. and ascend.

Ridge bears N. and S. and descend.

To witness corner to 1/4 sec. cor. which is a post 3 x 3 ins. formerly set in mound of rocks marked 1/4 S. W. C. on N. face. It being impracticable to chain line farther West I cause flag to be set at the corner to Tps. 2 and 3 N. Rgs. 10 and 11 W. which is a post 6 x 6 ins. formerly set in mound of rocks marked

T. 3 N. R. 10 W. Sec. 31 on N. E.

T. 2 N. R. 10 W. Sec. 6 on S. E.

T. 2 N. R. 11 W. Sec. 1 on S. W. and

T. 3 N. R. 11 W. Sec. 36 on N. W. faces with 6 notches on N. S. E. and W. edges and measured base N. 6.00 chs. from which point a flag bears S. 82°38' West.

which gives by calculation a distance of 46.40 chs. making total length of line from the corner to Secs. 5, 6, 31 and 32--81.40.

May 1st, 1884.

Land mountains.

Soil 3rd rate.

Timber None.

Dense undergroth of Chaparral.

8.75
34.05
35.00

PRELIMINARY OATHS OF ASSISTANTS.

I, Gus Williams do solemnly swear that I will well and truly perform the duties of compassman, according to instructions given me, and to the best of my skill and ability, in the survey of the Exterior Boundary Lines of Township 1 North, Range 10 West, San Bernardino Meridian.

Gus Williams, Compassman

Subscribed and sworn to before me this 11th day of February 1884.

S. Musselman, J. P. in and for
San Bernardino County.

We, Theo. F. Wyman, Fred Albrecht, George McFarlane and David Stokes, do solemnly swear that we will well and faithfully execute the duties of chain carriers; that we will level the chain upon even and uneven ground and plumb the tally-pins either by sticking or dropping the same; that we will report the true distance to all notable objects, and the true length of all lines that we assist in measuring, to the best of our skill and ability, and in accordance with instructions given us, in the survey of the Exterior Boundary Lines of Township 1 North, Range 10 West, San Bernardino Mer.

Theo. F. Wyman,	Chainman
Fred Albrecht,	"
Geo. W. McFarlane	"
David Stokes,	"

Subscribed and sworn to before me this 11th day of February, 1884.

S. Musselman, J. P. in and for
San Bernardino County, Cal.

We, Jeff E. Henderson and H. E. Mason do solemnly swear that we will well and truly perform the duties of axemen, in the establishment of corners and other duties, according to instructions given us, and to the best of our skill and ability in the survey of the Exterior Boundary of Township 1 North, Range 10 West, San Bernardino Mer.

Jeff E. Henderson	Axeman
H. E. Mason	"

Subscribed and sworn to before me this 11th day of February 1884.

S. Musselman, J. P. in and
for San Bernardino County, Cal.

N. B. T. 1 N. R. 10 W. S. B. M.

From the established corner to Sections 5, 6, 31 and 32 on the North Boundary of Township, which is a granite rock 24x16x9 ins. firmly set in the ground marked with 5 notches on the East, and 1 notch on the W. edges and in mound of rocks, I run

East on a random line between ~~Township~~ 1 and 2 N. Range 10 W. setting temporary half mile and mile corners at each 40 and 80 chs. The Variation of my compass being 14°29'E. and find the Township line to be 5 miles, 1.33 chs. long, and the falling to be 97 lks. South of corner to Townships 1 and 2 North Ranges 9 and 10 West.

The correction for the true line will therefore be 19½ lks. N. and 1.33 chs. East per mile, and the true course will be South 89°52' West.

From the corner to Townships 1 and 2 N. Ranges 9 and 10 West, I run S. 89°52' W. on a true line between Sections 1 and 36. Var. 14°29' East.

Ascend.

26.00 Summit of Divide bears N. 10° E. and South 10° W. and descend.
40.00 Set granite stone 19 x 11 x 10 ins. 12 ins. in the ground for 1/4 Section corner marked 1/4 on N. face and raised mound of stone alongside. Pits impracticable.
66.00 Gulch 10 lks. wide, course N. 30° E. and ascend.
80.00 Set Sandstone 14 x 9 x 6 ins. 9 ins. in the ground for corner to Sections, 1, 2, 35 and 36, marked with 1 notch on the E., 5 notches on the West edges, and raised mound of stone alongside. Pits impracticable. Land mountainous. Soil 3rd rate. Timber None. Dense undergrowth of Chaparral.

Mar. 31st, 1884.

South 89° 52' W. on a true line between Sections 2 and 35. Var. 14°29' East.

Ascend.

15.00 Summit of ridge bears N. and S. and descend.
40.00 Set Sandstone 15 x 11 x 4 ins. 10 ins. in the ground for 1/4 section corner, marked 1/4 on the N. face, and raised mound of stone alongside. Pits impracticable.
43.20 Gulch 20 lks. wide, course N. and ascend.
80.00 Set Sandstone 22 x 13 x 9 ins. 17 ins. in the ground for corner to Sections 2, 3, 34 and 35, marked with 2 notches on the E. and 4 notches on the W. edges, and raised mound of stone alongside. Pits impracticable. Land mountainous. Soil 3rd rate. Timber none. Dense undergrowth of Chaparral.

South 89°52' W. on a true line between Sections 3 and 34. Var. 14°29' E.

Ascending.

40.00 Set granite stone 17 x 11 x 4 ins. 12 ins. in the ground for 1/4 Section corner marked 1/4 on N. face and raised mound of stone alongside. Pits impracticable.
41.00 Summit of ridge bears N. W. and S. E. and descend.
62.00 Gulch 20 lks. wide, course N. W. and ascend.
80.00 Set granite stone 18 x 11 x 5 ins. 13 ins. in the ground for corner to Sections 3, 4, 33 and 34, marked with 3 notches on the east and W. edges and raised mound of stone alongside. Pits impracticable. Land mountainous. Soil 3rd rate. Timber None. Dense undergrowth of Chaparral.

N. B. T. 1 N. R. 10 W. S. B. M.

S. 89°52' W. on a true line between Sections 4 and 33.
Var. 14°29' East.

Ascending.

10.00 Summit of ridge bears N. W. and S. E. and descend.
40.00 Set Sandstone 15 x 9 x 6 ins. 10 ins. in the ground for
1/4 section corner, marked 1/4 on N. face and raised
mound of stone alongside. Pits impracticable.
50.60 Ravine 50 lks. wide, course N. W. and ascend.
80.00 Set granite stone 14 x 11 x 5 ins. 9 ins. in the ground
for corner to Sections 4, 5, 32 and 33, marked with 4 notches
on E. and 2 notches on the W. edges, and raised mound of
stone alongside. Pits impracticable.
Land mountainous Soil 3rd rate. Timber None.
Dense undergrowth of Chaparral.

S. 89°52' W. on a true line between Sections 5 and 32.
Var. 14°29' East.

13.00 Summit of Divide bears N. and S. and descend along side of
ridge sloping West and South.
41.33 After diligent search, being unable to find old corner
I set Sandstone 14 x 9 x 8 ins. 9 ins. in the ground
for 1/4 section corner marked 1/4 on the N. face, and
raised mound of stone alongside. Pits impracticable.
81.33 The corner to Sections 5, 6, 31 and 32.
Land mountainous.
Soil 3rd rate.
Timber none.
Dense Undergrowth of Chaparral.

April 2nd, 1884.

PRELIMINARY OATH OF ASSISTANTS.

I, Gus Williams, do solemnly swear that I will well and truly perform the duties of compassman according to instructions given me, and to the best of my skill and ability, in the survey of the Subdivision Lines of Township 2 North, Range 10 West, San Bernardino Mer.

Gus Williams, Compassman.

Subscribed and sworn to before
me this 11th day of February, 1884.

S. Musselman, J. P. in and for
San Bernardino County, Calif.

We, Theo. F. Wyman, Fred Albrecht, Geo. W. McFarlane & David Stokes, do solemnly swear that we will well and faithfully execute the duties of chain carriers; that we will level the chain upon even and uneven ground and plumb the tally-pins, either by sticking or dropping the same; that we will report the true distance to all notable objects, and the true length of all lines that we assist in measuring, to the best of our skill and ability, and in accordance with instructions given us, in the survey of the Subdivision Lines of Township 2 North, Range 10 West, San Bernardino Mer.

Theo. F. Wyman	Chainman
Fred Albrecht	"
Geo. W. McFarlane	"
David Stokes	"

Subscribed and sworn to before
me this 11th day of February, 1884.

S. Musselman, J. P. in and
for San Bernardino County, Cal.

-----p

We, Jeff E. Henderson and H. E. Mason, do solemnly swear that we will well and truly perform the duties of axemen, in the establishment of corners and other duties, according to instructions given us, and to the best of our skill and ability, in the survey of The subdivision lines of Township 2 North, Range 10 West, San Bernardino Mer.

Jeff E. Henderson	Axeman.
H. E. Mason	"

Subscribed and sworn to before
me this 11th day of February 1884.

S. Musselman, J. P. in and
for San Bernardino County, Cal.

T. 2 N., R. 10 W., S. B. M.

From the corner to sections 35, 36, 1 & 2 on the South boundary-- I run

North, between Sections 35 and 36.

Variation $14^{\circ}27'$ East.

Ascending.

40.00

Set granite stone 16 x 12 x 9 ins. 11 ins. in the ground for 1/4 sec. cor. marked 1/4 on W. face & raised mound of stone alongside. Pits impracticable.

58.00

Top of ridge bears N. 10° E & S 10° W and descend.

80.00

Set a granite stone 16 x 10 x 5 ins. 11 ins in the ground for cor. to secs. 25, 26, 35 and 36 marked with 1 notch on the S. & E. edges & raised mound of stone alongside. Pits impracticable. Land mountainous. Soil 3rd rate. Timber None. Dense undergrowth of chaparral.

East on a random line between sections 25 and 36.

Variation $14^{\circ}27'$ E.

40.00

Set temporary 1/4 sec. cor.

80.21

Intersect E. boundary of Township 16 lks South of cor. to secs. 25, 30, 31 & 36.

Thence I run--

S. $89^{\circ}53'$ W. on a true line bet. secs. 25 and 36 with same variation.

Descend

13.00

Gulch 30 lks. wide, course N. 5° E. and ascend.

40.11

Set granite stone 20 x 12 x 8 ins. 15 ins. in the ground for 1/4 sec. cor. marked 1/4 on N. face and raised mound of stone alongside. Pits impracticable.

70.00

Summit of ridge bears N. 10° E. & S. 10° W. and descend.

80.21

The cor. to secs. 25, 26, 35 & 36.

Land mountainous. Soil 3rd rate. Timber, none.

Dense undergrowth of Chaparral.

North between sections 25 & 26.

Variation $14^{\circ}27'$ East.

Descend.

40.00

Set sand stone 14 x 12 x 9 ins. 9 ins. in the ground for 1/4 sec. cor. marked 1/4 on W. face & raised mound of stone alongside. Pits impracticable.

72.20

Gulch 20 lks. wide, course N. W. & ascend.

80.00

Set granite rock 15, x 10 x 6 ins. 10 ins. in the ground for cor. to secs. 23, 24, 25 & 26, marked with 2 notches on the S. & 1 notch on the East edges and raised mound of stone alongside. Pits impracticable.

Land mountainous. Soil 3rd rate. Timber none.

Dense undergrowth of chaparral.

East on a random line between sections ²⁴24 and 25.

Variation $14^{\circ}27'$ East.

40.00

Set temporary 1/4 sec. cor.

80.14

Intersect E. boundary of Tp. 13 lks. North of cor. to secs. 19, 24, 25, & 30, Thence I run--

N. $89^{\circ}54'$ W. on a true line between sections 24 & 25 with same variation.

Ascend.

Top of Ridge bears N. & S. & Descend.

Head of gulch, course N. & Ascend.

Set granite stone 19 x 10 x 4 ins. 14 ins. in the ground for 1/4 sec cor. marked 1/4 on N. face and raised mound of stone alongside. Pits impracticable.

180680
2376
2644

27.30

36.00

40.07

T. 2 N. R. 10 W. S. B. M.

3300
5289.24

50.00
80.14

Summit of Ridge bears N. & S. & descend.
The cor. to secs. 23, 24, 25 & 26.
Land mountainous, Soil, 3rd rate. Timber, none.
Dense undergrowth of chaparral.

North between sections 23 & 24. Variation 14°27' East.

40.00

Ascend.
Set granite rock 12 x 10 x 9 ins. 7 ins. in the ground
for 1/4 sec. cor. marked 1/4 on W. face & raised mound
of stone alongside. Pits impracticable.
On top of spur bears N. 15° W. & descend.

80.00

Set granite stone 17 x 10 x 8 ins. 12 ins. in the ground
for cor. to secs. 13, 14, 23 & 24 marked with 3 notches
on the S. and 1 notch on the E. edges & raised mound of
stone alongside. Pits impracticable.
Land mountainous. Soil, 3rd rate. Timber, none.
Dense undergrowth of chaparral.

East on a random line between sections 13 and 24. Variation 14°27' East.

40.00
80.32

Set temporary 1/4 sec. cor.
Intersect N. & S. line 24 lks. North of cor. to secs.
13, 18, 19 & 24. Thence I run--

N. 89°50' W. on a true line between sections 13 & 24 with
same variation. Ascend.

76356
265256

12.60
40.16

Top of spur bears N. & descend.
Set granite stone 14 x 11 x 7 ins. 9 ins. in the ground
for 1/4 sec. cor. marked 1/4 on N. face & raised mound
of stone alongside. Pits impracticable.

3644
53012

59.00
80.32

Gulch 30 lks. wide, course N. and ascend.
The cor. to secs. 13, 14, 23 & 24.
Land mountainous. Soil, 3rd rate. Timber, none.
Dense undergrowth of chaparral.

North between sections 13 and 14. Variation 14°27' East.

26.70

Descend.
West fork of San Gabriel River 60 lks. wide, course N. 85°
East in canon 36.60 chs. wide, course N. 85° E & ascend.

→ 40.00

Set sand stone 14 x 10 x 9 ins. 9 ins in the ground for
1/4 sec. cor. marked 1/4 on W. face & raised mound of
stone alongside. Pits impracticable.

→ 59.00

Low point of spur bears E. and descend.
Set granite stone 20 x 13 x 7 ins. 15 ins. in the ground
for cor. to secs. 11, 12, 13 & 14 marked with 4 notches
on S. and 1 notch on E. edges and dug pits 18 x 18 x 12 ins.
in each section 5 1/2 ft. dist. and raised mound of earth 2 ft
high 4 1/2 ft. base alongside.

→ 80.00
26 70
53 30

Land mountainous. Soil 3rd rate.
Timber, pine in canon.
Dense undergrowth of Chaparral.

East on a random line between sections 12 and 13. Variation 14°27' East.

40.00
80.18

Set temporary 1/4 sec. cor.
Intersect East boundary of Township 39 lks. North of
cor. to secs. 7, 12, 13, & 18. Thence, I run

N. 89° 43' W. on a true line between sections 12 & 13, with
same variation.

T. 2 N. R. 10 W. S. B. M.

Ascend.
 38.00 Point of spur bears S. E. & descend.
 40.09 Set granite stone 23 x 10 x 9 inx. 15 ins. in the
 Ground for 1/4 sec. cor. marked 1/4 on N. face & raised
 mound of stone alongside. Pits impracticable.
 75.00 Gulch 40 lks. wide, course S. E. & Ascend.
 80.18 The cor. to secs. 11, 12, 13, & 14.
 Land mountainous. Soil, 3rd rate. Timber, none.
 Dense undergrowth of chaparral.

 North between sections 11 & 12.
 Variation 14°27' East.

Descend.
 3.20 Gulch 40 lks. wide, course S. 50° E. & ascend.
 40.00 Set granite stone 13 x 10 x 6 ins. 8 inx. in the ground
 for 1/4 sec. cor. marked 1/4 on W. face & raised mound
 of stone alongside. Pits impracticable.
 70.00 Summit of spur bears S. E. & descend.
 80.00 Set granite stone 17 x 11 x 4 ins. 12 ins. in the
 ground for cor. to secs. 1, 2, 11 & 12, marked with 5
 notches on the S. and 1 notch on the E. edges & raised
 mound of stone alongside. Pits impracticable.
 Land mountainous, Soil, 3rd rate. Timber, none.
 Dense undergrowth of chaparral.

 East on a random line bet. secs. 1 and 12.
 Variation 14°27' East.

40.00 Set temporary 1/4 sec. cor.
 79.96 Intersect East boundary of Tp. 10 lks. South of cor.
 to secs. 1, 6, 7 & 12. Thence I run--
 S. 89°56' West on a true line bet. secs. 1 & 12
 with same variation.
 Descend.
 8.30 North Fork of San Gabriel River 60 lks. wide, course
 S. E. in canon 2.30 chs. wide, course S. E. & ascend.
 39.98 Set granite rock 14 x 12 x 9 ins. 9 ins. in ground for 1/4 sec.
 cor. marked 1/4 on N. face & raised mound of stone alongside.
 Pits impracticable.
 79.96 The cor. to secs. 1, 2, 11 & 12.
 Land, mountainous. Soil, 3rd rate. Timber, pine & oak
 in canon. Dense undergrowth of Chaparral.

 North, on a true line bet. secs. 1 & 2.
 Variation 14°27' East.

40.00 Descend along W. slope of mountain.
 Set granite stone 16 x 9 x 8 ins. 11 ins in the ground
 for 1/4 sec. cor. marked 1/4 on W. face & raised mound
 of stone alongside. Pits impracticable.
 \$1.95 Intersect North boundary of Tp. at a point 2.67 chains
 west of cor. to secs. 1, 2, 35 & 36 which is post 4 x 4
 ins. firmly set in large mound of rocks marked
 T. 3 N. R. 10 W. sec. 36 on N. E.
 T. 2 N. R. 10 W. sec. 1 on S. E.
 T. 2 N. R. 10 W. sec. 32 on S. W. and
 T. 3 N. R. 10 W. sec. 35 on N. W. faces;
 from, which bears,
 White Oak 14 ins. diam. N. 24° E. 40 lks. dist. marked
 T. 3 N. R. 10 W. S. 36 B T.
 I destroyed marks on S. E. & S. W. faces of post
 & at point of intersection set a granite stone 18 x 11 x 9 ins.
 13 ins. in the ground for closing cor. to secs. 1 & 2.
 Tp. 2 N. R. 10 W. marked C. C. with 1 notch on the E. and

T. 2 N. R. 10 W., S. B. M.

5 notches on the W. edges & raised mound of stone
 alongside. Pits impracticable.
 Land, mountainous. Soil, 3rd rate. Timber, none.
 Dense undergrowth of chaparral.

April 27th, 1884.

North between sections 34 & 35.

Variation $14^{\circ}27'$ East.

Descend.

37.20 Ravine 30 lks. wide, course N. E. & ascend.
 40.00 Set granite stone 14 x 9 x 8 ins. 9 ins. in the ground
 for $1/4$ sec. cor. marked $1/4$ on W. face & raised mound
 of stone alongside. Pits impracticable.
 80.00 Set granite stone 20 x 12 x 10 ins. 15 ins. in the ground
 for cor. to secs. 26, 27, 34 & 35, marked with 1 notch on S.
 & 2 notches on the E. edges & dug pits 18 x 18 x 12 ins. in
 each sec. $5\frac{1}{2}$ feet dist. & raised mound of earth 2 ft. high
 $4\frac{1}{2}$ ft. base, alongside.
 Land mountainous. Soil, 3rd rate. Timber, none.
 Dense undergrowth of chaparral.

oooooooooooo

East on a random line between sections 26 and 35.

Variation $14^{\circ}27'$ East.

40.00 Set temporary $1/4$ sec. cor.
~~80.52~~ Intersect N. & S. line 47 lks. N. of cor. to secs.
 25, 26, 35 & 36. Thence I run.
 N. $89^{\circ}40'$ W. on a true line between section 26 & 35 with
 same variation.
 Descend.
 40.26 Set granite stone 19 x 12 x 11 ins. 14 ins. in the ground
 for $1/4$ sec. cor. marked $1/4$ on N. face and raised mound
 of stone alongside. Pits impracticable.
 53.20 Timbered ravine 1.13 chs. wide, course N. $2\frac{1}{2}^{\circ}$ E. & ascend.
 80.52 The cor. to secs. 27, 28, 33 & 34.
 Land mountainous. Soil, 3rd rate. Timber pine in the ravine.
 Dense undergrowth of chaparral.

North between section 26 & 27.

Variation $14^{\circ}27'$ East.

Ascend.

22.00 Summit of Ridge bears N. $2\frac{1}{2}^{\circ}$ E. & S. $2\frac{1}{2}^{\circ}$ W. & along summit.
 40.00 Set granite rock 17 x 11 x 4 ins. 12 ins. in ground for
 $1/4$ sec. cor. marked $1/4$ on W. face & raised mound of stone
 alongside. Pits impracticable.
 41.00 Leave summit & descend.
 80.00 Set granite stone 14 x 10 x 6 ins. 9 ins. in the ground
 for cor. to secs. 22, 23, 26 & 27, marked with 2 notches
 on S. & E. edges & raised mound of stone alongside.
 Pits impracticable. Land, mountainous. Soil 3rd rate.
 Timber, none. Dense undergrowth of Chaparral.

East on a random line bet. secs. 23 & 26.

Variation $14^{\circ}27'$ East.

40.00 Set temporary $1/4$ sec. cor.
 80.44 Intersect N. & S. line 29 lks. N. of cor to secs, 23, 24, 25
 & 26. Thence I run--

N. $89^{\circ}48'$ West on a true line bet. secs. 23 & 26 with same
 variation.

Descend.

10.20 Gulch 20 lks. wide, course N. W.

(12)

T. 2 N., R. 10 W., S. B. M.

1650 25.00
265452 40.22

Timbered ravine 1.30 chains wide, course N. W. & ascend.
Set post 4 x 4 ins. 4 ft. long with marked stone 12 ins.
in ground for 1/4 sec. cor. marked 1/4 on N. face;
from which bears
Pines 20 ins. diam. N. 30° E. 1.00 chs. dist.
Pine 14 ins. diam. N. 69° E. 1.33 chs. dist.
Both marked 1/4 S. B. T.
Dug pits 18 x 18 x 12 ins. E. & W. of post 5 1/2 ft. dist.
& raised mound of earth 1 1/2 ft. high, 3 1/2 ft. base around post.
Top of ridge bears N. & S. & descend.
The cor. to secs. 22, 23, 26 & 27.
Land mountainous. Soil, 3rd rate.
Timber, pine in ravine. Dense undergrowth of chaparral.

North, between sections 22 and 23.

Variation 14° 27' East.

Descend along W. slope of ridge.

40.00 Set granite stone 16 x 11 x 9 ins. 11 ins. in ground for 1/4
sec. cor. marked 1/4 on W. face & raised mound of stone
alongside. Pits impracticable.

80.00 Set granite stone 24 x 11 x 6 ins. 18 ins. in the ground
for cor. to secs. 14, 15, 22, 23, marked with 3 notches on S.
& 2 notches on E. edges and dug pits 18 x 18 x 12 ins. in
each sec 5 1/2 ft. dist. and raised mound of earth 1 1/2 ft. high
3 1/2 ft. base alongside.
Land, mountainous. Soil 3rd rate. Timber, none.
Dense undergrowth of chaparral.

East on a random line bet. secs. 14 & 23.

Variation 14° 27' East.

40.00 Set temporary 1/4 sec. cor.
80.58 Intersect N. & S. line 11 lks. S. of cor. to secs. 13, 14,
23 & 24. Thence, I run--

South 89° 55' West on a true line bet. secs. 14 & 23 with
same variation.

Ascend.

10.30 Point of spur bears N. & descend.
34.60 Timbered ravine 1.40 chs. wide, course N. 10° E. & ascend.
40.29 Set post 4 x 4 ins. 4 ft. long with marked stone 12 ins.
in ground for 1/4 sec. cor. marked 1/4 on N. face & raised
mound of earth 1 1/2 ft. high, 3 1/2 ft. base around post.
Point of spur bears N. & descend.
63.20 The cor. to secs. 14, 15, 22 & 23.
80.58 Land mountainous. Soil, 3rd rate. Timber, pine in ravine.
Dense undergrowth of chaparral.

North between sections 14 and 15.

Variation 14° 27' East.

Descending.

20.00 West fork of San Gabriel river 5 lks. wide, course N. 86°
East in canon 2.00 chs. wide, course N. 86° E. & ascend.

35.00 Point of spur bears S. E. & descend.

40.00 Set granite stone 14 x 9 x 8 ins. 9 inx. in the ground
for 1/4 sec. cor. marked 1/4 on W. face & raised mound of
stone alongside.

Pits impracticable.

80.00 Set granite stone 19 x 11 x 4 ins. 14 inx. in the ground
for cor. to secs 10, 11, 14 & 15, marked with 4 notches
on the S. and 2 nothces on the E. edges & raised mound of
stone alongside. Pits impracticable.
Land mountainous. Soil, 3rd rate. Timber none.
Dense undergrowth of chaparral.

T. 2 N., R. 10 W., S. B. M.

East on a random line bet. secs. 11 & 14.

Variation 14°27' East.

40.00

Set temporary $\frac{1}{4}$ sec. cor.

80.19

Intersect N. & S. line 27 lks. N. of cor. to secs. 11, 12, 13, & 14.

Thence, I run--

N. 89°49' West on a true line bet. secs. 11 & 14 with same variation.

$\frac{3}{4}$ Ascend.

40.09

Set granite stone 11 x 11 x 9 ins. 6 ins. in the ground for $\frac{1}{4}$ sec. cor. & raised mound of stone alongside.

Pits impracticable.

55.00

Top of spur bears S. & descend.

77.60

Ravine 40 lks. wide, course S. 2 $\frac{1}{2}$ ° E. & ascend.

80.19

The cor. to secs. 10, 11, 14 & 15.

Land mountainous. Soil 3rd rate. Timber, none.

Dense undergrowth of chaparral.

North between sections 10 and 11.

Variation 14°27' East.

Descend.

7.90

Ravine 40 lks. wide, course S. 5° E. & ascend.

40.00

Set granite stone 19 x 13 x 7 ins. 14 ins. in the ground for $\frac{1}{4}$ sec. cor. marked $\frac{1}{4}$ on W. face & raised mound of stone alongside. Pits impracticable.

80.00

Set granite stone 16 x 11 x 4 ins. 11 ins. in the ground for cor. to secs. 2, 3, 10 & 11 marked with 5 notches on the S. and 2 notches on the E. edges & raised mound of stone alongside. Pits impracticable.

Land, mountainous. Soil, 3rd rate. Timber, none.

Dense undergrowth of chaparral.

East, on a random line bet. secs. 2 & 11.

Variation 14°27' East.

40.00

Set temporary $\frac{1}{4}$ sec. cor.

80.00

Intersect N. & S. line 11 lks. N. of cor. to secs. 1, 2, 11 & 12.

Thence I run--

N. 89° 55' West on a true line bet. secs. 2 & 11 with same variation.

40.00

Ascend along N. slope of spur.

Set granite stone 13 x 11 x 9 ins. 8 ins. in the ground for $\frac{1}{4}$ sec. cor. marked $\frac{1}{4}$ on N. face & raised mound of stone alongside. Pits impracticable.

70.00

Summit of ridge bears N. 10° W. & S. 10° E. and descend.

80.00

The cor. to secs. 2, 3, 10 & 11.

Land mountainous. Soil, 3rd rate. Timber, none.

Dense undergrowth of chaparral.

North on true line bet. secs. 2 & 3.

Variation 14° 27' East.

Ascending.

19 00

Top of ridge bears N. 20° W. & S. 20° E. & descend.

40.00

Set granite stone 18 x 11 x 9 ins. 13 ins. in the ground for $\frac{1}{4}$ sec. cor. marked $\frac{1}{4}$ on W. face & raised mound of stone alongside. Pits impracticable.

81.63

Intersect North boundary of township at a point 2.88 chs. West of cor. to secs. 2, 3, 34 & 35, Tps. 2 & 3, N., R. 10 W., which is a post 4 x 4 ins. firmly set in large mound of rocks

T. 2 N., R. 10 W., S. B. M.

marked T. 3 N., R. 10 W., Sec. 35 on N. E.
 Tp. 2 N., R. 10 W., Sec. 2 on S. E.
 Tp. 2 N., R. 10 W., Sec. 3 on S. W.
 Tp. 3 N., R. 10 W., Sec. 34 on N. W. faces;

from which bears

White pine 24 ins. diam. N. 44° E. 50 lks. dist. which I marked T. 3 N., R. 10 W., Sec. 35 B. T., the old being destroyed I obliterated marks on S. E. & S. W. faces of post and at point of intersection set a granite rock 20 x 11 x 11 ins, 15 ins. in ground for closing cor. to secs. 2 & 3. T. 2 N., R. 10 W., marked C. C. with 2 notches on the E. and 4 notches on the W. edges & raised mound of rock alongside. Pits impracticable. Land, mountainsous. Lois, 3rd rate. Timber none. Dense undergrowth of Chaparral.

 North between sections 33 & 34.

Variation $14^{\circ}27'$ East.

40.00 Ascend along E. slope of ridge.
 Set granite stone 18 x 12 x 9 ins. 13 ins. in the ground for $\frac{1}{4}$ sec. cor. marked $\frac{1}{4}$ on W. face & raised mound of stone alongside. Pits impracticable.
 80.00 Set granite stone 16 x 11 x 4 ins. 11 ins. in the ground for cor. to secs. 27, 28, 33 & 34 marked with 1 notch on S. & 3 notches on the E. edges & raised mound of stone alongside. Pits impracticable. Land, mountainous. Soil, 3rd rate. Timber, none.
 Dense undergrowth of chaparral.

 East on a random line bet. secs. 27 and 34.

Variation $14^{\circ}27'$ East.

40.00 Set temporary $\frac{1}{4}$ sec. cor.
 80.10 Intersect N. & S. line 20 lks. N. of cor. to secs. 26, 27, 34 & 35. Thence I run--
 N. $89^{\circ} 51'$ West on a true line bet. secs. 27 & 34 with same variation. Ascend.
 5.00 Summit of ridge bears N. & S. W & descend.
 40.05 Set post 4 x 4 ins. 4 ft. long with marked stone 12 ins. in the ground for $\frac{1}{4}$ sec. cor. marked $\frac{1}{4}$ on N. face & raised mound of rocks around post.
 Pits impracticable.
 51.00 Timbered ravine 70 lks wide, course N. $2\frac{1}{2}^{\circ}$ E. & ascend.
 80.10 The cor to secs. 27, 28, 33 & 34.
 Land, mountainous. Soil, 3rd rate. Timber, pine in the ravine.
 Dense undergrowth of Chaparral.

April 28th, 1884.

 North between sections 27 and 28.

Variation $14^{\circ}27'$ East.

40.00 Ascend.
 Set granite stone 22 x 13 x 7 ins. 16 ins. in the ground for $\frac{1}{4}$ sec. cor. marked $\frac{1}{4}$ on W. face & raised mound of stone alongside. Pits impracticable.
 Top of Ridge bears N. 5° E. & S. 5° W. Thence along summit.
 57.80 Leave summit and descend.
 80.00 Set granite stone 12x10x9 ins. 7 ins in the ground for cor. to secs. 21, 22, 27 & 28 marked with 2 notches on the S. and 3 notches on the East edges & raised mound of stone alongside.
 Pits impracticable.

T. 2 N., R. 10 W., S. B. M.

Land, mountainous. Soil, 3rd rate. Timber, none.
Dense undergrowth of chaparral.

East on a random line bet. sec. 22 & 27.

Variation 14°27' East

40.00
79.88

Set temporary 1/4 sec. cor.
Intersect N. & S. line at 17 lks. N. of cor. to secs.
22, 23, 26 & 27. Thence, I run--

No. 89°53' West on a true line bet. secs. 22 & 27
with same variations.
Descend.

2635.04 39,94

Set post 4 x 4 ins. with marked stone 12 ins. in the ground
for 1/4 sec. cor marked 1/4 on N. face; from which bears
White Pine 20 ins. diam. N. 21° E. 91 lks. dist.
White Pine 14 ins. diam. S. 14° W. 1.20 chs. chs.

Both marked 1/4 S. B. T. and raised mound of stone around post
Pits impracticable.

2690.10 40.85
4697.20 74.20
5272.08 79.88

Timbered ravine 1.20 chs. wide, course N. & ascend.
Top of ridge bears N. & S. & descend.
The cor. to secs. 21, 22, 27 & 28.

Land mountainous. Soil, 3rd rate. Timber, pine in ravine.
Dense undergrowth of chaparral.

North between section 21 & 22.

Variation 14°27' East.

40.00
53.60
80.00

Descend.
Set granite stone 14 x 11 x 7 ins. 9 ins. in the ground
for 1/4 sec. cor. marked 1/4 on W. face & raised mound
of stone alongside. Pits impracticable.

Timbered ravine 85 lks. wide, course N. E. & ascend.

Set sand stone 18 x 10 x 6 ins. 13 ins. in the ground
for cor. to secs. 15, 16, 21 & 22 marked with 3 notches
on S. & E. edges & raised mound of stone alongside.
Pits impracticable.

Land, mountainous. Soil, 3rd rate. Timber, pine in ravine.
Dense undergrowth of chaparral.

East, on a random line between sections 15 and 22.

Variation 14°27' East.

40;00
80.21

Set temporary 14/ sec. cor.
Intersect N. & S. line 10 lks. S. of cor. to secs.
14, 15, 22 & 23. Thence, I run--

S. 89°56' West on a true line bet. secs. 15 & 22 with
same variation.

Descend.

2125.22 32.20
2646.60 40.10

Timbered ravine 75 lks. wide, course N. & ascend.

Set granite stone 14 x 11 x 7 ins. 9 ins in the ground
for 1/4 sec. cor. marked 1/4 on N. face & raised mound of
stone alongside.

Pits impracticable.

Point of spur bears N. & descend.

3300 50.00
4521 68.50
5292.86 80.21

Timbered ravine 90 lks. wide, course N. & ascend.

The cor. to secs. 15, 16, 21 & 22.

Land, mountainous. Soil, 3rd rate. Timber, pine in ravines.
Dense undergrowth of chaparral.

North between sections 15 and 16.

Variation 14°27' East.

Descending.

S T. 2 N., R. 10 W., S. B. M.

- 20.70 West Fork of San Gabriel River 60 lks. wide, course
East in canon 1.80 chs. wide, course East & ascend.
- 40.00 Set post 4 x 4 ins. 4 ft. long with marked stone 12 ins.
in the ground for 1/4 sec. cor. marked 1/4 on W. face
& raised mound of stone around post.
Pits impracticable.
- 80.00 Set granite stone 18 x 11 x 9 ins. 13 ins. in the ground
for cor. to secs. 9, 10, 15 & 16 marked with 4 notches
on the S. & 3 notches on the E. edges & raised mound of
stone alongside. Pits impracticable.
Top of Spur bears S. W. & descend.
Land, mountainous. Soil 3rd rate. Timber, pine & Oak in
Canon. Dense undergrowth of chaparral.

East on a random line bet. secs. 10 and 15.
Variation 14°27' East.

- 40.00 Set temporary 1/4 sec. cor.
80.34 Intersect N. & S. line 19 lks. W. of cor. to secs.
10, 11, 14, & 15.
Thence, I run--
N. 89°52' West on a true line bet. secs. 10 & 15 with
same variation.
Ascend.
- 40.17 Set granite stone 17 x 9 x 6 ins. 12 ins. in the ground
for 1/4 sec. cor. marked 1/4 on N. face & raised mound
of stone alongside
Pits impracticable.
Top of spur bears S. 5° E. & descend
- 58.70 Head of gulch, course S. & ascend.
80.34 The cor. to secs. 9, 10, 15 & 16.
Land, mountainous. Soil, 3rd rate. Timber, none.
Dense undergrowth of chaparral.

North between sections 9 and 10.
Variation 14°27' East.

- 40.00 Along west slope of ridge.
Set granite stone 19 x 11 x 8 ins. 14 ins. in the
ground for 1/4 sec. cor. marked 1/4 on W. face & raised
mound of stone alongside. Pits impracticable.
- 78.60 Leave slope & ascend.
80.00 Set granite stone 16 x 12 x 5 ins. 11 ins. in the ground
for cor. to secs. 3, 4, 9 & 10 marked with 5 notches
on the sand 3 notches on the East & raised mound of stone
alongside. Pits impracticable.
Land mountainous. Soil, 3rd rate. Timber, none.
Dense undergrowth of chaparral.

East, on a random line bet. secs. 3 & 10.
Variation 14°27' East.

- 40.00 Set temporary 1/4 sec. cor.
79.94 Intersect N. & S. line 27 lks. N. of cor. to secs.
2, 3, 10 & 11. Thence, I run
N. 89°48' West on a true line bet. secs 3 & 10 with same
variation.
Descend.
- 32.00 Timbered ravine 75 lks. wide, course S and ascend.
39.97 Set granite stone 13 x 11 x 4 ins. 8 ins. in the ground
for 1/4 sec. cor. marked 1/4 on N. face & raised mound of
stone alongside. Pits impracticable.
- 72.50 Summit of ridge bears N. 5° W. & S. 5° E. & descend.
79.94 The cor. to secs. 3, 4, 9 & 10.
Land mountainous. Soil, 3rd rate. Timber, pine in ravine.
Dense undergrowth of chaparral.

T. 2 N., R. 10 W., S. B. M.

North on a true line bet. secs. 3 & 4.

Variation $14^{\circ}27'$ East.

Along summit.

20.00

Leave summit & descend.

40.00

Set granite stone 19 x 11 x 10 ins. 14 ins. in ground for $\frac{1}{4}$ sec. cor. marked $\frac{1}{4}$ on W. face & raised mound of stone alongside. Pits impracticable.

67.20

Leave chaparral & enter scattering pine and fir timber.

81.21

Intersect North boundary of Township at a point 3.41 chs. west of cor. to secs. 3, 4, 33 & 34 which is a sand rock 16 x 10 x 6 ins. marked with 3 notches on E. & W. edges & large mound of rocks around.

At point of intersection I set granite stone 17 x 11 x 4 ins. 12 ins. in the ground for closing cor. to secs. 3 & 4 T. 2 N., R. 10 W., marked C. C. with 3 notches on E. & W. edges and raised mound of stone alongside. Pits impracticable.

Land, mountainous, Soil 3rd rate. Timber, scattering pine & fir 12.80 chs. Dense undergrowth of Chaparral 67.20 chs.

North between sections 32 and 33.Variation $14^{\circ}27'$ East.

40.00

Descend along east slope of ridge.

Set granite stone 20 x 10 x 9 ins. 15 ins. in the ground for $\frac{1}{4}$ sec. cor. marked $\frac{1}{4}$ on W. face & raised mound of stone alongside. Pits impracticable.

80.00

Set granite stone 15 x 11 x 9 ins. 10 ins. in the ground for cor. to secs. 28, 29, 32 & 33, marked with 1 notch on the S. and 4 notches on the East edges & raised mound of stone alongside. Pits impracticable.

Land, mountainous. Soil, 3rd rate. Timber, none. Dense undergrowth of chaparral.

April 29th, 1884.

East on a random line bet. secs. 28 and 33.Variation $14^{\circ}27'$ East.

40.00

Set temporary $\frac{1}{4}$ sec. cor.

80.14

Intersect N. & S. line 19 lks. S. of cor. to secs. 27, 28, 33 & 34.

Thence, I run--

S. $89^{\circ}52'$ West on a true line bet. secs. 28 & 33 with same variation. Ascending.

10.00

Summit of ridge bears N. & S. & descend.

40.07

Set granite stone 12 x 11 x 6 ins. 7 ins. in the ground for $\frac{1}{4}$ sec. cor. marked $\frac{1}{4}$ on N. face & raised mound of stone alongside. Pits impracticable.

58.20

Timbered ravine 85 lks. wide, course N. 10° E. & ascend.

80.14

The cor. to secs. 28, 29, 33 & 32.

Land mountainous. Soil, 3rd rate. Timber, pine & oak in ravine. Dense undergrowth of chaparral.

North, between sections 28 and 29.Variation $14^{\circ}27'$ East.

Descend.

17.10

Head of gulch, course N. 80° E. and ascend.

40.00

Set granite stone 17 x 10 x 6 ins. 12 ins in the ground for $\frac{1}{4}$ sec cor., marked $\frac{1}{4}$ on W. face & raised mound of stone alongside. Pits impracticable.

T. 2 N. R. 10 W., S. B. M.

- 60.00 Summit of ridge bears N. 5° E. & S. 5° W. & descend.
 80.00 Set granite stone 14 x 10 x 5 ins. 9 ins. in the ground for cor. to secs. 20, 21, 28 & 29, marked with 2 notches on S. and 4 notches on the E. edges and raised mound of stone alongside. Pits impracticable.
 Land, mountainous. Soil, 3rd rate. Timber, none.
 Dense undergrowth of Chaparral.

 East on a random line between sections 21 and 28.
 Variation 14°27' East.

- 40.00 Set temporary 1/4 sec. cor.
 80.36 Intersect No. & S. line 29 lks. N. of cor. to secs. 21, 22, 27 & 28.
 Thence, I run--
 N. 89°48' West on a true line between sections 21 and 28 with same variation.
 Descend.
 39.20 Timbered ravine 1.20 chs. wide, course N. and ascend.
 40.18 Set post 4 x 4 ins. 4 ft. long with marked stone 12 ins. in the ground for 1/4 sec. cor., marked 1/4 S. on N. face; from which bears
 Pine 16 ins. diam. N. 14° W. 60 lks. dist.
 Pine 20 ins. diam. S. 42° E. 40 lks. dist.
 Both marked 1/4 S B. T. and raised mound of stone around post.
 Pits impracticable.
 73.00 Top of ridge bears N. 5° E. & S. 5° W. & descend.
 80.36 The cor. to secs. 20, 21, 28 & 29.
 Land, mountainous. Soil, 3rd rate.
 Timber, pine & Oak in Ravine.
 Dense undergrowth of chaparral.

 North, between sections 20 and 21.
 Variation 14°27' East.

- Descend.
 40;00 Set granite stone 14 x 9 x 6 ins. 9 ins. in the ground for 1/4 sec. cor. marked 1/4 on W. face and raised mound of stone alongside. Pits impracticable.
 62.00 Timbered ravine 1.80 chs. wide, course N.E. and ascend.
 80.00 Set post 4 x 4 ins. 4 ft. long with marked stone 12 ins. in the ground for cor. to secs. 16, 17, 20 & 21, marked
 T. 2 N., Sec. 16 on N. E.
 R. 10 W. sec. 21 on S. E.
 sec. 20 on S. W. and
 S. 17 on N. W. faces & raised mound of stone alongside.
 Pits impracticable.
 Land, mountainous. Soil, 3rd rate.
 Timber, pine & Oak in ravine.
 Dense undergrowth of chaparral.

 East on a random line between sections 16 and 21.
 Variation 14°27' East.

- 40.00 Set temporary 1/4 sec. cor.
 80.08 Intersect N. & S. line 31 lks. N. of cor. to secs. 15, 16, 21 & 22.
 Thence, I run--

T. 2 N., R. 10 W., S. B. M.

N. $89^{\circ}47'$ West on a true line bet. secs. 16 and 21
with same variation. Ascend.
17.50 Low point of spur bears N. E. and descend.
40.04 Set post 4 x 4 ins. 4 ft. long with marked stone 12 ins.
in the ground for $\frac{1}{4}$ sec. cor., marked $\frac{1}{4}$ on N. face and
raised Mound of stone around post.
Pits impracticable.
63.15 Timbered ravine 1.60 chs. wide, course N. E. & ascend.
80.08 The cor. to secs. 16, 17, 20 & 21.
Land mountainous.
Soil, 3rd rate.
Timber, pine & oak in ravine.
Dense undergrowth of chaparral.

East on a random line between sections 16 and 21.
Variation $14^{\circ}27'$ East.
40.00 Set temporary $\frac{1}{4}$ sec. cor.
80.08 Intersect N. & S. line 31 lks. N. of cor. to secs.
15, 16, 21 & 22.
Thence I run
N. $89^{\circ}47'$ West on a true line bet. secs. 16 and 21
with same variation.
Ascend.
17.50 Low point of spur bears N. E. and descend.
40.04 Set post 4 x 4 ins. 4 ft. long with marked stone 12 ins.
in the ground for $\frac{1}{4}$ sec. cor. marked $\frac{1}{4}$ on N. face and
raised mound of stone around post.
Pits impracticable.
63.15 Timbered ravine 1.60 chs. wide, course N. E. & ascend.
80.08 The cor. to secs. 16, 17, 20 & 21.
Land, mountainous. Soil, 3rd rate.
Timber, pine & oak in ravine.
Dense undergrowth of chaparral.

North, between sections, 16 and 17.
Variation $14^{\circ}27'$ East.

Ascend.
9.50 Low point of spur bears N. E. and descend.
38.50 West fork of San Gabriel river 50 lks. wide, course
East in Canon 240 chs. wide, course East & ascend.
40.00 Set post 5 x 5 ins. 4 ft. long with marked stone 12 ins.
in the ground for $\frac{1}{4}$ sec. cor. marked $\frac{1}{4}$ on W. face and
raised mound of stone alongside; from which bears
Live Oak 22 ins. diam. S. $14\frac{1}{2}^{\circ}$ E. 43 lks. dist.
Pine 30 ins. diam. S. 29° W. 94 lks. dist.
Both marked $\frac{1}{4}$ S. B. T.
42.17 Low point of spur bears S. E. and descend.
60.60 Ravine 50 lks. wide, course 70° E. & ascend.
80.00 Set granite rock 14 x 9 x 8 ins. 9 ins. in the ground
for cor. to secs. 8, 9, 16 & 17 marked with 4 notches on S.
& E. edges & raised mound of stone alongside.
Pits impracticable.
Point of spur bears S. E. & descend.
Land, mountainous. Soil, 3rd rate.
Timber, pine & oak in canon & ravine.
Dense undergrowth of chaparral.

T. 2 N., R. 10 W., S. B. M.

East on a random line between sections 9 and 16.
Variation $14^{\circ}27'$ East.

- 40.00 Set temporary $\frac{1}{4}$ sec. cor.
80.24 Intersect N. & S. line 18 lks. N. of cor. to secs. 9, 10, 15 & 16.
Thence I run--
N. $89^{\circ}52'$ West on a true line between sections 9 & 16 with
same variation.
Descend.
38.75 Ravine 70 lks. wide, course S. E. and ascend.
40.12 Set granite stone 14 x 11 x 5 ins. 9 ins. in the ground for $\frac{1}{4}$
sec. cor. marked $\frac{1}{4}$ on N. face;
from which bears
Live Oak 18 ins. diam. S. 20° E. 1.35 chs. dist.
Live Oak 12 ins. diam. N. 50° E. 2.12 chs. dist.
Both marked $\frac{1}{4}$ S. B. T. and raised mound of stone around post.
Pits impracticable.
55.00 Top of spur bears S. and descend.
66.50 Ravine 50 lks. wide, course S. and ascend.
80.24 The cor. to secs. 8, 9, 16 & 17.
Land, mountainous.
Soil, 3rd rate. Timber, pine & Oak in ravines.
Dense undergrowth of chaparral.

North between sections 8 and 9.
Variation $14^{\circ}27'$ East.

- 40.00 Descend.
Set post 4 x 4 ins. 4 ft. long with marked stone 12 ins.
in ground for $\frac{1}{4}$ sec. cor. marked $\frac{1}{4}$ S. on W. face & raised
mound of stone alongside. Pits impracticable.
41.30 Ravine 60 lks. wide, course S. E. & ascend along W. slope
of ridge.
80.00 § Set granite stone 14 x 9 x 8 ins. 9 ins. in the ground
for cor. to secs. 5, 4, 8 & 9 marked with 5 notches on
S. and 4 notches on the E. edges & raised mound of stone
alongside. Pits impracticable.
Land mountainous. Soil, 3rd rate.
Timber, scattering Pine and Oak, in ravine.
Dense undergrowth of chaparral.

East, on a random line bet. secs. 4 and 9.
Variation $14^{\circ}27'$ East.

- 40.00 Set temporary $\frac{1}{4}$ sec. cor.
80.00 Intersect N. & S. line 11 lks. S. of cor. to secs. 3, 4, 9 & 10.
Thence I run--
S. $89^{\circ}55'$ W. on a true line bet. secs. 4 & 9, with same
variation.
Descend.
40.00 Set post 4 x 4 ins. 4 ft. long with marked stone 12 ins. in
the ground for $\frac{1}{4}$ sec. cor. marked $\frac{1}{4}$ on N. face;
from which bears--
Pine 16 ins. diam. N. 23° W. 1.31 chs. dist.
Oak 20 ins. diam. S. 62° W. 2.00 chs. dist.
Both marked $\frac{1}{4}$ S. B. T., and raised mound of stone alongside.
Pits impracticable.
42.00 Ravine 60 lks. wide, course S. 10° W. & ascend.
66.00 Summit of ridge bears N. & S. and descend.
80.00 The cor. to secs. 5, 4, 8 & 9.
Land, mountainous. Soil, 2nd rate.
Timber, pine and Oak in ravine.
Dense undergrowth of chaparral.

T. 2 N., R. 10 W., S. B. M.

North, on a true line bet. secs. 4 & 5.

Variation $14^{\circ}27'$ East.

- Ascend along West slope of ridge.
 40.00 Set granite stone 16 x 11 x 4 ins. 11 ins. in the ground
 for $\frac{1}{4}$ sec. cor. marked $\frac{1}{4}$ on W. face & raised mound of stone
 alongside. Pits impracticable.
 80.70 Intersect North boundary of Township at a point 2.65 chs.
 West of the cor. to secs. 4, 5, 32 & 33, which is a sand
 rock 20 x 16 x 10 ins. in mound or rocks marked with
 4 notches on E. and 2 notches on W. edges.

At point of Intersection I set granite stone 14 x 10 x 9 ins.
 9 ins. in the ground for closing cor. to secs. 4 & 5
 T. 2 N., R. 10 W. marked with C. C. and 4 notches on the E.
 and 2 notches on the W. edges & raised mound of stone
 alongside. Pits impracticable.
 Land, mountainous. Soil, 3rd rate. Timber, none.
 Dense undergrowth of chaparral.

 North, between sections 31 and 32.

Variation $14^{\circ}27'$ East.

- Ascend.
 40.00 Set granite stone 20 x 10 x 9 ins. 15 ins. in ground
 for $\frac{1}{4}$ sec. cor. marked $\frac{1}{4}$ on N. face & raised mound of
 stone alongside. Pits impracticable.
 Summit of Divide between Saw Pitt Creek and West Fork of
 San Gabriel bears E & W. & descend.
 71.00 Head of Gulch, course N. 50° E. and ascend.
 80.00 Set granite stone 19 x 11 x 4 ins. 14 ins. in the ground
 for cor. to secs. 29, 30, 31 & 32, marked with 1 notch
 on S. and 5 notches on the E. edges and raised mound of
 stone alongside. Pits impracticable.
 Land, mountainous. Soil, 3rd rate. Timber, none.
 Dense undergrowth of chaparral.

 East on a random line between sections 29 and 32.

Variation $14^{\circ}27'$ East.

- 40.00 Set temporary $\frac{1}{4}$ sec. cor.
 80.72 Intersect N. & S. line 17 lks. N. of cor. to secs.
 28, 29, 32 & 33. Thence I run--
 N. $89^{\circ}53'$ West on a true line bet. secs. 29 & 32 with
 same variation.
 Ascend.
 15.00 Top of Ridge bears N. & S. & descend.
 40.36 Set granite stone 12 x 10 x 9 ins. 8 ins. in the ground
 for $\frac{1}{4}$ sec. cor. marked $\frac{1}{4}$ on N. face and raised mound
 of stone alongside. Pits impracticable.
 69.00 Gulch 20 lks. wide, course N. E. and ascend.
 80.72 The cor. to secs. 29, 30, 31 & 32.
 Land, mountainous. Soil, 3rd rate.
 Timber, none.
 Dense undergrowth of chaparral.

April 30th, 1884.

 West on a random line between Section 30 and 31.

Variation $14^{\circ}27'$ East.

- 40.00 Set temporary $\frac{1}{4}$ sec. cor.
 79.52 Intersect West boundary of Township 18 lks. S. of the cor.
 to secs. 25, 30, 31 & 36.
 Thence I run--

T. 2 N. R. 10 W., S. B. M.

S. 89°52' East on a true line between sections 30 & 31 with same variation.

Ascend.

39.52 Set granite stone 14 x 11 x 6 ins. 9 ins. in the ground for 1/4 sec. cor. marked 1/4 on N. face & raised mound of stone alongside. Pits impracticable.

43.00 Summit of ridge bears N. 30° E. & S. and descend.

79.52 The cor. to secs. 29, 30, 31 & 32. Land, mountainous. Soil, 3rd rate. Timber, none. Dense undergrowth of chaparral.

North between sections 29 and 30.

Variation 14°27' East.

Ascending.

40.00 Set granite stone 16 x 9 x 18 ins. 11 ins. in the ground for 1/4 sec. cor. marked 1/4 on W. face and raised mound of stone alongside. Pits impracticable.

59.00 Summit of ridge bears N. 40° E. & S. 40° W. & descend.

80.00 Set granite stone 16 x 11 x 10 ins. 11 ins in the ground for cor. to secs. 19, 20, 29 & 30 marked with 2 notches on S. & 5 notches on E. edges and raised mound of stone alongside. Pits impracticable.

Land, mountainous. Soil, 3rd rate. Timber, none. Dense undergrowth of chaparral.

East on a random line bet. secs. 20 and 29.

Variation 14°27' East.

40.00 Set temporary 1/4 sec. cor.

80.63 Intersect N. & S. line 22 lks. N. of cor. to secs. 20, 21, 28 & 29.

Thence I run--

N. 89°51' West on a true line bet. secs. 20 & 29 with same variation.

Descend.

37.20 Gulch 50 lks. wide, course N. E. & ascend.

40.31 Set granite stone 14 x 9 x 6 ins. 9 ins. in the ground for 1/4 sec. cor. marked 1/4 on N. face & raised mound of stone alongside. Pits impracticable.

72.00 Top of ridge bears N. 2 1/4° East & S. 2 1/2° W. & descend.

80.63 The cor. to secs. 19, 20, 29 & 30. Land mountainous. Soil 3rd rate. Timber, none. Dense undergrowth of chaparral.

West on a random line between sections 19 and 30.

Variation 14°27' East.

40.00 Set temporary 1/4 sec. cor.

79.19 Intersect West boundary of Township 43 lks. South of cor. to sec.s 19, 24, 25 & 30.

Thence I run--

S. 89°42' East on a true line between sections 19 & 30 with same variation.

Descend.

20.00 Timbered ravine 1.30 chs. wide, course N. & ascend.

39.19 Set Granite Stone 16 x 11 x 5 ins. 11 ins. in the gound for 1/4 sec. cor. marked 1/4 on North face and raised mound of stone alongside. Pits impracticable.

79.19 The cor. to sec.s. 19, 20, 29 & 30.

Land, mountainous. Soil, 3rd rate. Timber, pine & oak in ravine. Dense undergrowth of Chaparral.

North between sections 19 and 20.

Variation 14°27' East.

Descend.

T. 2 N., R. 10 W. S. B. M.

40.00 Set granite stone 13 x 11 x 4 ins. 8 ins. in the ground for $\frac{1}{4}$ sec. cor. marked $\frac{1}{4}$ on W. face and raised mound of stone alongside. Pits impracticable.

60.60 Timbered ravine 1.40 chs. wide, course N. 5° E. & ascend.

80.00 Set granite stone 12 x 10 x 5 ins. 7 ins. in the ground for cor. to secs 17, 18, 19 & 20, marked with 3 notches on S & 5 notches on the N. 3dges; from which bears

Oak 10 ins. diam N. 30° E. 80 lks. dist. marked T. 2 N. sec. 17 B.T.

Oak 16 ins. diam. S. 7° E. 94 lks. dist. marked Range 10 W. sec. 20 B. T.

Oak 14 ins. diam. S. 41° W. 1.15 chs. dist. marked Sec. 19 B.T.

Pine 28 ins. diam N. 13° W. 77 lks. dist marked Sec. 18 B. T.

Land mountainous. Soil, 2nd rate
 Timber, pine & oak in ravine
 Dense undergrowth of chaparral.

 East on a random line bet. secs. 17 and 20. Variation 14°27' East.

40.00 Set temporary $\frac{1}{4}$ sec. cor.

80.48 Intersect N. & S. line 34 lks. S. of cor. to secs. 16, 17, 20 & 21 Thence I run. S. 89°45' West on a true line bet. secs. 17 & 20 with same variation. Ascend.

20.00 Low point of spur bears N. 50° E & descend.

40.24 Set granite stone 18 x 11 x 9 ins. 13 ins. in the ground for $\frac{1}{4}$ sec. cor. marked $\frac{1}{4}$ on N. face & raised mound of stone alongside Pits impracticable.

78.15 Ravine, 1.60 chs. wide, course N. & ascend.

80.48 The cor. to secs. 17, 18, 19 & 20. Land, mountainous. Soil, 2nd rate. Timber, pine & oak in ravine. Dense undergrowth of chaparral.

oooooooooooooooooooo

West on a random line between sections 18 and 19. Variation 14°27' East.

40.00 Set temporary $\frac{1}{4}$ sec. cor.

78.66 Intersect West boundary of Township 21 lks. S. of cor. to secs. 13, 18, 19 & 24. Thence I run-- S. 89°51' East on a true line bet. secs. 18 & 19 with same variation. Ascend.

38.66 Set granite stone 17 x 11 x 6 ins. 12 ins. in the ground for $\frac{1}{4}$ sec. cor. marked $\frac{1}{4}$ on N. face and raised mound of stone alongside. Pits impracticable.

67.00 Point of spur bears N. 50° E. & descend.

78.66 The cor. to sec. 17, 18, 19 & 20. Land mountainous. Soil, 3rd rate. Timber none. Dense undergrowth of chaparral.

 North, between sections 17 and 18. Variation 14°27' East.

Ascending.

18.50 Low point of spur bears N. 50° E. & descend.

32.50 West fork of San Gabriel river 40 lks. wide, course East

T. 2 N., R. 10 W., S. B. M.

in Canon 2.20 chs. wide, course East & ascend.
 40.00 Set granite stone 12 x 11 x 4 ins. 8 ins. in the ground
 for $\frac{1}{4}$ sec. cor. marked $\frac{1}{4}$ on N. face & raised mound of stone
 alongside. Pits impracticable.
 46.50 Point of spur bears S. 70° E. & descend.
 77.20 Gulch 60 lks. wide, course S. 40° E & ascend.
 80.00 Set granite stone 12 x 12 x 9 ins. 7 ins. in the ground
 for cor. to secs. 7, 18, 17 and 8 marked with 4 notches on
 S. and 5 notches on the E. edges & raised mound of stone
 alongside. Pits impracticable.
 Land mountainous. Soil, 3rd rate.
 Timber, pine & oak in canon.
 Dense undergrowth of chaparral.

 East on a random line bet. secs. 8 & 17.
 Variation 14°27' East.

40.00 Set temporary $\frac{1}{4}$ sec. cor.
 80.30 Intersect N. & S. line 14 lks. N. of cor. to secs.
 8, 9, 16 & 17.
 Thence, I run--
 N. 89°54' West on a true line bet. secs. 8 & 17 with
 same variation.
 Descend.

20.50 Ravine 60 lks. wide, course S. E. and ascend.
 40.15 Set granite stone 14 x 12 x 6 ins. 9 ins. in the ground
 for $\frac{1}{4}$ sec. cor. marked $\frac{1}{4}$ on N. face and raised mound of
 stone alongside. Pits impracticable.
 55.00 Top of spur bears S. 40° E. and descend.
 80.30 The cor. to secs. 7, 8, 17 & 18.
 Land, mountainous. Soil, 2nd rate.
 Timber, pine & oak in ravine.
 Dense undergrowth of chaparral.

 West on a random line bet. secs. 7 and 18.
 Variation 14°27' East.

40.00 Set temporary $\frac{1}{4}$ sec. cor.
 78.26 Intersect West boundary of Township 11 lks. N. of cor.
 to secs. 7, 12, 13 & 18 which is a post 4 x 4 ins. firmly
 set in mound of rocks marked
 T. 2 N., R. 10 W. Sec. 7 on N. E.
 T. 2 N. R. 10 W. sec. 18 on S. E.
 T. 2 N., R. 11 W. sec. 13 on S.W. and
 T. 2 N., R. 11 W. sec. 12 on N. W. faces.
 Thence I run--
 N. 89°55' East on a true line bet. secs. 7 & 18 with same
 variation.
 Ascend.

16.60 Top of spur bears N. 50° W. & S. 50° E. & descend.
 38.26 Set granite stone 17 x 11 x 8 ins. 12 ins. in the ground
 & raised mound of stone alongside. Pits impracticable.
 73.20 Ravine 50 lks. wide, course S. E. & ascend.
 78.26 The cor. to secs. 7, 8, 17 & 18.
 Land mountainous. Soil 3d rate.
 Timber, scattering pine & fir in ravine.
 Dense undergrowth of chaparral.

 North between sections 7 and 8.
 Variation 14°27' East.

Ascending.
 40.00 Set granite stone 12 x 10 x 6 ins. 7 ins in the ground for
 $\frac{1}{4}$ sec. cor. marked $\frac{1}{4}$ on W. face & raised mound of stone alongside.
 Pits impracticable.

T. 2 N., R. 10 W., S. B. M.

42.00 Summit of ridge bears N. W. & S. E. & descend.
 80.00 Set granite stone 16 x 11 x 5 ins. 11 ins. in the ground for cor.
 to secs. 5, 6, 7 & 8 marked 5 notches on S. & E. edges &
 raised mound of stone alongside.
 Pits impracticable. Land, mountainous.
 Soil, 3d rate. Timber, none.
 Dense undergrowth of chaparral.

 East on a random line bet. secs. 5 & 8.
 Variation 14°27' East.

40.00 Set temporary $\frac{1}{4}$ sec. cor.
 79.80 Intersect N. & S. line 17 lks. N. of cor. to secs. 4, 5, 8 & 9.
 Thence I run
 N. 89°53' West on a true line bet. secs. 5 & 8, with
 same variation.
 Descend.

8.40 Ravine 60 lks wide, course S. & ascend.
 39.90 Set granite stone 18 x 12 x 8 ins. 13 ins. in the ground
 for $\frac{1}{4}$ sec. cor marked $\frac{1}{4}$ on N. face & raised mound of stone
 alongside. Pits impracticable.

71.00 Top of Ridge bears N. 2° E. & S. 2° E. and descend
 Ravine 40 lks. wide, course S. 20° E. and ascend.
 79.80 The cor. to secs. 5, 6, 7 & 8.
 Land, mountainous. Soil, 3rd rate.
 Timber, None, Dense undergrowth of chaparral.

 West on a random line between sections 6 and 7.
 Variation 14°27' East.

40.00 Set temporary $\frac{1}{4}$ sed. cor.
 78.88 Intersect West boundary of Township 49 lks. N. of cor. to
 secs. 1, 6, 7 & 12 which is a post 4 x 4 ins. firmly set in
 large mound of rocks marked
 T. 2 N., R. 10 W., Sec. 6 on N. E.
 T. 2 N., R. 10 W., Sec 7 on S. E.
 T. 2 N., R. 11 W., Sec. 12 on S. W.
 T. 2 N., R. 11 W., Sec. 1 on N. W. faces;
 from which bears.

Fir tree 24 ins. diam S. 19 $\frac{1}{2}$ ° W. 29 Lks. dist.
 marked T. 2 N. R., 11 W., Sec 12 B. T.

Thence I run--
 N. 89°39' East on a true line bet. secs. 6 & 7 with same
 variation.
 Ascend.

8.50 Top of spur, bears S. 20° E. & descend.
 37.20 Ravine 60 lks. wide, course S. and ascend.
 38.88 Set granite stone 14 x 11 x 6 ins. 9 inx. in ground for $\frac{1}{4}$ sec. cor.
 marked $\frac{1}{4}$ on N. face & raised mound of stone alongside.
 Pits impracticable.

60.00 Summit of ridge bears N. 5° W. & S. and descend.
 78.88 The cor. to secs. 5, 6, 7, & 8.
 Land, mountainous. Soil, 3rd rate.
 Timber, none. Dense undergrowth of chaparral.

 North on a true line bet. secs 5 & 6.
 Variation 14°27' East.

Descending.
 6.60 Gulch 40 lks. wide, course S.E. and Ascend.
 20.00 Point of spur bears S. E. & descend.

T. 2 N., R. 10 W., S. B. M.

31.60 Ravine 70 lks. wide, course S. E. and ascend.
40.00 Set granite stone 12 x 11 x 9 inx. 7 ins. in the ground
for $\frac{1}{4}$ sec. cor. marked $\frac{1}{4}$ on W. face & raised mound of
stone alongside. Pits impracticable.
80.33 Intersect North boundary of Township at a point 2.77 chs.
West of cor. to secs. 5, 6, 31 & 32 which is a post
4 x 4 ins. marked T. 3 N., R. 10 W. Sec 32 on N. E.
T. 2 N., R. 10 W. sec 5 on S. E.
T. 2 N., R. 10 W. sec. 6 on S. W. and
T. 3 N., R. 10 W., Sec 31 on N. W. faces with large
mound of rocks, around post. I destroyed marks on S. E.
& S. W. faces of post and at point of intersection set
granite stone 14 x 11 x 7 ins. 9 inx. in the ground for
closing cor. to secs. 5 & 6 T. 2 N., R. 10 W. marked C. C.
with 5 notches on the E and notched once on the W. edges
& raised mound of stone alongside.
Pits impracticable.
Land mountainous. Soil, 3rd rate.
Timber, none. Dense undergrowth of chaparral.
May 1st, 1884.

GENERAL DESCRIPTION.

This township contains all mountainous land.
The soil ranges from 2d to 4th rate.
The soil along the West fork may be classed as 2d rate; the
remaining portion mostly 3d and a very small portion
4th rate, rocky.

Pine and fir timber of good quality is found along
San Gabriel River, also in most of the ravines.

The township is generally valuable for its timber.

FINAL OATHS FOR SURVEYS.

LIST OF NAMES.

A list of the names of the individuals employed by George W. Pearson, United States Deputy Surveyor, to assist in running, measuring and marking the lines and corner described in the foregoing field notes of the survey of the Subdivision Lines of Township 2 North, Range 10 West, San Bernardino Meridian showing the respective capacities in which they acted.

Gus Williams	Compassman,
Thos. F. Wyman	Chainman,
Fred Albrecht	Chainman,
Geo. W. McFarlane	Chainman,
David Stokes	Chainman,
Jeff E. Henderson	Axeman,
H. E. Mason	Axeman,

FINAL OATHS OF ASSISTANTS.

We hereby certify that we assisted Geo. W. Pearson, United States Deputy Surveyor, in surveying all those parts or portions of the Subdivision Lines of Township 2 North, Range 10 West, of the San Bernardino base and Meridian, of California, as are represented in the foregoing field-notes as having been surveyed by him and under his direction; and that said survey has been in all respects, to the best of our knowledge and belief, well and faithfully surveyed, and the corner monuments established according to the instruction furnished by the United States Surveyor-General for California.

Guss Williams	Compassman,
Thos. F. Wyman	Chainman,
Fred Albrecht	Chainman,
Geo. W. McFarlane	Chainman,
David Stokes	Chainman,
Jeff E. Henderson	Axeman,
H. E. Mason	Axeman.

Subscribed and sworn to before me this 19th day of May, 1884.

A. Musselman, J.P. in and for San Bernardino County, California.

FINAL OATH OF UNITED STATES DEPUTY SURVEYOR.

I, George W. Pearson, United States Deputy Surveyor, do solemnly swear that in pursuance of instructions received from the United States Surveyor-General for California, bearing date of the 10th day of December 1883, I have well, faithfully and truly, in my own proper person, and in strict conformity with the instructions furnished by the United States Surveyor-General for California, the surveying manual, and the laws of the United States, surveyed all those parts or portions of the Subdivision Lines of Township 2 North, Range 10 West of the San Bernardino base and Meridian of California, as represented in the foregoing field-notes, as having been surveyed by me and under my directions; and I do further solemnly swear that all the corners of said survey have been established and perpetuated in strict accordance with the surveying manual, printed instructions, the special written instructions of the United States Surveyor-General for California, and in the specific manner des-

cribed in the field-notes; and that the foregoing are the true field-notes of such survey; and should any fraud be detected, I will suffer the penalty of perjury, under the provisions of an Act of Congress, approved August 8, 1846.

George W. Pearson,
United States Deputy Surveyor.

Subscribed and sworn to before me this 19th day of May, 1884.

S. Musselman, J. P. in and
for San Bernardino County, California.