

Copied from Photographic Copies
furnished by
U. S. General Land Office
Washington D. C.

R. 11W.	R. 10W.	
13	18	
24	19	T. 2 N.
25	30	
36	31	
1	6	

T. 2 N. R. 11 W. S. B. M.

From the established corner to Tps. 1 and 2 N.
Ranges 10 and 11 W.

I run
North on a random line between Ranges 10 and 11 W. the
variation of my compass being
14°29' East.

I set temporary half mile and mile corners at each 40 and
80 chs. and at 3 miles, being unable to find the corner
supposed to be set for Cor. to Secs. 13-18-19 and 24, I
continue my random line North, and at 3 miles, 41 chs. and
16 lks. to a point 98 lks. W. of the 1/4 Section corner
between Sections 13 and 18, which is a post 3 x 3 ins.
marked 1/4 on W. face firmly set in large mound of rocks
from which bears:

A Cottonwood 14 ins. diam. S. 10° W. 2.70 chs. dist.

Pine 32 ins. diam. N. 18-1/4° E. 60 lks. dist.

Both marked 1/4 S. B. T.

Thence I run

South 0°12' W. on a true line between sections 13 and 18,
with same variation, dividing the excess equally in each mile.
Descending.

Counting the distance from 1/4 section corner.

2.75 West Fork of San Gabriel river 70 lks. wide, course East,
and ascend.

40.17 Set granite stone 25 x 12 x 9 ins. 18 ins. in the ground for
Corner to Sections 13-18-19 and 24, marked with 3 notches
on the N. and S. edges, and raised large mound of rocks
alongside, pits being impracticable.

Land mountains.

Soil 3rd rate.

Timber Pine and Oak along river.

Dense undergrowth of Chaparral brush.

South 0°12' West on a true line between Sections 19 and 24.
Var. 14° 29' E.

Ascend.

40.16 Set Sandstone 19 x 10 x 8 ins. 14 ins. in the ground for 1/4
Section Corner, marked 1/4 on W. face, and raised mound of
stone alongside.

Pits impracticable.

62.00 Summit of spur bears N. E. and descend.

80.33 Set a Sandstone 18 x 12 x 6 ins. 13 ins. in the ground for
Corner to Sections 19-24-25 and 30, marked with 4 notches on
the N. and 2 notches on the S. edges, and raised mound of
stone alongside.

Land mountains.

Soil 3 rd rate.

Timber scattering Pine and Oak.

Dense undergrowth of Chaparral.

T. 2 N. R. 11 W. S. B. M.

South 0°12' West on a true line between Sections 25 and 30.
Var. 14° 29' E.

Descend.

40.16 Set granite stone 13 x 10 x 7 ins. 8 ins. in the ground for 1/4 Section Corner marked 1/4 on the West face, and raised mound of stone alongside.

Pits impracticable.

42.00 Ravine 60 lks. wide, course N. E. and ascend.

80.33 Set Sandstone 13 x 11 x 7 ins. 8 ins. in the ground for Corner to Sections 25-30-31 and 36, marked with 5 notches on the N. and 1 notch on the S. and raised mound of stone alongside.

Pits impracticable.

Land mountains.

Soil 3 rd rate.

Timber Pine and Oak in the ravine.

Dense undergrowth of Chaparral.

South 0° 12' West on a true line between Sections 31 and 36.
Var. 14° 29' East.

Ascending.

40.16 Set a post 4 x 4 ins. 3-1/2 feet long and deposit marked stone 12 ins. in the ground for 1/4 Section Corner, marked 1/4 S. on W. face, and raised mound of rocks around post.

Pits impracticable.

47.60 Summit of Divide between San Gabriel and Santa Anita waters bears East and South West and descend.

80.33 The Corner to Townships 1 and 2 North, Ranges 10 and 11 West.
Land mountains.

Soil 3rd rate.

Timber scattering Pine and Oak, on the North slope of Divide.

Dense undergrowth of Chaparral.

April 7th 1884.
