

FIELD NOTES  
OF  
T. 2 N., R. 9 W.

Copied from photographic copies furnished by  
U. S. General Land Office  
Washington, D. C.

R. 9 W.

6	19 5	15 4	13 3	9 2	4 1
7	18 8	15 9	12 10	8 11	4 12
17	17	14	12	8	3
18	17 17	14 16	12 15	7 14	3 13
16	16	14	11	7	3
19	20	21	11 22	6 23	2 24
30	29	28	10 27	6 26	2 25
31	32	33	9 34	5 35	1 36

T. 2 N.

T 2 N., R. 9 W., S.B.M.

From the established corner to Sees. 35, 36, 1 & 2 on the south boundary of Township, I run north bet. sees. 35 and 36.

Ascend Var. 14e 26 3/4 E.

20.00 Summit of divide W. N. 10e E and S. 10e W and descend

40.00 Set sandstone 19x1x6 ins. 14 ins. in the ground for 1/2 sec. cor.

marked 1/2 on W. face and raised mound of stone alongside.

Site impracticable.

65.00 Gulch at head course S. 80e W. and ascend

80.00 Set Granite stone 19x1x5 ins. 14 ins. in the ground for corner to

Sees. 25, 26, 35 and 36.

Marked with 1 notch on the S. and E. edges and raised a mound of

stone alongside. Site impracticable.

Land mountainous. Soil 3rd rate. Timber none.

Dense undergrowth of Chaparral.

Met on a random line bet. Sees. 25 and 36.

Var. 14e 26 3/4 E.

40.00 Set temporary 1/2 sec. corner.

80.94 Intersect east boundary of Township 36 lks. south of corner to

Sees. 25, 30, 31 - 36

Thence I run

S. 89e W 1/2 west on a true line bet. Sees. 25 and 36 with same

variation. Descend

20.00 Head of gulch course south and ascend

40.24 Set Granite stone 18x1x6 ins. 13 ins. in the ground for 1/2 sec.

corner marked 1/2 on N. face and raised mound of stone alongside.

Site impracticable.

41.00 Summit of divide bears N. 10e E and S 10e W and descend

52.00 Head of gulch course north and ascend

65.00 Top of ridge bears N. 85e W and S.E. and descend

80.49 The corner to Sees. 25-26-35-36

Land mountainous. Soil 3rd rate. Timber none. Dense undergrowth

Chaparral.

North on a random line bet. Secs. 25 and 26  
 Var. 14-26 3/4 E  
 Set temporary 1/4 sec. corner.

80.00 To a point 19 lks. east of corner to sec. 23-24-25-26, which is a  
 part of decayed post in mound of rocks partially destroyed.

I rebuilt corner by setting a granite stone 20x10x8 ins. 15 ins. in  
 the ground for corner to Secs. 23, 24, 25, 26  
 Marked with 2 notches on the S. and 1 notch on the E. edges and  
 rebuilt mound of stone alongside. Pits impracticable.  
 Thence I run

S. 0° 51' east bet. Secs. 25 and 26 with same variation  
 Ascend

3.00 Point of spur W. and S.W. and descend  
 San Gabriel river 40 lks. wide course west in upon 2.14 chs. wide  
 course west and ascend

20.00 Top of ridge bears N. 80° W. and S. 80° E and descend.

36.00 Top of ridge bears N. 80° W. and S. 80° E and descend.

40.00 Set granite stone 20x16x5 ins. 16 ins. in the ground for 1/4 sec.  
 Pits impracticable.

52.30 Having 50 lks. wide course N. 80° W. and ascend  
 Top of ridge bears N. 85° W and S. 85° E and descend

80.00 The corner to Secs. 25, 26, 35, 36.  
 Land mountainous. Soil 3rd rate  
 Timber pine and fir along river  
 Dense undergrowth of chaparral.

From the established corner to Secs. 23, 24, 25, 26, I run 1/4 E.  
 Var. 14-26 3/4 E  
 East on random line bet. Secs. 24 and 25  
 Set temporary 1/4 sec. cor.  
 Interest east boundary of Township 19 lks. S. of corner to Secs.  
 19, 24, 25, 30. Thence I run  
 S. 89° 39' west on a true line bet. Secs. 24 and 25 with same  
 variation. Ascend

40.34 Set sandstone 17x14x9 ins. 12 ins. in the ground for 1/4 sec. corner  
 marked 1/4 on N. face and raised mound of stone alongside.  
 Pits impracticable.

62.00 Leave point of spur bears S.W. and descend  
 The corner to Secs. 23, 24, 25, 26.  
 Land mountainous. Soil 3rd rate. Timber none.  
 Dense undergrowth of chaparral.

36.50 Descend 60 lks. wide course S.W. and ascend along E. slope of ridge.  
 Set a granite stone 16x12x5 ins. 11 ins. in the ground for 1/4 sec.  
 corner. Marked 1/4 on N. face and raised mound of stone alongside.  
 Pits impracticable.

40.00

T. 2 N., R. 9 W., S.B.M.

80.00 Set granite stone 19x10x6 ins. 14 ins. in the ground for corner to Secs. 13, 14, 23, 24 and marked with 3 notches on S. and 1 notch on the E. edges and raised mound of stone alongside. Pits impracticable. Land mountainous. Soil 3rd rate. Timber none. Dense undergrowth of chaparral.

East on a random line bet. Secs. 13 and 24. Var. 14-26 3/4' E.

40.00 Set temporary 1/2 sec. corner Intersect east boundary of township 28 Tks. S. of corner to Secs. 13, 18, 19, 24. Thence I run S. 89°48' W. on a true line bet. Secs. 13 and 24 with same variation

28.50 Summit of spur bears south and descend

40.16 Set granite stone 19x16 ins. 14 ins. in the ground for 1/2 sec. corner, marked 1/2 on N. face and raised mound of stone alongside. Pits impracticable.

66.00 Having 60 Tks. wide course south and descend

80.31 The cor. to Secs. 13, 14, 23, 24. Land mountainous. Soil 3rd rate. Timber none. Dense undergrowth of chaparral.

40.00 Set granite stone 14x9x5 ins. 9 ins. in the ground for 1/2 sec. cor. Marked 1/2 on N. face and raised mound of stone alongside. Pits impracticable.

80.00 Set granite stone 20x19 ins. 15 ins. in the ground for corner to Secs. 11, 12, 13, 14. Marked with 4 notches on S. and 1 on the E. edges and raised mound of stone alongside. Pits impracticable.

Land mountainous. Soil 3rd rate. Timber none. Dense undergrowth of chaparral.

40.00 East on a random line bet. Secs. 12 and 13. Var. 14-26 3/4' E. Set temporary 1/2 sec. corner Intersect east boundary of Township 17 Tks. N. of corner to Secs. 7, 12, 13, 18. Thence I run north 89°53' W. on a true line bet. Secs. 12, 13 with same variation.

Ascend.

7 2 N., R. 9 W., S.B.M.

40.09 Set a sandstone 22x16 ins. 17 ins. in the ground for  $\frac{1}{2}$  sec. cor. marked  $\frac{1}{2}$  on north face and raised a mound of stone alongside.   
 Summit of ridge bears N.W. and S.E. and descend

51.00 The cor. to Secs. 11, 12, 13, 14.   
 Land mountains. Soil 3rd rate. Timber none.   
 Dense undergrowth of chaparral.

78.00 Head of gulch course south and ascend

80.19 The cor. to Secs. 11, 12, 13, 14.   
 Land mountains. Soil 3rd rate. Timber none.   
 Dense undergrowth of chaparral.

---

North bet. Secs. 11 and 12   
 Var. 1426 3/4 E.

25.00 Top of ridge bears N.W. and S.E. and descend   
 ascending

40.00 Set granite stone 16x19 ins. 11 ins. in the ground for  $\frac{1}{2}$  sec. cor.   
 Marked  $\frac{1}{2}$  on west face and raised mound of stone alongside.   
 Pits impracticable.   
 Set granite stone 13x17 ins. 8 ins. in the ground for corner to Secs. 1, 2, 11, 12.   
 Marked with 5 notches on S. and 1 notch on the E. edges and raised mound of stone alongside. Pits impracticable.   
 Land mountains. Soil 3rd rate. Timber none.   
 Dense undergrowth of chaparral.

---

East on a random line bet. Secs. 1 and 12. Var. 1426 3/4 E.

40.00 Set temporary  $\frac{1}{2}$  sec. corner   
 6, 7, 12.   
 Thence I run   
 N. 89°55' west on a random line bet. Secs. 11 and 12 with same variation.   
 ascend

26.00 Top of ridge bears N. and S. E. and descend.   
 Set granite stone 17x19 ins. 12 ins. in the ground for  $\frac{1}{2}$  sec. cor.   
 Marked  $\frac{1}{2}$  on N. face and raised mound of stone alongside.   
 Pits impracticable.   
 Timbered ravine 60 lks. wide course S. and ascend

62.00 The corner to Secs. 1, 2, 11, 12.   
 Land mountains. Soil 3rd rate. Timber none.   
 Dense undergrowth of chaparral.

80.28 May 2nd 1884.

---

North on a true line bet. Secs. 1 and 2. Var. 1426 3/4 E.   
 Descend

7.00 Enter ravine 70 lks. wide, course S.E. and thence up ravine.

40.00

East on a random line bet. Secs. 26 and 35. Var. 14-26 3/4 E. Set temporary 1/2 sec. corner.

Dense undergrowth of opharral. Timber line and fir in ravine. Land mountainous.

Soil 3rd rate.

Sec. 27 B 1 A fir 14 ins. dia. N. 12 1/2 W. 47 lks. marked T. 2 N., R. 9 W.,

Sec. 34 B 1 A fir 12 ins. dia. S. 44 1/2 W. 1.30 obs. dist. marked T. 2 N., R. 9 W.

Sec. 35 B.1. A pipe 16 ins. dia. S. 14 1/2 W. 410 obs. dist. marked T. 2 N., R. 9 W.

R. 9 W. Sec. 26 B.1. From which bears a pit 16 ins. dia. N. 61 1/2 W. 97 lks. marked T. 2 N.

S. edges. to Secs. 26, 27, 34, 35 marked with 2 notches on E. and 1 notch on the

78.00

Timbered ravine 70 lks. wide course N. 65 W. and ascend

Top of ridge bears N. 50 W. and S. 50 E. and descend

47.75

Site impracticable.

Set a granite stone 17x12x9 ins. 12 ins. in the ground for 1/2 sec. corner marked 1/2 on W. face and raised mound of stone along side.

40.00

Ascend

I run north between Secs. 34, 35

From the established corner to Secs. 34, 35, 2 and 3 on the south boundary of the Township

Var. 14-26 3/4 E.

24.64

Intersect north boundary of Township at a point 1.19 obs. west of the corner to Secs. 1, 2, 35, 36 which is a post 4 1/2 ins. firmly set in large mound of rocks.

Marked T. 3 N., R. 9 W. Sec. 36 N.E., T. 2 N., R. 9 W., Sec. 1 on S.E. 1 2 N., R. 9 W., Sec. 2 on S.W. and Tp. 3 N., R. 9 W.,

Sec. 35 on N.W. face. I destroyed marks on S.E. and S. W. faces of post and at point of intersection set a granite stone 20x13x7 ins. 15 ins. in the ground for clearing corner to Secs. 1 and 2 T. 2 N., R. 9 W.

Marked O C with 1 notch on the E. and 5 notches on the W. edges and raised mound of stone along side.

Site impracticable.

Land mountainous. Dense undergrowth of opharral.

Soil 3rd rate

Timber none

20.00

Set granite stone 17x12x9 ins. 12 ins. in the ground for 1/2 sec. cor. marked 1/2 on W. face and raised mound of stone along side.

Site impracticable.

Leave ravine course south and ascend

T. 2 N., R. 9 W., S.B.M.

T. 2 N., R. 9 W., S.B.M.  
 80.53 Intersect N. and S. line 22 lks. S. of cor. to secs. 25, 26, 35, 36  
 Thence I run  
 S. 89° 51' west on a true line bet. secs. 26 and 35 with same  
 variation. Descend.  
 40.26 Set granite stone 16x17 ins. 15 ins. in the ground for  $\frac{1}{2}$  sec.  
 cor. marked  $\frac{1}{2}$  on N. face and raised mound of stone alongside.  
 pits impracticable.  
 80.53 The corner to secs. 26, 27, 34, 35.  
 Land mountains. Soil 3rd rate. Timber none.  
 Dense undergrowth of chaparral.

---

80.53 To a point 14 lks. east of the cor. to secs. 22, 23, 26, 27 which  
 is a post 4x4 ins. in juniper set in mound of rocks marked  
 T. 2 N., R. 9 W., Sec. 23 on N.E.  
 T. 2 N., R. 9 W., Sec. 26 on S.E.  
 T. 2 N., R. 9 W., Sec. 27 on S.W.  
 T. 2 N., R. 9 W., Sec. 22 on N.W. Thence I run S. 0°6' east  
 on a true line bet. secs. 26 and 27 with same variation.

1.60 Leave point of spur N. W. and descend.  
 7.20 San Gabriel river 5 lks. wide course west in canon 1.95 chs. wide  
 course west and ascend  
 13.76 Point of spur bears west and descend  
 20.00 Timbered ravine 60 lks. wide, course N.W. and ascend  
 40.06 Set granite stone 17x19 ins. 12 ins. in the ground for  $\frac{1}{2}$  sec.  
 cor. marked  $\frac{1}{2}$  on W. face and raised mound of stone alongside.  
 pits impracticable.  
 65.00 Top of ridge bears E. and W. and descend  
 80.12 The corner to secs. 26, 27, 34, 35.  
 Land mountains. Soil 3rd rate. Timber pine, fir and  
 dense undergrowth of chaparral.

---

1.20 North bet. secs. 22 and 23 retracing 40 chs. Var. 14°26 3/4' E.  
 Descend  
 1.20 Gulch 40 lks. wide, course S.W. and ascend.

12 N., R. 9 W., S.B.M.

40.00 After diligent search being unable to find old corner I set a granite stone 14x16 ins. 9 ins. in the ground for  $\frac{1}{2}$  sec. corner marked  $\frac{1}{2}$  on W face and raised mound of stone alongside.

Plts impracticable.

57.65 Point of spur bears west and descend

80.00 Set a granite stone 17x19 ins. 12 ins. in the ground for corner to sees. 14, 15, 22, 23.

Marked with 3 notches on the S. and 2 notches on the E. edges and raised mound of stone alongside.

Plts impracticable.

Land mountainous. Soil 3rd rate. Timber none.

April 20, 1884.

40.00

East on a random line bet. sees. 14-23 Var. 1426 3/4 E.

40.00

Set temporary  $\frac{1}{2}$  sec. cor. Intersect N. and S. line 39 lks. S. of corner to sees. 13, 14, 23, 24  
Thence I run S. 89 $\frac{1}{2}$  W. on a true line bet. sees. 14-23 with same variation.

28.40

Top of spur bears S. 10 $\frac{1}{2}$  W. and descend Set sandstone 19x18 ins. 14 ins. in the ground for  $\frac{1}{2}$  sec. cor. marked  $\frac{1}{2}$  on N. face and raised mound of stone alongside.

Plts impracticable.

80.41

The corner to sees. 14, 15, 22, 23. Soil 3rd rate. Timber none. Dense undergrowth of chaparral.

North bet. sees. 14 and 15. Var. 1426 3/4 W.

Descend.

6.75

Timbered ravine 1.85 chs. wide, course west and ascend point on east slope of ridge, bearing east and descend

38.00

Set granite stone 16x14 ins. 11 ins. in the ground for  $\frac{1}{2}$  sec. cor. marked  $\frac{1}{2}$  on W. face and raised mound of stone alongside. Plts impracticable.

77.00

Timbered ravine 1.70 chs. wide, course S.E. and ascend

80.00

Set sand rock 24x16 ins. 18 ins. in the ground for corner to sees. 10, 11, 14, 15 marked with 4 notches on the south and 2 notches on the east and raised mound of stone alongside.

Plts impracticable.

Land mountainous. Soil 3rd rate.

Timber pine and fir in canon.

Dense undergrowth of chaparral.



May 5, 1884.

Dense undergrowth of chaparral.  
Land mountains. Soil 3rd rate. Timber none.

Summit of ridge bears N 5° W and S. 5° E. and along summit  
42.00 Leave summit and descend  
60.08 The corner to Secs. 2, 3, 10, 11.  
80.30

Set granite stone 14x17 ins. 9 ins. in the ground for § sec. cor.  
40.15 Marked § on N. face and raised mound of stone along side.  
Site impracticable.

N. 89° 47' W. on a true line bet. Secs. 2 and 11  
with same variation. Ascend.

Intersect N. and S. line 30 lks. N. of corner to Secs. 1, 2, 11, 12  
80.30 Thence I run

Set temporary § sec. cor.  
40.00

East on a random line bet. Secs. 2 and 11. Var. 14° 26' 3/4" E.

Dense undergrowth of chaparral.  
Land mountains. Soil 3rd rate. Timber none.

Set granite stone 18x14 ins. 13 ins. in the ground for corner to  
80.00 Secs. 2, 3, 10, 11, marked with 5 notches on the south and 2 notches  
on the east edges and raised mound of stone along side.  
Site impracticable.

Point of spur bears S.W. and descend  
60.56

Set granite stone 17x14 ins. 12 ins. in the ground for § sec. cor.  
40.00 Marked § on N. face and raised mound of stone along side.  
Site impracticable.  
Point of spur bears S.W. and descend  
39.60  
4.20

North bet. Secs. 10 and 11. Var. 14° 26' 3/4" E.

Dense undergrowth of chaparral.  
Land mountains. Soil 3rd rate. Timber none.

The corner to Secs. 10, 11, 14, 15.  
80.52

Set a granite stone 12x10x9 ins. 7 ins. in the ground for § sec. cor.  
45.26 Marked § on N. face and raised mound of stone along side.  
Site impracticable.

Top of ridge bears N. and S. and descend.  
15.60

N. 89° 50' W. on a true line bet. Secs. 11 and 14 with same variation.  
Ascend.  
Thence I run.

Intersect N. and S. line 23 lks. N. of corner to Secs. 11, 12, 13, 14.  
80.52  
40.00

East on a random line bet. Secs. 11 and 14. Var. 14° 26' 3/4" E.

T. 2 N., R. 9 W., S.B.M.

North on a true line bet. Secs. 2 and 3. Var. 14°26 3/4' E.  
 16.30 Gulch 10 lks. wide, course S.W. and descend.  
 40.00 Set Granite stone 17x15 ins. 12 ins. in the ground for § sec. cor. pits impracticable.  
 45.00 Top of spur bears S.W. and descend  
 66.00 Head of Gulch course S.W. and ascend.  
 84.21 To a point 3.48 chs. west of W. corner to Secs. 34, 35, 2, 3. North boundary of Township which is a post 4x4 ins. firmly set in mound of rocks marked  
 T. 3 N., R. 9 W., Sec. 35 W. C. in N.E.  
 T. 2 N., R. 9 W., Sec. 2 W. C. in S.E.  
 T. 2 N., R. 9 W., Sec. 3 W. C. in S.W.  
 T. 3 N., R. 9 W., Sec. 34 W. C. in N.W.  
 I destroyed the marks on S.E. and S.W. faces of post and at point of intersection set a granite rock 16x10x5 ins. 11 ins. in the ground for closing corner to Secs. 2 and 3 Tp. 2 N., R. 9 W. and raised mound of stone alongside.  
 pits impracticable.  
 Land mountainous.  
 Soil 3rd rate. Timber none.  
 Dense undergrowth of chaparral.

---

North bet. secs. 33 and 34 Var. 14°26 3/4' E.  
 40.00 Set Granite stone 16x14 ins. 11 ins. in the ground for § sec. cor. pits impracticable.  
 40.60 Gulch 40 lks. wide, course N.W. and ascend  
 80.00 Set Granite stone 14x9x5 ins. 9 ins. in the ground for corner to Secs. 27, 28, 33, 34.  
 Marked with 3 notches on E. and 1 notch on the S. edges and raised mound of stone alongside. pits impracticable.  
 Land mountainous.  
 Soil 3rd rate.  
 Dense undergrowth of chaparral.

---

East on a random line bet. Secs. 27 and 34. Var. 14°26 3/4' E.  
 40.00 Set temporary § sec. corner.  
 80.14 Intersect N. and S. line 45 lks. S. of corner to Secs. 26, 27, 34, 35. Thence I run.

Thence I run.

Get temporary § sec. cor. Intersect N. and S. line 20 lks. S. of corner to Secs. 28, 29, 32, 33. which is a granite rock 10 ins. above ground marked with I notch on S. and 4 notches on E. edges with large mound of rocks around.

40.00  
80.37

West on a random line bet. Secs. 28 and 33. Var. 14°26 3/4' E.

Top of ridge bears N. 80° W. and S. 80° E. and descend the corner to Secs. 27, 28, 33, 34. Land mountainous. Soil 3rd rate. Timber none. Dense undergrowth of chaparral.

73.20  
80.20

Pls impracticable.

Top of spur bears N. 80° W. and descend having 60 lks. wide course N. 80° W. and ascend Set granite stone 16x9x8 ins. 11 ins. in the ground for § sec. cor. marked § on N. face and raised mound of stone alongside.

20.00  
39.00  
40.10

Ascend S. 0°6' east on a true line bet. Secs. 27 and 28 with same variation.

Thence I run  
Tp. 2 N., R. 9 W. Sec. 28 S. 1.  
From which bears a live oak 30 ins. dia. N. 29° E. 25 lks. marked  
Tp. 2 N., R. 9 W. Sec. 28 W.C. on S.W.  
Tp. 2 N., R. 9 W. Sec. 27 W.C. on S.E.  
Tp. 2 N., R. 9 W. Sec. 22 W.C. on N.E.

20.00

To a point 14 lks. east of true point for corner to Secs. 21, 22, 27, 28 and 2.66 chs. west of witness corner to Secs. 21, 22, 27, 28 which is a post 4x4 firmly set in large mound of rocks marked

80.20

After diligent search being unable to find § sec. cor. temporary § sec. cor.

40.00

North on a random line bet. Secs. 27 and 28 retracing 40 chs. Var. 14°26 3/4' E.

Top of ridge bears N. 60° W. and S. 60° E. and descend the corner to Secs. 27, 28, 33, 34. Land mountainous. Soil 3rd rate. Timber none. Dense undergrowth of chaparral.

60.20  
80.14

Having 70 lks. wide course N. 50° W. and ascend Set granite stone 16x11x8 ins. 11 ins. in the ground for § sec. cor. marked § on N. face and raised mound of stone alongside. Pls impracticable.

7.30  
40.07

S. 89°41' N. on a true line bet. Secs. 27 and 34 with same variation. Descend

T. 2 N., R. 9 W., S.B.M.

T 2 N., R. 9 W. S.B.M.  
 Variation. Ascend  
 Top of spur bears N. 70° W. and descend  
 Set Granite stone 12x11x9 ins. 7 ins. in the ground for  $\frac{1}{2}$  sec. cor.  
 Marked  $\frac{1}{2}$  on N. face and raised mound of stone alongside.  
 pit impracticable.  
 Ravine 50 lks. wide course N.W. and ascend  
 58.60  
 The corner to Secs. 27, 28, 33, 34.  
 Land mountainous. Soil 3rd rate.  
 Timber none.  
 April 26, 1884.  
 Densu undergrowth of chaparral.

---

From witness corner to Secs. 21, 22, 27, 28, 1 run  
 West 2.80 chs.  
 Thence I run  
 North bet. Secs. 21 and 22 retracing 40 chs.  
 Ascend  
 San Gabriel River 60 lks. wide  
 Course west in canon 2.50 chs. wide, course west and ascend  
 Top of ridge bears E. and W. and descend.  
 After diligent search being unable to find the corner I set  
 Granite stone 13x12x7 ins. 8 ins. in the ground for  $\frac{1}{2}$  sec. cor.  
 Marked  $\frac{1}{2}$  on W. face and raised mound of stone alongside.  
 pit impracticable.  
 Set Granite stone 17x10x6 ins. 12 ins. in the ground for corner  
 to Secs. 15, 16, 21 and 22.  
 Marked with 3 notches on S. and E. edges and raised mound of  
 stone alongside. pit impracticable.  
 Land mountainous. Soil 3rd rate.  
 Timber pine and fir in canon.  
 Densu undergrowth of chaparral.

---

East on a random line bet. Secs. 15 and 22. Var. 14° 26' 3/4" E.  
 Set temporary  $\frac{1}{2}$  sec. corner.  
 Interest N. and S. line 15 lks. S. of corner to Secs. 14, 15, 22, 23  
 Thence I run  
 S. 89° 54' W. on a true line bet. Secs. 15 and 22 with same  
 variation. Descend.  
 Ravine 1.50 chs. wide course S. 10° W. and ascend  
 7.70  
 Top of ridge bears N. and S. and descend  
 Set sand stone 24x14x6 ins. 16 ins. in the ground for  $\frac{1}{2}$  sec. cor.  
 Marked  $\frac{1}{2}$  on N. face and raised mound of stone alongside.  
 pit impracticable.

T. 2 N., R. 9 W., S.B.M.

80.21

The corner to Secs. 15, 16, 21, 22

Land mountainous. Soil 3rd rate. Timber none. Dense undergrowth of chaparral.

40.00

Descend. Set Granite stone 14x16 ins. 9 ins. in the ground for 1/4 sec. cor. Marked 1/2 on N. face and raised mound of stone alongside. Pit impracticable.

56.00

Enter Gulch 30 lks. wide course S.W. thence up Gulch

65.00

Leave Gulch course south and alongside of Gulch

80.00

Set Granite stone 12x16 ins. 7 ins. in the ground for corner to Secs. 9, 10, 15, 16. Marked with 4 notches on S. and 3 notches on the E. edges, and raised mound of stone alongside. Pit impracticable. Land mountainous. Soil 3rd rate. Timber none. Dense undergrowth of chaparral.

North bet. Secs. 15 and 16

Var. 1426 3/4 E.

40.00

East on a random line bet. Secs. 10 and 15. Var. 1426 3/4. Set temporary 1/4 sec. cor. Intersect N. and S. line 1/4 lks. S. of corner to Secs. 10, 11, 14, 15

5.65

Ravine 1.40 chs. wide course S.E. and ascend

41.20

Top of ridge bears N. 10° W. and S. 10° E. and descend

80.36

The corner to Secs. 9, 10, 15, 16. Land mountainous. Soil 3rd rate. Timber scattering pine and fir in ravine. Dense undergrowth of chaparral.

0.90

Gulch 20 lks. wide course S.W.

16.90

Gulch at head course S.W. and ascend abruptly.

40.00

Set Granite stone 15x15 ins. 12 ins. in the ground for 1/4 sec. cor. Marked 1/2 on N. face and raised mound of stone alongside. Pit impracticable.

North bet. Secs. 9 and 10

Var. 1426 1/4 E.