

FIELD NOTES
OF
T. 2 N., R. 9 W.

Copied from Photographic Copies furnished by
U. S. General Land Office
Washington, D. C.

R.9W.

6	19 5	15 4	13 3	9 2	4 1
19	15	13	13	8	4
7	18 8	15 9	12 10	8 11	4 12
17	17	14	12	8	3
18	17 17	14 16	12 15	7 14	3 13
16	16	14	11	7	3
19	20	21	11 22	6 23	2 24
					2
30	29	28	10 27	6 26	2 25
		10	9	6	1
31	32	33	9 34	5 35	1 36

T. 2 N.

T 2 N., R. 9 W., S.B.M.

From the established corner to Secs. 35, 36, 1 & 2 on the south boundary of Township, I run north bet. secs. 35 and 36.

Ascend Var. 14° 26 3/4' E.

- 20.00 Summit of divide W. N. 10° E and S. 10° W and descend
40.00 Set sandstone 19x11x6 ins. 14 ins. in the ground for $\frac{1}{4}$ sec. cor. marked $\frac{1}{4}$ on W. face and raised mound of stone alongside.
Pits impracticable.
65.00 Gulch at head course S. 80° W. and ascend
80.00 Set granite stone 19x11x5 ins. 14 ins. in the ground for corner to Secs. 25, 26, 35 and 36.
Marked with 1 notch on the S. and E. edges and raised a mound of stone alongside. Pits impracticable.
Land mountainous. Soil 3rd rate. Timber none.
Dense undergrowth of Chaparral.

East on a random line bet. Secs. 25 and 36. Var. 14° 26 3/4' E.

- 40.00 Set temporary $\frac{1}{4}$ sec. corner.
80.94 Intersect east boundary of Township 36 lks. south of corner to Secs. 25, 30, 31 - 36
Thence I run
S. 89° 45' west on a true line bet. Secs. 25 and 36 with same variation. Descend
20.00 Head of gulch course south and ascend
40.24 Set granite stone 18x11x6 ins. 13 ins. in the ground for $\frac{1}{4}$ sec. corner marked $\frac{1}{4}$ on N. face and raised mound of stone alongside.
Pits impracticable.
41.00 Summit of divide bears N. 10° E and S 10° W and descend
52.00 Head of gulch course north and ascend
65.00 Top of ridge bears N. 85° W and S.E. and descend
80.49 The corner to Secs. 25-26-35-36
Land mountainous. Soil 3rd rate. Timber none. Dense undergrowth chaparral.

- North on a random line bet. Secs. 25 and 26
 Var. 14°26' 3/4" E
 Set temporary $\frac{1}{4}$ sec. corner.
- 80.00 To a point 19 lks. east of corner to secs. 23-24-25-26, which is a part of decayed post in mound of rocks partially destroyed.
 I rebuilt corner by setting a granite stone 20x10x8 ins. 15 ins. in the ground for corner to Secs. 23, 24, 25, 26
 Marked with 2 notches on the S. and 1 notch on the E. edges and rebuilt mound of stone alongside. Pits impracticable.
 Thence I run
 S. 0° 8' east bet. Secs. 25 and 26 with same variation
 Ascend
- 3.00 Point of spur W. and S.W. and descend
 20.00 San Gabriel river 40 lks. wide course west in canon 2.14 chs. wide course west and ascend
- 36.00 Top of ridge bears N. 80° W. and S. 80° E and descend.
- 40.00 Set granite stone 20x16x5 ins. 16 ins. in the ground for $\frac{1}{4}$ sec. marked $\frac{1}{4}$ on W. face and raised mound of stone alongside.
 Pits impracticable.
- 52.30 Ravine 50 lks. wide course N. 80° W. and ascend
 71.70 Top of ridge bears N. 85° W and S. 85° E and descend
- 80.00 The corner to Secs. 25, 26, 35, 36.
 Land mountainous. Soil 3rd rate
 Timber pine and fir along river
 Dense undergrowth of chaparral.
-
- From the established corner to Secs. 23, 24, 25, 26, I run
 East on random line bet. Secs. 24 and 25 Var. 14°26' 3/4" E.
 40.00 Set temporary $\frac{1}{4}$ sec. cor.
 80.68 Intersect east boundary of Township 49 lks. S. of corner to Secs. 19, 24, 25, 30. Thence I run
 S. 89°39' west on a true line bet. Secs. 24 and 25 with same variation. Ascend
- 40.34 Set sandstone 17x14x9 ins. 12 ins. in the ground for $\frac{1}{4}$ sec. corner marked $\frac{1}{4}$ on N. face and raised mound of stone alongside.
 Pits impracticable.
- 62.00 Leave point of spur bears S.W. and descend
 80.68 The corner to Secs. 23, 24, 25, 26.
 Land mountainous. Soil 3rd rate. Timber none.
 Dense undergrowth of chaparral.
-
- North bet. Secs. 23 and 24. Var. 14°26' 3/4" East
 Descend
- 36.50 Ravine 60 lks. wide course S.W. and ascend along E. slope of ridge.
 40.00 Set a granite stone 16x12x5 ins. 11 ins. in the ground for $\frac{1}{4}$ sec. corner. Marked $\frac{1}{4}$ on W. face and raised mound of stone alongside.
 Pits impracticable.

T. 2 N., R. 9 W., S.B.M.

80.00 Set granite stone 19x10x6 ins. 14 ins. in the ground for corner to Secs. 13, 14, 23, 24 and marked with 3 notches on S. and 1 notch on the E. edges and raised mound of stone alongside.
Pits impracticable.
Land mountainous. Soil 3rd rate. Timber none.
Dense undergrowth of chaparral.

East on a random line bet. Secs. 13 and 24. Var. 14°26' 3/4" E.

40.00 Set temporary 1/4 sec. corner
80.31 Intersect east boundary of township 25 lks. S. of corner to Secs. 13, 18, 19, 24.
Thence I run

S. 89°48' W. on a true line bet. Secs. 13 and 24 with same variation

Ascend

25.50 Summit of spur bears south and descend

40.16 Set granite stone 19x11x6 ins. 14 ins. in the ground for 1/4 sec. corner, marked 1/4 on N. face and raised mound of stone alongside.
Pits impracticable.

66.00 Ravine 60 lks. wide course south and descend

80.31 The cor. to Secs. 13, 14, 23, 24.
Land mountainous. Soil 3rd rate. Timber none.
Dense undergrowth of chaparral.

North bet. Secs. 13 and 14 Var. 14°26' 3/4" E.

Ascend gradually along E. slope of ridge.

40.00 Set granite stone 14x9x5 ins. 9 ins. in the ground for 1/4 sec. cor. Marked 1/4 on W. face and raised mound of stone alongside.
Pits impracticable.

80.00 Set granite stone 20x11x9 ins. 15 ins. in the ground for corner to Secs. 11, 12, 13, 14.
Marked with 4 notches on S. and 1 on the E. edges and raised mound of stone alongside. Pits impracticable.
Land mountainous. Soil 3rd rate. Timber none.
Dense undergrowth of chaparral.

East on a random line bet. Secs. 12 and 13. Var. 14°26' 3/4" E.

40.00 Set temporary 1/4 sec. corner

80.19 Intersect east boundary of Township 17 lks. N. of corner to Secs. 7, 12, 13, 18.

Thence I run north 89°53' W. on a true line bet. Secs. 12, 13 with same variation.

Ascend.

T 2 N., R. 9 W., S.E.M.

40.09 Set a sandstone 22x11x6 ins. 17 ins. in the ground for $\frac{1}{4}$ sec. cor. marked $\frac{1}{4}$ on north face and raised a mound of stone alongside.

Pits impracticable.

51.00 Summit of ridge bears N.W. and S.E. and descend

78.00 Head of gulch course south and ascend

80.19 The cor. to Secs. 11, 12, 13, 14.

Land mountainous. Soil 3rd rate. Timber none.

Dense undergrowth of chaparral.

North bet. Secs. 11 and 12

Var. 14°26' 3/4" E.

Ascending

25.00 Top of ridge bears N.W. and S.E. and descend

40.00 Set granite stone 16x11x9 ins. 11 ins. in the ground for $\frac{1}{4}$ sec. cor.

Marked $\frac{1}{4}$ on west face and raised mound of stone alongside.

Pits impracticable.

80.00 Set granite stone 13x11x7 ins. 8 ins. in the ground for corner to Secs. 1, 2, 11, 12.

Marked with 5 notches on S. and 1 notch on the E. edges and raised mound of stone alongside. Pits impracticable.

Land mountainous. Soil 3rd rate. Timber none.

Dense undergrowth of chaparral.

East on a random line bet. secs. 1 and 12. Var. 14°26' 3/4" E.

40.00 Set temporary $\frac{1}{4}$ sec. corner

80.28 Intersect east boundary of Township 11 lks. N. of corner to Secs. 6, 7, 12.

Thence I run

N. 89°55' west on a random line bet. Secs. 11 and 12 with same variation.

Ascend

26.00 Top of ridge bears N. and S. E. and descend.

40.14 Set granite stone 17x13x9 ins. 12 ins. in the ground for $\frac{1}{4}$ sec. cor.

Marked $\frac{1}{4}$ on N. face and raised mound of stone alongside.

Pits impracticable.

62.00 Timbered ravine 60 lks. wide course S. and ascend

80.28 The corner to Secs. 1, 2, 11, 12.

Land mountainous. Soil 3rd rate.

Timber none.

Dense undergrowth of chaparral.

May 2nd 1884.

North on a true line bet. Secs. 1 and 2. Var. 14°26' 3/4" E.

Descend

7.00 Enter ravine 70 lks. wide, course S.E. and thence up ravine.

T. 2 N., R. 9 W., S.B.M.

Leave ravine course south and ascend

20.00 Set granite stone 17x11x9 ins. 12" in the ground for $\frac{1}{4}$ sec. cor.
40.00 Marked $\frac{1}{4}$ on W. face and raised mound of stone alongside.

Pits impracticable.

54.64 Intersect north boundary of Township at a point 1.19 chs. west of
the corner to Secs. 1, 2, 35, 36 which is a post 4x4 ins. firmly set
in large mound of rocks.

Marked T. 3 N., R. 9 W. Sec. 36 N.E., T. 2 N., R. 9 W., Sec. 1
on S.E. T 2 N., R. 9 W., Sec. 2 on S.W. and Tp. 3 N., R. 9 W.,
Sec. 35 on N.W. face.

I destroyed marks on S.E. and S. W. faces of post and at point of
intersection set a granite stone 20x13x7 ins. 15 ins. in the
ground for closing corner to Secs. 1 and 2 T. 2 N., R. 9 W.
Marked C C with 1 notch on the E. and 5 notches on the W. edges
and raised mound of stone alongside.

Pits impracticable.

Land mountainous.

Soil 3rd rate

Timber none

Dense undergrowth of chaparral.

From the established corner to Secs. 34, 35, 2 and 3 on the south
boundary of the Township

I run north between secs. 34, 35

Ascend

Var. 14°26 3/4' E.

40.00 Set a granite stone 17x12x9 ins. 12 ins. in the ground for $\frac{1}{4}$ sec.
corner marked $\frac{1}{4}$ on W. face and raised mound of stone alongside.
Pits impracticable.

47.75 Top of ridge bears N. 50° W. and S. 50° E. and descend

Timbered ravine 70 lks. wide course N. 65° W. and ascend

78.00 Set granite stone 23x11x9 ins. 18 ins. in the ground for cor.
80.00 to Secs. 26, 27, 34, 35 marked with 2 notches on E. and 1 notch on the
S. edges.

From which bears a Fir 16 ins. dia. N. 61° E. 97 lks. marked T. 2 N.
R. 9 W. Sec. 26 B.T.

A pipe 16 ins. dia. S. 14° E. 410 chs. dist. marked T. 2 N., R. 9 W.
Sec. 35 B.T.

A fir 12 ins. dia. S. 44° 1.30 chs. dist. marked T. 2 N., R. 9 W.
Sec. 34 B T

A fir 14 ins. dia. N. 12 $\frac{1}{2}$ ° W. 47 lks. marked T. 2 N., R. 9 W.,
Sec. 27 B T

Land mountainous.

Soil 3rd rate.

Timber pine and fir in ravine

Dense undergrowth of chaparral.

40.00 East on a random line bet. Secs. 26 and 35. Var. 14°26 3/4' E.
Set temporary $\frac{1}{4}$ sec. corner.

T. 2 N., R. 9 W. S.B.M.

80.53 Intersect N. and S. line 22 lks. S. of cor. to Secs. 25, 26, 35, 36
Thence I run

S. 59° 51' West on a true line bet. Secs. 26 and 35 with same
variation. Descend.

40.26 Set granite stone 16x11x7 ins. 15 ins. in the ground for $\frac{1}{4}$ sec.
cor. marked $\frac{1}{4}$ on N. face and raised mound of stone alongside.
Pits impracticable.

80.53 The corner to Secs. 26, 27, 34, 35.
Land mountainous. Soil 3rd rate. Timber none.
Dense undergrowth of chaparral.

40.00 North on a random line bet. Sec. 26 and 27 retracing 40 chs.
Var. 14° 26 $\frac{3}{4}$ ' east
After diligent search being unable to find old corner I set
temporary $\frac{1}{4}$ sec. cor.

80.12 To a point 14 lks. east of the cor. to Secs. 22, 23, 26, 27 which
is a post 4x4 ins. in juniper set in mound of rocks marked
Tp. 2 N., R. 9 W., Sec. 23 on N.E.
Tp. 2 N., R. 9 W., Sec. 26 on S.E.
Tp. 2 N., R. 9 W., Sec. 27 on S.W.
Tp. 2 N., R. 9 W., Sec. 22 on N. W. faces; thence I run S. 0° 6' east
on a true line bet. Secs. 26 and 27 with same variation.

Ascend

1.60 Leave point of spur N. W. and descend.

7.20 San Gabriel river 5 lks. wide course west in canon 1.95 chs. wide
course west and ascend

13.76 Point of spur bears west and descend

20.00 Timbered ravine 60 lks. wide, course N.W. and ascend

40.06 Set granite stone 17x11x9 ins. 12 ins. in the ground for $\frac{1}{4}$ sec.
cor. marked $\frac{1}{4}$ on W. face and raised a mound of stone alongside.
Pits impracticable.

65.00 Top of ridge bears E. and W. and descend

80.12 The corner to Secs. 26, 27, 34, 35.

Land mountainous. Soil 3rd rate. Timber pine, fir and
dense undergrowth of chaparral.

North bet. Secs. 22 and 23 retracing 40 chs. Var. 14° 26 $\frac{3}{4}$ ' E.
Descend

1.20 Gulch 40 lks. wide, course S.W. and ascend.

T 2 N., R. 9 W., S.B.M.

- 40.00 After diligent search being unable to find old corner I set a granite stone 14x11x6 ins. 9 ins. in the ground for $\frac{1}{4}$ sec. corner Marked $\frac{1}{4}$ on W face and raised mound of stone alongside.
Pits impracticable.
- 57.65 Point of spur bears west and descend
- 80.00 Set a granite stone 17x11x9 ins. 12 ins. in the ground for corner to Secs. 14, 15, 22, 23.
Marked with 3 notches on the S. and 2 notches on the E. edges and raised mound of stone alongside.
Pits impracticable.
Land mountainous. Soil 3rd rate. Timber none.
Dense undergrowth of chaparral. April 24, 1884.
-
- 40.00 East on a random line bet. Secs. 14-23 Var. 14°26 3/4' E.
Set temporary $\frac{1}{4}$ sec. cor.
- 80.41 Intersect N. and S. line 39 lks. S. of corner to Secs. 13, 14, 23, 24
Thence I run
S. 89°43' W. on a true line bet. Secs. 14-23 with same variation.
Ascend
- 28.40 Top of spur bears S. 10° W. and descend
- 40.20 Set sandstone 19x11x8 ins. 14 ins. in the ground for $\frac{1}{4}$ sec. cor. marked $\frac{1}{4}$ on N. face and raised mound of stone alongside.
Pits impracticable.
- 80.41 The corner to Secs. 14, 15, 22, 23.
Land mountainous. Soil 3rd rate. Timber none.
Dense undergrowth of chaparral.
-
- North bet. Secs. 14 and 15. Var. 14°26 3/4' W.
Descend.
- 6.75 Timbered ravine 1.85 chs. wide, course west and ascend
- 38.00 Point on east slope of ridge, bearing east and descend
- 40.00 Set granite stone 16x11x4 ins. 11 ins. in the ground for $\frac{1}{4}$ sec. cor. marked $\frac{1}{4}$ on W. face and raised mound of stone alongside.
Pits impracticable.
- 77.00 Timbered ravine 1.70 chs. wide, course S.E. and ascend
- 80.00 Set sand rock 24x11x6 ins. 18 ins. in the ground for corner to Secs. 10, 11, 14, 15 marked with 4 notches on the south and 2 notches on the east and raised mound of stone alongside.
Pits impracticable.
Land mountainous. Soil 3rd rate.
Timber pine and fir in canon.
Dense undergrowth of chaparral.
-

T. 2 N., R. 9 W., S.B.M.

- East on a random line bet. Secs. 11 and 14. Var. $14^{\circ}26\frac{3}{4}'$ E.
- 40.00 Set temporary $\frac{1}{4}$ sec. corner
80.52 Intersect N. and S. line 23 lks. N. of corner to Secs. 11, 12, 13, 14.
Thence I run.
N. $89^{\circ}50'$ W. on a true line bet. Secs. 11 and 14 with same variation.
Ascend.
- 15.60 Top of ridge bears N. and S. and descend.
- 45.26 Set a granite stone $12 \times 10 \times 9$ ins. 7 ins. in the ground for $\frac{1}{4}$ sec. cor.
Marked $\frac{1}{4}$ on N. face and raised mound of stone alongside.
Pits impracticable.
- 80.52 The corner to Secs. 10, 11, 14, 15.
Land mountainous. Soil 3rd rate. Timber none.
Dense undergrowth of chaparral.

-
- North bet. Secs. 10 and 11. Var. $14^{\circ}26\frac{3}{4}'$ E.
Ascend.
- 4.20 Point of spur bears S.W. and descend
39.60 Gulch 20 lks. wide, course S.W. and ascend
40.00 Set granite stone $17 \times 11 \times 4$ ins. 12 ins. in the ground for $\frac{1}{4}$ sec. cor.
Marked $\frac{1}{4}$ on W. face and raised mound of stone alongside.
Pits impracticable.
- 60.56 Point of spur bears S.W. and descend
- 80.00 Set granite stone $18 \times 12 \times 4$ ins. 13 ins. in the ground for corner to
Secs. 2, 3, 10, 11, marked with 5 notches on the south and 2 notches
on the east edges and raised mound of stone alongside.
Pits impracticable.
Land mountainous. Soil 3rd rate. Timber none.
Dense undergrowth of chaparral.

-
- East on a random line bet. Secs. 2 and 11. Var. $14^{\circ}26\frac{3}{4}'$ E.
- 40.00 Set temporary $\frac{1}{4}$ sec. cor.
- 80.30 Intersect N. and S. line 30 lks. N. of corner to Secs. 1, 2, 11, 12
Thence I run
N. $89^{\circ}47'$ W. on a true line bet. Secs. 2 and 11
With same variation. Ascend.
- 40.15 Set granite stone $14 \times 11 \times 7$ ins. 9 ins. in the ground for $\frac{1}{4}$ sec. cor.
Marked $\frac{1}{4}$ on N. face and raised a mound of stone alongside.
Pits impracticable.
- 42.00 Summit of ridge bears N 5° W and S. 5° E. and along summit
60.08 Leave summit and descend
80.30 The corner to Secs. 2, 3, 10, 11.
Land mountainous. Soil 3rd rate. Timber none.
Dense undergrowth of chaparral.

May 5, 1884.

T. 2 N., R. 9 W., S.B.M.

North on a true line bet. Secs. 2 and 3. Var. $14^{\circ}26' \frac{3}{4}''$ E.
Descend.
16.30 Gulch 10 lks. wide, course S.W. and descend.
40.00 Set granite stone $17 \times 11 \times 5$ ins. 12 ins. in the ground for $\frac{1}{4}$ sec. cor.
Marked $\frac{1}{4}$ on W. face and raised mound of stone alongside.
Pits impracticable.

45.00 Top of spur bears S.W. and descend
66.00 Head of gulch course S.W. and ascend.
84.21 To a point 3.48 chs. west of W. corner to Secs. 34, 35, 2, 3.
North boundary of Township which is a post 4×4 ins. firmly set
in mound of rocks marked

T. 3 N., R. 9 W., Sec. 35 W. C. in N.E.
T. 2 N., R. 9 W., Sec. 2 W.C. in S.E.
T. 2 N., R. 9 W., Sec. 3 W.C. in S.W.
T. 3 N., R. 9 W., Sec. 34 W.C. in N.W.

I destroyed the marks on S.E. and S.W. faces of post and at point
of intersection set a granite rock $16 \times 10 \times 5$ ins. 11 ins. in the
ground for closing corner to Secs. 2 and 3 Tp. 2 N., R. 9 W.
Marked C C with 2 notches on the E. and 4 notches on the W. edges
and raised mound of stone alongside.

Pits impracticable.
Land mountainous. Soil 3rd rate. Timber none.
Dense undergrowth of chaparral.

North bet. secs. 33 and 34 Var. $14^{\circ}26' \frac{3}{4}''$ E.
Descend.

40.00 Set granite stone $16 \times 11 \times 4$ ins. 11 ins. in the ground for $\frac{1}{4}$ sec. cor.
Marked $\frac{1}{4}$ on W. face and raised mound of stone alongside.
Pits impracticable.
40.60 Gulch 40 lks. wide, course N.W. and ascend
80.00 Set granite stone $14 \times 9 \times 8$ ins. 9 ins. in the ground for corner to
Secs. 27, 28, 33, 34.
Marked with 3 notches on E. and 1 notch on the S. edges and
raised mound of stone alongside. Pits impracticable.
Land mountainous. Soil 3rd rate.
Dense undergrowth of chaparral.

40.00 East on a random line bet. Secs. 27 and 34. Var. $14^{\circ}26' \frac{3}{4}''$ E.
Set temporary $\frac{1}{4}$ sec. corner.
80.14 Intersect N. and S. line 45 lks. S. of corner to Secs. 26, 27, 34, 35.
Thence I run.

T. 2 N., R. 9 W., S.B.M.

S. 89°41' W. on a true line bet. Secs. 27 and 34 with same variation. Descend

- 7.30 Ravine 70 lks. wide course N. 50° W. and ascend
40.07 Set granite stone 16x11x¹/₂ ins. 11 ins. in the ground for $\frac{1}{4}$ sec. cor.
Marked $\frac{1}{4}$ on N. face and raised mound of stone alongside.
Pits impracticable.
- 60.20 Top of ridge bears N. 60° W. and S. 60° E. and descend
80.14 The corner to Secs. 27, 28, 33, 34.
Land mountainous. Soil 3rd rate. Timber none.
Dense undergrowth of chaparral.

North on a random line bet. Secs. 27 and 28 retracing 40 chs.
Var. 14°26' 3/4' E.

- 40.00 After diligent search being unable to find $\frac{1}{4}$ sec. cor. I set a temporary $\frac{1}{4}$ sec. cor.
- 80.20 To a point 14 lks. east of true point for corner to Secs. 21, 22, 27, 28 and 2.66 chs. west of witness corner to Secs. 21, 22, 27, 28 which is a post 4x4 firmly set in large mound of rocks marked
- Tp. 2 N., R. 9 W. Sec. 22 W.C. on N.E.
Tp. 2 N., R. 9 W. Sec. 27 W.C. on S.E.
Tp. 2 N., R. 9 W. Sec. 28 W.C. on S.W.
Tp. 2 N., R. 9 W., Sec. 21 W.C. on N.W. faces
From which bears a live oak 30 ins. dia. N. 29° E. 25 lks. marked
Tp. 2 N., R. 9 W. Sec. 22 B.T.
Thence I run
S. 0°6' east on a true line bet. Secs. 27 and 28 with same variation.
Ascend
- 20.00 Top of spur bears N. 80° W. and descend
39.00 Ravine 60 lks. wide course N. 80° W. and ascend
40.10 Set granite stone 16x9x8 ins. 11 ins. in the ground for $\frac{1}{4}$ sec. cor.
marked $\frac{1}{4}$ on W. face and raised mound of stone alongside.

Pits impracticable.

- 73.20 Top of ridge bears N. 80° W. and S. 80° E. and descend
80.20 The corner to Secs. 27, 28, 33, 34.
Land mountainous. Soil 3rd rate. Timber none.
Dense undergrowth of chaparral.

West on a random line bet. Secs. 28 and 33 Var. 14°26' 3/4' E.

- 40.00 Set temporary $\frac{1}{4}$ sec. cor.
80.37 Intersect N. and S. line 20 lks. S. of corner to Secs. 28, 29, 32, 33.
which is a granite rock 10 ins. above ground marked with 1 notch on S. and 4 notches on E. edges with large mound of rocks around.

Thence I run.

T 2 N., R. 9 W. S.B.M.

- S. 89°51' east on a true line bet. Secs. 28 and 33 with same variation. Ascend
 5.00 Top of spur bears N. 70° W. and descend
 49.18 Set granite stone 12x11x9 ins. 7 ins. in the ground for $\frac{1}{4}$ sec. cor. marked $\frac{1}{4}$ on N. face and raised mound of stone alongside. Pits impracticable.
- 58.60 Ravine 50 lks. wide course N.W. and ascend
- 80.37 The corner to Secs. 27, 28, 33, 34.
 Land mountainous. Soil 3rd rate. Timber none.
 Dense undergrowth of chaparral. April 26, 1884.

From witness corner to Secs. 21, 22, 27, 28, I run West 2.80 chs.

- Thence I run North bet. Secs. 21 and 22 retracing 40 chs. Ascend Var. 14°26 $\frac{3}{4}$ ' E.
- 7.75 San Gabriel River 60 lks. wide
 Course west in canon 2.20 chs. wide, course west and ascend
- 32.00 Top of ridge bears E. and W. and descend.
- 40.00 After diligent search being unable to find the corner I set granite stone 13x12x7 ins. 8 ins. in the ground for $\frac{1}{4}$ sec. cor. marked $\frac{1}{4}$ on W. face and raised mound of stone alongside. Pits impracticable.
- 50.00 Set granite stone 17x10x6 ins. 12 ins. in the ground for corner to Secs. 15, 16, 21 and 22.
 Marked with 3 notches on S. and E. edges and raised mound of stone alongside. Pits impracticable.
 Land mountainous. Soil 3rd rate.
 Timber pine and fir in canon.
 Dense undergrowth of chaparral.

-
- East on a random line bet. secs. 15 and 22. Var. 14°26 $\frac{3}{4}$ ' E.
- 40.00 Set temporary $\frac{1}{4}$ sec. corner.
- 50.21 Intersect N. and S. line 15 lks. S. of corner to Secs. 14, 15, 22, 23
 Thence I run S. 89°54' W. on a true line bet. Secs. 15 and 22 with same variation. Descend.
- 7.70 Ravine 1.20 chs. wide course S. 10° W. and ascend
- 37.60 Top of ridge bears N. and S. and descend
- 40.11 Set sand stone 24x14x6 ins. 18 ins. in the ground for $\frac{1}{4}$ sec. cor. Marked $\frac{1}{4}$ on N. face and raised mound of stone alongside. Pits impracticable.

T. 2 N., R. 9 W., S.B.M.

80.21 The corner to Secs. 15, 16, 21, 22
Land mountainous. Soil 3rd rate. Timber none.
Dense undergrowth of chaparral.

North bet. Secs. 15 and 16 Var. 14°26' 3/4" E.

Descend.
40.00 Set granite stone 14x11x6 ins. 9 ins. in the ground for $\frac{1}{4}$ sec. cor.
marked $\frac{1}{4}$ on W. face and raised mound of stone alongside.
Pits impracticable.
56.00 Enter gulch 30 lks. wide course S.W. thence up gulch
65.00 Leave gulch course south and alongside of gulch
80.00 Set granite stone 12x12x6 ins. 7 ins. in the ground for corner to
Secs. 9, 10, 15, 16.
Marked with 4 notches on S. and 3 notches on the E. edges, and
raised mound of stone alongside. Pits impracticable.
Land mountainous. Soil 3rd rate. Timber none.
Dense undergrowth of chaparral.

East on a random line bet. Secs. 10 and 15. Var. 14°26' 3/4"
40.00 Set temporary $\frac{1}{4}$ sec. cor.
80.36 Intersect N. and S. line 14 lks. S. of corner to Secs. 10, 11, 14, 15
Thence Iron
S. 89° 50' west on a true line bet. Secs. 10 and 15 with same
variation. Descend.
5.65 Ravine 1.40 chs. wide course S.E. and ascend
40.18 Set granite stone 19x11x4 ins. 14 ins. in the ground for $\frac{1}{4}$ sec. cor.
Marked $\frac{1}{4}$ on N. face and raised a mound of stone alongside.
Pits impracticable.
41.20 Top of ridge bears N. 10° W. and S. 10° E. and descend
80.36 The corner to Secs. 9, 10, 15, 16.
Land mountainous. Soil 3rd rate.
Timber scattering pine and fir in ravine.
Dense undergrowth of chaparral.

North bet. secs. 9 and 10 Var. 14°26' E.

Ascend gradually
0.90 Gulch 20 lks. wide course S.W.
16.90 Gulch at head course S.E. and ascend abruptly.
40.00 Set granite stone 18x11x5 ins. 12 ins. in the ground for $\frac{1}{4}$ sec. cor.
Marked $\frac{1}{4}$ on W. face and raised mound of stone alongside.
Pits impracticable.

T. 2 N., R. 9 W., S.B.M.

50.60 Summit of ridge bears north and S.E. and along summit.
80.00 Set granite stone 14x11x7 ins. 9 ins. in the ground for corner to Secs. 3, 4, 9, 10, marked with 5 notches on S. and 3 notches on E. edges and raised a mound of stone alongside.
Pits impracticable.
Land mountainous. Soil 3rd rate Timber none.
Dense undergrowth of chaparral.

40.00 East on a random line bet. Secs. 3 and 10. Var. 14°26 3/4' E.
80.00 Set temporary 1/4 sec. corner
Intersect N. and S. line 19 lks. S. of corner to Secs. 2, 3, 10, 11
Thence I run
S. 89°52' west on a true line bet. Secs. 3 and 10 with same variation.
Descend.
11.21 Gulch 30 lks. wide course S.W. and ascend
26.40 Point of spur bears mouth and descend
37.60 Ravine 70 lks. wide course S. 10° E. and ascend
40.00 Set granite stone 19x4x6 ins. 14 ins. in the ground for 1/4 sec. cor. marked 1/4 on N. face and raised mound of stone alongside.
Pits impracticable.
80.00 The corner to Secs. 3, 4, 9, 10. Land mountainous. Soil 3rd rate
Timber scattering pine and fir in ravine.
Dense undergrowth of chaparral.

North on a true line bet. Secs. 3 and 4. Var. 14°26 3/4' E.
along summit.
12.15 Leave summit and descend along E. slope of ridge.
40.00 Set granite stone 16x12x5 ins. 11 ins. in the ground for 1/4 sec. cor. Marked 1/4 on W. face and raised mound of stone alongside.
Pits impracticable.
83.79 To a point 1.80 chs. west of the corner to Secs. 3, 4, 33, 34 which is a post 4x4 ins. firmly set in mound of rocks marked
Tp. 3 N., R. 9 W., Sec. 3¹¹ on N.E.
Tp. 2 N., R. 9 W. Sec. 3 on S.E.
Tp. 2 N., R. 9 W., Sec. 4 on S.W. and
Tp. 3 N., R. 9 W., Sec. 33 on N.W. faces
From which bears
A yellow pine 36 ins. dia. N. 29 1/2° W. 40 lks., marked Tp. 3 N., R. 9 W. S. 33 B.T. I destroyed marks on S.E. and S.W. faces of post and at point of intersection.
Set a granite stone 19x11x6 ins. 14 ins. in the ground for closing corner to Secs. 3 and 4 Tp. 2 N. R. 9 W.

T. 2 N., R. 9 W., S.B.M.

Marked G.C. with 3 notches on E. edges and raised mound of stone alongside.

Pits impracticable.

Land mountainous.

Soil 3rd rate.

Timber none

Dense undergrowth of chaparral.

May 6, 1854.

From the established corner to Secs. 15, 16, 21, 22, I run
West on a random line retracing 40 chs. bet. Secs. 16 and 21
Var. $14^{\circ}26' 3/4''$ E.

40.00 After diligent search being unable to find old corner I set
50.47 temporary $\frac{1}{4}$ sec. corner.
Intersect N. and S. line 3¹/₂ lks. S. of corner to Secs. 16, 17, 20, 21
which is a post 4x4 ins. firmly set in mound of rocks, marked
Tp. 2 N., R. 9 W. Sec. 16, on N.E. and S. 21 on S.E., S. 20 on S.W.
and Sec. 17 on N.W. faces.
Thence I run
S. $87^{\circ} 45'$ east on a true line bet. secs. 16-21 with same variation.
Ascend
Point of spur bears south and descend
11.60 Gulch 40 lks. wide course S. 40° W. and ascend
22.15 Set granite stone 17x11x4 ins. 12 ins. in the ground for $\frac{1}{4}$ sec. cor.
40.24 marked $\frac{1}{4}$ on N. face and raised mound of stone alongside.
Pits impracticable.
80.47 The corner to Secs. 15, 16, 21, 22
Land mountainous. Soil 3rd rate. Timber none.
Dense undergrowth of chaparral.

From the corner to Secs. 16, 17, 20, 21 I run
North bet. Secs. 16 and 17. Var. $14^{\circ}26' 3/4''$ E.

40.00 Descend gradually
Set granite stone 14x11x7 ins. 9 ins. in the ground for $\frac{1}{4}$ sec. cor.
marked $\frac{1}{4}$ on W. face and raised mound of stone alongside.
Pits impracticable.
49.00 Ravine 60 lks. wide course S.W. and along ravine
Ravine 60 lks. wide course S.W.
64.20 Set granite stone 14x9x6 ins. 9 ins. in the ground for corner
80.00 to Secs. 8, 9, 16, 17 marked with 4 notches on the S. and E. edges
and raised stone mound alongside.
Pits impracticable.
Land mountainous. Soil 3rd rate.
Timber scattering pine and fir in ravine.
Dense undergrowth of Chaparral.

40.00 East on a random line bet. Secs. 9 and 16. Var. $14^{\circ}26' 3/4''$ E.
80.34 Set temporary $\frac{1}{4}$ sec. cor.
Intersect N. and S. line 28 lks. south of corner to Secs. 9, 10, 15, 16.
Thence I run.

T. 2 N., R. 9 W., S.B.M.

- S. 89°48' W. on a true line bet. Secs. 9 and 16 with same variation.
Descend
0.75 Gulch 20 lks. wide course S.20° W. and ascend
40.17 Set granite stone 17x11x6 ins. 12 ins. in the ground for $\frac{1}{4}$ sec.cor.
marked $\frac{1}{4}$ on N. face and raised mound of stone alongside.
Pits impracticable.
80.34 Top of ridge bears N. 5° E. and S. 5° W. and descend
The corner to Secs. 8, 9, 16, 17.
Land mountainous. Soil 3rd rate. Timber none.
Dense undergrowth of chaparral.
-
- North bet. Secs. 8 and 9. Var. 14°26 3/4' E.
Along ravine.
40.00 Set a granite stone 16x12x5 ins. 11 ins. in the ground for $\frac{1}{4}$ sec.cor.
Marked $\frac{1}{4}$ on W. face and raised mound of stone alongside.
Pits impracticable.
80.00 Set granite stone 17x11x6 ins. 12 ins. in the ground for corner to
Secs. 4, 5, 8, 9.
Marked with 5 notches on S. and 4 notches on the E. edges and raised
mound of stone alongside.
Pits impracticable.
Land mountainous. Soil 3rd rate. Timber none.
Dense undergrowth of chaparral.
-
- East on a random line bet. Secs. 4 and 9. Var. 14°26 3/4' East
40.00 Set temporary $\frac{1}{4}$ sec. corner
79.94 Intersect N. and S. line 12 lks. north of the corner to Secs.
3, 4, 9, 10.
Thence $\frac{1}{4}$ run
N. 89°55' west on a true line bet. Secs. 4 and 9. Var. 14°26 3/4' E.
Descend.
21.60 Gulch 20 lks. wide course south and ascend
39.97 Set granite stone 14x11x7 ins. 9 ins. in the ground for $\frac{1}{4}$ sec.cor.
Marked $\frac{1}{4}$ on N. face and raised mound of stone alongside.
Pits impracticable.
50.00 Top of spur bears S. 5° W. and descend
78.20 Ravine 60 lks. wide course S.E. and ascend
79.94 The corner to Secs. 4, 5, 8, 9.
Land mountainous. Soil 3rd rate. Timber none.
Dense undergrowth of chaparral.
-
- North on a true line bet. Secs. 4 and 5 Var. 14°26 3/4' E.
Along ravine.
18.90 Leave ravine course S.W. and ascend
29.00 Gulch 10 lks. wide course S. 50° E.

T. 2 N., R. 9 W., S.B.M.

40.00 Set granite stone 19x11x6 ins. 14 ins. in the ground for $\frac{1}{4}$ sec.cor.
marked $\frac{1}{4}$ on W. face and raised mound of stone alongside.
Pits impracticable.

41.45 Point of spur bears east and descend
83.44 Intersect north boundary of township at a point 1.91 chs. west of
the corner to Secs. 4, 5, 32, 33 which is a post firmly set in
mound of rocks marked
T. 3 N., R. 9 W. Sec. 33 on N.E.
T. 2 N., R. 9 W., Sec. 4 on S.E.
T. 2 N., R. 9 W., Sec. 5 on S.W.
T. 3 N., R. 9 W. Sec. 32 on N.W. faces. I destroyed marks S.E. and
S.W. faces of post and at point of intersection set a granite stone
20x14x6 ins. 15 ins. in the ground for closing corner to Secs. 4 &
5 Tp. 2 N., R. 9 W. marked C.C. with 4 notches on the E. and 2
notches on the W. edges and raised a mound of stone alongside.
Pits impracticable.
Land mountainous. Soil 3rd rate.
Timber none. Dense undergrowth of chaparral.

40.06 West on a random line bet. Secs. 17 and 20 retracing. Var. 14°
To a point 15 lks. S. of $\frac{1}{4}$ sec. corner which is a sand 26 $\frac{3}{4}$ ' E.
rock 36x20x10 ins. in mound of rock marked $\frac{1}{4}$ on E. face
From which bears.

80.12 A scrub oak 10 ins. dia. N. 82° E. 77 lks.
Intersect N. and S. line 30 lks. S. of corner to Secs. 17, 18, 19, 20
which is a post 4x4 ins. firmly set in mound of rocks marked
Tp. 2 N., R. 9 W., Sec. 17 on N.E., Sec. 20 on S.E., Sec. 19 on S.W.
and Sec. 18 on N.W. faces. Thence I run
S. 89°47' east on a true line bet. Secs. 17 and 23 with same
variation.
Descend.

10.00 Gulch 20 lks. wide course S. 20°W. and ascend
34.00 Top of ridge bears N. and S. and descend.
40.06 To old $\frac{1}{4}$ sec. corner.
70.00 Ravine 75 lks. wide course S.E. and ascend
80.12 The corner to Secs. 16, 17, 20, 21
Land mountainous. Soil 3rd rate. Timber none.
Dense undergrowth of chaparral. Apr. 30, 1884.

40.00 West on a random line bet. Secs. 18 and 19. Var. 14°26 $\frac{3}{4}$ ' E.
Set temporary $\frac{1}{4}$ sec. corner.
79.92 Intersect west boundary of Township 12 lks. S. of corner to Secs.
13, 18, 19, 24.
Thence I run
S. 89°55' E. on a true line bet. Secs. 18 and 19. Var. 14°26 $\frac{3}{4}$ ' E.
Descend.

T. 2 N., R. 9 W., S.B.M.

32.60 North fork of San Gabriel River 40 lks. wide, course south in
 Canon 2.10 chs. wide, course south and ascend
 39.92 Set granite stone 14x10x6 ins. 9 ins. in the ground for $\frac{1}{4}$ sec. cor.
 Marked $\frac{1}{4}$ on N. face and raised mound of stone alongside.
 Pits impracticable.
 50.00 Top of spur bears south and descend
 79.92 The corner to Secs. 17, 18, 19 and 20.
 Land mountainous. Soil 3rd rate.
 Timber pine and fir along north bank of river.
 Dense undergrowth of chaparral.

North bet. Secs. 17 and 18. Var. 14°26' 3/4" E.
 Ascend.

20.00 Top of spur bears S.W. and descend
 40.00 Set a granite stone 17x6x4 ins. 12 ins. in the ground for $\frac{1}{4}$ sec. cor.
 Marked $\frac{1}{4}$ on W. face and raised mound of stone alongside.
 Pits impracticable.
 80.00 Set granite stone 17x6x6 ins. 12 ins. in the ground for corner to
 Secs. 7, 8, 17, 18.
 Marked with 4 notches on S. and 5 notches on E. edges and raised
 mound of stone alongside.
 Pits impracticable.
 Land mountainous. Soil 3rd rate. Timber none.
 Dense undergrowth of chaparral.

40.00 East on a random line bet. Secs. 8 and 17. Var. 14°26' 3/4" E.
 Set temporary $\frac{1}{4}$ sec. cor.
 Intersect N. and S. line 22 lks. S. of corner to Secs. 8, 9, 16, 17
 Thence I run
 S. 89°51' west on a true line bet. secs. 8 and 17 with same variation.
 Descend.

9.40 Ravine 50 lks. wide course south and ascend.
 39.00 Top of ridge bears north and south and descend
 40.21 Set granite stone 13x12x9 ins. 8 ins. in the ground for $\frac{1}{4}$ sec. cor.
 Marked $\frac{1}{4}$ on N. face and raised mound of stone alongside.
 Pits impracticable.
 80.43 The cor. to Secs. 7, 8, 17, 18.
 Land mountainous. Soil 3rd rate. Timber none.
 Dense undergrowth of chaparral.

40.00 West on a random line bet. Secs. 7 and 18. Var. 14°26' 3/4" E.
 Set temporary $\frac{1}{4}$ sec. cor.
 79.80 Intersect west boundary of township 19 lks. N. of corner to Secs.
 7-12-13-18.
 Thence I run.

T. 2 N., R. 9 W., S.B.M.

North 89°52' east on a true line bet. secs. 7 and 18, with same variation. Ascend
10.00 Top of spur bears south and descend
21.00 North fork of San Gabriel river 50 lks. wide course S. in canon
2.30 chs. wide course S. and ascend
39.80 Set granite stone 17x11x6 ins. 12 ins. in the ground for $\frac{1}{4}$ sec. corner marked $\frac{1}{4}$ on N. face.
From which bears a pine 22 ins. dia. N. 31° W. 116 lks. marked $\frac{1}{4}$ S.B.T.
Fir 18 ins. dia. S. 13° W. 93 lks. marked $\frac{1}{4}$ S.B.T.
52.75 Top of spur bears south and descend
69.80 Ravine 60 lks. wide course south and ascend
79.80 The corner to Secs. 7, 8, 17, 18.

Land mountainous. Soil 3rd rate. Timber pine & fir in canon
Dense undergrowth of chaparral.

North bet. Secs. 7 & 8 Var. 14° 26 $\frac{3}{4}$ ' E.
Descend.
18.30 Ravine 60 lks. wide, course S.W. and ascend along east slope of
40.00 ridge.
Set granite stone 17x11x6 ins. 12 ins. in the ground for $\frac{1}{4}$ sec. cor.
Marked $\frac{1}{4}$ on W. face and raised a mound of stone alongside.
Pits impracticable.
80.00 Set granite stone 19x11x5 ins. 14 ins. in the ground for corner to
Secs. 5, 6, 7, 8.
Marked with 5 notches on S. and E. edges and raised
mound of stone alongside.
Pits impracticable.
Land mountainous. Soil 3rd rate. Timber none.
Dense undergrowth of chaparral. May 8, 1884.

Var. 14° 26 $\frac{3}{4}$ ' E.
East on a random line bet. secs. 5 and 8.
40.00 Set temporary $\frac{1}{4}$ sec. cor.
80.19 Intersect N. and S. line 17 lks. N. of to Secs. 4, 5, 8, 9.
Thence I run N. 89° 53' west on a true line bet. Secs. 5 and 8
with same variation. Ascend.
29.60 Top of ridge bears N. and S. and descend.
40.09 Set a granite stone 14x12x4 ins. 9 ins. in the ground for $\frac{1}{4}$ sec. cor.
Marked $\frac{1}{4}$ on N. face and raised a mound of stone alongside.
Pits impracticable.
77.10 Ravine 50 lks. wide, course S. 5° E. and ascend.
80.19 The corner to Secs. 5, 6, 7, 8.
Land mountainous. Soil 3rd rate. Timber none.
Dense undergrowth of chaparral.

T. 2 N., R. 9 W., S.B.M.

West on a random line bet. Secs. 6 & 7 Var. $14^{\circ} 26 \frac{3}{4}'$ E.
40.00 Set temporary $\frac{1}{4}$ sec. cor.
80.11 Intersect west boundary of Township 23 lks. N. of corner to Secs.
1, 6, 7, 12.
Thence I run N. $89^{\circ} 50'$ E. on a true line bet. secs. 6 and 7 with
same variation. Ascend.
30.00 Point of spur bears south and descend.
40.11 Set granite stone $12 \times 11 \times 10$ ins. 7 ins. in the ground for $\frac{1}{4}$ sec. cor.
Marked $\frac{1}{4}$ on N. face and raised mound of stone alongside.
Pits impracticable.
47.90 Ravine 40 lks. wide, course south and ascend.
65.00 Top of ridge bears N. 3° E. and S. 5° W. and descend
80.11 The corner to Secs. 5, 6, 7, 8.
Land mountainous. Soil 3rd rate. Timber none.
Dense undergrowth of chaparral.

North on a true line bet. secs. 5 and 6 Var. $14^{\circ} 26 \frac{3}{4}'$ E.
Ascend gradually.
15.00 Cross ravine 60 lks. wide course S.E.
40.00 Set granite stone $18 \times 11 \times 9$ ins. 13 ins. in the ground for $\frac{1}{4}$ sec. cor.
Marked $\frac{1}{4}$ on W. face and raised mound of stone alongside.
Pits impracticable.
77.20 Cross ravine 50 lks. wide course S.W. and ascend abruptly.
82.73 Intersect north boundary of Tp. at a point 1.91 chs. N. of corner to
Secs. 5, 6, 31, 32 which is a post 4×4 ins. firmly set in large
mound of rocks marked
T. 3 N., R. 9 W., Sec. 32 on N.E.
T. 2 N., R. 9 W., Sec. 5 on S.E.
T. 2 N., R. 9 W., Sec. 6 on S.W.
T. 3 N., R. 9 W., Sec. 31 on N.W. faces. I destroyed marks on S.E.
and S.W. faces of post and at point of intersection set a granite
stone $16 \times 12 \times 4$ ins. 11 ins. in the ground for closing corner to
Secs. 5 & 6 marked C.C. with 5 notches on the E. & 1 on the W.
edges, and raised a mound of stone alongside.
Pits impracticable.
Land mountainous. Soil 3rd rate. Timber none.
Dense undergrowth of chaparral. May 9, 1884.

General Description.

This township contains all mountain land. The soil classes as
2nd and 3rd rate. Pine and fir timber of good quality is sound
along San Gabriel River and its tributaries and more or less in
all ravines.
The township is generally valuable for its timber and water.