


H. Hancock - 1851



Sorted from photographic copies
 furnished by
 U. S. General Land Office
 Washington, D. C.

1. 3 N. 6 W.

Frank Leonard,

Subscribed and sworn to by the above named persons before me this 4th day of June A. D. 1856.

(Signed)

Alex Gibson,
Justice of the Peace in &
for the City & County of
Los Angeles, Cal.

I, Henry Hancock, deputy surveyor, do solemnly swear that in pursuance of a contract with John G. Hays, surveyor of the public lands of the United States in the State of California, bearing date the 15th February 1855, and in strict conformity to the laws of the United States, and the instructions furnished by the said surveyor General, I have faithfully surveyed and subdivided into sections, fractional township 3 North of the base line of Range 6 West of the San Bernardino Meridian in the State aforesaid, and do further solemnly swear that the foregoing are the true and original field notes of such surveys.

(Signed)

Henry Hancock,
Dep. Surveyor.

State of California }
County of San Bernardino }
S. S.

Subscribed by said Henry Hancock, Dep. Surveyor, and sworn to before me this 26 day of June, 1856.

(Signed)

Gilbert A. Grant,
Notary Public.

L. S.

1. 5 N. R. 12 W. of San Bernardino Mer.

Field Notes of the subdivision of Grant Township 5 N. Range 12 West commenced April 28th, 1856.

From the cor. to Secs. 13 & 24 on the East boundary of the Township, I run to throw the fractions on the Northwest.

West on a random line bet. Secs. 13 & 24.

Var. 14° 08' E.

Set a post for a temp. pt. sec. cor.

Set a post for a temp. cor. to Secs. 13, 14, 23 & 24, from which cor. I run--

West on a random line bet. Secs. 14 & 23.

Var. 14° 08' E.

40.00
20.00

T. 5 N., R. 18 W., of San Bernardino Mer.

5.00	Enter La Solidad Pass, course S.W.
40.00	Set a post for a temp. dr. sec. cor.
45.00	Across ravine 2 chs. wide & trail, course N.E.
59.00	To base of mountain spur from the west.
75.00	To a point on E. slope of same spur.
80.00	Set post for a temp. corner sees. 14, 15, 22 & 23, from which corner I run--
	South on a random line bet. sees. 22 & 23. Var. 14° 08' E.
40.00	Set a post for a temp. dr. sec. cor.
43.00	Into La Solidad Pass, Course S.W.
50.00	Across trail, course N.E.
75.00	To base of the mountain on the E.
80.00	Set a post for a temp. cor. to sees. 22, 23, 26 & 27, from which corner I run--
	South on a random line bet. sees. 26 & 27. Var. 14° 08' E.
40.00	Set a post for a temp. dr. sec. cor.
55.00	Into La Solidad Pass, course S.W.
80.00	Set a post for a temp. cor. to sees. 26, 27, 34 & 35, from which corner I run--
	West on a random line bet. sees. 27 & 34. Var. 14° 08' E.
26.00	To mouth of a cañada 1 ch. wider from the S.E. Same 20 chs. long.
40.00	Set a post for temp. dr. sec. cor.
58.00	Across La Solidad Pass and to East base of an isolated hill on the south of same 2- chs. base.
76.50	To top of N. slope of same.
80.00	Set a post for temp. cor. to sees. 27 & 28, 33 & 34, from which corner I run
	South on a random line bet. sees. 33 & 34. Var. 14° 08' E.
3.00	To La Solidad Pass, course S.W.
30.00	Across same.
40.00	Set a post for a temp. dr. sec. cor.
80.00	Set a post for a temp. cor. to sees. 33 & 34, 3 & 4, from which corner I run--
	West on the south boundary of Sec. 33, on a random line. Var. 14° 08' E.
35.00	To base of the North point of a spur of the mountain on the south.
40.00	Set a post for a temp. dr. sec. cor.
55.00	Across a dry arroyo 250 lks. wide, course S.W.
68.00	To base of steep bank, course N.W.
80.00	Set a post for temp. cor. to sees. 32 & 33, 4 & 5, on bank from which corner I run--
	West on a random line on the South boundary of Sec. 32. Var. 14° 08' E.

T. 5 N., R. 12 W., of San Bernardino Mex.

5-00 To summit of a high peak.
 25-00 To base of same and enter Canada course W.
 40-00 Set a post for temp. gr. sec. cor. in dry arroyo.
 55-00 Cross dry arroyo 150 yds. wide, etc. N.W.
 65-00 To base of spur from hill on the south.
 80-00 Set a post for temp. cor. to sec. 31 & 32, 6 & 5, from which cor. I run--

West on a random line on the south boundary of sec. 31. Var. 14°08' E.

6-00 To W. base of spur & enter dry arroyo, course S.
 15-00 Leave same, course S.W.
 40-00 Set a post for a temp. gr. sec. cor.
 41.25 Interest the west boundary of the Township 20.42 s. North of the corner of Tps. 4 & 5 N., R. 12 & 13 West of the San Bernardino Meridian, from which corner I run--
 41.25 East on the true south boundary of sec. 31. Var. 14°08' E.

41.25 Set a post for a gr. sec. cor. drive a charred stake and make mound with trench pits as per instructions.
 41.25 Set a post for cor. to sec. 31, 32, 5 & 6, drive a charred stake and make a mound with trench & pits as per instructions.

Land gently undulating. Soil 2nd rate.

East on the true south boundary of sec. 32. Var. 14° 08' E.

40-00 Set a post for gr. sec. cor. drive a charred stake & make a mound with trench & pits as per instructions.
 40-00 Set a post for cor. to sec. 32, 33, 4 & 5, drive a charred stake and make a mound with trench & pits as per instructions on the N.W. slope of a high ridge, course S.E., ascent 350 feet.

Land mountainous, soil 3rd rate.

East on the true south boundary of sec. 33. Var. 14° 08' E.

40-00 Set a post for a gr. sec. cor. & drive a charred stake & make an earth mound for a witness cor. 7 s. N. of the true gr. sec. cor. the same falling on the steep face of the mountain, where it is impracticable to build a corner.
 80-00 Set a rock 3 ft. long 2 ft. wide & 18 inches thick for cor. to sec. 33, 34, 3 & 4, on the north face of the mountain.

Land mountainous. Soil 3rd. rate.

L. 5 N., R. 12 W. of San Bernardino Mer.

North on a true line bet. Secs. 33 & 34.
Var. 14°08' E.

40.00 Set a post for gr. sec. cor. drive a charred stake & make a mound with trench & pits as per instructions.
40.00 Set a post for cor. to Secs. 27, 28, 33 & 34, drive a charred stake, make a mound with trench & pits as per instructions.

Land broken. Soil 3rd rate.

East on a true line bet. Secs. 27 & 34.
Var. 14°08' E.

40.00 Set a post for a gr. sec. cor. drive a charred stake & make a mound with trench & pits as per instructions.
40.00 Set a post for cor. to Secs. 26, 27, 34 & 35, drive a charred stake & make a mound with trench & pits as per instructions.

Land gently undulating. Soil 2nd rate.

From cor. to Secs. 26, 27, 34 & 35.
South between Secs. 34 & 35.

Var. 14°08' E.

12.50 To base of spur from the East.
18.50 To top of S. slope of same.
40.00 Drive a post for a gr. sec. cor. & charred stake in the center of a clump of Cedars beyond which it is impracticable to measure further south.

From cor. to Secs. 26, 27, 34 & 35.

40.00 North between Secs. 26 & 27.
Var. 14°08' E.
40.00 Set a post for a gr. sec. cor. drive a charred stake & make a mound with trench & pits.

80.00 Set a post for cor. Secs. 22, 23, 26 & 27, drive a charred stake & make a mound with trench & pits as per instructions.
Land undulating. Soil 2nd rate.

North between Secs. 22 & 23.

Var. 14°08' E.

40.00 Set a post for a gr. sec. cor. drive a chd. stake and make a mound with trench & pits as per instructions.

55.00

40.00

Set a post for a gr. sec. cor. drive a shd. stake & made a mound with trench & pits as per instructions.
 Enter a post for cor. to secs. 11, 12, 13 & 14. Drive a charred stake & made a mound with trench & pits as per instructions.
 Land rolling. Timber scattering, Cedar.
 Soil 2nd rate.

From the cor. to secs. 13, 14, 23 & 24, - run--
 North between secs. 13 & 14.
 Var. 14°08' E.

80.00

Intersect the East boundary of the Tp. 20.42 chs. South of cor. to secs. 13 & 24 and set a post and charred stake in an irregular mound of rocks for cor. to secs. 13 & 24.
 Land consisting of North face of the mountain.
 Soil 3rd rate.

40.00

East on a true line between secs. 13 & 24.
 Var. 14°08' E.
 Set a post for a gr. sec. cor., drive a charred stake and mark a mound with pits and trench as per instructions.

80.00

Land undulating. Soil 2nd rate.
 as per instructions.
 Set a post for cor. to secs. 13, 14, 23 & 24, drive a charred stake & make a mound with trench & pits as per instructions.

40.00

From cor. to secs. 14, 15, 22 & 23, I run--
 East on a true line bet. secs. 14 & 23,
 Var. 14°08' E.
 Set a post for a gr. sec. cor., drive a charred stake & make a mound with trench & pits as per instructions.

33.00
40.00

To top of ridge from the N.W. 300 ft. high.
 Set a post for a gr. sec. cor. on the S.W. face of ridge, drive a charred stake in mound with trench & pits as per instructions, beyond which it is impracticable to measure further, on account of the mountain.

West between secs. 15 & 22.
 I run--
 From cor. to secs. 14, 15, 22 & 23,

80.00

Land, undulating. Soil 2nd rate.
 as per instructions.
 Set a post for cor. to secs. 14, 15, 22 & 23, drive a charred stake and make a mound with trench & pits as per instructions.

T. 5 N., R. 12 W. of San Bernardino Mex.

From Cor. to Secs. 2, 3, 10 & 11--I run
 West on a true line bet. Secs. 3 & 10.
 Var. 14° 08' E.
 To north base of a mountain.
 Set a post for gr. sec. cor. drove a charred stake &
 made a mound with trench & pits as per instructions.
 10.00
 40.00

North between Secs. 2 & 3.
 Var. 14° 08' E.
 Set a post for gr. sec. cor. drove a charred stake &
 made a mound with trench & pits as per instructions.
 To base of hills.
 Enter Valley.
 Interest the first Standard North 16.45 chs. West
 of 67th Mile S.O.
 Set a post for C.O. to Secs. 2 & 3 at the point of
 intersection, drove a charred stake and made a mound
 with trench & pits as per instructions.
 Lands gently undulating. Soil 2nd rate.
 Timber scattering Cedar.
 40.00
 75.00
 100.00
 106.50

East on a random line bet. Secs. 2 & 11.
 Var. 14° 08' E.
 Set a post for temp. gr. sec. cor.
 Across an old pass crs. N.W.
 Interest the N. & S. line 141 lks. S. of Cor. to
 Secs. 1, 2, 11 & 12, from which corner I run--
 West on a true line bet. Secs. 2 & 11.
 Var. 15° 08' E.
 Set a post for a gr. sec. cor. drove a charred stake &
 made a mound with a trench & pits as per instructions.
 The cor. to Secs. 2, 3, 10 & 11.
 First half wide rolling land.
 Last 1/2 nearly level. Soil 2nd rate.
 Timber scattering Cedar.
 40.00
 49.00
 79.55
 39.77
 79.55

Land mountains.
 To top of S.E. slope of ridge.
 Set a post for a gr. sec. cor. drove a charred stake &
 made a mound with trench & pits as per instructions.
 Set a post for cor. to Secs. 2, 3, 10 & 11, on north base
 of mountain, drove a charred stake & made a mound with
 trench & pits as per instructions.
 To bank of Gully, course N.E.
 Enter Gully 1 ch. wide with a spring of water.
 course N.E.
 15.00
 30.00
 36.00
 40.00
 80.00
 North between Secs. 10 & 11.
 Var. 14° 08' E.
 I. S. N., N. 12 W. of San Bernardino Mts.

Set a post for cor. sec. cor. drove a charred stake & made a mound with trench & pits as per instructions. The cor. to Secs. 21, 22, 27 & 28. Land mostly level. Soil 3rd rate.

Set a post for cor. sec. cor. drove a charred stake & made a mound with trench & pits as per instructions. The cor. to Secs. 21, 22, 27 & 28. Land mostly level. Soil 3rd rate.

Var. 13-36' E.

Set on a true line bet. Secs. 22 & 27.

Set a post for temp. cor. sec. cor. Intersect the N. & S. line 68 lks. North of cor. to Secs. 22, 23, 26 & 27, from which cor. I run--

Enter Canada of La. Solidad.

Set on a random line bet. Secs. 22 & 27. Var. 14-08' E.

79.50

39.75

79.50

40.00

25.00

Land broken. Soil 2nd rate.

Instructions.

Charred stake & made a mound with trench & pits as per instructions.

Set a post for cor. to Secs. 21, 22, 27 & 28, drove a To base of mountain.

To top of spur 3 ens. wide, course S.W., ascent 30 ft. made a mound with trench & pits as per instructions.

Set a post for cor. sec. cor. drove charred stake and Into Canada of La. Solidad Pass, course S.W.

Across Canada, course S.W.

Var. 14-08' E.

North between Secs. 27 & 28.

I run--

From cor. to Secs. 27, 28, 33 & 34.

80.00

54.00

44.00

40.00

32.00

17.00

Land level. Soil 3rd rate.

made a mound with trench & pits as per instructions. the point of intersection, drove a chd. stake and made the 68th Mile S.O. and O.G. post for Secs. 3 & 4 at Intersect the first standard North 13.65 ens. West of made a mound with trench & pits as per instructions.

Set a post for cor. sec. cor. drove a chd. stake and To north of base of the mountain.

Var. 14-08' E.

North between Secs. 3 & 4.

106.07

40.00

30.00

Soil 2nd rate but rocky.

mountain.

This mile falls principally on the North face of the dist. 43 lks.

tions, from which a cedar 6 in. dia. bears S. 39° E.

Set a post for cor. to Secs. 3, 4, 9 & 10, drove charred stake & made a mound with trench & pits as per instructions.

To top of North slope of spur, ascent 300 feet.

80.00

46.00

T. S. N. R. 12 W. of San Bernardino Mex.

I. S. H., R. 12 W., of San Bernardino Mex.

North between Secs. 21 & 22.

Var. 14°08' E.

5.00
26.00
36.00

Enter flat ravine, course E.

Across same.

To a point beyond which it is impracticable to measure further.

Set a post for a witness pt. sec. cor. 4 qrs. South

of true cor. Drove a charred stake & made a mound with trench & pits as per instructions on the S.E. face of the mountain.

From the cor. to Secs. 32 & 33, 4 & 5, I run--

North between Secs. 32 & 33.

Var. 14°08' E.

18.00

To top of ridge 200 ft. high, course East.

33.00

To north base of same.

40.00

Set a post for a qr. sec. cor. drove a charred stake & made a mound with trench & pits as per instructions.

48.00

Enter the solidified Pass.

76.00

Across same, course S.W.

80.00

Set a post for cor. to Sec. 28, 29, 32 & 33. Drove a charred stake & made a mound with a trench & pits as per instructions.

First half mile broken land.

Last half mostly level. Soil 2nd rate.

30.00

East on a random line bet. Secs. 28 & 33.

Var. 14°08' E.

40.00

Enter main Canada of the solidified Pass, course South.

50.16

Intersect the E. & S. line 220 lks. North of cor. to Secs. 27, 28, 33 & 34, from which corner I run--

West on a true line bet. Secs. 28 & 33.

Var. 12°34' E.

40.08

Set a post for a qr. sec. cor. Drove a charred stake & made a mound with trench & pits as per instructions.

50.16

The cor. to Secs. 28, 29, 32 & 33.

Land rolling. Soil 3rd rate.

Timber consisting Cedar.

North between Secs. 28 & 29.

Var. 14°08' E.

25.00

To base of mountain.

40.00

Set a post for a qr. sec. cor. drove a charred stake and made a mound with trench & pits as per instructions.

50.00 To top of spur, 300 ft. high, course B.
 Set a post for cor. to sees. 20, 21, 28 & 29, drove a
 charred stake & made a mound with trench & pits as
 per instructions.
 Broken land. Soil 2nd rate.

27.50 Enter Canada, course S.W.
 Set a post for temp. dr. sec. cor. on the East side of
 a Canada.
 81.00 Intersect the N. & S. line 194 lks. N. of the cor.
 to sees. 21, 22, 27 & 28. From which corner I turn--
 West on a true line bet. sees. 21 & 28.
 Var. 12°45' E.

40.50 Set a post for a dr. sec. cor. drove a charred
 stake and made a mound with trench & pits as per
 instructions
 To cor. to sees. 20, 21, 28 & 29.
 Land broken. Soil 3rd rate.
 Timber scattering cedar.

24.00 Enter a dry arroyo, course W.
 Leave same.
 40.00 Set a post for dr. sec. cor. drove a end. stake &
 made a mound with trench & pits
 Set a post for cor. to sees. 29, 30, 31 & 32, drove a
 charred stake & made a mound with trench & pits as
 per instructions.
 Land gently undulating.
 Soil 3rd rate.

4.00 Enter Canada, course S.
 Across same.
 40.00 Set a post for temp. dr. sec. cor.
 Intersect the N. & S. line 180 lks. N. of cor. to
 sees. 28, 29, 32 & 33. From which cor. I turn--
 West on a true line between sees. 29 & 32.
 Var. 13°17' E.

40.24 1/2 Set a post for dr. sec. cor. drove a charred stake &
 made a mound with trench & pits as per instructions.
 The cor. to sees. 29, 30, 31 & 32.
 Land undulating. Soil 3rd rate.
 May 2, 1856.

T. S. M., N. 12 W., of San Bernardino Mex.

West on a random line bet. Secs. 19 & 30. Var. 14°08' E.
 Set a post for temp. gr. sec. cor.
 across valley course S.
 Intersect the West boundary of the tp. a post cor.
 to Secs. 19, 24, 25 & 30, from which corner I run--

40.00
45.00
80.62

West on a true line bet. Secs. 20 & 29. Var. 12°54' E.
 Set a post for gr. sec. cor. drove a chd. stake &
 made a mound with trench & pits as per instructions.
 The cor. to Secs. 19, 20, 29 & 30.

39.88
79.77

East on a random line bet. Secs. 20 & 29. Var. 14°08' E.
 Set a post for temp. gr. sec. cor. on the East side
 of a Canada.
 Intersect the N. & S. line 173 lks. North of cor.
 to Secs. 20, 21, 28 & 29. from which corner I run--

40.00
79.77

To N. base of spur.
 Set a post for cor. to Secs. 19, 20, 29 & 30, drove a
 charred stake & made a mound with trench & pits as
 per ins.
 Land rolling, soil 2nd rate.

53.00
80.00

North between Secs. 29 & 30. Var. 14°08' E.
 To the East point of a mountain spur.
 Set a post for gr. sec. cor. drove a charred
 stake & made a mound with trench & pits as per
 instructions.

25.00
40.00

First half mile mountainous. Soil 3rd rate.

East on a true line bet. Secs. 30 & 31. Var. 14°08' E.
 Set a post for a gr. sec. cor. drove a charred
 stake & made a mound with trench & pits as per
 instructions.
 To cor. to Secs. 29, 30, 31 & 32.

40.67
80.67

West on a random line bet. Secs. 30 & 31. Var. 14°08' E.
 across valley to base of mountain.
 Set a post for a temp. gr. sec. cor.
 Intersect the West boundary of the tp. at post
 cor. to Secs. 30 & 31, from which corner I run--

25.00
40.00
80.67

T. 5 N., R. 12 W. of the San Bernardino Mer.

Var. 14081 E.

North between Secs. 1 & 2.

Land, undulating. Timber scattering Cedar. Soil 2nd rate.

Set a post for a true line bet. Secs. 1 & 12. Var. 14081 E.

Set a post for a gr. sec. cor. Drove a shd. stake & made a mound with trench & pits, as per instructions.

To cor. to Secs. 1, 2, 11 & 12. 80.94

Intersect the East boundary of the Township 20.46 One. South of cor. to Secs. 1, 12, 6 & 7, and set a post for cor. to Secs. 1 & 12 at intersection. Drove a charred stake & made a mound with trench & pits as per instructions, from which corner I run--

Set a post for temp. gr. sec. cor. 40.00

Intersect the East boundary of the Township 20.46 80.94

Set on a random line bet. Secs. 1 & 12. Var. 14081 E.

Land broken. Soil 2nd rate.

Leave the solid pass, course N.W. Set a post for a gr. sec. cor. drove a charred stake & made a mound with trench & pits as per instructions. 40.00

Enter Canada, course West. Set a post for cor. to Secs. 1, 2, 11 & 12. Drove a charred stake & made a mound with trench & pits as per instructions. 60.00

Set a post for cor. to Secs. 1, 2, 11 & 12. Drove a charred stake & made a mound with trench & pits as per instructions. 60.00

North between Secs. 11 & 12. Var. 14081 E.

Land undulating. Soil 2nd rate.

Set a post for temp. gr. sec. cor. To base of hill, ranging N. & S. across Ravine 5 sh. side to N.E. Intersect the E. boundary of the Township 20.55 One. S. of cor. to Secs. 12 & 13, from which cor. I set a post and charred stake in a mound at the point of intersection for the cor. to Secs. 12 & 13. Thence I run

Set on a true line bet. Secs. 12 & 13. Var. 14081 E.

Set a post for a gr. sec. cor. drove a charred stake & made a mound with trench & pits as per instructions. 40.35

The cor. to Secs. 11, 12, 13 & 14. 80.70

Set a post for temp. gr. sec. cor. 40.00

To base of hill, ranging N. & S. across Ravine 5 sh. side to N.E. Intersect the E. boundary of the Township 20.55 One. S. of cor. to Secs. 12 & 13, from which cor. I set a post and charred stake in a mound at the point of intersection for the cor. to Secs. 12 & 13. Thence I run

Set on a random line bet. Secs. 12 & 13. Var. 14081 E.

T. S. N. R. 12 W. of San Bernardino Mex.