

TRANSCRIPT OF FIELD NOTES
 SOUTH BOUNDARY OF T. 6 N., R. 18 W., S. B. M.

(Certified Copy)

R 19 W R 18 W		R 19 W R 17 W								
36	31 4	32 4	33 T. 3	6	34 N. 3	35 2	36 2	31	32	
2	1	1 6	5 5	5	T 5 N 4	5 3	5 2	5 1	1 6	
11	12	7	8	9	10	11	12	7		
R 19 W R 18 W								R 18 W R 17 W		

George S. Collins 1879.

Department of the Interior

General Land Office

Public Survey Office

San Francisco, California.

December 6, 1929.

I, Frank E. Barker, Office Cadastral Engineer, do hereby certify that the annexed transcript of field notes of South line of Secs. 31, 32, 33, 34, 35 and 36, T. 6 N., R. 18 W., SBM. and the South line of secs. 36, T. 8 N R 19 W., SBM. is a full, true and exact exemplification of the said field notes which are on file in this office.

FRANK E. BARKER (Signed)

Office Cadastral Engineer.

PUBLIC SURVEY OFFICE
OFFICIAL
(SEAL)
SAN FRANCISCO CALIF.

Part 13)
Vol. 164)

West bdy. of T.5 N R 17 W. SBM
By George S. Collins, Deputy Surveyor

1

Under his contract of October 21, 1879

North on West boundary of section 6

Var. 14° 25' E.

X X X

104.62

Intersect the 1st Standard line N., 20 lks. E. of cor. to
secs. 31 and 32 and set post 4 in sq. 1 ft. in earth
1 ft. above stone mound 4½ ft. in dia. at base by 2 ft.
in height for closing cor. to Tps. 5 N. Rs. 17 and 18 W.

Land mountainous

Soil 2nd rate.

Timber and undergrowth of pine, oak, sycamore and chaparral

Nov. 25th, 1879

T. 5 N. R. 18 W. SBM

North on W. Boundary of section 6

Var. 14° 25' E

Ascend

23.50

Top of ridge bears NE. & SW. & descend.

40.00

Set post 4 in. dia. 1 ft. in earth, 1 ft. above stone
mound 4 ft. in dia. at base by 2 ft. in height for ¼ sec.
cor.

X X

104.78

Intersect 1st Standard line N. 5.25 obs. E. of cor. to
secs. 31 & 32 and set post 4 in. sq. 1 ft. in earth
1 ft. above stone mound 4½ ft. in dia. at base by 2 ft.
in height for closing cor. to Tps. 5 N. Rs. 18 & 19 W.

SBM. Land mountainous. Soil 2nd rate.

Timber & undergrowth of live oak, sycamore, willow &
chaparral.

Dec. 9, 1879.

1st Standard N. on S. Edy. - T. 6 N R 16 W., SW

By -- George S. Collins, Deputy Surveyor

Under his contract of October 21, 1879

From the cor. to Tps. 6 N Rs. 17 and 18 W., S.E.W.,

I run

West on a true line on South boundary of sec. 36

Va. $14^{\circ} 25' E.$

Descend

- 37.00 Cross ravine Course SW. and ascend
- 40.00 Set post $\frac{1}{4}$ in dia. 1 ft. in earth, 1 ft. above stone mound $\frac{1}{4}$ ft. in dia. at base by 2 ft. in height for standard $\frac{1}{4}$ sec. cor.
- 80.00 Set stone 16 x 10 x 8 in stone mound $4\frac{1}{2}$ ft. in dia. at base by 2 ft. in height for standard cor. to secs. 35 & 36.

Land mountainous. Soil 2nd and 3rd rate.

Timber and undergrowth of live oak and chaparral.

West on South Boundary of sec. 35

Va. $14^{\circ} 25' E.$

Ascend

- 20.00 Summit of high mountain bears N. & S. descend.
- 40.00 Set post $\frac{1}{4}$ in. dia. 1 ft. in earth 1 ft. above stone mound $\frac{1}{4}$ ft. in dia. at base by 2 ft. in height for Standard $\frac{1}{4}$ sec. cor. and ascend
- 53.50 Summit of ridge bears NE and SW & descend
- 80.00 Set post $\frac{1}{4}$ in square 1 ft. in earth 1 ft. above stone mound $4\frac{1}{2}$ ft. in dia. at base by 2 ft. in height for Standard cor. to secs. 34 & 35

Land mountainous. Soil 2nd rate.

Timber and undergrowth of live oak and chaparral.

Nov. 18th, 1879.

1st Standard N. on S. Edy. T 6 N R 18 E., SW

West on South Boundary of sec. 34

Var. 14° 25' E

Descend

- 39.00 Enter Canada of Peru bears N. and S.
 40.00 The point for $\frac{1}{4}$ sec. cor. falling in creek, a place not
 suitable to build mound, I continue West and at
 41.00 Cross creek 125 lks. wide course South
 41.50 Set post 4 in dia. 1 ft. in earth 1 ft. above stone mound
 4 ft. in dia. at base by 2 ft. in height for witness to
 Standard $\frac{1}{4}$ sec. cor.

Thence leave Canada and ascend.

- 50.00 Set post 4 in. sq. 1 ft. in earth 1 ft. above stone
 mound 4 $\frac{1}{2}$ ft. in dia. at base by 2 ft. in height for
 Standard cor. to secs. 33 and 34.

Land mountainous. Soil 2nd rate.

Timber and undergrowth of live oak, sycamore, willow
 and chaparral.

West on South boundary of sec. 33

Var. 14° 25' E

Ascend

- 40.00 Set post 4 in dia. 1 ft. in earth 1 ft. above stone
 mound 4 ft. in diam. at base by 2 ft. in height for
 Standard $\frac{1}{4}$ sec. cor.

- 49.50 Summit of high ridge bears NW. and SE. and

Descend

- 50.00 Set post 4 in sq. 1 ft. in earth 1 ft. above stone mound
 4 $\frac{1}{2}$ ft. in dia. at base by 2 ft. in height for Standard
 cor. to secs. 32 and 33

Land mountainous Soil 2nd rate

Timber & undergrowth of Live Oak & Chaparral.

1st Standard N. along S. Bdy. T 6 N R 18 W., SBM

West on South boundary of section 32

Var. 14° 25' E.

Descend

30.50 Cross ravine Course SE. and ascend

40.00 The point for $\frac{1}{4}$ sec. cor. falling on steep side hill
place not suitable to build a mound I continue West and at

41.75 On summit of high ridge bearing NW and SE

Set post 4 in dia 1 ft. in earth 1 ft. above stone
mound 4 ft. in dia. at base by 2 ft. in height for
witness to Standard $\frac{1}{4}$ sec. cor.

Thence descend

50.00 Set post 4 in square 1 ft. in earth 1 ft. above stone
mound 4 $\frac{1}{2}$ ft. in dia. at base by 2 ft. in height for
Standard cor. to secs. 31 & 32

Land mountainous. Soil 2nd rate.

Timber and undergrowth of oak & chaparral.

West on South boundary of section 31

Variation, 14° 25' E

Descend

26.50 Cross creek 15 lks. wide Course SE. and ascend

40.00 Set post 4 in dia. 1 ft. in earth 1 ft. above stone
mound 4 ft. in dia. at base by 2 ft. in height for
Standard $\frac{1}{4}$ sec. cor.

60.50 Summit of high ridge bearing NW. and SE. and

Descend

80.00 Set post 4 in sq. 1 ft. in earth 1 ft. above stone
mound 4 $\frac{1}{2}$ ft. in dia. at base by 2 ft. in height for
Standard corner to Tps. 6 N. Rs. 18 & 19 West

Land mountainous. Soil 2nd rate. Timber & undergrowth
of live oak, sycamore, willow and chaparral

Part 29)
Vol. 164 }

(Closing Corners)

5

The subdivision of a portion of 5 North, Range 18
West San Bernardino Meridian

George S. Collins, Deputy Surveyor
Under his contract of October 21, 1879
Commenced January 21, 1880

North on a true line bet. secs. 1 and 2

Var. 14° 25' E.

X X

104.70 Intersect 1st Standard line N. 30 lks. E. of cor. to
Tps. 6 N. Rs. 17 and 18 W & set post 4 in sq. 1 ft.
in earth 1 ft. above stone mound 4½ ft. in dia. at base
by 2 ft. in height for closing cor. to secs. 1 & 2

X X X

North on a true line bet. secs. 2 & 3

Var. 14° 25' E.

X X X

104.78 Intersect 1st Standard line N. 50 lks. E. of cor. to
secs. 35 & 36 and set post 4 in sq. 1 ft. in earth
1 ft. above stone mound 4½ ft. in dia. at base by 2
ft. in height for closing cor. to secs. 2 & 3

Jan. 24, 1880

X X X X

North on a true line bet. secs. 3 & 4

Var. 14° 25' E.

X X X

104.66 Intersect 1st Standard line N. 60 lks. E. of cor. to
secs. 34 & 35 and set post 4 in sq. 1 ft. in earth
1 ft. above stone mound 4½ ft. in dia. at base by 2 ft.
in height for closing cor. to secs. 3 & 4

X X X

North on true line bet. secs. 4 & 5

Var. 14° 25' E.

T. 5 N.R. 18 W., SEN

104.82 Intersect 1st Standard line North 90 lks. E. of cor.
to secs. 33 & 34 and set post 4 in sq. 1 ft. in earth
1 ft. above stone mound $4\frac{1}{2}$ ft. in dia. at base by 2 ft.
in height for closing cor. to secs. 4 & 5

—
X X X

North on true line bet. secs. 5 & 6

Var. $14^{\circ} 25'$ E.

X X

104.90 Intersect 1st Standard line N. 100 lks. E. of cor. to
secs. 32 & 33 and set post 4 in. sq. 1 ft. in earth
1 ft. above stone mound $4\frac{1}{2}$ ft. in dia at base by 2 ft.
in height for closing cor to secs. 5 & 6.

Jan. 5, 1880
—