

HOMESTEAD ENTRY SURVEY NO. 92

ANGEL'S NATIONAL FOREST

CALIFORNIA

Chains

Applicant for listing, B. P. Burkhardt; application No. 34, dated June 28, 1908; List No. 2073, dated November 11, 1908; List No. 5-1744, dated April 24, 1913; List No. 5-1192, dated September 22, 1913. Special instructions dated February 17, 1914, for Homestead Entry Survey No. 92, situated in the Angeles National Forest in surveyed Range 10 West of the San Bernardino Base and Meridian, listed under the lot of June 11, 1906.

Survey commenced April 6, 1914, and executed with a W. & L. E. Gurley light mount in transit No. 111045, with a butt solar attachment; the horizontal limb having two double verniers placed opposite to each other and reading to single minutes of arc, which is also the least count of the verniers of the latitude and declination arcs. The instrument was examined, tested, and all necessary adjustments of the levels, line of collimation and solar attachment made. The distances were measured with a 100 link steel tape.

April 6, 1914, at the corner of secs. 13, 14, 23 and 24, T 4 N, R 10 W, which is a decayed oak stake, 3 ins. diam., 2 ft. above ground in a mound of stone, firmly set, marked and witnessed as described by the Surveyor General, in latitude 34°25' N., longitude 117°53'30" W., I set off 6°22' N. on the decl. arc and at 12h, 2m, 40s., p.m., 1.m.t., observe the sun on the meridian. The resulting latitude is 34°25'. At 4h. 4m. p.m., 1.m.t., I set off 34°25' on the lat. arc

ANGELES NATIONAL FOREST

CALIFORNIA

Chains

and 6°27'N. on the decl. arc and determine a meridian

with the solar, marking a point in the line thereof by

a nail driven in a stake firmly set 4.00 chains north

of the corner.

On the same date I observe Polaris in accordance with in-

structions and mark the line thus determined by a nail

also driven in a stake firmly set 4.00 chains north of

the corner.

U.C. of Polaris, April 6, 1914. Oh. 30.3m. p.m., 1.m.t.

Observation. April 6, 1914. 6h. 39.0m. p.m., 1.m.t.

hr. angle of Polaris at obser. 6h. 08.7m. p.m., 1.m.t.

Azimuth of Polaris at observation 1° 24'

April 6, 1914.

April 7, 1914, at 7h. 30m. a.m., I lay off the azimuth of

Polaris 1°24' to the east and mark the true meridian by

a nail driven in the same stake used for the solar ob-

ervation of April 6.

At 8h. 10m. a.m., 1.m.t., I set off 34°25' on the lat. arc

and 6°42'N. on the decl. arc and determine a meridian

with the solar, marking a point in the line thereof by

a nail driven in the stake used for the previous obser-

vations.

As the solar apparatus by p.m. and a.m. observations de-

termines positions for meridians within one minute of arc

east and west of the meridian determined by Polaris, I

conclude that the instrument is in adjustment.

The magnetic bearing of the true meridian at 7h. 30m. a.m.

April 7, 1914, is N.15°55'E; the angle thus determined

gives the magnetic declination N. 15°55'E.

As the cor. of acc. 13, 14, 23 and 24, previously de-

scribed, is in poor condition, I reestablish same by

setting an iron post, with a brass cap, 3 ft. long 2 in

dia., 2 ft. in the ground in a mound of stone

HOMESTEAD ENTRY SURVEY NO. 92

ANGELES NATIONAL FOREST

CALIFORNIA

Chains

marked, on brass caps

T 4 N

S 14 : S 13

S 23 : S 24

R 10 W

and 1 H B S 92 on the E. half for cor. No. 1 of this

survey, and raise a mound of stone, 3 ft. base, 2 ft.

high, W. 3 1/2 ft. dist. from the corner.

No bearing objects available.

Thence I run,

East on a random line between secs. 13 and 24; ascend.

3.50 Road from Burkhardt's Ranch to Little Rock, bears N. and S.

7.00 Ascend slope of second mesa land.

8.96 Wire fence, bears N. and S. over level mesa.

11.93 Wire fence, bears N. and S., leave mesa and descend.

25.00 Wire fence, bears N. and S.

36.00 Wire fence, bears N. and S., enter field.

39.90 Fall 6 lks. south of the 1/2 sec. cor. between secs. 13 and

24, which is an iron post 1 in. dia., 1 ft. above ground

with a brass cap, marked and witnessed as described by

the surveyor general.

Thence I run,

S. 89°55'W. on a true line between secs. 13 and 24.

14.96 Set temp. stake for cor. No. 4 and C.

29.93 Set temp. stake for cor. No. 5.

39.90 The cor. of secs. 13, 14, 23 and 24.

From the cor. of secs. 13, 14, 23 and 24, previously de-

scribed, I run,

N. 0°19'W., on a random line between secs. 13 and 14.

Descend along E. bank of deep arroyo.

8.45 Descend into deep bend of E. bank.

12.78 Regain top of bank again.

14.50 Descend into deep bend of E. bank.

20.75 Regain top of bank, descend sloping mesa.

HOMESTEAD ENTRY SURVEY NO. 92
 ANGELES NATIONAL FOREST
 CALIFORNIA

Chains

35.00 Road from Burkhardt's Ranch to Little Rock, bears NW & SW.
 40.18 Fall 13 lks, east of 1/2 sec. cor. between secs. 13 and 14, which is a badly decayed oak stake, 3 ins. diam., set in a mound of stone, 3 ft. base, 2 ft. high, without marks or witness. To reestablish this corner I set a juniper post 3 ft. long, 4 ins. sq., 2 ft. in the ground in a mound of stone, marked 1/2 S 1/4 on the W. and S 1/2 on the E. face, and raise a mound of stone 2 ft. base, 1 1/2 ft. high, W. 3/4 ft. dist., from the corner.
 Thence I run,
 S. 0°30'E. on a true line between secs. 13 and 14.
 Set temp. stake for 1/16 sec. cor. and cor. No. 2.
 40.18 The corner of secs. 13, 14, 23 and 24.
 No observation for latitude on account of cloudy weather.

From the cor. of secs. 13, 14, 23 and 24, I run

South, on a random line between secs. 23 and 24.

Ascend sloping mesa, through dense brush.

Road, bears NW and SE.

Wire fence, bears E. and W., leave brush, enter field,

bears W. and SE.

Leave field, bears E. and W., enter brush.

Fall 0.4 1/2 lks, east of the 1/2 sec. cor. between secs. 23

and 24, an iron post 1 in. diam., 1 ft. above ground,

with a brass cap, marked and witnessed as described by

the Surveyor General.

Irrigation conduit, bears NE and SW.

Ascend point of spur, bears N. and S.

Top of spur, descend along steep west slope.

Fall 0.8 lks, east of the cor. of secs. 23, 24, 25 and 26,

which is a granite stone, 8x8x8 ins. above ground, firmly

set, marked and witnessed as described by the Surveyor Gen.

Thence I run,

N. 0°03'E. on a true line between secs. 23 and 24.

HOMESTEAD ENTRY SURVEY NO. 92.

ANGELES NATIONAL FOREST

CALIFORNIA

Chains

40.14

The 1/2 sec. cor. between secs. 23 and 24.

91.46

The cor. of secs. 13, 14, 23 and 24.

April 7, 1914.

April 8, 1914. Having now retraced such public land lines as affect the exterior lines of this entry claim, I now proceed with the survey.

At 8h. 10m. a.m., 1.m.t., I set off 34.25' on the lat. arc and 70.4' N. on the decl. arc and determine a meridian with the solar at the cor. of secs. 13, 14, 23 and 24, previous-ly described, which is also cor. No. 1 of this survey.

Thence I run,

N. 0°30' W., between secs. 13 and 14, descend sloping

mass long E. bank of deep arroyo.

3.45

Descend into deep bend of E. bank of arroyo.

12.78

Regain top of bank again.

14.50

Descend into deep bend in E. bank.

17.00

Ascend steep slope of E. bank

20.09

Intersect temp. 1/16 sec. cor.

Set a Granite stone, 30x14x8 ins., 20 ins. in the ground

in a mound of stone, for 1/16 sec. cor. and cor. No. 2

of this survey, marked 1/16 S. on the SW and 2 H E S 92

on the SE face and set a mound of stone, 2 ft. base,

1 1/2 ft. high, S. 45° E., 3 1/2 ft. dist.

The 1/2 sec. cor. between secs. 13 and 14, bears N. 0°30' W.

20° 09 chains dist.

No other bearings available.

Thence I run,

N. 89°55' E. ascend steep slope.

0.69

Top of ascent, enter mesa, bears N and S.

1.90

Wire fence, bears N. and S.

HOMESTEAD ENTRY SURVEY NO. 92
 ANGELES NATIONAL FOREST
 CALIFORNIA

Chains

2.15 Road to Little Hook, bears N and S.
 7.65 Wire fence, bears E. and W., descend $\frac{1}{2}$ slope to east.
 21.94 Set a juniper post, 3 ft. long, 4 ins. sq., 2 ft. in the ground, in a mound of stone, for cor. No. 3 of this survey, marked S H E S 92 on the SW face and raise a mound of stone 2 ft. base, $1\frac{1}{2}$ ft. high, S. 45° W., $3\frac{1}{2}$ ft. dist. from the corner.
 No bearing objects available.

Thence I run,
 S. $0^{\circ}20'E.$, descend $\frac{1}{2}$ slope to southeast.

0.40 wire fence, bears E. and W., cor of fence about 50 lks. E. Intersect temp. stake set for closing cor. and cor. No. 4. Set a juniper post, 3 ft. long, 4 ins. sq., 2 ft. in the ground for closing cor. and cor. No. 4 of this survey, marked C on the N. and 4 H K S 92 on the W. face and raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high, N. $3\frac{1}{2}$ ft. dist.
 The $\frac{1}{2}$ sec. cor. between sec. 13 and 24, bears N. $89^{\circ}55'E.$, 14.96 chains.
 No other bearings available.

Thence I run,
 S $89^{\circ}55'W.$, between sec. 13 and 24, ascend.

13.00 Top of ascend, enter mesa, bears N. and S., wire fence, N. and S.

14.97 Intersect temp. stake. Set a juniper stake, 3 ft. long, 4 ins. sq., 2 ft. in the ground for cor. No. 5 of this survey, marked S H E S 92 on the NW face, and raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high, N. 45° W., $3\frac{1}{2}$ ft. dist.
 The cor. of sec. 13, 14, 23 and 24, bears S. $89^{\circ}55'W.$, 9.97 chains. dist.
 No other bearing objects available.

HONESTAD ENTRY SURVEY NO. 92

ANGEL'S NATIONAL FOREST

CALIFORNIA

Chains

Thence I run,

S. 0°02'W., ascend sloping mesa.

5.00 Set a jumper post, 3 ft. long, 4 ins. sq., 2 ft. in the

Ground for cor. No. 6, of this survey, marked 6 H E S

92 on the SW face and raise a mound of stone 2 ft. base

1 1/2 ft. high, S. 45°W., 3 1/2 ft. dist.

No bearing objects available.

Thence I run,

N. 89°55'E. over open mesa land.

2.50 Wire fence, bears N. and S. descend to arroyo.

3.00 Ravine, in arroyo, 5 lks. wide, course N. and ascend.

4.10 Leave arroyo, enter mesa, bears N. and S.

4.99 Set a jumper post, 3 ft. long, 4 ins. sq., 2 ft. in the

Ground, for cor. No. 7 of this survey, marked 7 H E S

92, on the SW face and raise a mound of stone 2 ft.

base, 1 1/2 ft. high, S. 45°W., 3 1/2 ft. dist.

No bearing objects available.

At this corner I set off 7°08'N. on the decl. arc and at

12h. 02m. 5s. p.m., 1.m.t., observe the sun on the mer-

idian. The resulting latitude is 34°25'.

Thence I run,

S. 0°02'W., ascend over open mesa.

3.00

Wire fence, bears E and W.

10.00

Set a jumper post, 3 ft. long, 4 ins. sq., 2 ft. in the

Ground for cor. No. 8 of this survey, marked 8 H E S 92

on the SW face and raise a mound of stone, 2 ft. base,

1 1/2 ft. high, S. 45°W., 3 1/2 ft. dist.

No bearing objects available.

Thence I run,

N. 89°55'E., over open mesa land.

3.80

Wire fence, bears N and SE.

HOMESTEAD ENTRY SURVEY NO. 92
 ANGELES NATIONAL FOREST
 CALIFORNIA

chain

3.90	Descend steep E. slope.
4.90	Set a Granite stone, 24x12x10 ins., 14 ins. in the ground for cor. No. 9, of this survey, marked with a cross (x) on top and 9 H E S 92 on the SW face and raise a mound of stone, 2 ft. base, 1 1/2 ft. high, S 45° W., 3 1/2 ft. dist. No bearing objects available.
8.90	Thence I run, S. 0° 03' W., ascend steep easterly slope.
2.00	Top of ascent, enter mesa bears N. 25° W. and S. 25° E.
10.00	Set a Juniper post, 2 ft. long, 4 ins. sq., 2 ft. in the ground for cor. No. 10, of this survey, marked 10 H E S 92 on the SW face. No bearing objects therefore dig pits 24x12x12 ins. crosswise on this and the succeeding course 7 ft. dist., and raise a mound of earth 4 ft. base, 2 ft. high, S. 45° W., 3 1/2 ft. dist., from the cor. Thence I run, N. 89° 55' E., over open mesa land.
1.70	Leave mesa, bears N. and S. descend steep slope.
4.99	Set a Granite stone, 36x10x8 ins., 26 ins. in the ground for cor. No. 11, of this survey marked with a cross (x) on top and 11 H E S 92 on the SW face and raise a mound of stone, 2 ft. base, 1 1/2 ft. high, S 45° W., 3 1/2 ft. dist. from the corner. No bearing objects available.
10.00	Thence I run, S. 0° 03' W., ascend over low ridges and arroyos, along E. base of mesa.

Chains

HOMESTEAD ENTRY SURVEY NO. 92
ANGELES NATIONAL FOREST
CALIFORNIA

of stone, 2 ft. base, 1 1/2 ft. high, N. 45° W., 3 1/2 ft. dist.
No bearing objects available.

Thence I run,
S. 89° 55' W., ascend steep E. slope.

Wire fence, bears N. and S., enter mesa bears N. and S.
4.98 Set a jumper post, 5 ft. long, 4 ins. sq., 2 ft. in the
ground for cor. No. 13, of this survey, marked 13 H E S

92 on the NW face.

No bearing objects therefore dig pits, 2 1/2 x 12 ins.
crosswise on this and the succeeding course 7 ft. dist.
and raise a mound of earth, 4 ft. base, 2 ft. high, N.
45° W., 3 1/2 ft. dist.

Thence I run,

S. 0° 02' W., ascend over open mesa.

Wire fence, bears E. and W.

4.24 Leave mesa, bears NE and SW, descend steep slope.

5.00 Set a jumper post, 5 ft. long, 5 ins. sq., 2 ft. in the
ground for cor. No. 14 of this survey, marked 14 H E S

92 on the NW face and raise a mound of stone, 2 ft.

base, 1 1/2 ft. high, N. 45° W., 3 1/2 ft. dist. from the cor.

No bearing objects available.

April 8, 1914.

April 9, 1914, at 9h. 15m. a.m., l.m.t., I set off 34° 25' on
the lat. arc and 7° 27' N. on the decl. arc and determine a
meridian at cor. No. 14 of this survey.

Thence I run,

S. 89° 55' W., ascend steep E. slope.

Wire fence, bears N. and S.

1.00 Top of ascent, enter mesa, bears NE and SW.

9.97 Set a jumper post, 5 ft. long, 4 ins. sq., 2 ft. in the
ground for cor. No. 15 of this survey, marked 15 H E S

HOMESTEAD ENTRY SURVEY NO. 92

ANGELES NATIONAL FOREST

CALIFORNIA

Chains

92 on the SW face. No bearing objects; therefore dis

pute 2 1/2 ft. high, growing on this and the succeeding

course 7 ft. dist., and raise a mound of earth 4 ft.

base, 2 ft. high, N. 45° W., 3 1/2 ft. dist. from the cor.

The SE cor. of Entryman's house bears N. 2 1/2° W., 5.20 chs.

The SW cor. of Entryman's barn, bears N. 3° 10' W. 3.90 chs.

Thence I run,

S. 0° 02' W., ascend slightly.

Descend into deep arroyo bears NE and SW.

2.50

Regain S. bank of same, ascend.

8.60

Wire fence, bears NW and SE.

10.80

Top of spur, bears E. and W., descend.

10.86

Set an iron post with a brass cap, 3 ft. long, 1 1/2 ins. dia.

15.00

2 ft. in the ground in a granite ledge, for cor. No. 16

of this survey, marked 16 H E S 92 on the brass cap, and

raise a mound of stone 2 ft. base, 1 1/2 ft. high, S. 45° W.

3 1/2 ft. dist.

No. bearing objects available.

Thence I run,

N 89° 55' E. descend rocky arroyo.

8.57

Set a granite stone, 30x10x6 ins., 6 ins. in the ground to

bedrock in a mound of stone, for cor. No. 17 of this survey,

marked 17 H E S 92 on the SW face and raise a mound of stone,

2 ft. base, 1 1/2 ft. high, S. 45° W., 3 1/2 ft. dist., from which:

A pine, 2 1/2 ins. dia., bears S. 1 1/2° E., 165 lms. dist.,

marked 17 H E S 92 B T.

No other bearings available.

HOMESTEAD ENTRY SURVEY NO. 92
 ANGELES NATIONAL FOREST
 CALIFORNIA

Chain

Thence I run,

S. 0°03'W., descend rocky slope.

Dry wash, 10 lks. wide, course E., ascend steep hill.

Top of hill, bears E. and W., descend.

As this point is the statutory limit of length,

Set an oak post, 3 ft. long, 4 ins. sq., 1 ft. in the

ground to bedrock, in a mound of stone, for cor. No. 18

of this survey, marked 18 H E S 92 on the NW face and

raise a mound of stone, 2 ft. base, 1 1/2 ft. high, N. 45°W.

3 1/2 ft. dist., from which:

A pine, 1 1/2 ins. dia., bears N. 14°15'E., 32 lks. dist.,

marked 18 H E S 92 B T.

A pine, 10 ins. dia., bears N. 57°20'W., 80 lks. dist.,

marked 18 H E S 92 B T.

Thence I run,

S. 89°55'W., ascend over rocky ledge.

Top of ridge, bears N. and S., enter dense brush, descend.

8.10

Intersect the line between sees. 23 and 24 at a point

S. 0°03'W., 8.50 chains from the 1/2 sec. cor. between

secs. 23 and 24, previously described.

Set a juniper post, 3 ft. long, 5 ins. sq., 2 ft. in

the ground for closing corner and cor. No. 19 of this

survey, marked C 0 on the E and 19 H E S 92 on the N. face

and raise a mound of stone, 2 ft. base, 1 1/2 ft. high, N.

89°55'E., 3 1/2 ft. from the corner.

No bearing objects available.

The corner of sees. 23, 24, 25 and 26 bears S. 0°03'W.,

31.64 chains.

At this corner, I set off 7°30'N. on the decl. arc and

at 12H. 01M. 48m., P.M., 1.m.t., observe the sun on the

meridian. The resulting latitude is 34°25'.

HOMESTEAD ENTRY SURVEY NO. 92

ANGELES NATIONAL FOREST

CALIFORNIA

Chains

Thence I run,

S. 89°55'W., descend through dense brush.

5.02 1st cor. No. 2 of 1st No. 5-1942, which is a cedar post.

3 ins. sq., 1 ft. above ground, marked and witnessed as

described by the Forest Service, bears South 1.38 km.

dist. I destroy all trace of this listing corner.

7.14 Irrigation conduit bears N. 40°E. and S. 40°W.

8.50 Descend into deep rocky gorge 150 ft.

11.15 Intersect line 3-4 of 1st No. 5-1942 at a point N.3°W.,

1.57 chains from 1st corner No. 3, which is a granite

boulder marked and witnessed as described by the Forest

Service. As this point falls in the center of a deep rocky

gorge, a place unsuitable for the corner, I destroy all

trace of this listing corner and set a granite stone,

2 1/2 x 8 ins., 1 1/2 ins. in the ground, at N.89°55'E., 3.90

chains from the true point for the corner, marked with a

cross (x) and W C 20 H E S 92 on the N. face for witness

corner and raise a mound of stone 2 ft. base, 1 1/2 ft. high,

N. 3 1/2 ft. dist. from the corner, from which:

A monument, 12 ins. diam., bears S.85°E., 75 lks. dist.,

Marked W C 20 H E S 92 B T.

As line 3-4 of 1st 5-1942 traverses the side of a perpen-

dicular cliff some 200 ft. high, and is inaccessible and

unsuitable, I offset from the true point for cor. No.

20, as follows:

N. 89°55'E. on line 20-19.

3.90 To witness corner previously described.

4.63 To a point.

Thence North.

5.52 Intersect line 4-1 of 1st No. 5-1942 at a point N. 89°24'E.

4.82 chains from 1st cor. No. 4, which is a granite cliff,

200 ft. high, marked and witnessed as described by the

Forest Service. As the true point for this corner

HOMESTEAD ENTRY SURVEY NO. 92
 ANGELES NATIONAL FOREST
 CALIFORNIA

Chains

Falls in a place unsuitable for the cor. I destroy all
 trace of the old listing marks and set a granite stone,
 20x10x8 ins., 20 ins. in the ground at N. 89° 24' E., 4.82
 chs., for witness corner and cor. No. 21 of this survey,
 marked with a cross(x) and W G 21 H B S 92 on the S.
 face and raise a mound of stone, 2 ft. base, 1 1/2 ft.
 high, S. 3 1/2 ft. dist., from the corner, from which:
 A boulder in place, 8x6x6 ft. above ground, bears N. 10°
 20' W., 40 lks. dist., marked with a cross(x) and W G
 21 H B S 92 B 7.

The course of line 20-21 is N. 5° 01' W., 3.44 chains.
 From the true point for cor. No. 21, I run N. 89° 24' E.

descend into deep gorge, -100 ft.

1.00 Cross stream, 10 lks. wide, course North and ascend.

4.82 Witness cor. for cor. No. 21, previously described.

5.00 Top of ascent, enter sloping mesa, bears N. and S.

6.32 To 1st cor. No. 1 of 1st 5-19 1/2, which is a cedar stake,

4 ins. sq., 1 ft. above ground, marked and witnessed as

described by the Forest Service. I destroy all trace

of this old listing corner and in its place set a juniper

post, 3 ft. long, 4 ins. sq., 2 ft. in the ground for cor.

No. 22 of this survey, marked 22 H B S 92 on the SE face.

No bearing objects available; therefore dig pits 2 1/2x1 1/2

ins., crosswise on this and the succeeding course 7 ft.

dist., and raise a mound of earth 4 ft. base, 2 ft high,

S. 45° E., 3 1/2 ft. dist. from the corner.

Thence I run,

N. 0° 03' E., descend through brush.

E. bank of arroyo, bears NE and SW., descend.

3.89 To a point West, 1.95 chains from cor. No. 2 of 1st No.

5-17 1/4, which is a cedar stake, 3 ins. sq., 1 ft. above

Ground, marked and witnessed as described by the Forest Service.

Set a granite stone, 26x10x8 ins., 16 ins. in the ground, for cor. No. 23, of this survey, marked with a cross(x) on top and 23 H E S 92 on the SE face and raise a mound of stone 2 ft. base, 1 1/2 ft. high, s. 45° E., 3 1/2 ft. dist. from the corner, from which:

A boulder in place, 10x4x3 ft. above ground, bears S. 55° E., 12 lks. dist.,

marked with a cross(x) and 23 H E S 92 B R.

Thence I run,

E, ascend west slope.

Top of bank, enter mesa, bears NE and SW.

0.95

To 1st corner No. 2 above described. Set a juniper post, 3 ft. long, 4 ins. sq., 2 ft. in the ground for corner

1.95

No. 24, marked 24 H E S 92 on the SE face.

No bearing objects available; therefore dig pits, 2 1/2 x 1 1/2 ins. crosswise on this and the succeeding course 7

ft. dist., and raise a mound of earth, 4 ft. base, 2 ft. high, s. 45° E., 3 1/2 ft. dist. from the corner.

The 1/2 sec. cor. between sees. 23 and 24, previously described, bears N. 87° E., 3.05 chains dist.

Thence I run,

N. 0° 18' W., descend along E. bank of arroyo.

7.56

To corner No. 3 of 1st No. 5-1744, which is cedar stake, 4 ins. sq., 1 ft. above ground, marked and witnessed as

described by the Forest Service. I destroy all trace of this listing corner and in its place set a juniper

post 3 ft. long, 4 ins. sq., 2 ft. in the ground for cor.

No. 25, of this survey, marked 25 H E S 92 on the NE face. No bearing objects available; therefore dig pits 2 1/2 x 1 1/2

ins. on this and the succeeding course 7 ft. dist.