

Field Notes of Survey over  
Exterior Lines and Interior Lines

of the most  
Northerly & North-easterly  
Sections

Twensp 7 N.- Rnge 15 W.

by

R. W. Norris - 1851

T. 8 N.

T. 8 N.

R. 16 W.

R. 15 W.

R. 15 W.

R. 14 W.

	4	3.4	3	8	3	7	3	3	2	FD 9106
	6	5	4	3	2	1	7	5	1	
	7	8	9	10	11	12	6	7	1	
	18	17	16	15	14	13	7	6	1	
	19	20	21	22	23	24	2	2	2	
	30	29	28	27	26	25	2	2	2	
	31	32	33	34	35	36				

SEE FD 9114

see FD 9197

see FD 9273

R. 15 W.

FILED DATA NO. 9458

For Re-survey see FD 9199

Filed Oct. 31, 1962

L.M. 72 & 73

Charno

Interior Lines of T. N. R. 15 N.

FILED DATA 9458

Field Notes of the Interior Lines of Township  
7 N. R. 15 W. of the San Bernardino Meridian  
According to Survey made by S. P. Norris  
Dep. Surveyor. Under his Contract dated  
December 23<sup>rd</sup> 1854.

East Boundary

From the Corner Townships 7 & 8 North  
Ranges 14 & 15 West - I run  
North - Between said Ranges Along the  
East-Boundary of Sec. 1.

- 40.00 Set a post - Charred & Chalked for 1/4 sec corner  
& raised a mound, with trench & pit 4 ft in width  
114.5 12' East
- 80.00 Set a post, Charred, chalked & notched for  
Corner to Sec. 1. 6. 7 & 12 and raised a  
mound, with trench & pit, as per instructions  
and 2<sup>nd</sup> rate & gently rolling good grass

North - Along the East-Boundary of Sec. 12.

- 16.00 To Road leading from Los Angeles to Cajon  
Pass North West.  
114.5 12' East
- 40.00 Set a post - Charred & chalked for 1/4 sec corner  
& raised mound with trench & pit 4 ft in width
- 80.00 Set a post charred, chalked & notched for the  
corner to Sec. 7. 12. 13 & 18. Raised a  
mound, with trench pit 4 ft. per instructions  
and gently rolling 1<sup>st</sup> rate.  
Scrub growth of grass.

North - Along the East Boundary of Sec. 13

- 25.00 To foot of low Mountain bears N 80 W.  
then descend the same  
114.5 12' East
- 40.00 Set a post Charred & Chalked for the  
1/4 sec. corner & raised a mound, with  
trench & pit 4 ft. per instructions
- 63.00 Enter scrub bears S & W.
- 80.00 Set a post Charred, chalked & notched  
for the corner to Sec. 13. 18. 19 & 24. &  
raised a mound with trench & pit 4 ft.  
and mountainous 2<sup>nd</sup> rate  
Growth of Oak and Cedar scrub.

Chambers Interior Lines of G.T. R. 15 W.

FILED DATA 9458

South Along the East boundary of sec. 24.

Mar 12<sup>th</sup> 12 East

40.00 Set a post Charred & chalked for 1/4 sec corner raised a mound with trench etc. as per instructions

71.00 To summit of Mountain. 2000 feet

80.00 Set a post Charred & chalked & notched for corner to Sec 19. 24. 25 & 30. raised a mound, with trench etc. as per instructions

Cloud Mountains 3000 feet. Growth of scrub etc.

South - Along the East boundary of sec. 25

Mar 14<sup>th</sup> 12 East

17.00 Enter valley near N.W.

30.00 Enter western end of Lake Elizabeth - bears N.W. water channel & salt

39.00 Leave Lake Elizabeth

44.00 Set a post Charred & chalked for 1/4 sec corner & raised a mound, with trench pit etc. as per instructions from which a willow 10 inch diameter bears S. 38 E.

By old channel

62.00 To foot of mountain and special mountain bears N. 55 W. here find that it is not practicable to run further owing to the nature of the Mountains therefore I drove a charred & chalked stake for witness corner from which a white oak 3 inch diam. bears East 40 S. 30 W.

A black oak 1 inch diam bears N. 80 S. 90 W. found in valley 1<sup>st</sup> rate, the remainder 2<sup>nd</sup> rate Growth - scrub on Mountains Cottonwood Dead Willows in Valley

North Boundary

From the corner to Township 7 & 8 North Ranges 14 & 15 West Same

West Between sec. 1 & 36

Mar 12<sup>th</sup> 12 East

40.00 Set a post Charred & chalked for 1/4 sec corner & raised a mound with trench pit etc. as per instructions

Interior Lines of T. N. Co. 15th

FILED DATA 9458

80.00 Set a post, charred, chalked & marked for the corner to sec. 1. 2. 35 & 36 & raised a mound, with trench for water & sand & gravel & rolling

West Between sec. 2 & 35  
Mar 14. 12 East

40.00 Set a post charred & chalked for the 1/4 sec. corner & raised a mound with trench for water - see for instructions

75.00 On Road to Fort - Upon corner 35th

80.00 Set a post, charred, chalked & marked for the corner to sec. 2. 3. 34 & 35 & raised a mound, with trench for water & sand & gravel & rolling

West Between sec. 3 & 34  
Mar 14. 12 East

40.00 Set a post, charred & chalked for the 1/4 sec. corner & raised a mound, with trench for water - see for instructions

80.00 Set a post, charred, chalked & marked for the corner to sec. 3. 4. 33 & 34 & raised a mound, with trench for water & sand & gravel & rolling

West Between sec. 4 & 33  
Mar 14. 12 East

40.00 Set a post, charred & chalked for the 1/4 sec. corner & raised a mound with trench & pit for instructions

80.00 Set a post, charred, chalked & marked for the corner to sec. 4. 5. 32 & 33 & raised a mound, with trench for water & sand & gravel & rolling

West Between sec. 5 & 32  
Mar 14. 12 East

40.00 Set a post charred & chalked for the 1/4 sec. corner & raised a mound with trench for water

80.00 Set a post, charred, chalked & marked

Interior Lines of Twp. 6. 31 + 32.

FILED DATA 9458

Corners

for the corner to sec. 5, 6, 31 + 32.  
and raised a mound with bench pins  
&c. per instructions.  
Saw 2 <sup>1/2</sup> paces & level

Wed Between sec. 6 & 31.

MAN 11 + 12' Level

- 5.40 To Hill bearing N. 45.
- 37.50 To Sharp hill
- 41.00 Set a post - Chained & staked for the  
1/4 Cu. corner & raised a mound  
with bench & pins per instr.
- 42.00 Into waterway Pines
- 80.00 Set a post - Chained & staked & mounted  
and establish the corner to Township  
7 & 8 North - Range 15 & 16 West & raised a  
mound, with bench & pins - as with  
from which a Pine 1/4 mile chain bears S 70.  
2 1/2 & 1/2 distant.  
This mound is on the North side of  
Sharp Bluffs 80 feet deep. Saw 2 <sup>1/2</sup> paces

It is impossible to run on the West  
boundary of this Township's amount  
of Sharp Mountains.

34  
35  
36

Claim x T. J. R. 15, W. of Mrs. Bernard, Mrs. Mrs.

FILED DATA 9458

Subdivisions  
Field Notes of the Subdivisions of Township  
7 North; Range 15 West. of the 119th  
Bernardin Meridian, Cal., according to  
Survey made by Ralph W. Snow, Ad. Sur.  
under contract dated December 23<sup>rd</sup> 1854

Commenced the Survey of this Township  
as part of Township August 17<sup>th</sup> 1855 at  
the post-corner to sec. 1. 2. 35 & 36 - and  
as the South-boundary is not run on account  
of the mountains. A corner

South Between sec. 1 & 2.

Nov 14<sup>th</sup> 12<sup>th</sup> East

40.00 Set a post. Chained & chalked for the 1/4 sec  
corner & raised a mound, with brush  
& pits, as per instructions.

46.50 Cross road to Fort. Ligon Course N. 15 W.

54.00 1/2 Meridian Course N. 45 East

68.00 Leave the same

80.00 Set a post, Chained, Chalked & marked  
for the corner to sec. 1. 2. 11 & 12. &  
raised a mound, with brush pits &  
per instructions.

Land 2<sup>nd</sup> & following

East - On a Meridian line between sec. 1 & 12.

Nov 14<sup>th</sup> 12<sup>th</sup> East

40.00 Set a post for temporary 1/4 sec. post.

60.00 Cross Road to Fort. Republic Course N. 77 W.

79.90 Intersects the East boundary of the  
Township 6 Chs South of the corner  
to sec 1 & 12. from which as been

West - On a Meridian line between sec 1 & 12

Nov 14<sup>th</sup> 15<sup>th</sup> East

39.95 Set a post. Chained & chalked for the  
1/4 sec. corner & raised a mound, with  
brush pits & per instructions.

79.90 The corner to sec. 1. 2. 11 & 12.

Land 2<sup>nd</sup> rate & gently rolling

South - Between sec. 11 & 12.

Nov 14<sup>th</sup> 12<sup>th</sup> East

6  
Chans

Y. H. N. 15 W. of New Brunswick St.

FILED DATA 9458

38.00 To Shop depreciation on Brownstone 45' x 50' x 100' Charned & chalked for the 1/4 sec. corner & raised around, with French Spis - as per instructions

52.00 To buy best of Crick 12 1/2' wide corner

69.00 Seal, Brown

80.00 Set a post, charned, chalked & notified for the corner to see. 11, 12, 13 & 14. & raised a mound with French Spis as per instructions  
and 2 separate stalling

East - On a Random line between sec. 12 & 13  
Mar 14 & 12 East

40.00 Set a post for temporary 1/4 sec. corner  
80.00 Interest the East boundary of the Township 50' to North - by the corner to see 12 & 13. from which I run

West - On a Random line between sec. 12 & 13.  
Mar 13 & 5 East

20.00 Set a post Charned & chalked for the 1/4 sec. corner & raised a mound with French Spis - as per instructions

30.00 The corner to see. 11, 12, 13 & 14.  
and 2 separate stalling low hills.

x South - Between sec. 13 & 14.  
Mar 14 & 12 East

20.00 To buy best of Crick 10' wide corner East

25.00 To post of steps & suggest hill

40.00 The 1/4 sec. corner corner on both side and not being able to construct a mound, which would be permanent. I raised a mound at foot of hill 15th East and make French & Spis - as per instructions

Can proceed no further South - on account of the steepness of the mountain but return to the corner to sections 11, 12, 13 & 14. from

West - Between sec. 11 & 14.

Chains

7  
2 of N. B. 15 W. of the San Bernardino Mountains

Nov 14<sup>th</sup> 12 East

FILED DATA 9458

45.00 Set a post - Chained & chatted for the 1/4 sec corner  
& raised a mound, with trench & pit per inst.  
at the foot of a steep & rugged Mountain, then  
proceed on further West  
Land 2<sup>nd</sup> rate

South - Between sec. 2 & 3.

Nov 14<sup>th</sup> 12 East

20.00 30 feet of hills Course S & W.  
45.00 Set a post, chained & chatted for the 1/4 sec  
corner & raised a mound, with trench  
& pit, &c per instructions  
80.00 Set a post, chained, chatted & watched.  
for the corner to sec. 2, 3, 10 & 11.  
& raised a mound with trench & pit  
as per instructions  
Land 2<sup>nd</sup> rate & hilly

East - On a Random Line between sec 2 & 11.

Nov 14<sup>th</sup> 12 East

45.00 Set a post for temporary 1/4 sec corner.  
60.00 Leave hills & enter valley  
80.16 Intersected N & S line 2000 North of the  
corner to sec 1, 2, 11 & 12. from which  
Corner Chain

34  
35  
3

West - On a Random Line between sec. 2 & 11.

Nov 14<sup>th</sup> 03 East

40.08 Set a post, chained & chatted for the 1/4  
sec. corner & raised a mound with trench  
& pit per instructions.  
80.16 The corner to sec. 2, 3, 10 & 11.  
Land 2<sup>nd</sup> rate following hills & valley

It not being practicable to survey further  
South - on account of the mountains I go to  
the corner to sec. 3, 4, 33 & 34 & run

South - Between sec. 3 & 4.

Nov 14<sup>th</sup> 12 East

40.00 Set a post, chained & chatted for the 1/4 sec.  
corner & raised a mound with trench & pit  
at foot of steep mountain, per instructions.  
Land 2<sup>nd</sup> rate & hilly



Chains

E 7 N. R. 15 W. of San Bernardino Meridian

South

From the corner to sec. 4. 5. 33 & 32. 4000  
Between sec. 4 & 5.

FILED DATA 9458

21.50

Nov 14<sup>th</sup> 12<sup>th</sup> East

 Set a post Charred & Chalked & raised a mound  
at foot of steep Mountain not being able to  
carry further South  
Sund 2<sup>nd</sup> rate.

North

From the corner to sec. 5. 6. 31 & 32 4000  
Between sec. 5 & 6

20.00

Nov 14<sup>th</sup> 12<sup>th</sup> East

 Into scattering pine & Cottonwood  
22.00 To bottom of deep depression Course S & W.  
40.00 Set a post, Charred & Chalked, at foot of steep  
Mountain & raised mound, with bunch of sticks  
per instructions,  
Sund 2<sup>nd</sup> rate

Can proceed no further on account of the  
steepness and ruggedness of the hills

### General Description

The land in this Township is adapted to agriculture  
or grazing.

There are springs of water on the hills  
as well as timber.

U. S. Genl. Office  
San Francisco, Dec 7<sup>th</sup> 1857

certify that the foregoing transcripts of field  
notes of the Survey of the Eastern Boundary  
and Subdivision of Township 7 North  
Range 15 West of the San Bernardino Meridian  
had been correctly copied from the original  
notes on file in this Office.

H. H. Wagoner  
M. S. Genl. Col.