WS 2882

platt #2882

UNDER ACT OF CONGRESS OF MAY 10, 1872

FIELD NOTES

of the Survey

of the

TAMALPAIS CONSOLIDATED OIL

CLAIM, CLAIMED BY

The Pacific Coast Oil Company

in

San Fernando Petroleum Mining District
Los Angeles County.

Township No. 3 North, Range No. 16 West, San
Bernardino Base and Meridian, State of California.
Survey Made by W. F. Mc Clure,

U. S. Deputy Mineral Surveyor.
Under Instructions Dated March t, 1889
Survey Begun April 15, 1889
Survey Completed April 25, 1889.

FIELD NOTES OF THE SURVEY OF THE TAMALPAIS CONSOLIDATED OIL CLAIM

Course Chains

Beginning at the point for the quarter section corner between sections 16 and 17, township No. 3 north, range No. 16 west, San Bernardino Base and Meridian, on steep west slope where a corner will not stand, from which point

A live oak tree 26 inches
"1 S."
diameter marked W.C. for
witness to said quarter
corner bears N. 0° 25' E.,
156 links distant and running
thence

on true courses. The variation
of the magnetic needle being 14°
35' east

20.00 or 1320 ft.

To a 4 x 4 redwood post, marked

"S 7" on the north side and "T 5"

on the east side for station 5

of the the "Tamalpais" Location,

in a mound of sandstones, the same

being the original location corner from which

A sycamore tree 8 inches diameter bears N. 49° 30 'E., 9½ links distant thence

N.89°35'W.

2

Chains

N.0°25'E.

16.20

1069.2 ft.

To a 4 x 4 redwood post, marked "T" on the northwesterly side "S 6" on the southwesterly side and "T 6" on the south side for station 6 of the "Tamalpais Location in a mound of sandstones, the agme being the original location corner, from which station 3 of the "Towsley Petroleum Mine" as per official survey, bears S. 26° 30' W., 87 links distant.

A sycamore tree 21 inches diameter bears N. 74° 30' E. 28 links distant,

Thence

Along the southeasterly boundary of the "Towsley Petroleum Mine" as per official survey.

21.84 1441.4 ft.

N.26°30'E

3

To a 4 x 4 redwood post, marked "W 2" on the southwest side for station 2 of the "Towsley Petroleum Mine" and "T 7" on the NW. and SE. side for station 7 of the "Tamalpais" location in a mound of shale and earth, the same ter ing the original location corner, from which

A live oak tree 20 inches

Course Chains.

diameter marked "B.T" bears
S. 63° 30' E., 289 links
distant.

Thence

N.63°30'W.

Along the northeasterly boundary line of the "Towsley Petroleum Mine" as per official survey.

9.80 or 646.80 ft.

To a 4 x 4 redwood post marked
"T" on the southwesterly side,
"D 12" on the northwesterly side
for station 12 of the "Diablo"
location and "T 8" on the southeasterly side for station 8 of
the "Tamalpais" location, in a
mound of sandstone on the line
between sections 8 and 17, and
from which

The established corner to sections 8, 9, 16 and 17 bears S. 89° 35' E., 19.22 chains distant.

26.39 or 1741.7 ft.

To a 4 x 4 redwood post marked

"W 1" on the SE. side for station

1 of the "Towsley Petroleum Mine"

and "D 11" on the SW. and NE. sides

for station 11 of the "Diablo"

location, in a mound of sandstone

on the eastern point of a ridge;

S.26°30'W.

5

Chains

the same being the original location corner, the original corner of the "Towsley Petroleum Mine" a sandstone 10 x 9 x 5 inches, marked "W 1" being on top of mound

Thence

Along the northwesterly boundary of the "Towsley Petroleum Mine" as per official survey.

4.71 310.9 ft.

To a 4 x 4 redwood post marked "T 1" on the south side for station 1 of the "Temple Oil Mine" and "D 10" on the north side for station 10 of the "Diablo" location in a mound of shale, in a large bed of shale, the same being the original location corner. and from which

A walnut tree 12 inches in diameter marked "A" one of a clump of seven walnut trees bears S., 268 links distant.

Thence

N.0°25'E.

12.46

To a 4 x 4 redwood post, marked "T 2" on the south side for state ion 2 of the "Temple Oil Mine" and "D 9" on the west side for

Course Chains

for station 9 of the "Diablo" location, in a mound of earth and gravel on a high rocky spur sloping eastwardly to the "Narrows" in "Towsley Canon" the same being the original location corner.

Thence

N.89°35!W. 33.23

7

Cr.

on the west side for station 2 and SE. corner of the "Encino" location "T" on the south side and "D 8 on the N. andreast side for station 8 of the "Diablo" location in a mound of earth, the same being the original location corner and station 2 of the "En-

or
3645.18 ft. To a 4 x 4 redwood post marked
"T 3" on the east and south side
for station 3 on the "Temple Oil
Mine" and "E" on the north side
in a mound of earth.

cino" location.

or or 990.2 ft. To a 4 x 4 redwood post marked "R 3" on the NW. side and "E 3" on the northeast side for station 3 and SW. corner of the "Encino" location, in a mound of earth on

Chains

steep brushy NE. slope, the same being the original location corner. Thence

N.0°25'E.

16.20

1069.20 ft. To a 4 x 4 redwood post marked "R" on the west side, and "E" on the east side, in a mound of sandstones and earth, on high ridge bearing east and west.

21.51 1419.7 L.

To a similar post, marked "C 8" on the NE. side for station 8, and SW. corner of the "Camuelos" Oil Mine "R" on the west side, and "E 4" on the . SE. side for station 4 of the "Encino" location in a mound of sandstones and earth on the east slope of spur the same being the original location Thence corner.

S.89°35'E.

Along the south boundary of the "Camuelos" Oil Mine, as per official survey.

42.48

To a 4 x 4 redwood post, marked "C 7" on the NW. side for station 7 of the "Camuelos" Oil Mine and "E 5" on the ME. and SW. sides for station 5 of the "Encino" location in a mound of earth

Chains Course

> on the grassy north slope of "Wilson Hill" the same being the original location corner and from which

> > A live oak tree 28 inches diameter bears S. 6° W., 99½ links distant

> > > Thence

Along the east boundary of the "Camuelos" Oil Mine, as per official survey.

To a 4 x 4 redwood post, marked "C 6" on the west and south sides for station 6 of the "Camuelos" Oil Mine "A" on the north side and "E 6" on the east side for station 6 of the "Encino" location, in a mound of shale on north slope of shale spur, the same being the original location corner - and from which

A live loak tree 20 inches diameter bears N. 80° E., 11 links distant.

> A live oak tree 20 inches diameter bears N. 21° 30' W. 12 links distant

> > Thence

Along the south boundary of the "Alameda" Oil Mine, as per offi-

N.0°25'E. 10

> 7.79 514.2 ft.

S.89°35'E. 11

Chains

cial survey.

15.04 or 992.6 ft.

To a 4 x 4 redwood post marked

"A 3" on the north and west sides

for station 3, and southeast

corner of the "Alameda" Oil Mine

and "E 1" on the south side for

station 1 and northeast corner of

the "Encino" location in a mound

of quartz stones on steep west

slope of small rocky point the

same being the original location

corner,

. Thence

12

S.0°25'W.

5.00 or 330.00 ft

To a 4 x 4 redwood post, on a ridge bearing NE. and W.

23.32 or

1539.12 ft To a 3 x 4 redwood post on a ridge bearing E. and W.

28.29 or 1867.1 ft.

"D 7" on the E. and S. sides for station 7 of the "Diablo" location, and "E" on the west side, in a mound of earth on same covered south slope, the same being the original location corner.

Thence

Along the south boundary of the

S.89°35'E.

13

Chain

"Wilson" Oil Claim

42.38

or 2797.1 ft.

"D 6" on the north side for station 6 of the "Diablo" location, in a mound of boulders, on the left edge of stream at the mouth of the "Narrows" of "Towsley Canon" the same being the original location corner and from which

A willow tree 19 inches diameter bears S. 71° 30' E. 40 links distant.

Thence

N.0°25'E.

Along the east boundary of the "Wilson Oil Claim"

23.80 or 1570.8 ft.

To a 4 x 4 redwood post marked
"D 5" on the east and south sides
for station 5 of the "Diablo"
location, in a mound of shale,
on SW. slope, the same being the
original location corner.

Thence

15

14

S.89°35'E. 27.45 or 1811.7 ft.

To a 4 x 4 redwood post marked
"D" on the south side and "3" on
top in a mound of earth, at the
quarter section corner between
sections 8 and 9, T. 3 N., P. 16

Chains

W., S. B. B. and M.

41.94 or 2768.ft.

To a 4 x 4 rodwood post marked
"D.4" on the south and west sides
for station 4 and NE. corner of
the "Diablo" location in a mound
of earth, the same being the original location corner.

Thence

6 S.0°25'W.

18.80

Cross road, course east and west.

20.13

1328.6 ft.

Cross small stream in "Towsley
Canon" course east to a 4 x 4
redwood post, marked "T 3" on the
SW. side for station 3 at NE.
corner of the "Tamalpais" location
"R" on the east side and "D 3"
on the NW. side for station 3 of
the "Diablo" location, in a mound
of sandstone boulders, the same
being the original location corner
and from which

A sycamore tree 10 inches diameter on the left edge of stream bears N. 50° 45' K. 54 links distant.

A cottonwood tree 23 inches diameter on the left edge of stream bears N. 65° 30' W., 34 links distant.

16

Chains

40.34

2662.4 ft.

To a 4 x 4 redwood post marked "S 9" on the north side "S 16" on the south side, and "T" on the west side at the point of intersection with the line between sections 9 and 16, and from which The established corner to sections 8, 9, 16 and 17 T. 3 N., R. 16 W. S. B. B. and M. bears N., 89° 35 W., 14.91 chains distant.

56.69 3741.5 ft.

To a live oak tree 14 inches diameter marked "W 3", on the south side for station 3 and NW. corner of the "Wiley Petroleum Mine" as per official survey.

66.93 4417.4 ft.

To a 4 x 4 redwood post marked "W" on the east side and "T" on the west side in a mound of shale on a high ridge, forming the divide between the drainage of the "Towsley Canon" on the the west and the "Wiley Canon" on the east the bearing ridge of ridge being northeast and southwest

80.47.

5311.00 ft. To a 4 x 4 redwood post marked "W" on the east side "S 1" on the

id

the

ation

01

ound

me

orner

18

ţе

151 B.

ches

ge of

W.,

Chains Course

southwest side, and "T 4" on the northwest side for station 4 and SE: | corner of the "Tamalpais" location, in a mound of sandstones the same being the original location corner, from which the southwest corner of the "Wiley Petroleum Mine" as per official survey bears S. 0° 25' W., 5.70 chains distant

The point for the quarter section corner between sections 16 and 17 bears N. 89° 35' W., 14.91 chains distant.

Thence

14.72 N.89935'W. 17.

971.5 ft.

To a 4 x 4 redwood post marked "S" on the south side, and "T" on the north side in a mound of sandstones, on a high ridge forming the divide between the "Towsley" and "Wiley" Canons the bearing of ridge being north and south

14.91 984:1 ft.

To the point of beginning, containing four hundred and forty five and twelve one-hundredths (445.12) acres of land. This claim is on land partly surveyed and partly unsurveyed,

and is in sections 7, 8, 9, 16 and 17, Township No. 3 North, Range No. 16 West, San Bernardino Base and weridian.

W. F. MC CLURE,
U. S. Deputy Mineral Surveyor.

FIELD NOTES OF THE SURVEY OF THE TAMALPAIS LOCATION

Course

Chains

Beginning at the established corner to sections 8, 9, 16 and 17, Township No. 3 North, Range No. 16 West, San Bernardino Base and Meridian, the same being marked by the original walnut post, properly marked in a mound of earth together with a 4 x 4 redwood post, marked "D 1" on the northwest side for station 1 of the "Diablo Oil Claim" and "T 1" on the north side for station 1 of this claim, on the northwest slope, near the top of ridge, an running thence On true courses the variation of

N.1° E.

the magnetic needle being 14° 35 east, retracing the established line between sections 8 and 9, descending steep north slope.

12.30 or .811.8 ft.

Base of mountain, and enter value of "Towsley Canon"

15.26 or 1007.2 ft.

Cross road course east and west to a 4 x 4 redwood post marked "D" on the west side, and "T" o

Chains

the east side, in a mound of sandstones and earth.

15.36

1013.8 ft. Top of bank 20 links high.

15.86

or

Cross stream bed 35 links wide, 1046.8 ft. with small stream whose course is east, and ascend southwest slope through sage brush

20.21

1333.9 ft.

To a 4 x 4 redwood post marked "D 2" on the southwest side for station 2 of the "Diablo Oil Claim" and "T2" on the southeast side, for station 2 of this claim, in a mound of earth the same being the original location corner.

Thence

S.89°35'E.

2

9 .

Ascending southwest slope.

2.61

or 172.3 ft. To a 4 x 4 redwood post, marked "D" on the north side, and "T" on the south side, in a mound of earth

on a spur sloping south

10.84 or

To a similar post, similarly marked 715.4 ft. in a mound of sandstones on a low rocky spur sloping southeast.

12,00

Bottom of slope and enter valley

Chains

of "Towsley Canon"

13.30

Cross road, course northeast and or 877.8 ft. south

14.00

Top of bank 20 links high. or 924. ft.

14.69

969°5 ft.

Cross stream bed 50 links wide with small stream, course east to a 4 x 4 redwood post, marked "D 3" on the northwest side for station 3 of the "Diablo Oil Claim" and "T 3" on the southwest side for station 3 of this claim, in a mound of sandstone boulders the same being the original location corner, from which

A sycamore tree 10 inches diameter, on left edge of stream bears N. 50° 45' east, 54 links distant.

A cottonwood tree 23 inches diameter on the left edge of stream, bears N. 65° 301 W., 34 links distant.

Thence

s.0°25'W.

3

2.24

Top of bank 25 links high. 147.8 ft.

2.40

Bottom of bank and run up bed 158.40 ft. of stream.

Chains

4.10

270.60 ft. Leave bed of stream.

4.60

or 303.60 ft. Top of bank 30 links high.

5.53

or 365.00 ft. To a 4 x 4 redwood post, marked

> of sandstones and earth, on a low sage covered spur sloping northwest and run across west slope.

16.63

or 1097.6 ft. To a similar post, similarly marked, in a mound of earth, on a spur sloping west.

19.50

or
1287.00 ft. Cross a ravine 15 links wide,
course northwest, and ascend
north slope.

20.21 or 1333.9 ft.

To a 4 x 4 redwood post, marked
"S 9" on the north side, "S 16"
on the south side, and "T" on the
west side, at the point of intersection with the line between sections 9 and 16, and from which
the established corner to sections
8, 9, 16 and 17, T. 3 N., R. 16 W.,
S. B. B. and M. bears N. 89° 35'
W., 14. 91 chains distant, and

Chains. Course

ascend northwest slope.

29.64

To a 4 x 4 redwood post marked 1956.2 ft. "T" on the west side, in a mound of sandstones, on a rocky spur sloping northwest, and descend southwest slope.

34.80

2296.80 ft. Cross a ravine 20 links wide, course northwest and ascend north slope.

36.56

2413.00 ft. To a live oak tree 14 inches in diameter, marked "W 3" on the south side for station 3 and northwest corner of the "Wiley Petroleum Mine" as per official survey.

41.64

To a 4 x 4 redwood post, marked 2748.2 ft. "W" on the east side, and "T" on the west side, in a mound of ear

42.99

To a li inch stake in a mound 2837.3 ft. of earth, and ascend through wi oats.

46.80

3088.80 ft. To a 4 x 4 redwood post, marked "W" on the east side, and "T" the west side, in a mound of

Course Chains

shale, on a high ridge, forming the divide between the drainage of the "Towsley Canon" on the west side, and "Wiley Canon" on the east, the bearing of ridge being northeast and southwest and descend south slope.

60.34 or 3982.4 ft.

To a 4 x 4 redwood post marked

"W" on the east side, "S 1" on

the southwest side, and "T 4" on

the northwest side for station 4

and southeast corner of this

claim, in a mound of sandstones

the same being the original location corner and from which point

for the quarter section corner

between sections 16 and 17 bears

N. 89° 35' W., 14.91 chains

distant. The southwest corner

of the "Wiley Petroleum Mine" as

per official survey bears S. 0°

25' W., 5.70 chains distant.

Thence

N.89°35'W.

3.00 6r 198.00 ft.

Cross a ravine, course S. 65° E. and ascend east slope.

14.72 or 971.5 ft.

To a 4 x 4 redwood post, marked
"S" on south side and "T" on the
north side, in a mound of sandstones

Chains

on the high ridge forming the divide between the "Towsley" and "Wiley" Canons, the bearing of the ridge being north and south.

14.91 or 984.1 ft.

To a point for quarter section corner between sections 16 and 17, on steep west slope, and from which point a live oak tree "‡ S" 26 inches diameter, marked W C for witness to said quarter section corner bears N. 0° 25' E., 156 links distant, and descend steep west slope.

32.98

2176.7 ft. To a 4 x 4 redwood post, marked

"S" on the south side and T. on

the N. side in a mound of sand
stone on steep north slope.

34.91 or 2304.1 ft.

To a similar post marked "S7" on the the north side and "T 5" on the east side for station 5 and southwest corner of this claim in a mound of sandstones, the same being the original location corner and from which

a sycamore tree 8 inches diameter bears N. 49° 30' E. 9½ links distant

Thence

N.0° 25' E.

Chains

2.60

Cross deep canon 50 links wide, 171.6 ft. course west and ascend south slope.

4.83 318.8 ft.

To a 4 x 4 redwood post, marked "S" on the west side, and "T" on the east side, in a mound of shale and earth, on point of spur sloping west.

10.06 664. It

To a similar post, similarly marked, in a mound of earth on a high spur sloping west and descend northwest slope.

15.95

Cross ravine 10 links wide, course 1052.7 ft. southwest.

16.20

To a 4 x 4 redwood post, marked 1069.2 ft. "T" on the northwesterly side, "S 6" on the southwestrly side, and "T 6" on the south side, for station 6 of this claim, in a in mound of sandstones, the same being the original location corner and from which

> Station 3 of the "Towsley Petroleum Mine" as per official survey bears S. 26° 30' W., 87 links distant A

Chains Course

Sycamore tree 20 inches diameter bears N. 74° 30' E., 28 links distant

Thence

N. 26°30'E.

Along southeasterly boundary of the "Towsley Petroleum Mine" ascending southwest slope.

6.84 To a 4 x 4 redwood post, marked 451.4 ft. "T" on the northwesterly and southeasterly sides, in a mound of earth and run across west slope.

12.22 To a similar post, similarly. or 806.5 ft. marked in a mound of earth, and descend steep north slope.

16.20 Cross deep ravine 20 links wide, 1069.2 ft. course northwest and ascend steep southwest slope

21.84 redwood post, marked To a 4 x 4 01 1441.4 ft. "W2" on the southwest side for station 2 of the "Towsley Petroleum Mine" and "T 7" on the northwest and southeast sides for station 7 of this claim in a mound of shale and earth the same being the original location

corner, and from which A live oak tree 20 inches diameter marked "W. 2" bear

N.63°30'W.

Chains

S. 63° 30' E., 2.89 chains distant

. Thence

Along the northeasterly boundary of the "Towsley Petroleum Mine" descending southwest slope.

9.80 646.8 ft.

To a 4 x 4 redwood post marked "T" on the southwesterly side "D 12" on the northwesterly side for station 12 of the "Diablo Oil Claim" and "T 8" on the southeasterly side for station 8 of this claim, in a mound of sandstones the same being the original location corner on the line between sections 8 and 17 and from which the established corner to sections 8, 9, 16 and 17 bears S. 89° 35' E., 19.22 chains distant.

Thence

Retracing the established line between sections 8 and 17, ascend ing southwest slope.

5.81. 383.5 ft.

To a 4 x 4 redwood post, marked "D" on the north side and "T" on the south side in a mound of earth, on a ridge bearing northwest and southeast, and run across

8

S.89°35'E.

Chains

broken north slope.

19.22 or 1268.5 ft.

To the point of beginning,
containing one hundred and fiftyeight and thirty one-hundredths
(158.30) acres

This claim is surveyed land of the United States and is situated on sections 9, 16 and 17, Township No. 3 North, Range No. 16 West, San Bernardino Base and Meridian.

W. F. MC CLURE,
U. S. Deputy Mineral Surveyor.

FIELD NOTES OF THE SURVEY OF THE "DIABLO" LOCATION

Chains. Course

> Beginning at the established corner to sections 8, 9, 16, and 17, Township No. 3, North, range No. 16 West, San Bernsrdino Base and Meridian, the same being marked by the original walnut post properly marked in a mound of earth together with a 4 x 4 redwood post marked "T 1" on the northeast side for station 1 of the "Tamalpais Oil Claim" and "D 1" on the northwest side for station 1 of this claim, on the northwest slope near the top of ridge and running thence, On true courses, the variation o of the needle being 14° 35' east retracing the established line between sections 8 and 9 and des cending steep north slope.

N. lo E.

1

12.30

811.80 ft. Base of mountain, and enter valley of "Towsley Canon"

15.26

1007.16 ft. Cross road east and west to a 4 x 4 redwood post, marked "T"

Chains

onthe east side and "D" on the west side, in a mound of sandstones and earth.

15.36

1013.76 ft. Top of bank 20 links high.

15.86

or 1046.76 ft. Cross stream bed 35 links wide, with small stream whose course is east, and ascend southwest slope thorugh sage brush.

20.21

1333.9 ft.

To a 4 x 4 redwood post, marked "T 2" on the southeast side for station 2 of the "Tamalpais Oil Claim" and "D 2" on the southwest side for station 2 of this claim in a mound of earth, the same being the original location corner

Thence

Ascending southwest slope.

S.89°35'E.

2

2.61

or 172.26 ft. To a 4 x 4 redwood post marked "T" on the south side, and "D" or the north side, in a mound of earth, on a spur sloping south

10:84

To a similar post with duplicate 715.84 ft. marks, in a mound of sandstones, on a low rocky spur sloping south

east

Chains

12.00

or 792.00 ft.

Bottom of slope and enter valley of "Towsley Canon"

13.30 or

or 877.80 ft.

Cross road course northeast and south

14.00

or 924.00 ft.

Top of bank 20 links high

14.69 or 969.5 ft.

Cross stream bed 50 links wide,
with small stream course east,
to a 4 x 4 redwood post marked
"T 3" on the southwest side for
station 3 and northeast corner
of the "Tamalpais Oil Claim" "R"
on the east side and "D 3" on the
northwest side for station 3 of
this claim, in a mound of sandstone boulders, the same being
the original location corner and
from which

A sycamore tree 10 inches diameter on the left edge of stream bears N. 50° 45'
E., 54 links distant
A cottonwood tree 23 inches diameter on the left edge of stream bears 65° 30' W.
34 links distant.

Thence

3

Chains

N.0°25'E.

0.26

Cross stream 10 links wide, course 17.16.ft . east

0.45

or 29.70 ft.

Top of bank 15 links high

1.52

or 100.32 ft

Cross road, course east and west

3.49

To a 2½ inch elder stake, in a 230.34 ft. mound of sandstones, and ascend south slope.

12.51

825.66 ft.

To a 4 x 4 redwood post marked "R" on the east side and "D" on the west side, in a mound of sandstones on a high ridge, sloping east, and descend north slope.

20.13

1328.6 ft.

To a 4 x 4 redwood poat, marked "D 4" on the south and west sides for station 4 and northeast corner of this claim in a mound of earth, the same being the original location corner

Thence

Ascending east slope of spur.

N.89°35'W.

2.89

To a 3 x 4 redwood post marked 190.74 ft. "D" on the south side, and "1" on top, in a mound of earth, on a spur sloping northeast, and

Chains

run across broken north slope of ridge.

9.59
or
632.94 ft. To a similar post marked "D" on
the south side and "2" on top,
in a mound of earth

or
956.34 ft. To a 4 x 4 redwood post, marked
"D" on the south side, and "3"
on top in a mound of earth, at
the quarter section corner between
sections 8 and 9, T. No. 3 N.,
R. No. 16 W., S. B. B and M.

15.39
or
1015.74 ft. To a 2 inch stake in a mound of
earth, on a ridge sloping northwest, and run across broken south
slope of ridge.

or
2121.24 ft. To a 4 x 4 redwood post, marked
"D" on the south side, and "4"
on top, in a mound of earth, on
a spur sloping S. 25° E.

or
2659.80 ft. To a 3 x 4 redwood post, marked
"D" on the south side and "5"
on top, in a mound of sandstones
on low spur sloping south.

41.94 or 2768. ft. To a 4 x 4 redwood post marked

Chains

"D 5" on the east and south sides for station 5 of this claim, in a mound of shale on southwest slope the same being the original location corner,

Thence

S.0°25'W.

Along east boundary of the "Wilson Oil Claim"

8.37 or 552.42 ft. To a 4 x 4 redwood post, marked "D" on the east side, in a mound of sandstones, on a high spur, sloping southeast, and descend broken southwest slope.

14.70 970.20 ft.

To a similar post marked "D" on the east side and "1" on top, in a mound of conglomerate stones.

21.20 Cross a ravine, course east 1399.20 ft.

23,80 1570.8 ft.

To a 4 x 4 redwood post, marked "D 6" on the north side for station 6 of this claim in a mound of boulders on the left edge of stream, at the mouth of the "Narrows" of the "Towsley Canon" the same being the original location corner and from which A willow tree 19 inches

5

Chains

diameter bears S. 71° 30' east 40 links distant.

Thence

6 N.89°35'W.

Along the south boundary of the "Wilson Oil Claim" ascending steep northeast face of rock bluff.

or
415.80 ft. To a 4 inch manzanita stake in
a mound of sandstones, on the top
of almost perpendicular rock bluff

or
838.86 ft. To a 3 x 4 redwood post, marked
"D" on the south side, and "l"
on top, in a mound of sandstones
and run across north slope.

or
1545.72 ft. To a similar post, marked "D" on
the south side and "2" on top in
a mound of sandstones, on a high
ridge whose course is N. 65° W.,
and S. 65° E. and ascend east
slope.

or
2653.86 ft. To a similar post marked "D" on
the south side and "3" on top,
in a mound of shale and run across
south slope.

42.38
or
2787.1 ft. To a 4 x 4 redwood post, marked
"E" on the west side, and "D"7"

0

_ -

S.0°25'W.

Chains

on the east and south sides for station 7 of this claim, in a mound of earth, on sage covered south slope, the same being the original location corner.

Thence

Descending south slope

1.02 67.3 ft.

To a 4 x 4 redwood post, marked "E 2" on the west side for station 2, and southeast corner of the "Encino Oil Claim", "T" on the south side, and "D 8" on the north and east sides for station 8 of this claim, in a mound of earth the same being the original location corner.

Thence

Acress sage covered south slope

Control of the Contro

S.89°35'E.

8

2.45 or .161.70 ft. Leave south slope, and descend east slope

4.45

To a 4 x 4 redwood post, marked 293.70 ft. "T" on the south side "D" on the north side, and "4" on top in a mound of shale and run across

broken south slope.

20.73

1368.18 ft. To a similar post marked "T" on

Chains

the south side "D" on the north

side side and "2" on top in a mound

of sandstone on a high ridge

bearing N. 65° W. and S. 75° E.

and run across grassy north slope.

28.97 or

or
1912.00 ft. To a 3 x 4 redwood post, marked

"T" on the south side and "D" on
the north side, in a mound of sandstones and earth, and descend
through brush.

33.23 or 2193.2 ft.

To a 4 x 4 redwood post, marked
"T 2" on the south side for
station 2 and northeast corner
of the "Temple Oil Mine" and "D 9"
on the west side for station 9
of this claim, in a mound of earth
and gravel, on a high rocky spur,
sloping eastwardly to the "Narrows"
of "Towsley Canon" the same being
the original location corner.

Thence

S.0°25'W.

9

0.34 or 22.44 ft.

To a 2 inch stake in a mound of sandstones.

0.75 or

or 49.50 ft. The top of precipice 150 feet high.

7.00

462.00 ft. To a 3 x 4 redwood post marked

Chains

"T" on the west side, and "D" on the east side, in a mound of sandstones and earth, on a spur sloping east, and descend steep south slope.

12.30 or 811.80 ft.

Cross trail course east and west,

garage and the second of the second

12.46 or 822.4 ft.

To a 4 x 4 redwood post, marked on the south side for "T 1" station 1 of the "Temple Oil Mine" and "D 10" on the north side for station 10 of this claim, in a mound of shale the same being the original location corner and from which

A walnut tree 12 inches diameter marked "A" one of a clump of 7 walnut trees bears south 268 links distant.

Thence

Along the northwesterly boundary of the "Towsley Petroleum Mine" as per official survey ascending steep south slope.

4.71 or 310.9 ft.

To a 4 x 4 redwood post marked

"W 1" on the southeast side, for

station 1 of the "Towsley Pet
roleum Mine" and "D 11" on the

. 10

N.26°30'E

Chains

southwest and northeast sides for station 11 of this claim, in a mound of sandstones on the eastern point of ridge, the same being the original location corner.

The original corner to the "Towsley Petroleum Mine" a sandstone 10 x 9 x 5 inches, marked "W 1" being on top of mound.

. Thence

11 S.63°30'E.

Along northeasterly boundary of the "Towsley Petroleum Mine" descending steep southeast slope.

8.00 or 528.00 ft. Cross road, course N. 35° E. and S. 35° W.

8.80
or
580.80 ft. Cross stream in "Towsley" canon
10 links wide, course north and
ascend steep west slope.

16.59 or 1094.9 ft.

To a 4 x 4 redwood post marked
"T 8" on the southeasterly side
for station 8 of the "Tamalpais"
Oil Claim, and "D 12" on the
northwesterly side for station
12 of this claim, in a mound
of sandstones, on steep southwest
slope, the same being the original
location corner on the line be-

Course Chains

S.89°35'E.

tween sections 8 and 17 and from which the established corner to sections 8, 9, 16 and 17 T. No. 3 N., R. No. 16 W., S B. B. and M. bears S. 89° 35' W., 19.22 chains distant.

Thence ·

Ascending southwest slope.

5.81 or 383.5 ft.

To a 4 x 4 redwood post, marked
"T" on the south side and "D" on
the north side, in a mound of earth
on a high ridge sloping northwest
and run across broken north slope.

19.22 or 1268.5 ft.

To the point of beginning, containing one hundred and fifty and thirty one-hundredths (150.30)

This claim is principally on surveyed land, and is on sections 8 and 9 T. No. 3 N., R. No. 16 W., S. B. B. and M.

W. F. MC. CLURE,
U. S. Deputy Mineral Surveyor

12

FIELD NOTES OF THE SURVEY OF THE "ENCINO" LOCATION.

Course

Chains

Beginning at a 4 x 4 redwood post
marked "A 3" on the north and
west sides for station 3, and the
southeast corner of the "Alameda
Oil Mine" as per official survey and "E 1" on the south side
for station 1 and northeast corner
of this claim, in a mound of quartz
stones on steep west slope of
small rocky point, the same being
the original location corner

Thence

On true courses the magnetic variation being 14° 35' east, ascending steep north slope.

5.00 or 330.00 ft.

To a 4 x 4 redwood post, marked "E" on the west side, in a mound of earth on ridge bearing north-east and west.

23.32 or

1589.1 ft.

To a 3 x 4 redwood post, marked "E" on the west side, in a mound on earth, on ridge bearing east

S.0°25'W.

\$

th

Chains.

and west.

28.29

or

1867.1 ft.

To a 4 x 4 redwood post marked "D 7" on the east and south sides for station 7 of the "Diable Oil Claim" and "E" on the west side in a mound of earth, on sage covered south slope.

29.31 or 1934.5 ft.

To a 4 x 4 redwood post, marked "D 8" on the east and north sides for station 8 of the "Diahlo Oil Claim" "T" on the south side and "E 2" on the west side for station 2 and southeast corner of this in a mound of earth claim, the same being the original location corner, from which

The established corner to sections 8, 9, 16 and 17 T. 3 N., R. 16 W., S. B. B. and M., bears S. 76° 59' E., 71.13 chains distant.

Thence

2

N.89°35'W.

2.11

or 13926 ft. To a 4 x 4 redwood post, marked "T" on the south side "E" on the north side, and "5" on top, in a mound of earth, and ascend steep east slope of Wilson Hill.

.12.56

To a 3 x 4 redwood post marked 828.96 ft.

Chains

"T" on the south side, and "E" on the north side, in a mound of sandstones on the south slope of "Wilson Hill" and run across said south slope.

15.31

or 1010.46 ft. To a 4 x 4 redwood post, marked "T" on the south side "E" on the north side and "7" on top in a mound of sandstone.

17.56 1158.96 ft. To a similar post, marked "T" on the south side, and "E" on the north side, in a mound of sandstones.

21.13

1394.58 ft. To a 2 inch stake in a mound of sandstones and descend west slope through heavy tall brush.

22.00

To a 4 x 4 redwood post marked or 1452.00 ft. "T 3" on the east and south sides for station 3 and northwest corner of the "Temple Oil Mine" and "E on the north side, in a mound of earth, and run across broken south slope.

38.02 To a 3 x 4 redwood post, marked 2509.32 ft. "E" on the north side, in a mound

Chains

of earth on a spur sloping south.

46.79

3088.14 ft.

To a 3 x 4 redwood post, marked "E" on the north side, and "1" on top, in a mound of earth, on low spur sloping south.

53.76

or 3548.16 ft. Cross deep canon 25 links wide, course southeast, and ascend northeast slope.

57.53 or 3797 ft.

To a 4 x 4 redwood post marked "R 3" on the northwest and "E 3" on northeast side for station 3 and southwest corner of this claim, in a mound of earth on steep brushy northeast slope, the same being the original location corner

N.0°25'E.

105.60 ft. Cross deep canon 15 links wide, course east and ascend south slope.

Thence

3.62

238.92 ft. To a 3 x 4 redwood post marked "R" on the west side, and "E" on the east side, in a mound of decomposed sandstones on low sharp point of spur, sloping southeast and descend northeast slope.

Chains

5.85 ·

or 386.10 ft. Cross ravine 15 links wide, course southeast and ascend southeast slope.

16.20

or
1069.20 ft. To a 4 x 4 redwood post marked

"R" on the west side and "E" on
the east side, in a mound of sandstones and earth on the high
ridge bearing east and descend
north slope.

21.51 or 1419.7 ft.

To a 4 x 4 redwood post, marked

"C 8" on the northeast side for

station 8 and southwest corner of

the "Camuelos Oil Mine" "R" on

the west side, and "E 4" on the

east

south, side for station 4 and

northwest corner of this claim,

in a mound of sandstones and earth

on the east slope of spur, the

same being the original location

corner,

Thence

S.89°35'E.

1.30

85.80 ft.

Cross ravine 10 links wide, course north and ascend west slope

7.26

or 479.16 ft. To a 4 x 4 redwood post, marked "C" on the north side "E" on the

Chains

south side and "1" on top, in a mound of earth on spur sloping north, and run across broken, brushy north slope.

26.10

1722.60 ft. To a 4 x 4 redwood post marked "C" on the north side, and marked "E" on the south side in a mound of quartz rock, on high narrow rough spur, sloping north continue across broken north slope, crossing a deep ravine, course northeast and ascending the northwest slope of "Wilson Hill"

42.48 2803.7 ft.

To a 4 x 4 redwood post, marked "C 7" on the northwest side for station 7 of the "Camuelos Oil Mine" and "E 5" on the north-, east and southwest sides for station 5 of this claim, in a mound of earth, on the grassy north slope of "Wilson Hill" the same being the original location corner and from which

A white oak tree 28 inches diameter bears S. 6° W., 991 links distant

Thence

Descending gentle north slope.

Chains

4.56 or 300.96 ft.

To a 4 x 4 redwood post marked

"C" on the west side and "E" on

the east side, in a mound of

earth; leave north slope and

descend northeast alope.

7.79 514.1 ft.

To a similar post, marked "C 6" on the west and south side, for station 6 of the "Camuelos Oil Mine" "A" on the north side and "E 6" on the east side for station 6 of this claim, in a mound of shale on north slope of shale spur, the same being the original location corner and from which

A live oak tree 20 inches diameter bears N. 80° E., 11 links distant.

A live oak tree 20 inches diameter bears N. 21° 30' W 12 links distant.

Thence

Across broken north slope.

S.89°35'E.

4.35 or 287.10 ft. Cross ravine 10 links wide, course north.

7.28 or 480.48 ft. To a 4 x 4 redwood post, marked "A" on the north side, and "E"

6

Chains

on the south side, in a mound of sandstones, on a spur sloping northeast.

14.90 or 983.40 ft.

Cross ravine 10 links wide, course north and ascend steep west slope

15.04 or 922.6 ft.

To the point of beginning and containing one hundred and thirty-five and fifty two one-hundredths (135.52) acres of land.

This claim is on unsurveyed land, but would be in sections 7 and 8, T. No. 3 N., R. No. 16 W., SB. B. and M. if the surveys were extended.

W. F. MC CLURE

U. S. Deputy Mineral Surveyor.

FIELD NOTES OF THE SURVEY OF THE CONNECTING LINE OF THE "ENCINO LOCATION"

Distance Chains Feet Course

> Beginning at the established corner to sections 8, 9, 16 and 17, Township No. 3 North, Range No. 16 West, San Bernardino Base and Meridian, and running thence On true courses, the magnetic variation being 14° 35' east, retracing the line between sections 8 and 17.

1268.52 To a post set for the corner of 19.22 the "Tamalpais" and "Diablo" locations, on the northeasterly boundary of the "Towsley Petroleum Mine" as per official survey.

Thence

Along the northeasterly boundary N.63°30'W.

of the "Towsley Petroleum Mine"

as per official survey.

1094.94 To apost marking station "1" of the "Towsley Petroleum Mine" and

station Il of the "Diablo Location"

Thence

Along the northwesterly boundary of the "Towsley Petroleum Mine" as per official survey.

N.89°35'W. 1

S.26°30'W.

No. Course Chains Feet

4.71 310.86 To a post marked for station "1"

of the "Temple Oil Mine" and

station 10 of the "Diablo" Location

Thence

N.0"25'E.

Along the line between the "Temple Oil Mine" and the "Diablo" Location

12.46 822.36 To a post marked for station 2

of the "Temple Oil Mine" and

station 9 of the "Diablo" Locaation

Thence

N.89°35'W.

Along the line between the "Temple Oil Mine" and the "Diablo" Location.

33.23 2193.18 To a post marked for station 8

of the "Diablo" location, and

station 2 and southeast corner of
the "Encino" Location, from which

The established corner to sections 8, 9, 16 and 17, T. No. 3 N., R. No. 16 W., San Bernardino Base and Meridian bears S.76°59'E., 71.13 chains distant.

5

S N.26°30'E.

Childhan

H. Owners.

16.20

or 1069.2 ft. To a 4 x 4 redwood post, marked "T" on the northwesterly side "S 6" or the southwesterly side and of on the south side for station 6 of the "Tamelpais Locacion in a mound of sandstones, the dame being the original location corner, from which station 3 of the "Towsley Petroleum Mine" us per official survey, bears S. 26° 30' W., 87 links distant.

> A sycamore tree 21 inches diameter bears N. 74° 30' E. 28 links distant,

whence

Along the southeasterly boundary of the "Towsley Petroleum Mine" as per official survey.

21.84 or 1441.4 ft.

To a 4 x 4 redwood post, marked "W 2" on the so thwest side for station 2 of the "Towsley Petroleum Mine" and "I 7" on the NV. and SM, side for station 7 of the "Temalpais" location in a mound of shule and earth, the same being the original location corner, from which

A live out tree 20 inches

PINTS ROTES OF THE SURVEY OF THE TAMALPAIS LOCATION

UJUT'SE

Chains

Beginning at the established corner to sections 8, 9, 16 and 17, Township No. 3 North, Range No. 16 West, San Bernardino Base and Meridian, the same being marked by the original walnut post, properly marked in a mound of earth together with a 4×4 recrood post, marked "D 1" on the northwest side for station 1 or the "Diablo Oil Claim" and "T 1" east on the north side for station 1 of this claim, on the northwest slope, near the top of ridge, and running thence On true courses the variation of

On true courses the variation of the magnetic needlo being 14° 35° east, retracing the established line between sections 8 and 9, descending steep north slope.

12.30 or 811.8 ft.

Base of mountain, and enter valley of "Towsley Canon"

15.26 1007.2 ft

1007.2 ft. Cross roud course east and west to a 4 x 4 redwood post marked "D" on the west side, and "T" on

1 N.1° E.