

1. Use Standard Manhole Frames and Covers S-3-117
2. Use Standard Strength Pipe
3. Use Cement Mortar for all Vitrified Clay Pipe Joints
4. Requires all Trench within Paved Area to meet L.A. County Road Dept. requirements
5. Encase 4" Oil Sewer at Points of Interference, with Poles as per S-3-119
6. All Structures shall be Brick Sewer Structures, S-3-104

NOTE:
Before any connection for the disposal of Liquid Industrial Waste is made to this sewer, detailed plans must be submitted to and a permit secured from the County Engineer.

NOTE:
No representative of the County Engineer will survey or lay out any portion of the work.

The owner or his authorized representative shall furnish the County Engineer, with grade sheets and sixth, for all house connections and "Y" branches and shall provide stakes, as they at their choice, locations with stationing plainly marked. Any change of location shall be requested in writing by the owner or his representative.

No revision shall be made in these plans without approval of the County Engineer.

PROFILE, ALIGNMENT, AND GRADE OF
SANITARY SEWER
TO BE CONSTRUCTED IN
STRONG AVENUE
BETWEEN FIRST ALLEY NORTH OF SHEILA AVENUE, AND SHEILA AVENUE

PRIVATE CONTRACT NO. 813

W.S. 36

SHEET 1 OF 2 SHEETS

SCALE: Vert. 1"=5'
Horiz. 1"=40'

JUNE 1948

PREPARED IN THE OFFICES OF
SEABOARD ENGINEERING CO.
By Mark A Robin
Registered No. 2058
Civil Engineer

NOTE:
Elevations are on mean sea level datum as established by U.S.C.&G.S. This drawing and the data thereon are hereby made a part of the specifications.

Work shall be constructed according to specifications on file in the office of the County Engineer and shall be subject to the inspection of his representative.

Before work can be started, the contractor must obtain a permit to excavate in county streets from the County Road Department. Backfilling, sufficient to obtain the proper density, and repaving of streets shall be done by the County Road Department at cost to the contractor.

COUNTY OF LOS ANGELES, CALIFORNIA

APPROVED _____
Chief Engineer

APPROVED _____
Director of Public Works

APPROVED _____ JUNE 1948
Board of Supervisors

4 (1)

Final Ck T.T.P. 8/6/48