



13862

**PROFILE, ALIGNMENT AND GRADE OF
SANITARY SEWERS
TO BE CONSTRUCTED IN
SEWER RIGHT OF WAY**

PRIVATE CONTRACT NO. 1647
W.S. NO. 36
SHEET 1 OF 1 SHEET
PREPARED IN THE OFFICES OF
W.M. H. FAIR JR.
BY *Edmund J. Rawlin*
VERIFIED
SCB/BL NOV 14 1951
JANUARY 1951
FOR LEGEND
SEE PLAN NO. 5-2-54

NOTES:

- (1) Use Standard Manhole Frames and Covers, S. & I. 117
- (2) Use Standard Strength Pipe, except where noted.
- (3) Use Cement Mortar for All Vitified Clay Pipe Joints
- (4) Excave Four Feet of Sewer at Points of Interference With Poles, As Per S. & I. 119
- (5) All Structures Shall Be Brick Sewer Structures, S. & I. 104
- (6) Construct Tops of All Structures in Rights of Way 6" Above Finished Grade.

NOTE:
No representative of the County Engineer will survey or lay out any portion of the work.
The owner or his authorized representative shall furnish the County Engineer with grade sheets and stations of all house connections, manhole locations and all other possible easements, poles, wires, and other obstructions with stationing plainly marked. Any change of location shall be requested in writing by the owner or his representative.
Provide stakes on the property lines or property lines produced at right angles to the sewer line at the center line of each manhole.
Concrete pavement to be cut not less than 2" in depth with concrete saw. Saw cut stoppers to be installed with curb compound by manufacturer at the plant - Spec. Sect. 55.5.

NOTE:
Grade to which this improvement is to be constructed are shown on plans and profiles.
Elevations are in feet above U.S.C. datum or mean sea level.
This drawing and the data hereon are hereby made a part of the specifications.
Work shall be constructed according to specifications on file in the office of the County Engineer and shall be prosecuted only in the presence of the County Engineer. Before work can be started, the contractor must make a deposit with the County Engineer, 820 L.A. County Engineering Bldg. sufficient to cover the cost of construction inspection and record plans.
Approval of this plan by the County of Los Angeles does not constitute a representation as to the accuracy of the location of or the existence or non-existence of any underground utility, pipe or structure within the limits of this project.

COUNTY OF LOS ANGELES, CALIFORNIA.
APPROVED *Edmund J. Rawlin* Office Engineer
County Engineer
APPROVED BY *A. M. Rawn* Chief Engineer of County Sanitation District No. 5
CHECKED BY *Bill S. ...* DEPT. OF PUBLIC WORKS



