



NOTE:  
 NO REPRESENTATIVE OF THE COUNTY ENGINEER WILL SURVEY OR LAY OUT ANY PORTION OF THE WORK.  
 THE OWNER OR HIS AUTHORIZED REPRESENTATIVE SHALL FURNISH THE COUNTY ENGINEER WITH GRADE SHEETS AND STATIONS FOR ALL HOUSE CONNECTIONS AND Y-BRANCHES AND SHALL PROVIDE STAKES FOR THEM AT THEIR PROPER LOCATION WITH STATIONING PLAINLY MARKED. ANY CHANGE IN LOCATION SHALL BE REQUESTED IN WRITING BY THE OWNER OR HIS REPRESENTATIVE.  
 NO REVISIONS SHALL BE MADE IN THESE PLANS WITHOUT APPROVAL OF THE COUNTY ENGINEER.  
 1. USE CEMENT MORTAR FOR ALL VITRIFIED CLAY PIPE JOINTS.  
 2. RESURFACE ALL TRACED WITHIN PAVED AREA TO MEET L.A. COUNTY ROAD DEPT. SPECIFICATIONS.  
 3. EXPOSE FOUR FEET OF SEWER AT POINTS OF INTERFERENCE WITH PULKS 5-113.  
 4. HOUSE CONNECTIONS TO BE CONSTRUCTED WITH INVERT AT PROPERTY LINE.  
 5. 3 FEET BELOW CURB GRADE.  
 6. 2" 10" x 8" V.C.P. PRODUCTS ADAPTED FROM 6" C.I.P. TO 6" V.C.P.  
 7. STOPPERS TO BE INSTALLED WITH JOINT COMPOUND BY MANUFACTURER AT HIS PLANT, SPEC'S SEC. 33.48  
 8. CONCRETE FURNISHMENT TO BE NOT LESS THAN 2" IN DEPTH WITH CONCRETE SAND SPEC'S SEC. 65.  
 9. INSTALL WIRE AND TAGS - SPEC'S SEC. 48.  
 Note: All field data taken by Donald Bone, L.S. 2348

15657  
 DOWNEY  
 Trim Line  
 P.C. 2416 - J.N.F. 282  
 PROFILE, ALIGNMENT, AND GRADE OF PAGE I  
 SANITARY SEWERS  
 TO BE CONSTRUCTED IN  
 TRACT NO. 18390  
 PRIVATE CONTRACT NO. 2416  
 W.S. 33  
 SHEET 1 OF 1 SHEET  
 SCALE: VERT. 1"=4'  
 HORIZ. 1"=40'  
 SEPT. 1952  
 PREPARED IN THE OFFICES OF  
 BY Ralph B. Nunnally  
 REG. C.E. NO. 8330  
 FOR LEGEND SEE PLAN NO. 5-a-64

NOTE:  
 GRADES TO WHICH THIS IMPROVEMENT IS TO BE CONSTRUCTED ARE SHOWN ON PLANS AND PROFILES. GRADE POINTS FOR TOP OF CURBS, CENTER LINE OF STREETS, OR CENTER LINE OF ALLEY ARE SHOWN BY CIRCLES ON PROFILES. AT ALL POINTS BETWEEN DESIGNATED POINTS THE GRADE SHALL BE ESTABLISHED SO AS TO CONFORM TO A STRAIGHT LINE DRAWN BETWEEN SAID DESIGNATED POINTS.  
 ELEVATIONS ARE IN FEET ABOVE U.S.C.S. DATUM OR MEAN SEA LEVEL.  
 THIS DRAWING AND THE DATA HEREON ARE HEREBY MADE A PART OF THE SPECIFICATIONS. WORK SHALL BE CONSTRUCTED ACCORDING TO SPECIFICATIONS ON FILE IN THE OFFICE OF THE COUNTY ENGINEER AND SHALL BE PROSECUTED ONLY IN THE PRESENCE OF THE COUNTY ENGINEER. BEFORE WORK CAN BE STARTED THE CONTRACTOR MUST OBTAIN A PERMIT TO EXCAVATE IN COUNTY STREETS FROM THE L.A. COUNTY ROAD DEPT. IN N. 2nd ST. AND MAKE A DEPOSIT WITH THE COUNTY ENGINEER, 733 L.A. COUNTY ENGINEERING BUILDING, SUFFICIENT TO COVER THE COST OF CONSTRUCTION INSPECTION AND RECORD PLANS.  
 APPROVAL OF THIS PLAN BY THE COUNTY OF LOS ANGELES DOES NOT CONSTITUTE A REPRESENTATION AS TO THE ACCURACY OF THE LOCATION OF, OR THE EXISTENCE OR NON-EXISTENCE OF, ANY UNDERGROUND UTILITY, PIPE, OR STRUCTURE WITHIN THE LIMITS OF THIS PROJECT. THIS NOTE APPLIES TO ALL SHEETS.  
 COUNTY OF LOS ANGELES, CALIFORNIA  
 APPROVED, WILLIAM J. FOX, COUNTY ENGINEER  
 BY *[Signature]*  
 CHECKED BY *[Signature]*  
 OFFICE OF COUNTY ENGINEER REG. C.E. NO. 8330  
 10-2-52  
 L Trim Line

checked 12-17-52  
 Penie-73, 4-U

DOWNEY AVENUE

DOWNEY AVENUE

TRACT NO. 18390  
 No connection charges on these lots, per County Ordinance No. 18390  
 1 2 3 4 5 6 7 8  
 51230 51235 51240 51245 51250 51255 51260 51265  
 1368 55 55 55 55 55 55 55  
 BOYNE AVENUE  
 DOWNEY  
 GERTRUDES AVENUE  
 PORTION OF THE RANCHO SANTA GERTRUDES  
 P.I. 156-158