

NORWALK BLDG. DIST. NO. 42

PROFILE ALIGNMENT AND GRADE OF P.C. 3995  
 SANITARY SEWERS PAGE 1  
 TO BE CONSTRUCTED IN

**LAKELAND ROAD** (2)  
 PRIVATE CONTRACT NO. 3995

W.S. 33

— 1 SHEET — 2 PAGES  
 SCALE: 1" = 40' HORIZ. 1" = 4' VERT.  
 MAY, 1956

PREPARED IN THE OFFICES OF  
**A. RICHARD BROWN, JR.**  
 7332 COMMONWEALTH AVE.  
 BUREAU PARK, CALIFORNIA  
 REG. C. E. NO. 8255

FOR LEGEND SEE PLAN NO. S-A-64

**NOTE:**  
 GRADES TO WHICH THE IMPROVEMENT IS TO BE CONSTRUCTED AND SHOWN ON PLANS AND PROFILES. GRADE POINTS FOR TOP OF CURB, CURVE LINE OF STREETS OR CENTER LINE OF ALLEYS ARE SHOWN BY CIRCLES ON PROFILES AT ALL POINTS BETWEEN DESIGNATED POINTS THE GRADE SHALL BE ESTABLISHED SO AS TO CONFORM TO A STRAIGHT LINE BETWEEN SAID DESIGNATED POINTS.  
 ELEVATIONS ARE IN FEET ABOVE U.S.C. & G.S. SEA LEVEL DATUM OF 1929.  
 THIS DRAWING AND THE DATA HEREON ARE HEREBY MADE A PART OF THE SPECIFICATIONS.  
 WORK SHALL BE CONSTRUCTED ACCORDING TO SPECIFICATIONS ON FILE IN THE OFFICE OF THE COUNTY ENGINEER AND SHALL BE INSPECTED ONLY IN THE PRESENCE OF THE COUNTY ENGINEER.  
 BEFORE WORK CAN BE STARTED, THE CONTRACTOR MUST OBTAIN A PERMIT TO EXCAVATE IN COUNTY STREETS FROM THE S. A. COUNTY ROAD DEPT., 188 W. 5TH ST. AND A PERMIT WITH THE COUNTY ENGINEER, ROOM 224 SAN JUAN AMERICAN BUILDING, 225 SO. BROADWAY. SUFFICIENT TO COVER THE COST OF CONSTRUCTION INSPECTION AND RECORD PLANS.  
 APPROVAL OF THIS PLAN BY THE COUNTY OF LOS ANGELES DOES NOT CONSTITUTE A REPRESENTATION AS TO THE ACCURACY OF THE LOCATION OF OR THE EXISTENCE OR NON-EXISTENCE OF ANY UNDERGROUND UTILITY PIPE OR STRUCTURE WITHIN THE LIMITS OF THIS PROJECT. THIS NOTE APPLIES TO ALL PAGES.  
 IF WORK IS TO BE DONE ON A STATE HIGHWAY, A PERMIT MUST BE OBTAINED FROM THE STATE OF CALIFORNIA, DIVISION OF HIGHWAYS, 126 SOUTH SPRING STREET.


COUNTY OF LOS ANGELES, CALIFORNIA

APPROVED, JOHN A. LAMBE, COUNTY ENGINEER  
 APPROVED, A. M. EAVN, CHIEF ENGINEER  
 BY A. P. Collins SANITATION ENGINEER  
 BY A. M. Eavn OFFICE ENGINEER  
 CHECKED BY R. J. ... 7-16-56  
 OFFICE OF COUNTY ENGINEER, BLDG. C. & NO. 7860

BENCH MARK S.Y. 3278  
 LEAD AND TACK IN WEST CURB OF  
 NORWALK BLVD. 1" SOUTH OF CURB  
 RETURN AT SOUTHWEST CORNER OF  
 LAKELAND ROAD AND NORWALK BLVD.  
 ELEVATION = 127.870 (1955 ADJ.)

- NOTES:**
- PROVIDE STAKES ON THE PROPERTY LINE OR PROPERTY LINES PRODUCED AT RIGHT ANGLES TO THE SEWER LINE AT THE CENTER LINE OF EACH MANHOLE.
  - NO REPRESENTATIVE OF THE COUNTY ENGINEER WILL SURVEY OR LAYOUT ANY PORTION OF THE WORK.
  - THE OWNER OR HIS AUTHORIZED REPRESENTATIVE SHALL FURNISH THE COUNTY ENGINEER WITH GRADE SHEETS AND STATION FOR ALL HOUSE LATERALS AND T-BRANCHES AND SHALL PROVIDE STAKES FOR USE AT THEIR PROPER LOCATIONS WITH STATION AND PLAINY MARKER. A CHANGE IN LOCATION SHALL BE REQUESTED IN WRITING BY THE OWNER OR HIS REPRESENTATIVE.
  - NO REVISIONS SHALL BE MADE IN THESE PLANS WITHOUT THE APPROVAL OF THE COUNTY ENGINEER.
  - USE STANDARD MANHOLE FRAMES AND COVERS, S.A. 117, EXCEPT AS NOTED.
  - USE STANDARD STRENGTH PIPE EXCEPT AS NOTED.
  - USE CEMENT MORTAR FOR ALL VITRIFIED CLAY PIPE JOINTS.
  - RESURFACE ALL TYPICAL PAVED AREA TO MEET S. A. COUNTY ROAD DEPT. OR CALIF. STATE HIGHWAY DEPT. REQUIREMENTS IN ACCORDANCE WITH PERMITS.
  - EXCAVE FOUR FEET OF SEWER AT POINTS OF INTERFERENCE WITH P.U.S. S.A. 117.
  - HOUSE LATERALS TO BE CONSTRUCTED WITH 1/4" RISE PER FOOT TO PROPERTY LINE.
  - ALL STRUCTURES SHALL BE BRICK SEWER STRENGTH, UNLESS OTHERWISE NOTED.
  - FOR ALLOWABLE HEADLOADS TEST USE FORMULA NO. 1.
  - THE PRIVATE ENGINEER IS TO FURNISH THE HOUSE LATERAL DEPTH AT THE PROPERTY LINE BELOW THE TOP OF CURB ELEVATION FOR EACH HOUSE LATERAL, ON THE GRADE SHEET.

NO CHARGE FOR CONNECTIONS  
 A. Collins 7-16-56



Recorded 10-18-56 W. Eavn

